

JANUARY 2023 CATALOG

# jack·x·change

PNEUMATIC-HYDRAULIC TOOLS & JACKS

SALES • SERVICE • REPAIR • RENTALS

**AUTHORIZED FACTORY SERVICE CENTER  
&  
EQUIPMENT/REPAIR PARTS DISTRIBUTOR**



**Hablamos Español**

**1609 N ORANGETHORPE WAY  
ANAHEIM, CA 92801  
(562) 860-1417 | (714) 871-4966  
jackxchange.com**

\*\*\*PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE\*\*\*

\*\*\*PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE\*\*\*

## NEED RENTALS? CALL TODAY FOR A QUOTE!



- \* **HAND PUMPS**
- \* **ELECTRIC PUMPS**
- \* **GAS PUMPS**
- \* **5-250 TON CYLINDERS**
- \* **HOSES**
- \* **GUAGES**
- \* **VALVES & MANIFOLDS**

## FIT TO YOUR PROJECT'S REQUIREMENTS




# SERVICE CENTER AND REPAIRS CALL TODAY FOR A QUOTE!



**Specialty Equipment  
Repairs**



**Quality Tested**



**Floor Jacks  
Repairs**



**Pneumatic  
Repairs**



**Hydraulic  
Repairs**



**Painting  
Service**

» **Authorized Factory Service Center  
For Most of our Major Lines**

» **Repair Parts For Sale**

» **In Stock Inventory**

» **Preventive Maintenance**

# jack·x·change

# SALES

## SPX

## >Power Team

# SALE

# \$468.26

\*WHILE SUPPLY LAST



## POWERTEAM PA6 Hydraulic Pump

- The Power unit of choice for major manufacturers of auto body, frame straighteners and other shop equipment.
- Operate at 40-100 psi shop air pressure at the pump.
- Quiet operation that is suitable for indoor applications, 85dBA at 10,000 psi.
- Serviceable pump motor is not a "throw away", providing economical repair
- Permanently vented reservoir cap
- Internal relief valve protects circuit components, air inlet filter protects motor.



## Casted Side-Pump Bottle Jacks



Model	Capacity	Min.Height	MaxHeight	ExtensionScrew	BaseSize(LxW)	G.W.	Price
61021	2Ton	7-1/8"	11-5/8"	1-7/8"	3-2/3"X3-2/3"	5.5Lbs.	<b>\$21.19</b>
61041	4Ton	7-11/16"	12-5/16"	2-3/8"	4-1/4"X3-9/10"	7.4Lbs.	<b>\$27.61</b>
61061	6Ton	8-1/2"	13-1/2"	2-3/8"	4-5/8"X4-5/16"	9.9Lbs.	<b>\$35.75</b>
61081	8Ton	9-1/8"	14-7/8"	3-1/8"	4-5/8"X4-5/8"	11.8Lbs.	<b>\$42.16</b>
61121	12Ton	9-1/8"	6"	3-1/8"	5-7/16"x4-15/16"	15.8Lbs.	<b>\$61.84</b>
61121S	12TonS	6-11/16"	12"	1-15/16"	12-3/16"X6-1/4"	15.6Lbs.	<b>\$59.81</b>
61201	20Ton	9-1/2"	5-7/8"	2-3/8"	6-1/4"x5-15/16"	23.7Lbs.	<b>\$87.04</b>
61201S	20TonS	7-1/2"	13-3/16"	1-15/16"	14-1/2"X7"	22.7Lbs.	<b>\$85.92</b>
61301	30Ton	11-3/16"	18-11/16"	-	6-5/8"x6-5/8"	31.4Lbs.	<b>\$174.65</b>



LET OUR EXPERTS AT

# jack·x·change

HELP YOU WITH YOUR NEXT HYDRAULIC PROJECT

**LARGEST INVENTORY STOCKING DISTRIBUTOR  
IN SOUTHERN CALIFORNIA**

## ENERPAC



## SIMPLEX



## SPX > Power Team



**CALL NOW FOR PRICING ON  
NEW EQUIPMENT & RENTALS  
562) 860-1417 • 714) 871-4966**



Jack X Change is an authorized Enerpac distributor and service center. Providing quality service since 1961, we have all your Enerpac needs all under one roof. Our technical specialists are able to design, install and service any of these products. Need a quote for your next job or project? Call Today! Hablamos Español.



## LARGEST INVENTORY STOCKING DISTRIBUTOR IN SOUTHERN CALIFORNIA

Hydraulic Cylinders, Jacks,  
Lifting Products & Systems



Hydraulic Pumps  
& Valves



System Components



Mechanical & Hydraulic  
Bolting Tools



## NOW STOCKING BOLTING EQUIPMENT CALL NOW FOR A FREE QUOTE



Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801  
562.860.1417 | 714.871.4966 | [jackxchange.com](http://jackxchange.com)





## POWER TEAM QUALITY

With over 90 years of experience in supplying Professional Grade High Pressure Hydraulic Pumps, Cylinders, Jacks, Pullers & Tools. Power Team Products are built tough with strict ISO 9001 manufacturing processes and are covered by a Lifetime PowerThon Warranty\*.

### › CYLINDERS



### › HYDRAULIC ACCESSORIES



### › PUMPS



### › SHOP EQUIPMENT



### › JACKS



### › HYDRAULIC & MECHANICAL TOOLS



**CALL FOR OUR WEEKLY SPECIALS!**

# jack·x·change

## Foot Pumps

**SPX**  
Power Team



**\$468.26**

**SPX- PA6** Single Speed Air Pump for Single Acting Cylinders, High Density Polyethylene Reservoir

**\$1,035.60**



**SPX- PA6M-1** Single Speed Air Pump for Single Acting Cylinders, 1 Gallon Metal Reservoir

**\$973.92**



**SPX- PA6-2** Single Speed Air Pump for Single Acting Cylinders, High Density 2 Gallon Polyethylene Reservoir

**ENERPAC**  
POWERFUL SOLUTIONS. GLOBAL FORCE.



**\$904.00**

**ENERPAC- PATG1102N**, Turbo II Air Hydraulic Pump, Hand/Foot Operated 3/3 Treadle Valve, 127 in3 Usable Oil, For use with Single-Acting Cylinders

**\$1,392.00**



**ENERPAC- PARG1102N** Turbo II Air Hydraulic Pump, 3/3 Manual Valve with Pendant, 127 in3 Usable Oil, For use with Single-Acting Cylinders

**\$1,371.20**



**ENERPAC- PAMG1402N** Turbo II Air Hydraulic Pump, 4/3 Manual Valve, 127 in3 Usable Oil, For use with Double-Acting Cylinders

**norco**



**\$662.67**

**NORCO- 910017B** 10,000 P.S.I. Air/Hydraulic Foot Pump



**\$1,165.33**

**NORCO- 910018B** 10,000 P.S.I. 2 Gallon Air / Hydraulic Foot Pump (Steel Case)



**\$386.67**

**NORCO- 910130A** 10,000 P.S.I. Air / Hydraulic Foot Pump



## 3/8" Impact Wrenches



**\$198.87**



**IRT2115TIMAX**

**3/8" Drive Titanium Impact Wrench**

- Max power - 300 ft-lbs of maximum reverse torque
- Max control - new feather touch trigger and one handed forward and reverse control
- Less than 6" long; weighs less than 2.5 lbs
- Titanium hammer case is lightweight with unparalleled durability
- 2 year warranty



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**IRT15QMAX \$142.00**

**3/8" Ultra-Compact Impactool**

- 475 ft-lbs. of nut-busting torque
- The twin hammer mechanism will reduce vibration
- Only 2.4 lbs
- Push button, forward/reverse buttons, and power regulator dial



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**Chicago Pneumatic**

**CLEARANCE SALE!**

**CPT724H \$150.00**

**3/8" Drive Heavy Duty Impact Wrench**

- Maximum torque: 200 ft.-lbs.
- Pin clutch mechanism in oil bath
- Curved handle with Thermo-Plastic Rubber injected in housing for a durable/comfortable grip
- Full teasing trigger
- 360° air inlet swivel keeps air hose from being twisted
- One hand push button forward/reverse power regulator

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**CPT721 \$165.50**

**3/8" Drive Heavy Duty Air Impact Wrench**

- Working torque: 5-50 ft.-lbs.; maximum torque: 75 ft.-lbs.
- Rocking dog clutch
- Energy efficient motor
- Pistol-type grip
- Free speed: 11,000 RPM

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**CPT7731 \$120.00**

**3/8" Stubby Impact Wrench**

- Ultra compact and powerful: 415 ft-lbs in reverse
- Rugged and lightweight: steel front cover and aluminum alloy body
- All controls on front of tool and adjustable for either right or left handed operation
- Only 4.4" long

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**CPT7727 \$150.00**

**3/8" Angle Impact Wrench**

- 185 ft-lbs of maximum torque in reverse
- Steel motor • Aluminum housing
- Full teasing trigger • Only 2.5 lbs.
- 3 positions in forward and 1 in reverse



**CPT7722 \$173.00**

**3/8" Drive Butterfly Impact Wrench**

- 90 ft.-lbs. • 360° swivel air inlet
- Built in regulator for controlled torque
- Rocking dog clutch • Butterfly throttle

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 1/2" Impact Wrenches

**IRT35MAX \$144.31****1/2" Ultra-Compact Impactool**

- 650 ft.-lbs. of nut-busting torque
- IR Twin Hammer
- Features 3 different regulation settings, as well as an easy to operate and user-preferred forward/reverse button



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**IRT35-BOOT \$18.97****Boot Cover for IRT35MAX and IRT15QMAX**

- Keeps tools clean and protected



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**IRT231C \$135.00****1/2" Drive Super Duty Impactool™**

- Maximum torque: 600 ft.-lbs
- IR Twin Hammer Mechanism
- Adjustable power regulator
- Pressure feed lubrication



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**IRT231HA \$171.74****1/2" Drive Super Duty Air Impactool™**

- Pressure-fed lubrication system
- Handle exhaust directs air away from user
- Adjustable power regulation
- Maximum torque: 590 ft./lbs (800 ft./lbs. reverse)
- Contoured comfort handle



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**Chicago Pneumatic**

**CLEARANCE SALE!**

**CPT734H \$155.00****1/2" Drive Heavy Duty Air Impact Wrench**

- DYNA-PACT oil bath clutch delivers smooth operation and extended durability
- 360° air inlet swivel
- Air inlet thread: 1/4" NPTF
- Minimum hose size: 3/8"
- Length: 7.5"
- Weight: 5.13 lbs.



**HD**

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**CPT749 \$200.00****1/2" Drive Super Duty Air Impact Wrench**

- Working torque: 50-450 ft.-lbs
- Maximum torque: 610 ft.-lbs
- CP's patented Spring Hammer oil bath clutch
- One-handed reverse button with 4 power settings
- Air inlet thread: 1/4" NPTF
- Weight: 5.5 lbs



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**CPT7748 \$170.00****1/2" Drive Composite Impact Wrench**

- 960 ft.-lbs of max torque in reverse
- One-hand reverse system (Ring system)
- Hard anodized end plates / Hard chromium aluminum cylinder / Twin hammer mechanism
- 6.89" in length
- Only 4.4 lbs in weight thanks to
- 360 degree swivel air inlet



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**CPT7748-2 \$170.00****1/2" Drive Composite Impact Wrench with 2" Extension**

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## 1/2" Impact Wrenches

**\$191.89**
**IRT231HA-2**  
**1/2" Drive Super Duty**  
**Air Impact Wrench**  
**with 2" Extended Anvil**

- In-handle exhaust directs air away from user
- Contoured comfort handle
- 590 ft./lbs. maximum torque
- Pressure feed lubrication system
- Adjustable power regulation



**WARNING:** Cancer and Reproductive Harm -  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**\$347.00**
**IRT2235QTIMAX**  
**1/2" Drive Quiet Impact Wrench**

- 1,300 ft.-lbs of quiet, nut busting torque, with a twin-hammer impact mechanism
- Only 4.6 lbs
- At 91.9 dBA IR Quiet Technology
- 2 year warranty, one-handed forward/reverse control, feather-touch trigger and 4-position power regulator




Made in U.S.A.



**WARNING:** Cancer and Reproductive Harm -  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**\$373.73**
**IRT2235QTIMAX-2**  
**1/2" Drive Quiet Titanium**  
**Impact Wrench with**  
**Extended Anvil**

- 1,300 ft.-lbs. of quiet nut busting torque, with twin-hammer impact mechanism
- 2 year warranty, one-handed forward/reverse control, feather-touch trigger, and 4-position power regulator



**WARNING:** Cancer and Reproductive Harm -  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**\$364.04**
**IRT2235TIMAX**  
**1/2" Drive Impact Wrench**

- 1,350 ft.-lbs of nut busting torque, powered by Ingersoll Rand's finely tuned twin-hammer impact mechanism
- Only 4.6 lbs.
- Backed by a 2 year warranty
- One-handed forward/reverse control, feather-touch trigger, and 4-position power regulator



Made in U.S.A.

**IRT2235TIMAX-2**  
**1/2" Drive Titanium Impact**  
**Wrench with Extended Anvil**

**WARNING:** Cancer and Reproductive Harm -  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)


**Chicago**  
**Pneumatic**
**CLEARANCE SALE!**
**CPT7749 \$175.00**
**1/2" Drive Composite Impact Wrench**

- 955 ft.-lbs of extreme torque
- S2S Technology for forward / reverse
- Ergonomic composite handle
- 3 positive power settings
- Full teasing trigger allows full control when tightening or loosening fasteners

**CPT7749-2 \$253.84**
**1/2" Drive Composite Impact**  
**Wrench with 2" Extended Anvil**
**CPT7732C \$150.00**
**1/2" Composite**  
**Stubby Impact Wrench**

- 460 ft.-lbs of maximum torque in reverse
- Steel motor
- Aluminum clutch housing
- Side 2 Side (S2S): 1 hand forward/reverse operation
- 2 positions in forward and reverse: max and lower torque



**WARNING:** Cancer and Reproductive Harm -  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**CPT7732 \$155.00**
**1/2" Ultra Compact &**  
**Powerful Impact Wrench**

- Excellent power to weight ratio: 450 ft.-lbs
- Ultra compact: 4.4" long
- Forward/reverse lever rotates to be on either the left or right side of the tool



**WARNING:** Cancer and Reproductive Harm -  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### 1/2" Impacts



Ingersoll Rand®

**CLEARANCE SALE!**

**IRT2130 \$135.00**

**1/2" Drive Heavy Duty Impacttool™**

- 1350 ft-lb maximum reverse torque
- 2 year limited warranty
- Quiet Technology - 91.1dBA



⚠ K5FB-B: .003 in. lead in air line. If air line is not properly secured, it may cause damage to the tool.

**\$195.00**

**IRT2135QXPA  
1/2" Composite  
Quiet Impact Wrench**



Made in U.S.A.

- 1350 ft-lb maximum reverse torque
- 2 year limited warranty
- Quiet Technology - 91.1dBA



⚠ K5FB-B: .003 in. lead in air line. If air line is not properly secured, it may cause damage to the tool.

**IRT232TGSL \$297.85**

**1/2" Drive Street Legal "Thunder Gun" Impact Wrench**



Made in U.S.A.

- 1350 ft-lb maximum reverse torque
- 2 year limited warranty
- Quiet Technology - 91.1dBA



⚠ K5FB-B: .003 in. lead in air line. If air line is not properly secured, it may cause damage to the tool.

**IRT244A \$271.32**

**1/2" Drive Super Duty Impact Wrench**

- Powerful, smooth balanced blows
- Pressure feed lubrication system automatically greases the impact system
- Working torque: 40-350 ft./lbs
- Maximum torque: 500 ft./lbs
- Variable speed trigger
- 1 yr warranty on material and workmanship



⚠ K5FB-B: .003 in. lead in air line. If air line is not properly secured, it may cause damage to the tool.

### 3/4" Impacts



Ingersoll Rand®

**\$579.14**

**IRT2145QIMAX**

**3/4" Drive Composite Impact Wrench**

- 1,350 ft-lb maximum reverse torque
- 2 year limited warranty
- Quiet Technology - 91.1dBA



Made in U.S.A.



⚠ K5FB-B: .003 in. lead in air line. If air line is not properly secured, it may cause damage to the tool.



Chicago Pneumatic

**CPT7763 \$450.00**

**3/4" Drive Heavy Duty High Power Impact Wrench**

- 1200 ft-lbs of torque
- Weighs less than 12 lbs
- 6-vane motor for speed - power with any 1/2" hose air supply
- Twin hammer high performance clutch
- Ergonomic handle exhaust



**CPT7763-6**

**3/4" Drive Heavy Duty Impact Wrench with 6" Anvil**



⚠ K5FB-B: .003 in. lead in air line. If air line is not properly secured, it may cause damage to the tool.



## 3/4" Impacts

**IRT259 \$402.00****3/4" Drive Impact Wrench**

- Delivers 1,050 ft-lbs of maximum torque in both forward and reverse
- New ergonomic design for easy two-handed operation
- Two power settings in forward and reverse
- Lightweight at only 8.8 lbs
- Silenced exhaust reduces tool noise to only 91.6 dbA while in use



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**IRT261****3/4" Drive Super Duty Air Impact Wrench****\$562.00**

- Jumbo hammer mechanism
- Up to 1,100 ft-lbs of torque
- Trouble free, longer performance aided by the Pressure-Feed Lube System
- Compact; only 8.8" long
- Handle exhaust



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Chicago Pneumatic****CLEARANCE SALE!****CPT7762 \$250.00**  
**3/4" Stubby Impact Wrench**

- 1050 ft-lbs. of torque
- Compact at 6.2 inches in length
- Lightweight at 6.6 lbs
- Twin Hammer mechanism
- Highly durable with a steel motor, and aluminum housing



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**CPT772H \$413.00**  
**3/4" Drive Super Duty Air Impact Wrench**

- 4-position power settings in forward and ultimate power in reverse
- Working torque: 150-700 ft-lbs
- Maximum torque: 1000 ft-lbs
- Handle exhaust with 360° air inlet swivel
- Average air consumption: 6 cfm • Air inlet thread: 3/8" NPTF
- Minimum hose size: 1/2" • Sound dBA: 96
- Length: 9.63" • Weight: 10.5 lbs



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## 1" Impacts

**IRT271 \$677.86****1" Drive Super Duty Air Impact Wrench**

- Impressive power-to-size ratio
- Up to 1,100 ft./lbs. of torque
- Pressure-feed lube system
- Dead handle improves operator control
- Free-speed 5,500 RPM



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Chicago Pneumatic****\$694.60****CPT7783-6****1" Drive Lightweight Impact Wrench with 6" Anvil**

- 1770 ft-lbs. maximum torque in reverse • Weighs 20.9 lbs
- Pinless closed reinforced rocking dog mechanism in oil bath
- Features an adjustable top or down exhaust



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## 1" Impacts



### IRT295A **\$753.18**

#### 1" Drive Heavy Duty Air Impacttool™

- 1,770 ft./lbs. maximum torque at 120 PSI with 5,250 rpm free speed and a high efficiency 6 vane motor
- Fast torque delivers 1,000 ft./lbs. in 2 seconds
- Handle exhaust directs air away from the work
- Top mounted dead handle provides great leverage
- 3 position power regulator for torque management
- 1 year warranty on material and workmanship

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



### IRT2175MAX **\$753.18**

#### 1" Drive Pistol Grip Impact Wrench



- Delivers 2,000 ft lbs of reverse torque
- Chemical resistant housing & steel core
- Lightweight: Weighs in under 20 lbs
- 360 Degree adjustable handle: Keeps hoses from getting tangled so you can move freely around the garage

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



### **\$777.14**

#### IRT2850MAX-6

#### 1" D-Handle Impact Wrench with 6" Anvil

- Delivers 2,100 ft-lbs of torque
- The steel core and chemical resistant housing is made to last even in the harshest working conditions
- At only 21 lbs this light weight design reduces user fatigue
- 2 year warranty on material and workmanship

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



### IRT285B-6 **\$672.15**

#### 1" Drive Heavy Duty Impact Wrench with 6" Anvil

- Maximum torque: 1,770 ft-lbs
- New Fast-Torque feature delivers 1,000 ft-lbs in 2 seconds
- New increased pressure rating can withstand 120 PSI for better durability
- Improved feather-touch trigger

- Free chemical resistant protective boot helps prevent damage

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**Chicago Pneumatic**

**CLEARANCE SALE!**

### **\$643.21**

#### CPT7782-6

#### 1" Drive Heavy Duty Impact Wrench with Extended Anvil



### **\$742.73**

#### CPT7782-SP6

#### 1" Drive Heavy Duty Impact Wrench with 6" Extension and #5 Spline



**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### **\$3,879.00**

#### CPT6120-D35H

#### 1-1/2" Drive Impact Wrench

- 2-Jaw clutch for superior ergonomics and productivity
- Very robust steel clutch housing and aluminum motor housing
- Extremely comfortable handle and adjustable support handle
- Interchangeable inside/outside trigger (parts included)
- Reverse biased 15%, possibility to change to forward biased by turning around the air motor cylinder

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



### CPT797 **\$784.00**

#### 1" Drive Super Duty Impact Wrench



### **\$804.01**

#### CPT797-6

#### 1" Drive Super Duty Impact Wrench with 6" Anvil

- Working torque: 150-900 ft-lbs.; maximum torque: 1400 ft-lbs
- Rocking dog clutch • Teasing throttle for easy bolt starting

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



### CPT7782 **\$625.56**

#### 1" Drive Impact Wrench, Short Anvil

- Powerful 1,920 ft. lbs of maximum torque in reverse
- Durable, closed reinforced rocking dog impact mechanism
- Regulator with integrated forward/reverse with 3 position power settings in both directions • Full teasing throttle

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)







## IRT121 **\$122.11** Super Duty Air Hammer

- Professional touch trigger for total control
- Long-life tool with a tough one-piece alloy barrel
- Easy to maintain, with an "easy out" throttle valve assembly • 3,000 blows per minute
- 1 yr warranty on material and workmanship

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## IRT115 **\$54.20** Standard Duty Air Hammer

- Up to 5,000 blows per minute
- Alloyed steel barrel and heat-treated piston
- Built-in power regulator and trigger control
- 1 year warranty on material and workmanship

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## IRT117 **\$75.88** Standard Duty Air Hammer

- Up to 2,000 blows per minute

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**CLEARANCE SALE!**

## CPT7110 **\$75.00** Heavy Duty Air Hammer

## CPT7110K **\$89.00** Heavy Duty Air Hammer Kit

- Shank: .401
- Vibration isolation system for smoother operation
- Average air consumption: 3.65 cfm
- Cushioned exhaust deflector on barrel for comfort and control
- Touch trigger for precision start ups and total control
- Kit includes: (1) quick change retainer, (4) chisels

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**CLEARANCE SALE!**

## CPT717 **\$575.00** Air Hammer

**\$781.00**

## CPT717K Air Hammer Kit

The CP717K is a Super Duty Air Hammer Kit which includes the CP717, a 4 piece .498 chisel set and a spring style retainer all packed in a heavy duty carry case.

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## IRT1105MAX-D2 **\$127.18** 1/4" Drive MAX Series Mini Air Ratchet

- 30 ft-lb max torque, 300 rpm free speed
- Variable-speed regulator
- Ergonomic coupling nut and composite handle ensure operator comfort
- Nickel-plated housing provides enhanced corrosion resistance

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## IRT109XPA **\$176.88**

- 3/8" Drive Super Duty Air Ratchet
- 76 ft-lbs (103 Nm) maximum torque at 220 rpm free speed
- Variable speed button trigger
- 360° adjustable exhaust directs air away from the operator and the work
- Optimized gear ratio and airflow for extra performance

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## CPT828 **\$116.58** 3/8" Drive Heavy Duty Ratchet

- Anti-slip head design
- Efficient 1/2 hp motor and triple idler planetary gear system provide up to 50 ft-lbs of torque • Teasing throttle
- Specifications: cfm - 4, hose size - 3/8", torque range - 10 to 50 ft-lbs, ultimate torque by hand - 125 ft-lbs, speed - 150 rpm

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# jack·x·change

# Cordless Tools



**IRTW7152-K22 \$616.24**

**20V 1/2" Drive Brushless High-Torque Impact Wrench with (2) Batteries Kit**

- 1500 ft-lb nut-busting torque and 1000 ft-lb of MAX torque
- Weighs only 7.6 lbs (with BL2022 battery)
- 4 dimmable settings on the shadowless 360° LED light ring
- Robust and durable all-metal drivetrain and hammer mechanism optimized for maximum power and efficiency

**IRTW7152-K12 \$515.81**

**1/2" Drive IQV20 High Torque with (1) Battery Kit**

**IRTW7172-K22 \$690.41**

**3/4" Drive IQV20 High Torque with (1) Battery Kit**

**IRTIQV20-K201 \$775.42**

**1/2" High-Torque Impact Wrench, 3/8" Compact Impact Wrench, (2) 5.0 Batteries, Universal Charger in Tool Bag**

- W7152 1/2" 20V High-Torque Impact Wrench - 1500 ft-lb of Nut-Busting Torque
- W5133 3/8" 20V Compact Impact Wrench - 550 ft-lb Nut-Busting Torque
- Also includes (2) BL2022 5amp Batteries, (1) Universal charger and (1) Tool bag
- Patented Shadowless LED light ring with 4 dimmable settings
- Brushless motor delivers durability and efficiency

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**IRTW7152-K22**

**IRTW5133-K22 \$510.44**

**3/8" High Torque Impact Wrench with (2) Batteries Kit**

- 550 ft-lbs nut-busting torque and 365 ft-lbs of MAX torque
- 360° Shadowless LED light ring with task light mode and 4 dimmable settings
- 7" tip-to-tail design at only 5.3 lbs (with BL2022 battery)

**IRTW5133-K12 \$485.00**

**3/8" High Torque Impact Wrench with (1) Batteries Kit**



**Chicago Pneumatic**



**CPT8849K-4AH \$582.00**  
**1/2" Cordless Impact Wrench Kit**

- Highly durable brushless motor
- 850 ft. lbs. of maximum torque in reverse
- Four settings in forward, to be set up with the touch pad on the backside of the tool
- Two shut-off positions
- 5 yr warranty on material and workmanship

Kit includes (1) CP8849 1/2" impact wrench, (2) 4.0 Ah batteries, (1) 20V charger, (1) soft bag

# WORLD'S MOST POWERFUL 1" CORDLESS IMPACT WRENCH

**IRTW9491-K4E \$1,563.41**

**20V 1" D-Handle High Torque Impact Wrench with Standard Anvil - 4 Battery K**

- Includes (1) tool, (4) 20v 5.0 amp batteries & (1) Dual Bay Universal Charger

**IRTW9491**

**\$1,136.61**

**20V 1" D-Handle High Torque Impact Wrench with Standard Anvil (Bare Tool)**

**\$1,563.41**

**IRTW9691-K4E**

**20V 1" D-Handle High Torque Impact Wrench with Extended 6" Anvil - 4 Battery Kit**

- Includes (1) tool, (4) 20v 5.0 amp batteries & (1) Dual Bay Universal Charger

**IRTW9691**

**\$1,136.61**

**20V 1" D-Handle High Torque Impact Wrench with Extended 6" Anvil (Bare Tool)**





# jack·x·change

# Air Tools Chisels/Accs

## AJAX Tools

### Zip Gun Chisels

.401 & .498 Shank Turn Type Tools



#### Ball Joint & Tie Rod Separator

Used to separate ball joints and tie rods

Ajax No.	Shank Type	Size	Length	Weight	
A903-5/8	.401	5/8"	7 1/4"	.70	<b>\$29.42</b>
A968	.498	1 1/4"	7 1/4"	.95	<b>\$48.14</b>



#### Wide Chisel & Scraper

1-5/16" wide offset blade for scraping applications

Ajax No.	Shank Type	Blade	Length	Weight	
A905	.401	1 5/16"	6 1/4"	.30	<b>\$9.35</b>
A955	.498	1 5/16"	7"	.50	<b>\$13.61</b>



#### Flat Chisel

Used to cut various metals, nuts, bolts, etc.

Ajax No.	Shank Type	Blade	Length	Weight	
A910	.401	3/4"	6 1/2"	.35	<b>\$7.84</b>
A910-1/2	.401	1/2"	6 1/2"	.30	<b>\$9.42</b>
A910-5/8	.401	5/8"	6"	.30	<b>\$9.07</b>
A910-11	.401	3/4"	11"	.60	<b>\$10.81</b>
A910-18	.401	3/4"	18"	1.00	<b>\$18.08</b>
A960	.498	5/8"	7"	.50	<b>\$13.01</b>



#### Wide Flat Chisel

Used to cut and scrape wider materials

Ajax No.	Shank Type	Blade	Length	Weight	
A910-1-1/2	.401	1 1/2"	6 1/2"	.40	<b>\$10.65</b>
A910-11-1-1/2	.401	1 1/2"	11"	.60	<b>\$15.00</b>



#### Tapered Punch

Used to remove rivet bodies and pins

Ajax No.	Shank Type	Length	Weight	
A911	.401	6 1/2"	.30	<b>\$7.84</b>
A961	.498	7"	.45	<b>\$13.01</b>



#### Straight Punch

Used to drive / punch pins and rods

Ajax No.	Shank Type	Length	Weight	
A913	.401	6 1/2"	.30	<b>\$6.74</b>



#### Pencil Point

Used to pierce sheet metal

Ajax No.	Shank Type	Length	Weight	
A925	.401	6 1/2"	.30	<b>\$8.44</b>



#### Moiil Point

Used to chip or break material

Ajax No.	Shank Type	Length	Weight	
A940	.401	7"	.35	<b>\$9.48</b>



#### Hammer - 1" Diameter

Used for hammering or driving applications (various lengths available)

Ajax No.	Shank Type	Length	Weight	
A945	.401	4 1/4"	.30	<b>\$11.13</b>
A967	.498	4 1/4"	.40	<b>\$17.04</b>



#### Undercoat Scraper

Used to scrape coatings and other gasket materials

Ajax No.	Shank Type	Length	Weight	
A951	.401	6 1/2"	.35	<b>\$11.37</b>

Power Tool Accessories  
for the Professional

### Ajax Kwik Change Retainers and Needle Scaler Attachments

A3300



**\$38.52**

A3200



**\$62.4**

### Retaining Springs



A895	.401 Std. Beehive Spring (CPA 046096)	<b>\$3.16</b>	A896	.498 Mech Aid (CPA 047095)	<b>\$4.88</b>
A895-IR	.401 Std. Beehive Spring (AVC- 183)	<b>\$3.16</b>	A897	.401 Mech Aid (CPA 046095)	<b>\$3.31</b>
A898	.498 Beehive(CPA 047096)	<b>\$5.77</b>	A897-IR	.401 Mech Aid (AVC-183A)	<b>\$3.15</b>



A899 .401 Beehive Spring & Washer (Sioux 2208)

**\$7.05**



A900 .401 Mech Aid (B&D 58616)

**\$4.98**

### Accessory Items



#### Air Regulators

Increase or Decrease pressure as needed. 1/4" Male x 1/4" Female NPT

Ajax No	Description	Wt.	
A889	Brass	1.35	<b>\$8.98</b>
A890	Aluminum	.65	<b>\$8.98</b>



#### 360° Hose Swivel

Increase or Decrease pressure as needed.

1/4" Male x 1/4" Female NPT

Ajax No.	Description	Wt.	
A1094	1/2" NPT	.20	<b>\$16.88</b>
A1095	3/8" NPT	.20	<b>\$18.34</b>

## More Available Upon Request

Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801  
562.860.1417 | 714.871.4966 | jackxchange.com

# jack·x·change

## Impact Socket Sets

### 1/4" Drive Socket Sets



**GRE9748 \$124.00**

**48 Piece 1/4" Drive Standard & Deep Impact socket Set**

- Standard & deep sockets in both fractional & metric sizes
- Fractional: 3/16" to 9/16" & metric: 4-15mm

**GRE9712UMD \$148.00**

**12 Piece 1/4" Surface Drive Deep Universal Metric Set**

Set contains 6 point deep universal sizes 5mm to 15mm



**GRE9712UM \$124.00**

**12 Piece 1/4" Surface Drive Standard Universal Metric Set**

Set contains sizes: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm and 15mm



**GRE9712MDG \$119.00**

**12 Piece 1/4" Drive Deep Metric Magnetic Impact Set**

Set contains sizes: 5mm - 15mm in deep length



**GRE9772 \$326.00**

**1/4" Surface Drive 72 Piece Complete Set**

Set contains our most popular 1/4" Surface Drive Sockets. Fractional sizes 3/16" to 9/16" and Metric sizes 4mm to 15mm in both Standard and Deep lengths. Universal sizes 1/4" to 9/16" and 5mm to 15mm. Also contains a 3" extension, Universal Joint, 1/4" F x 3/8" M Adapter, and a 1/4" Hex to 1/4" Square Drive Adapter.

### 3/8" Drive Socket Sets

**GRE1281 \$475.00**

**81 Piece 3/8" Drive Complete Impact Socket Set**

- Set includes metric sizes up to 22mm and fractional sizes up to 1"
- Extensions and swivels included



**GRE1243RD \$135.00**

**3/8" Drive 43 Piece Standard/Deep SAE/Metric Set**


- Set contains 6 point Fractional Sizes 5/16" - 3/4" and Metric Sizes 8mm - 19mm both in Standard and Deep Length
- Now includes a 1/4" Hex to 3/8" Square Drive Adapter
- Also includes a 3" extension and Universal Joint



**GRE1281 \$475.00**

**81 Piece 3/8" Drive Complete Impact Socket Set**

- All in one 3/8" dr complete impact master set
- Set includes metric sizes up to 22mm and fractional sizes up to 1"
- Extensions and swivels included



**GRE1226M \$66.00**

**26 Piece 3/8" Drive Standard & Deep Length Metric Master Set**

- Set contains sizes: 7mm - 19mm in standard and deep length



**GRE1104E \$42.00**

**3/8" Drive 4 Piece Impact Extension Set**

- Includes 1-3/4", 3", 6" and 12" length extensions
- Lifetime Warranty (Individual Parts Only)



**GRE2204E \$56.00**

**1/2" Drive 4 Piece Impact Extension Set**

- Includes 3", 5", 7" and 10" impact extensions
- Lifetime Warranty (Individual parts only)



**GRE1213MD \$42.00**

**13 Piece 3/8" Drive Deep Metric Impact Socket Set**

- Set contains sizes: 7mm - 19mm



**GRE1210UMSD \$133.00**

**10 Piece 3/8" Drive Semi Deep Metric Universal Impact Socket Set**

- Set contains sizes: 10mm - 19mm



### 1/2" Drive Socket Sets

**GRE1319D \$164.00**

**19 Piece 1/2" Drive Deep Length Fractional Master Impact Socket Set**

- Set contains sizes: 3/8" - 1-1/2"



**GRE1328RD \$157.00**

**28 Piece 1/2" Drive Standard and Deep Length Impact Socket Set**

- Set contains sizes: 7/16" - 1-1/4"



**GRE1313UM \$181.49**

**13 Piece 1/2" Drive Standard Length Metric Universal Set**

- Set contains sizes: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm and 24mm in standard length.



**GRE1326MD \$210.00**

**26 Piece 1/2" Drive Deep Length Metric Master Impact Socket Set**

- Set contains sizes: 10mm - 36mm

**GRE1498MH \$76.00**

**10 Piece 1/2" Drive Metric Hex Driver Impact Socket Set**

**GRE1598HC \$134.06**

**1/2" Drive 18 Pc. Combo Hex Driver SAE/Metric Set**

- Set contains sizes: 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 6mm, 7mm, 8mm, 10mm, 12mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm.



**PART #**

**GRE1312**

**Impact Socket sets**

**13 pc. 1/2" Dr. Fractional Impact Set \$48.00**  
Standard Length sizes: 7/16" to 1-1/4". Molded Case.

**GRE1312D**

**13 pc. 1/2" Dr. DEEP Fractional Impact Set \$80.00**  
DEEP Impact sizes: 7/16" to 1-1/4". Molded Case.

**GRE1319**

**19 pc. 1/2" Dr. Fractional Impact Set \$91.00**  
Standard Length sizes: 3/8" to 1-1/2". Molded Case.

**GRE1326M**

**26 pc. 1/2" Dr. Metric Impact Set \$115.00**  
Standard Length sizes: 10mm-36mm. Molded Case.

**GRE1412MD**

**14 pc. 1/2" Dr. DEEP Metric Set \$79.00**  
DEEP Impact sizes: 10mm-27mm. Molded Case.

**\*SINGLE SOCKETS ALSO AVAILABLE\***



# jack·x·change

# Floor Service Jacks

## **norco**

### 3 Ton Service Jack

71203  
**\$385.88**



### 2 Ton Double Pump Floor Jack

71233B  
**\$316.00**



### 5 Ton Air/Hydraulic Floor Jack

71500G  
**\$1,271.00**



## **HEIN-WERNER AUTOMOTIVE**

### 2 Ton Heavy Duty Service Jack

HW93642  
**\$385.00**



### 3 Ton Heavy Duty Service Jack

HW93652  
**\$472.12**



### 4 Ton Manual Service Jack



HW93657  
**\$2,528.35**



### 10 Ton Manual Service Jack



HW93660  
**\$3,285.07**



# jack·x·change

# Floor Service Jacks



## 3 Ton Rapid Floor Jack

**\$255.00**



**66300C**

## 3 Ton Low Profile Aluminum Jack

**\$286.00**



**65300**



## Extra Low Profile and Deep Reach Design

**62021**


**2 Ton Capacity**

**\$341.00**


Industrial Grade of Castors  
for Easier Transportation

One Piece Handle  
with a Foam Sleeve  
Added for Vehicle  
Protection

Heavy Duty Chassis for  
Increased Strength and  
Durability



- Double Pump Piston to Decrease Required Pumps Needed to Reach Chassis
- Reinforced and Heavy Duty Lift Arm Axle
- Universal Joint Mechanism
- Safety By pass System for Cylinder Protection
- Meets ASME/PASE 2014 standards



**For More Floor Jacks  
Visit Us At  
[Jackxchange.com](http://Jackxchange.com)**



# jack·x·change

## Jacks Stands Bottle Jacks



### Jack Stands

12 Ton

6 Ton

3 Ton



81004C  
\$62.50

81006D  
\$107.50

81012  
\$266.25

### Bottle Jacks

20 Ton

76520B  
\$169.00

20 Ton

12 Ton

76412B  
\$122.00

12 Ton



76820B  
\$162.60

76512B  
\$125.00



### 3 Ton Jack Stands



HW93503  
\$106.68

6 Ton  
Jack Stands



HW93506  
\$168.28

10 Ton  
High Reach  
Jack Stands



HW93511  
\$873.62

10 Ton Heavy Duty  
Jack Stands



HW93512  
\$690.00

# jack·x·change

## AIR/HYDRAULIC BOTTLE JACKS




**61122**

**12 Ton Capacity**

**\$180.43**



Self-Returning Spring  
for Ease of Operation.



Machine Polished Ram  
to Resist Rust and Wear.

4 foot Air Hose with Swivel  
Fitting and Contraol.

**61206**

**20 Ton Capacity**

**\$231.00**



Built-In Inline Air Filter  
to Extended Motor Life.

Built-In Muffler to Promote  
Quiet Operation.

High Speed Turbo Motor for  
Efficient Effortless Operation.

**61207**

**20 Ton Capacity**

**\$216.00**



Model	Capacity	Min. Height	Height	Lifting	Extension Screw	Base Size	G.W.
61122	12 Ton	9-7/8"	19-1/2"	6-1/2"	3-1/8"	7.75"x5.12"	26 Lbs.
61206	20 Ton	10-1/2"	20-1/2"	6-13/16"	3-3/16"	9-1/2" x 7"	42 Lbs.
61207	20 Ton	8-1/4"	15-1/2"	4"	3-1/4"	9-1/2" x 7"	37 Lbs.



# jack·x·change

## Truck Jacks



### 22 Ton Truck Jack

62220

**\$574.50**



### 22 Ton Truck Jack

72200D

**\$929.00**



### 20 Ton Truck Jack

HW93733


**\$1,580.19**



### 25 Ton Truck Jack With 3" Adapter

HW93735A

**\$2,108.00**



# jack·x·change

## Transmission Jacks



**1/2 Ton Capacity**



**72050E**

**\$647.50**

**1/2 Ton Capacity**



**72500E**

**\$1,098.00**

**1/2 Ton Capacity  
Double Pump**



**72550B**

**\$1,164.00**

**1-1/2 Ton  
Capacity**



**72000Ei**

**\$1,685.00**

**HEIN-WERNER  
AUTOMOTIVE®**

**1 Ton Floor  
Transmission Jack**



**HW93718**

**\$3,198.00**

**1,000 lbs Air/Manual  
Telescopic Trans Jack**



**HW93720**

**\$2,884.52**



## OMEGALIFT™ EQUIPMENT

### 10 Ton Body Repair Kit

#### Body Repair Kit Include:

*Manual Hand Pumps  
Hydraulic Cylinders  
(Rams) Extension Tubes  
Hydraulic Spreaders  
Rubber Heads  
Ram Toe (offset)  
Plunger Toe (offset)  
Variety of Different  
Saddles Customized Blow  
Mold Case*

**50100**

**\$510.85**



**4", 10", 18",  
27" Extension Tubes**

Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
50100	10 Ton Body Repair Kit	10,000 PSI	13.75"	19.75"	2.40 in <sup>2</sup>	83.60 lbs



**66100**

**10 Ton Capacity**

**\$330.00**



■ Packaged in a durable blow molded case for storage. Model 66100 case with wheels for easy movement



- Pump with 6' Hose
- Ram, 5-15/16" Stroke
- ½ Ton Spreader
- Ram Toe
- Plunger Toe
- Wedge Head
- V-Base
- Male Connector
- Serrated Saddle
- Rubber Head
- Base
- Extension Tubes, 4-5/16" 10", 18" & 26-3/4"
- Carrying Case with wheels

Model	Capacity	Output Pressure	Ram Minimum	Stroke	Oil Capacity Cubic inch	G.W.
66100	10 Ton	9,100 Psi	13-13/16"	6"	33.5	80.3 Lbs.



**Blackhawk  
Automotive™**

## 4 Ton 13pcs Body Repair Equipment Kit

**B65114**  
**\$302.96**



### INCLUDES:

Model	Description
B65067	4 Ton Kit Blow-Mold Case
B65123	1000 lbs Spreader
B65151	Serrated Saddle
B65152	90° V-Base
B65153	Wedge Head
B65154	Plunger Toe
B65155	Ram Toe
B65156	Flat Base
B65157	3" Extension Tube
B65158	6" Extension Tube
B65159	8.5" Extension Tube 19.5"
B65161	Extension Tube

## 10 Ton 19pc Body Repair Equipment Kit

**B65115**  
**\$458.35**



### INCLUDES:

Model	Description
B65068	10 Ton Kit Blow-Mold Case
B65123	1000 lbs Spreader
B65162	27" Extension Tube
B65163	18" Extension Tube
B65164	10" Extension Tube
B65165	4" Extension Tube
B65166	Wedge Head
B65167	Serrated Saddle
B65168	Flat Base
B65169	Ram Toe
B65172	Plunger Toe
B65173	90° V-Base
B65179	Male Connector
B65180	Rubber Head
B65188	10 Ton Manual Hyd Hand Pump
B65189	10 Ton Hyd Ram
B65291	6 Feet Hose w/ Coupler
B69477	¼" Female Half Coupler
B69478	¼" Male Half Coupler

Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
B65114	4 Ton Body Repair Kit	8,000 PSI	11"	15.75"	.99 in <sup>2</sup>	41.00 lbs
B65115	10 Ton Body Repair Kit	10,000 PSI	13.63"	19.75"	2.41 in <sup>2</sup>	92.00 lbs



# jack·x·change

# OTC TOOLS



**4597 \$68.00**

### Flexible Hose Clamp Pliers with Memory

- A heavy duty 24" cable flexes to almost any shape and holds it.
- Pliers have locking mechanism to hold clamp in the open position, making removal and installation of clamp easier.
- Allows technician to access the flat type hose clamps located in hard-to-reach areas.



**4525 \$50.00**

### Flexible Hose Clamp Pliers

- Heavy-duty, 24" cable flexes to almost any position.
- Pliers have locking mechanism to hold clamp in the open position, making removal and installation of clamp easier.
- Allows technician to access the flat type hose clamps located in hard-to-reach areas.



**4524 \$16.00**

### 45° Hose Clamp Pliers

- Jaws are bent at a 45° angle and pliers tips swivel to allow easy access to confined areas.
- Ratchet lock mechanism holds jaws open.
- Works on most flat-band hose clamps.



**6599 \$59.00**

### Fuel Tank Lock Ring Wrench

Universal design allows tool to fit fuel tank lock rings on Ford, Chrysler, and GM vehicles with gas engines.

- Works on: 2004–newer Ford F-150 trucks; 2004–newer Chrysler / Dodge minivans, PT Cruiser, Dakota, and Durango; 2004–newer Chevy 1/2-ton and 3/4-ton trucks; and 2005–newer Jeep vehicles.
- Fits 7-5/16" diameter lock rings.
- Tool easily removes and installs lock ring on the fuel tank when servicing the fuel pump or fuel sending unit.
- Used with a 1/2" drive ratchet or breaker bar.



**4799 \$45.00**

### Brake Piston Removal Locking Pliers

This specially designed locking pliers allows the removal of brake caliper pistons during service or rebuild. The pliers is simply clamped into the I.D. of the caliper piston allowing it to be pulled out of the caliper. Range: 5/8" to 2-1/4" diameter pistons.



**4995 \$53.00**

### Coil Spring Compressor Locking Pliers

- Locking pliers with special jaws that clamp on the external side of the coil spring. Use 2 pliers to evenly compress each side of the spring found on struts and coil over shocks.
- Similar to Polaris No's 2871573 & 2871574.

**6170 \$23.00**

### Metric Hex Socket Set (7-piece)

Set includes one each of the following:

No.	Size	Sq. Drive
6171	3 mm	3/8"
6172	4 mm	3/8"
6173	5 mm	3/8"
6174	6 mm	3/8"
6175	7 mm	3/8"
6176	8 mm	3/8"
6177	10 mm	3/8"



**6100 \$31.00**

### Standard TORX® Socket Set T10 to T60 (12 piece)

Set includes one each of the following:

No.	Size	Sq. Drive
6101	T10	1/4"
6102	T15	1/4"
6103	T20	1/4"
6104	T25	1/4"
6105	T27	1/4"
6106	T30	1/4"
6107	T40	3/8"
6108	T45	3/8"
6109	T47	3/8"
6110	T50	3/8"
6111	T55	3/8"
6112	T60	1/2"



### Jimmy Bars

We've forged these bars from chrome alloy steel, then heat-treated them to resist bending and breaking.

**7166** 5/8" diameter, 18" long **\$22.00**

**7167** 3/4" diameter, 24" long **\$26.00**

**7168** 7/8" diameter, 30" long **\$33.00**

**7420** 7/8" diameter, 46" long **\$80.00**

**For More OTC Tools**

**Vist Us At**

**Jackxchange.com**

### LINCOLN

#### LIN1162 \$101.18

##### Fully Automatic Pneumatic Grease Gun

- 30 high-pressure hose with coupler & attachment clip
- Air operating range 40-150 psi, and has greasing capabilities of 6000 psi



#### LIN1142 \$27.79

##### Heavy Duty Lever Gun

- Rugged cast iron pump head
- 16 oz. bulk or 14.5 oz cartridge



#### LIN1133 \$44.35

##### Heavy Duty Pistol Grip Grease Gun

- 18" whip hose



#### LINAC2440 \$225.11

##### 120-Volt Corded Grease Gun

- 120v motor provides the highest torque values in its class



#### LIN1262 \$248.00

##### 12V Li-Ion PowerLuber Single Battery Kit

- Kit includes: Cordless grease gun, One slide-on rechargeable battery, Charger and a heavy-duty carrying case



#### LIN1264 \$303.54

##### 12-Volt Lithium Ion PowerLuber Grease Gun - 2 Battery Kit

##### 20 Volt Lithium Ion PowerLuber Grease Gun

- Stable 3-point stance keeps the tool upright and within reach
- Electronically controlled two-speed motor
- LCD identifies: Empty cartridge, Loss of prime, Grease output and Blocked fitting
- 5 Year Warranty on Tool and 2 Year Warranty on Battery and Charger



#### LIN1882 (1 Battery Kit) \$366.78

#### LIN1884 (2 Battery Kit) \$390.58

#### LIN1134 \$42.60

##### Heavy Duty Pistol Grip Grease Gun with Whip Hose and Rigid Pipe


- Has a jam-proof handle mechanism and single piece head casting
- Variable stroke design delivers both high pressure and volume
- Filler nipple/bleeder valve combination
- Creates up to 7500 PSI



#### LIN1147 \$31.61

##### 2 Way Loading Lever Action Manual Grease Gun with 18" Whip Hose and Coupler


- Cast iron pump head, precision fit plunger and extra heavy follower spring
- Length is 21-3/4"
- Jam proof toggle mechanism prevents binding or accidental bending of plunger
- Exclusive "flip over" follower provides a superior seal for cartridge applications



#### LIN877 \$361.17

##### Metered Control Handle for Oil and ATF

- For oils, ATF and antifreeze
- 3-1/2" diameter
- 1/2" NPT (f) inlet/outlet
- Includes 10" hose
- 1 year warranty on material and workmanship



### LINCOLN

#### LIN1340 \$47.01

##### Lever Action Barrel Pump

- Pumps non-corrosive automotive, agricultural and industrial fluids
- Extended pump body for improved top-of-barrel clearance and excellent flow (14.0 fl oz. minimum per stroke)
- Removable non-drip spout allows for threaded hose connection
- Telescoping pick-up tube for 16-55 gallon drums
- Three tier threaded bung fits standard 2" and 1.5" drums and plastic drums utilizing 56 x 4mm buttress threads



#### LIN989 \$1,193.00

##### Heavy Duty Grease Pump for 25-50 lb. Drum

- Steel cover securely clamps to any 25-50 lb refinery container
- Carrying handle provides portability
- Follower plate assures positive prime at lowest temperatures
- Cover is rust-proofed and finished in Lincoln red
- Bucket shown is NOT included



#### LIN917 \$1,386.82

##### Air Operated Grease Pump

- Will dispense 45 ounces or 80 cubic inches of NLGI 0-2 grease per minute at 150 PSI
- Drum cover 46007 finished in Lincoln red; roll-a-round base 80895 base in black; air motor cover in white
- Height 43-1/8" • Base 17" square
- Drum not included



#### LIN1335 \$68.36

##### Heavy Duty Lever Action Fluid Pump

- Professional series fluid pump for 16-55 gal drums
- Brass Piston ring design resists wear
- 8.5 Fl Oz. per full stroke



#### LIN740 \$126.47

##### Heavy Duty High Pressure Control Valve

- 7500 psi maximum operating pressure
- Precision-machined, all steel handle, body and guard bracket provides durability and longevity
- Unique, precision control inlet check valve provides ease of handle operation even with increase in pressure



#### LIN4417 \$795.92

##### Grease Pump Assembly for 120 lb. Drum

- 40:1 ratio professional quality pump assembly for the automotive repair shop
- Includes 7' hose, control valve, universal swivel for easy operation, drum cover
- Flexible follower plate for positive prime
- 4 caster band-dolly for easy mobility around the shop
- 1 yr warranty on material and workmanship



#### LIN6917 \$966.84

##### Air-Operated Portable Grease Pump Package

- Lincoln's time tested 50:1 double acting grease pump is at the heart of the package
- High volume and pressure to handle additional hose length and/or adapt to hose reel
- Standard follower wipes 120 lb. drum sides clean and keeps the drum primed





**jack·x·change****Material &  
Handling****\$135.63****P15HA P-Series Puller**

- Made for superior strength with a steel frame and handle, alloy steel load hook, 1-piece cast aluminum drum, and solid steel drive and holding dog
- 4:1 design factor for lifting or pulling
- Long-lasting gears through the extra heavy Ingersoll Rand buttress tooth design

**CALL FOR PRICING**
**5lb Silver Series Lever  
Chain Hoist**  
**5Ft -20Ft Chain Available**

- 360 Degree Handle Rotation
- Premium Grade 100 Alloy Load Chain
- Hardened Swivel Latch Hooks
- Reliable Disc Braking System


**CALL FOR PRICING**  
**SMB SERIES**
**Manual Chain Hoist**  
**5Ft -20Ft Chain Available**

- Capacity: 1/2 - 5 tons
- Number of chain falls: 1
- Pull to lift rated load: 64 lbs. (29 kg.)
- Chain haul required to lift load one foot: 39 ft. (11.9 m)
- Chain size: 6mm x 18mm
- Chain weight per foot: 0.6 lb (.3 kg)

- Professional and ideal storage aid for all variety of manual transport tasks over short distances in stores and warehouses as well as factory plants.
- Compact and attractive design with maximum loading capacity of 5500 lbs.
- High quality steel and German standard WAGNER painting system ensures best powder coating and paint quality.
- All pivot points are greased, ensuring excellent maneuverability with effortless steering. The chromed bearing bushes and joints ensuring quiet running properties and long service life.

**Pallet Jacks****PJ5500 \$387.50****PJ5500N \$387.50**

- 3 position control handle for controlled lowering.
- Polyurethane wheels for quiet operation.

Model	Capacity	Low Height	High Height	Fork Width	For Length	N.W.
PJ5500	5500 lbs.	3.3"	7.8"	27"	48"	210 lbs.
PJ5500N	5500 lbs.	3.3"	7.8"	20"	48"	187 lbs.

## AUTHORIZED FACTORY SERVICE CENTER & EQUIPMENT/REPAIR PARTS DISTRIBUTOR

### AIR TOOLS & ACCESSORIES

AJAX TOOL WORKS  
AMFLO  
ASTRO  
CHICAGO PNEUMATIC  
INGERSOLL RAND

### BATTERY CHARGERS& ACCESSORIES

ASSOCIATED

### COLLISION REPAIR EQUIPMENT

BLACKHAWK  
HEIN-WERNER  
JACKCO  
NORCO

### ELECTRICAL EQUIPMENT

GREENLEE  
OTC

### HAND TOOLS & SOCKETS

ASTRO  
GREY  
JET  
WRIGHT

### HOISTS - WINCHES

JET  
INGERSOLL RAND  
LUG-ALL  
GRIPHOISTS

### HYDRAULIC "H" FRAME PRESSES

ENERPAC  
HEIN-WERNER  
OTC POWER TEAM  
NORCO

### HYDRAULIC CYLINDERS, PUMPS & JACKS

ASTRO  
BLACK HAWK

### HYDRAULIC CYLINDERS, PUMPS & JACKS (CONT.)

ENERPAC  
GRAY JACKS  
HEIN-WERNER  
JACKCO  
JET  
NORCO  
OMEGA  
SPX FLOW - POWERTEAM  
SPX- OTC  
RAMPAC  
SIMPLEX / T-K  
SUNEX  
TR ENGERNEERING  
WEAVER

### LUBRICATION EQUIPMENT

LINCOLN ST. LOUIS  
FLO-DYNAMICS  
ROBINAIR

### MATERIAL HANDLING EQUIPMENT

BISHAMON  
JACKCO  
LIFT TABLES

### MECHANICAL JACKS

SIMPLEX  
DUFF-NORTON

### PALLET TRUCKS

PALLETMASTER  
BISHAMON  
JACKCO

### ROLLERS

HILMAN

### WORM GEAR JACKS

DUFF-NORTON  
SIMPLEX-UNI-LIFT



**SALES • SERVICE • REPAIR • RENTALS**

**DO YOU NEED PARTS?  
WE STOCK PARTS FOR:**

**AIR TOOLS - JACKS - PUMPS - CYLINDERS  
PALLET JACKS - SHOP CRANES - HOIST**

**DO YOU NEED SERVICE?  
WE OFFER:**

**LARGE REPAIR FACILITY  
FOUR TRAINED MECHANICS  
RENTALS: HYDRAULIC EQUIPMENT**

**DO YOU NEED SALES?**

**LARGE INVENTORY - EQUIPMENT & PARTS**

**CALL TO ASK ABOUT OUR SPECIALS &  
PICK UP & DELIVERY DEALS**

**PROVIDING QUALITY SERVICE  
SINCE 1961**

**CALL TODAY**

**\*NO SALES TAX OUTSIDE CALIFORNIA\***



**Jack-X-Change**  
**1609 N. Orangethorpe Way**  
**Anaheim, CA 92801**  
**(714) 871-4966 (562) 860-1417**  
**Fax: (714) 871-4591**  
**[www.jackxchange.com](http://www.jackxchange.com)**

**\*\*\* PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE \*\*\***

# jack·x·change

PNEUMATIC-HYDRAULIC TOOLS & JACKS

**SALES • SERVICE • REPAIR • RENTALS**

**Monday - Friday 8:00am - 4:30pm**

