

jack·x·change

PNEUMATIC-HYDRAULIC TOOLS & JACKS

SALES • SERVICE • REPAIR • RENTALS

**AUTHORIZED FACTORY SERVICE CENTER
&
EQUIPMENT/REPAIR PARTS DISTRIBUTOR**



Hablamos Español

**1609 N ORANGETHORPE WAY
ANAHEIM, CA 92801
(562) 860-1417 | (714) 871-4966
jackxchange.com**

NEED RENTALS? CALL TODAY FOR A QUOTE!



- * **HAND PUMPS**
- * **ELECTRIC PUMPS**
- * **GAS PUMPS**
- * **5-250 TON CYLINDERS**
- * **HOSES**
- * **GUAGES**
- * **VALVES & MANIFOLDS**

FIT TO YOUR PROJECT'S REQUIREMENTS

SERVICE CENTER AND REPAIRS CALL TODAY FOR A QUOTE!



**Specialty Equipment
Repairs**



Quality Tested



**Floor Jacks
Repairs**



**Pneumatic
Repairs**



**Hydraulic
Repairs**



**Painting
Service**



**Authorized Factory Service Center
For Most of our Major Lines**



Repair Parts For Sale



In Stock Inventory



Preventive Maintenance

jack·x·change

SALES

SPX
 >Power Team

SALE
\$448.26

***WHILE SUPPLY LAST**



POWERTEAM PA6 Hydraulic Pump

- The Power unit of choice for major manufacturers of auto body, frame straighteners and other shop equipment.
- Operate at 40-100 psi shop air pressure at the pump.
- Quiet operation that is suitable for indoor applications, 85dBA at 10,000 psi.
- Serviceable pump motor is not a "throw away", providing economical repair
- Permanently vented reservoir cap
- Internal relief valve protects circuit components, air inlet filter protects motor.

ENERPAC 
 POWERFUL SOLUTIONS. GLOBAL FORCE.

RC-SERIES DUO CYLINDER

**LONGER
 LASTING**

FASTER

TOUGHER

RC-108U107 10 Ton 8" Stroke
SALE PRICE \$413.20

RC-1010U107 10 Ton 10" Stroke
SALE PRICE \$465.00

- Unique GR2 Bearing Design, reduces wear, extending life
- Base mounting holes enable easy fixturing
- Designed for use in all positions
- High strength alloy steel for durability
- Redesigned cylinder thread protector for ease of use
- Heavy-duty, pretensioned spring improves retraction speed
- Baked enamel finish for increased corrosion resistance
- CR-400 coupler and dust cap included on all models
- Plunger wiper reduces contamination, extending



***WHILE SUPPLY LAST**



SEALS MADE IN THE USA

LET OUR EXPERTS AT

jack·x·change

HELP YOU WITH YOUR NEXT HYDRAULIC PROJECT

**LARGEST INVENTORY STOCKING DISTRIBUTOR
IN SOUTHERN CALIFORNIA**

ENERPAC



SIMPLEX



SPX > Power Team



**CALL NOW FOR PRICING ON
NEW EQUIPMENT & RENTALS
562) 860-1417 • 714) 871-4966**



Jack X Change is an authorized Enerpac distributor and service center. Providing quality service since 1961, we have all your Enerpac needs all under one roof. Our technical specialists are able to design, install and service any of these products. Need a quote for your next job or project? Call Today! Hablamos Español.



LARGEST INVENTORY STOCKING DISTRIBUTOR IN SOUTHERN CALIFORNIA

Hydraulic Cylinders, Jacks,
Lifting Products & Systems



Hydraulic Pumps
& Valves



System Components



Mechanical & Hydraulic
Bolting Tools



NOW STOCKING BOLTING EQUIPMENT CALL NOW FOR A FREE QUOTE



Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801
562.860.1417 | 714.871.4966 | jackxchange.com



POWER TEAM QUALITY

With over 90 years of experience in supplying Professional Grade High Pressure Hydraulic Pumps, Cylinders, Jacks, Pullers & Tools. Power Team Products are built tough with strict ISO 9001 manufacturing processes and are covered by a Lifetime PowerThon Warranty*.

› CYLINDERS



› HYDRAULIC ACCESSORIES



› PUMPS



› SHOP EQUIPMENT



› JACKS



› HYDRAULIC & MECHANICAL TOOLS



CALL FOR OUR WEEKLY SPECIALS!

SPX Power Team



\$448.26

PA6 Single Speed Air Pump for Single Acting Cylinders, High Density Polyethylene Reservoir



\$849.88

PA6M-1 Single Speed Air Pump for Single Acting Cylinders, 1 Gallon Metal Reservoir



\$798.70

PA6-2 Single Speed Air Pump for Single Acting Cylinders, High Density 2 Gallon Polyethylene Reservoir

PA6-Series Features

- The Power unit of choice for major manufacturers of auto body, frame straighteners and other shop equipment.
- Operate at 40-100 psi shop air pressure at the pump.
- Quiet operation that is suitable for indoor applications, 85dBA at 10,000 psi.
- Serviceable pump motor is not a "throw away", providing economical repair
- Permanently vented reservoir cap
- Internal relief valve protects circuit components, air inlet filter protects motor.

ENERPAC

POWERFUL SOLUTIONS. GLOBAL FORCE.



\$803.25

PATG1102N, Turbo II Air Hydraulic Pump, Hand/Foot Operated 3/3 Treadle Valve, 127 in3 Usable Oil, For use with Single-Acting Cylinders



\$1,286.05

PARG1102N, Turbo II Air Hydraulic Pump, 3/3 Manual Valve with Pendant, 127 in3 Usable Oil, For use with Single-Acting Cylinders



\$1,266.50

PAMG1402N, Turbo II Air Hydraulic Pump, 4/3 Manual Valve, 127 in3 Usable Oil, For use with Double-Acting Cylinders

PA-Series Features

- High efficiency cast aluminum air motor for increased life and reduced air consumption
- Reinforced heavy-duty reservoir for applications in tough environments
- New generation air saver piston with rugged one-piece design reduces air consumption and operating costs
- Return-to-tank port for use in remote valve applications
- Quiet - only 76dBA with low air consumption of 12 scfm
- Operating air pressure: 40-125 psi, enables pump to start at extremely low pressure

norco



\$510.59

910017B
10,000 P.S.I.
Air/Hydraulic Foot Pump



\$870.59

910018B
10,000 P.S.I. 2 Gallon
Air / Hydraulic Foot Pump (Steel Case)



\$288.24

910130A
10,000 P.S.I.
Air / Hydraulic Foot Pump

Features

- Designed to utilize exhaust air to help power the pump, requiring only 80 p.s.i. air pressure to develop 10,000 p.s.i. hydraulic pressure.
- Air exhaust muffler for quieter operation.
- Air and oil inlet filters for reduced risk of damage from contamination.
- Foot pedal provides hands free pumping and release of load.
- Designed to be used with a single-acting cylinder.
- Internal pressure relief valve for overload protection.
- Model 910130A is equipped with a more durable aluminum reservoir.
- Model 910130A comes with two different size poppit valves that can be quickly and easily installed. Poppit valves reduce the return flow of oil back to the pump's reservoir providing a safer controlled lowering of load.

jack·x·change

Mechanical Jacks

SIMPLEX®



RJ84A

RJ85A

RJ1017

RJ86A

RJ Series - Ratchet Jacks

Capacity Range► 5 - 20 tons

Stroke Range► 7 - 21.25 in.

Maximum Toe Height Range► 1.62 - 2.25 in.

- Multiple-tooth pawls for strength & safety.
- Large base ensures a firm foundation.
- Drop-forged, alloy steel, heat-treated components.
- Plated springs to resist corrosion.
- Double-lever sockets for jacking in close quarters.
- The RJA1538 pole jack is designed for pole pulling applications. Chain and I-Beam are ordered separately.

Model	Jack Housing Material	Support Capacity (tons)	Lifting Capacity (tons)	Handle Effort per Ton (lbs)	Price
RJ84A	Steel	5	5	32	\$591.30
RJ85A				32	\$622.80
RJ86A				32	\$682.20
RJ1017		10	10	30	\$1,141.20
RJ22B				30	\$1,208.70
RJ24A		20	15	32	\$1,502.10
RJ2029				32	\$1,641.60
RJA1022	Aluminum	10	10	30	\$1,252.80
RJA1538		15	8	32	\$2,169.90



RJA1022

RJ22B

RJ24A

RJ2029

RJA1538
Pole JackIB1538
I-Beam Base
\$312.30CHA1538
Alloy Chain
\$598.50SJ2518
\$556.20SJ2010
\$274.50SJ156
\$189.50

SJ Series - Screw Jacks

Capacity Range► 12 - 24 tons

Stroke Range► 3.75 - 14.25 in.

Minimum Height► 9.62 - 23 in.

- Positive welded stop for safety.
- Supports loads indefinitely, and will not creep down.
- Carry handle for ease of transport.
- Four holes for easy positioning of lever bar.
- 9° tilt saddle assists in centering load point.

Model	Sustaining Capacity (tons)	Dimensions (in)				Handle Effort Per Ton (lbs)	Weight (lbs)
		A	B	C	D		
		Closed Height	Stroke	Base Diameter	Cap Diameter		
SJ156	12	9.63	3.75	4.75	2.88	15	10
SJ2010	20	13.75	7	6.5	3.13	15	20
SJ2518	24	23	14.25	8.5	3.25	15	52

3/8" Impact Wrenches



\$218.54



IRT2115TIMAX

3/8" Drive Titanium Impact Wrench

- Max power - 300 ft-lbs of maximum reverse torque
- Max control - new feather touch trigger and one handed forward and reverse control
- Less than 6" long; weighs less than 2.5 lbs.
- Titanium hammer case is lightweight with unparalleled durability
- 2 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT15QMAX \$145.67

3/8" Ultra-Compact Impactool

- 475 ft-lbs. of nut-busting torque
- The twin hammer mechanism will reduce vibration
- Only 2.4 lbs
- Push button, forward/reverse buttons, and power regulator dial



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CPT724H \$182.32

3/8" Drive Heavy Duty Impact Wrench

- Maximum torque: 200 ft.-lbs.
- Pin clutch mechanism in oil bath
- Curved handle with Thermo-Plastic Rubber injected in housing for a durable/comfortable grip
- Full teasing trigger
- 360° air inlet swivel keeps air hose from being twisted
- One hand push button forward/reverse power regulator

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT721 \$210.61

3/8" Drive Heavy Duty Air Impact Wrench

- Working torque: 5-50 ft.-lbs.; maximum torque: 75 ft.-lbs.
- Rocking dog clutch
- Energy efficient motor
- Pistol-type grip
- Free speed: 11,000 RPM

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7731 \$139.82

3/8" Stubby Impact Wrench

- Ultra compact and powerful: 415 ft-lbs in reverse
- Rugged and lightweight: steel front cover and aluminum alloy body
- All controls on front of tool and adjustable for either right or left handed operation
- Only 4.4" long

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7727 \$194.26

3/8" Angle Impact Wrench

- 185 ft-lbs of maximum torque in reverse
- Steel motor
- Aluminum housing
- Full teasing trigger
- Only 2.5 lbs.
- 3 positions in forward and 1 in reverse

CPT7737 \$194.26

1/2" Extended Angled Impact Wrench

- 220 ft-lbs of max. torque in reverse

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7722 \$149.85

3/8" Drive Butterfly Impact Wrench

- 90 ft.-lbs.
- 360° swivel air inlet
- Built in regulator for controlled torque
- Rocking dog clutch
- Butterfly throttle



1/2" Impact Wrenches


IRT35MAX \$145.67
1/2" Ultra-Compact Impacttool

- 650 ft.-lbs. of nut-busting torque
- IR Twin Hammer
- Features 3 different regulation settings, as well as an easy to operate and user-preferred forward/reverse button



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT35-BOOT \$22.64
Boot Cover for IRT35MAX and IRT15QMAX

- Keeps tools clean and protected

IRT231C \$118.16
1/2" Drive Super Duty Impacttool™

- Maximum torque: 600 ft.-lbs
- IR Twin Hammer Mechanism
- Adjustable power regulator
- Pressure feed lubrication



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT231HA \$131.00
1/2" Drive Super Duty Air Impacttool™

- Pressure-fed lubrication system
- Handle exhaust directs air away from user
- Adjustable power regulation
- Maximum torque: 590 ft.-lbs. (800 ft.-lbs. reverse)
- Contoured comfort handle



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


CPT734H \$169.91
1/2" Drive Heavy Duty Air Impact Wrench

- DYNA-PACT oil bath clutch delivers smooth operation and extended durability
- 360° air inlet swivel
- Air inlet thread: 1/4" NPTF
- Minimum hose size: 3/8"
- Length: 7.5" • Weight: 5.13 lbs.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT749 \$215.63
1/2" Drive Super Duty Air Impact Wrench

- Working torque: 50-450 ft.-lbs
- Maximum torque: 610 ft.-lbs
- CP's patented SpringHammer oil bath clutch
- One-handed reverse button with 4 power settings
- Air inlet thread: 1/4" NPTF
- Weight: 5.5 lbs.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT7748 \$180.42
1/2" Drive Composite Impact Wrench

- 960 ft.-lbs of max torque in reverse
- One-hand reverse system (Ring system)
- Hard anodized end plates / Hard chromium aluminum cylinder / Twin hammer mechanism
- 6.89" in length
- Only 4.4 lbs in weight thanks to its composite motor housing
- 360 degree swivel air inlet


CPT7748-2 \$186.02
1/2" Drive Composite Impact Wrench with 2" Extension

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


CPT8940175618 \$31.06
Protective Boot Cover (Only) for Models CPT7748 and CPT7748-2

- Made of durable PVC material
- Adds grip for the handler
- Helps protect the tool from drops and every day use



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1/2" Impact Wrenches

**\$163.00****IRT231HA-2****1/2" Drive Super Duty Air Impact Wrench with 2" Extended Anvil**

- In-handle exhaust directs air away from user
- Contoured comfort handle
- 590 ft./lbs. maximum torque
- Pressure feed lubrication system
- Adjustable power regulation

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**\$311.94****IRT2235QTIMAX****1/2" Drive Quiet Impact Wrench**

- 1,300 ft.-lbs of quiet, nut busting torque, with a twin-hammer impact mechanism
- Only 4.6 lbs.
- At 91.9 dBA IR Quiet Technology
- 2 year warranty, one-handed forward/reverse control, feather-touch trigger and 4-position power regulator

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Made in U.S.A.

**\$318.39****IRT2235QTIMAX-2****1/2" Drive Quiet Titanium Impact Wrench with Extended Anvil**

- 1,300 ft.-lbs. of quiet nut busting torque, with twin-hammer impact mechanism
- 2 year warranty, one-handed forward/reverse control, feather-touch trigger, and 4-position power regulator

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**\$305.66****IRT2235TIMAX****1/2" Drive Impact Wrench**

- 1,350 ft.-lbs of nut busting torque, powered by Ingersoll Rand's finely tuned twin-hammer impact mechanism
- Only 4.6 lbs.
- Backed by a 2 year warranty
- One-handed forward/reverse control, feather-touch trigger, and 4-position power regulator

IRT2235TIMAX-2 \$311.94**1/2" Drive Titanium Impact Wrench with Extended Anvil**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Made in U.S.A.

**Chicago Pneumatic****CPT7749 \$240.93****1/2" Drive Composite Impact Wrench**

- 955 ft.-lbs of extreme torque
- S2S Technology for forward / reverse
- Ergonomic composite handle
- 3 positive power settings
- Full teasing trigger allows full control when tightening or loosening fasteners

**CPT7749-2 \$242.05****1/2" Drive Composite Impact Wrench with 2" Extended Anvil****CPT7732C \$151.04****1/2" Composite****Stubby Impact Wrench**

- 460 ft.-lbs of maximum torque in reverse
- Steel motor • Aluminum clutch housing
- Side 2 Side (S2S): 1 hand forward/reverse operation
- 2 positions in forward and reverse: max and lower torque

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**CPT7732 \$139.82****1/2" Ultra Compact & Powerful Impact Wrench**

- Excellent power to weight ratio: 450 ft.-lbs
- Ultra compact: 4.4" long
- Forward/reverse lever rotates to be on either the left or right side of the tool

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**CPT7736 \$145.75****1/2" Impact Wrench**

- 670 ft.-lbs max reverse
- Well balanced minimizing wrist strain
- Metal Tool with Twin Hammer clutch
- 3 power settings in forward and one in reverse

**CPT7736-2 \$147.85****1/2" Drive Impact Wrench with 2" Anvil**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT749-2 \$242.05**1/2" Super Duty Impact Wrench with 2" Anvil**

- Ultimate torque: 625 ft.-lbs.
- Patented clutch provides smooth operation and extreme durability
- One hand push button forward/reverse power regulator
- 2" extended anvil for tire work

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1/2" Impacts



IRT2130 \$176.94

1/2" Drive Heavy Duty Impactool™

- 550 ft.-lbs. maximum torque
- Full stroke tease throttle
- Easy glide forward/reverse switch
- Multi-position power management
- Lightweight, reinforced aluminum hammercase

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$223.38

**IRT2135QXPA
1/2" Composite
Quiet Impact Wrench**

- With 1,100 ft.-lbs. of nut busting torque.
- All powered by Ingersoll Rand's finely tuned motor and twin-hammer impact mechanism
- Ingersoll Rand's Quiet Technology reduces the sound of the tool
- Backed by a one-year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT232TGS \$253.45

1/2" Drive Street Legal "Thunder Gun" Impact Wrench

- Distinctive appearance, similar to the IR ThunderGun racing tool
- Adjustable power regulator
- Our fastest 1/2" impact wrench
- 625 ft.-lbs max reverse torque
- 500 ft.-lbs forward torque

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT244A \$218.31

1/2" Drive Super Duty Impact Wrench

- Powerful, smooth balanced blows
- Pressure feed lubrication system automatically greases the impact system
- Working torque: 40-350 ft.-lbs
- Maximum torque: 500 ft.-lbs
- Variable speed trigger
- 1 yr warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3/4" Impacts



\$431.00

IRT2145QIMAX

3/4" Drive Composite Impact Wrench

- 1,350 ft.-lb maximum reverse torque from a tool that weighs just 7.4 lbs and is compact enough to access tight spaces
- Designed to withstand tough use
- An air motor that's 16% more efficient
- 2 year limited warranty
- Quiet Technology - 91.1dBA

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7763 \$439.13

3/4" Drive Heavy Duty High Power Impact Wrench

- 1200 ft.-lbs of torque
- Weighs less than 12 lbs.
- 6-vane motor for speed - power with any 1/2" hose air supply
- Twin hammer high performance clutch
- Ergonomic handle exhaust

CPT7763-6

3/4" Drive Heavy Duty Impact Wrench with 6" Anvil

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3/4" Impacts

**IRT259 \$353.24****3/4" Drive Impact Wrench**

- Delivers 1,050 ft-lbs of maximum torque in both forward and reverse
- New ergonomic design for easy two-handed operation
- Two power settings in forward and reverse
- Lightweight at only 8.8 lbs
- Silenced exhaust reduces tool noise to only 91.6 dbA while in use



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**IRT261****3/4" Drive Super Duty Air Impact Wrench \$473.64**

- Jumbo hammer mechanism
- Up to 1,100 ft-lbs of torque
- Trouble free, longer performance aided by the Pressure-Feed Lube System
- Compact; only 8.8" long
- Handle exhaust



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**Chicago Pneumatic****CPT7762 \$341.78****3/4" Stubby Impact Wrench**

- 1050 ft-lbs. of torque
- Compact at 6.2 inches in length
- Lightweight at 6.6 lbs.
- Twin Hammer mechanism
- Highly durable with a steel motor, and aluminum housing



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT772H \$421.80**3/4" Drive Super Duty Air Impact Wrench**

- 4-position power settings in forward and ultimate power in reverse
- Working torque: 150-700 ft-lbs
- Maximum torque: 1000 ft-lbs
- Handle exhaust with 360° air inlet swivel
- Average air consumption: 6 cfm • Air inlet thread: 3/8" NPTF
- Minimum hose size: 1/2" • Sound dBA: 96
- Length: 9.63" • Weight: 10.5 lbs.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1" Impacts

**IRT271 \$569.44****1" Drive Super Duty Air Impact Wrench**

- Impressive power-to-size ratio
- Up to 1,100 ft./lbs. of torque
- Pressure-feed lube system
- Dead handle improves operator control
- Free-speed 5,500 RPM



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**Chicago Pneumatic****\$585.90****CPT7783-6****1" Drive Lightweight Impact Wrench with 6" Anvil**

- 1770 ft-lbs. maximum torque in reverse • Weighs 20.9 lbs
- Pinless closed reinforced rocking dog mechanism in oil bath
- Features an adjustable top or down exhaust



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1" Impacts

**IRT295A \$607.41****1" Drive Heavy Duty Air Impacttool™**

- 1,770 ft./lbs. maximum torque at 120 PSI with 5,250 rpm free speed and a high efficiency 6 vane motor
- Fast torque delivers 1,000 ft./lbs. in 2 seconds
- Handle exhaust directs air away from the work
- Top mounted dead handle provides great leverage
- 3 position power regulator for torque management
- 1 year warranty on material and workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT2175MAX \$641.41**1" Drive Pistol Grip Impact Wrench**

- Delivers 2,000 ft lbs of reverse torque
- Chemical resistant housing & steel core
- Lightweight: Weighs in under 20 lbs
- 360 Degree adjustable handle: Keeps hoses from getting tangled so you can move freely around the garage



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**\$653.32****IRT2850MAX-6****1" D-Handle Impact Wrench with 6" Anvil**

- Delivers 2,100 ft.-lbs of torque
- The steel core and chemical resistant housing is made to last even in the harshest working conditions
- At only 21 lbs this light weight design reduces user fatigue
- 2 year warranty on material and workmanship

**IRT285B-6 \$539.05****1" Drive Heavy Duty Impact Wrench with 6" Anvil**

- Maximum torque: 1,770 ft.-lbs
- New Fast-Torque feature delivers 1,000 ft.-lbs in 2 seconds
- New increased pressure rating can withstand 120 PSI for better durability
- Improved feather-touch trigger
- Free chemical resistant protective boot helps prevent damage



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**Chicago Pneumatic****\$549.53****CPT7782-6****1" Drive Heavy Duty Impact Wrench with Extended Anvil****\$645.81****CPT7782-SP6****1" Drive Heavy Duty Impact Wrench with 6" Extension and #5 Spline**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**\$3,828.00****CPT6120-D35H****1-1/2" Drive Impact Wrench**

- 2-Jaw clutch for superior ergonomics and productivity
- Very robust steel clutch housing and aluminum motor housing
- Extremely comfortable handle and adjustable support handle
- Interchangeable inside/outside trigger (parts included)
- Reverse biased 15%, possibility to change to forward biased by turning around the air motor cylinder

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT797 \$904.62**1" Drive Super Duty Impact Wrench****\$904.62****CPT797-6****1" Drive Super Duty Impact Wrench with 6" Anvil**

- Working torque: 150-900 ft.-lbs.; maximum torque: 1400 ft.-lbs
- Rocking dog clutch • Teasing throttle for easy bolt starting

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**CPT7782 \$549.53****1" Drive Impact Wrench, Short Anvil**

- Powerful 1,920 ft. lbs of maximum torque in reverse
- Durable, closed reinforced rocking dog impact mechanism
- Regulator with integrated forward/reverse with 3 position power settings in both directions • Full teasing throttle

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



jack·x·change

Air Tools



IRT1105MAX-D2
1/4" Drive MAX Series
Mini Air Ratchet

\$131.60

- 30 ft-lb max torque, 300 rpm free speed
- Variable-speed regulator
- Ergonomic coupling nut and composite handle ensure operator comfort
- Nickel-plated housing provides enhanced corrosion resistance

IRT1105MAX-D3
3/8" Drive MAX Series
Mini Air Ratchet

\$134.36

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT1207MAX-D3
3/8" Drive Premium Air Ratchet

\$143.21

- 65 ft-lbs of maximum torque
- Patent-pending forward/reverse collar provides unrestricted access to easily change the direction of the tool

IRT1207MAX-D4
1/2" Drive Premium Air Ratchet

\$148.74

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT105-D2
1/4" Drive Air Ratchet

\$114.40

- 25 ft-lb max torque, 250 rpm free speed
- Low-profile forward/reverse control
- Ergonomic coupling nut and handle

IRT105-D3
3/8" Drive Mini Air Ratchet

\$102.84

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT107XPA
3/8" Drive Air Ratchet

\$85.65

- 54 ft-lbs of maximum torque
- Variable speed lever-style throttle
- 360° adjustable exhaust directs air away from the operator and the work

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT109XPA
3/8" Drive Super Duty Air Ratchet

\$144.87

- 76 ft-lbs (103 Nm) maximum torque at 220 rpm free speed
- Variable speed button trigger
- 360° adjustable exhaust directs air away from the operator and the work
- Optimized gear ratio and airflow for extra performance

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT2015MAX
3/8" Drive Low Profile
Hammerhead Impactool Air Ratchet

\$275.82

- 180 ft-lb max torque and 7,000 rpm
- A feather-touch trigger, two-position forward power regulator, and conveniently located forward/reverse ring
- A head height of under 2" allows you to safely use in tight spaces
- Knuckle-saver reactionless torque eliminates kickback

IRT2025MAX
1/2" Drive Low Profile Hammerhead Impactool Air Ratchet

\$282.15

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT1099XPA
1/2" Drive Super Duty Air Ratchet

\$164.50

- 76 ft-lb (103 Nm) maximum torque at 220 RPM free speed
- Exclusive iR TwinPawl Plus head design for exceptional durability
- Variable speed button trigger
- 360° adjustable exhaust directs air away from the operator and the work

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT828
3/8" Drive Heavy Duty Ratchet

\$118.31

- Anti-slip head design
- Efficient 1/2 hp motor and triple idler planetary gear system provide up to 50 ft-lbs of torque • Teasing throttle
- Specifications: cfm - 4, hose size - 3/8", torque range - 10 to 50 ft-lbs, ultimate torque by hand - 125 ft-lbs, speed - 150 rpm

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7829
3/8" Composite Ratchet

\$147.80

- Powerful: 70 ft-lbs. breakaway torque
- 225 RPM
- Advanced motor, full caged gear, and head design
- Adjustable side exhaust avoids blowing dirt and dust
- Compact: only 10.7 / 272mm long and weighs just 2.6 lbs.

CPT7829H
1/2" Drive Composite Ratchet

\$147.80

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$138.95

**IRT122MAXX
Short Barrel
Air Hammer Kit -
Low Vibration**

- 3,500 blows per minute
- Quick change retainer,
(5) chisels and carry case included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**IRT122MAX
Short Barrel Air Hammer - Low Vibration - Tool Only**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$138.95

**IRT118MAXX
Long Barrel
Air Hammer Kit -
Low Vibration**

- Anti-vibration feature reduces vibration by 30% over standard air hammers
- 15% increase in impact force over standard air hammers
- Quick-change retainer allows for faster chisel changeovers
- 2,500 blows per minute
- Quick change retainer, (5) chisels and carry case included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**IRT118MAX
Long Barrel Air Hammer - Low Vibration - Tool Only**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**IRT121 \$100.94
Super Duty Air Hammer**

- Professional touch trigger for total control
- Long-life tool with a tough one-piece alloy barrel
- Easy to maintain, with an "easy out" throttle valve assembly • 3,000 blows per minute
- 1 yr warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**IRT115 \$41.47
Standard Duty Air Hammer**

- Up to 5,000 blows per minute
- Alloyed steel barrel and heat-treated piston
- Built-in power regulator and trigger control
- 1 year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**IRT117 \$61.34
Standard Duty Air Hammer**

- Up to 2,000 blows per minute

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**CPT7110 \$87.33
Heavy Duty
Air Hammer**

**CPT7110K \$107.97
Heavy Duty
Air Hammer Kit**

- Shank: .401
- Vibration isolation system for smoother operation
- Average air consumption: 3.65 cfm
- Cushioned exhaust deflector on barrel for comfort and control
- Touch trigger for precision start ups and total control
- Kit includes: (1) quick change retainer, (4) chisels



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**CPT717 \$637.87
Air Hammer**

\$710.36

**CPT717K
Air Hammer Kit**

The CP717K is a Super Duty Air Hammer Kit which includes the CP717, a 4 piece .498 chisel set and a spring style retainer all packed in a heavy duty carry case.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

jack·x·change

Air Tools Chisels/Accs

AJAX Tools

Zip Gun Chisels

.401 & .498 Shank Turn Type Tools



Ball Joint & Tie Rod Separator

Used to separate ball joints and tie rods

Ajax No.	Shank Type	Size	Length	Weight	
A903-5/8	.401	5/8"	7 1/4"	.70	\$26.94
A968	.498	1 1/4"	7 1/4"	.95	\$44.08



Wide Chisel & Scraper

1-5/16" wide offset blade for scraping applications

Ajax No.	Shank Type	Blade	Length	Weight	
A905	.401	1 5/16"	6 1/4"	.30	\$8.38
A955	.498	1 5/16"	7"	.50	\$11.66



Flat Chisel

Used to cut various metals, nuts, bolts, etc.

Ajax No.	Shank Type	Blade	Length	Weight	
A910	.401	3/4"	6 1/2"	.35	\$7.08
A910-1/2	.401	1/2"	6 1/2"	.30	\$8.54
A910-5/8	.401	5/8"	6"	.30	\$7.91
A910-11	.401	3/4"	11"	.60	\$9.54
A910-18	.401	3/4"	18"	1.00	\$16.54
A960	.498	5/8"	7"	.50	\$11.13



Wide Flat Chisel

Used to cut and scrape wider materials

Ajax No.	Shank Type	Blade	Length	Weight	
A910-1-1/2	.401	1 1/2"	6 1/2"	.40	\$9.70
A910-11-1-1/2	.401	1 1/2"	11"	.60	\$13.70



Tapered Punch

Used to remove rivet bodies and pins

Ajax No.	Shank Type	Length	Weight	
A911	.401	6 1/2"	.30	\$7.08
A961	.498	7"	.45	\$11.13



Straight Punch

Used to drive / punch pins and rods

Ajax No.	Shank Type	Length	Weight	
A913	.401	6 1/2"	.30	\$6.17



Pencil Point

Used to pierce sheet metal

Ajax No.	Shank Type	Length	Weight	
A925	.401	6 1/2"	.30	\$7.34



Moiil Point

Used to chip or break material

Ajax No.	Shank Type	Length	Weight	
A940	.401	7"	.35	\$8.99



Hammer - 1" Diameter

Used for hammering or driving applications (various lengths available)

Ajax No.	Shank Type	Length	Weight	
A945	.401	4 1/4"	.30	\$9.60
A967	.498	4 1/4"	.40	\$14.58



Undercoat Scraper

Used to scrape coatings and other gasket materials

Ajax No.	Shank Type	Length	Weight	
A951	.401	6 1/2"	.35	\$9.93

Power Tool Accessories
for the Professional

Ajax Kwik Change Retainers and Needle Scaler Attachments

A3300



\$28.52

A3200



\$46.68

Retaining Springs



A895	.401 Std. Beehive Spring (CPA 046096)	\$2.68	A896	.498 Mech Aid (CPA 047095)	\$4.15
A895-IR	.401 Std. Beehive Spring (AVC- 183)	\$2.68	A897	.401 Mech Aid (CPA 046095)	\$2.84
A898	.498 Beehive(CPA 047096)	\$4.91	A897-IR	.401 Mech Aid (AVC-183A)	\$2.68



A899 .401 Beehive Spring & Washer (Sioux 2208)

\$6.01



A900 .401 Mech Aid (B&D 58616)

\$4.25

Accessory Items



Air Regulators

Increase or Decrease pressure as needed. 1/4" Male x 1/4" Female NPT

Ajax No	Description	Wt.	
A889	Brass	1.35	\$7.40
A890	Aluminum	.65	\$7.40



360° Hose Swivel

Increase or Decrease pressure as needed.

Ajax No.	Description	Wt.	
A1094	1/2" NPT	.20	\$14.45
A1095	3/8" NPT	.20	\$15.72

More Available Upon Request

Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801
562.860.1417 | 714.871.4966 | jackxchange.com

jack·x·change

Impact Socket Sets

1/4" Drive Socket Sets



GRE9748 \$101.96
48 Piece 1/4" Drive Standard & Deep Impact socket Set
 • Standard & deep sockets in both fractional & metric sizes
 • Fractional: 3/16" to 9/16" & metric: 4-15mm

GRE9712UMD \$120.69
12 Piece 1/4" Surface Drive Deep Universal Metric Set



Set contains 6 point deep universal sizes 5mm to 15mm

GRE9712UM \$101.21
12 Piece 1/4" Surface Drive Standard Universal Metric Set



Set contains sizes: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm and 15mm

GRE9712MDG \$96.86
12 Piece 1/4" Drive Deep Metric Magnetic Impact Set



Set contains sizes: 5mm - 15mm in deep length



GRE9772 \$264.62

1/4" Surface Drive 72 Piece Complete Set
 Set contains our most popular 1/4" Surface Drive Sockets. Fractional sizes 3/16" to 9/16" and Metric sizes 4mm to 15mm in both Standard and Deep lengths. Universal sizes 1/4" to 9/16" and 5mm to 15mm. Also contains a 3" extension, Universal Joint, 1/4" F x 3/8" M Adapter, and a 1/4" Hex to 1/4" Square Drive Adapter.

3/8" Drive Socket Sets

GRE1281 \$385.65
81 Piece 3/8" Drive Complete Impact Socket Set

- Set includes metric sizes up to 22mm and fractional sizes up to 1"
- Extensions and swivels included



GRE1243RD \$109.59

3/8" Drive 43 Piece Standard/Deep SAE/Metric Set

- Set contains 6 point Fractional Sizes 5/16" - 3/4" and Metric Sizes 8mm - 19mm both in Standard and Deep Length
- Now includes a 1/4" Hex to 3/8" Square Drive Adapter
- Also includes a 3" extension and Universal Joint



GRE1281 \$385.65

81 Piece 3/8" Drive Complete Impact Socket Set

- All in one 3/8" dr complete impact master set
- Set includes metric sizes up to 22mm and fractional sizes up to 1"
- Extensions and swivels included



GRE1226M \$53.73

26 Piece 3/8" Drive Standard & Deep Length Metric Master Set
 • Set contains sizes: 7mm - 19mm in standard and deep length



GRE1104E \$34.50

3/8" Drive 4 Piece Impact Extension Set

- Includes 1-3/4", 3", 6" and 12" length extensions
- Lifetime Warranty (Individual Parts Only)



GRE2204E \$45.41

1/2" Drive 4 Piece Impact Extension Set

- Includes 3", 5", 7" and 10" impact extensions
- Lifetime Warranty (Individual parts only)



GRE1213MD \$34.79

13 Piece 3/8" Drive Deep Metric Impact Socket Set

- Set contains sizes: 7mm - 19mm



GRE1210UMSD \$107.90

10 Piece 3/8" Drive Semi Deep Metric Universal Impact Socket Set

- Set contains sizes: 10mm - 19mm



1/2" Drive Socket Sets

GRE1319D \$133.71

19 Piece 1/2" Drive Deep Length Fractional Master Impact Socket Set

- Set contains sizes: 3/8" - 1-1/2"



GRE1328RD \$127.82

28 Piece 1/2" Drive Standard and Deep Length Impact Socket Set

- Set contains sizes: 7/16" - 1-1/4"

GRE1313UM \$158.28

13 Piece 1/2" Drive Standard Length Metric Universal Set

- Set contains sizes: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm and 24mm in standard length.



GRE1326MD \$170.94

26 Piece 1/2" Drive Deep Length Metric Master Impact Socket Set
 • Set contains sizes: 10mm - 36mm



GRE1498MH \$62.40

10 Piece 1/2" Drive Metric Hex Driver Impact Socket Set

GRE1598HC \$116.91

1/2" Drive 18 Pc. Combo Hex Driver SAE/Metric Set

- Set contains sizes: 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 6mm, 7mm, 8mm, 10mm, 12mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm.



PART #

GRE1312

Impact Socket sets

13 pc. 1/2" Dr. Fractional Impact Set \$38.93
 Standard Length sizes: 7/16" to 1-1/4". Molded Case.

GRE1312D

13 pc. 1/2" Dr. DEEP Fractional Impact Set \$65.21
 DEEP Impact sizes: 7/16" to 1-1/4". Molded Case.

GRE1319

19 pc. 1/2" Dr. Fractional Impact Set \$74.07
 Standard Length sizes: 3/8" to 1-1/2". Molded Case.

GRE1326M

26 pc. 1/2" Dr. Metric Impact Set \$93.30
 Standard Length sizes: 10mm-36mm. Molded Case.

GRE1412MD

14 pc. 1/2" Dr. DEEP Metric Set \$64.62
 DEEP Impact sizes: 10mm-27mm. Molded Case.

SINGLE SOCKETS ALSO AVAILABLE

jack·x·change

Floor Service Jacks

norco

2 Ton Service Jack

\$347.06



71202A

2 Ton Double Pump Floor Jack

\$250.59



71233A

5 Ton Air/Hydraulic Floor Jack

\$987.06



71500G

HEIN-WERNER AUTOMOTIVE

2 Ton Heavy Duty Service Jack

\$250.00



HW93642

3 Ton Heavy Duty Service Jack

\$399.00



HW93652

4 Ton Manual Service Jack



\$1,885.00



HW93657

10 Ton Manual Service Jack

\$2,828.24



HW93660

jack·x·change

Floor Service Jacks



3 Ton Rapid Floor Jack

\$170.59



66300C

3 Ton Low Profile Aluminum Jack

\$228.00



65300

OMEGALIFTTM

EQUIPMENT

3.5 Ton Magic Lift Service Jack W/ One-Piece Handle

\$309.00



27036



3-Ton Floor Jack & 2 Ton Aluminum Jack Stands Pack



5303

1582A

\$175.75

jack·x·change

Jacks Stands Bottle Jacks



Jack Stands

12 Ton

6 Ton

3 Ton



81004C
\$41.18

81006D
\$69.41

81012
\$175.29

Bottle Jacks

20 Ton

76520B
\$158.82

20 Ton

12 Ton

76412B
\$107.06

12 Ton



76820B
\$154.12

76512B
\$103.53



3 Ton Jack Stands

\$84.66



HW93503

6 Ton Jack Stands

\$112.62



HW93506

10 Ton High Reach Jack Stands



\$691.76



HW93511

10 Ton Heavy Duty Jack Stands



\$548.44



HW93512

jack·x·change

Truck Jacks



20 Ton Truck Jack

72080A

\$505.00



22 Ton Truck Jack

72200D

\$695.65



20 Ton Truck Jack

HW93733


\$1,383.00



25 Ton Truck Jack With 3" Adapter

HW93735A

\$1,868.00





TIGHTER TOLERANCES, BETTER FINISHES, HIGHEST QUALITY!

FEATURES

- Long "T" handle helps in positioning jack under vehicles with low overhang.
- Handle locking lever secures handle in either vertical, horizontal or 45 degree position.
- Overload systems prevent cylinder damage and prevent the jack from being used beyond the ASME/PASE load-limiting standard.
- Rust inhibitive coating on rams offers longer life.
- Integrated filter protects air motor.
- Double acting pump raises ram more quickly to the load.
- Suspension loaded axle prevents wheel damage.
- Vacuum operated ram retraction eliminates manual lowering of jack.
- Safety button at the top of the handle can be pushed in to immediately stop the jack operation in case of emergency.
- Models 72212 and 72225 include a removable 2-3/4" diameter saddle, 2-9/16" and 5-7/8" long extensions with extension holder. Model 72218 includes 2" and 3-15/16" stackable extensions with extension holder.
- Model 72244 includes a removable 2-3/4" diameter saddle, 2" and 4" long stackable extensions and extension holder.

MODEL NUMBER	CAPACITY (TONS) @ LIFTING STAGE 1				LIFT HEIGHT		OVERALL DIMENSIONS		PISTON STROKE	HANDLE LENGTH	P.S.I. RANGE	SHIPPING WEIGHT
					Low	High	Length	Width				
72212	55	37	23	12	6"	15.375"	39.25"	8.625"	9.5"	61.75"	100-175	233 lbs.
72218	33	20	--	--	6"	12"	16"	6.75"	6.125"	49.25"	120-175	100 lbs.
72225	50	25	--	--	8.75"	16.5"	39.25"	8.625"	7.875"	61.75"	120-175	235 lbs.
72244	44	--	--	--	9.25	15.625"	21.625"	8.125"	5.5"	61.75"	130-175	149 lbs.

72218

**33 / 20
Ton Capacity**

72218
(2 stage)

\$2,205.00

72212

**55 / 37 / 23 / 12
Ton Capacity**

72212
(4 stage)

\$3,881.18

72225

**50 / 25
Ton Capacity**

INTENDED USE

Heavy duty truck, rail, bus, agriculture and construction equipment applications.

72225
(2 stage)

\$3,070.59

72244

44 Ton Capacity

INTENDED USE

Heavy duty truck, agricultural and heavy construction equipment. Ideal for loaded truck and trailer roadside service calls. Heavy enough for rail and bus work.

72244
(44 TON)

\$2,207.00

jack·x·change

Transmission Jacks



1/2 Ton Capacity



72050E

\$445.88

3/4 Ton Capacity



72475A

\$1,560.00

1 Ton Capacity



72700A

\$1,338.82

1-1/2 Ton Capacity



72000Ei

\$1,210.59

**HEIN-WERNER
AUTOMOTIVE®**

**1 Ton Floor
Transmission Jack**



HW93718

\$2,276.00

**1,000 lbs Air/Manual
Telescopic Trans Jack**



HW93720

\$2,529.00



10 Ton Body Repair Kit

4", 10", 18",
27" Extension
Tubes

- Body Repair Kits Include:
- Manual Hand Pumps
 - Hydraulic Cylinders (Rams)
 - Extension Tubes
 - Hydraulic Spreaders
 - Rubber Heads
 - Ram Toe (offset)
 - Plunger Toe (offset)
 - Variety of Different Saddles
 - Customized Blow Mold Case

50100

\$374.00

4 Ton Body
Repair Kit

50040

\$252.94

3", 6", 8", 16",
19" Extension
Tubes

Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
50040	4 Ton Body Repair Kit	8,000 PSI	10.75"	15.63"	1.00 in ²	47.08 lbs
50100	10 Ton Body Repair Kit	10,000 PSI	13.75"	19.75"	2.40 in ²	83.60 lbs



**Blackhawk
Automotive™**

4 Ton 13pcs Body Repair Equipment Kit

**B65114
\$267.00**



INCLUDES:

Model	Description
B65067	4 Ton Kit Blow-Mold Case
B65123	1000 lbs Spreader
B65151	Serrated Saddle
B65152	90° V-Base
B65153	Wedge Head
B65154	Plunger Toe
B65155	Ram Toe
B65156	Flat Base
B65157	3" Extension Tube
B65158	6" Extension Tube
B65159	8.5" Extension Tube
B65161	19.5" Extension Tube

10 Ton 19pc Body Repair Equipment Kit

**B65115
\$388.00**



INCLUDES:

Model	Description
B65068	10 Ton Kit Blow-Mold Case
B65123	1000 lbs Spreader
B65162	27" Extension Tube
B65163	18" Extension Tube
B65164	10" Extension Tube
B65165	4" Extension Tube
B65166	Wedge Head
B65167	Serrated Saddle
B65168	Flat Base
B65169	Ram Toe
B65172	Plunger Toe
B65173	90° V-Base
B65179	Male Connector
B65180	Rubber Head
B65188	10 Ton Manual Hyd Hand Pump
B65189	10 Ton Hyd Ram
B65291	6 Feet Hose w/ Coupler
B69477	¼" Female Half Coupler
B69478	¼" Male Half Coupler

Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
B65114	4 Ton Body Repair Kit	8,000 PSI	11"	15.75"	.99 in ²	41.00 lbs
B65115	10 Ton Body Repair Kit	10,000 PSI	13.63"	19.75"	2.41 in ²	92.00 lbs



From the originators of the battery operated grease gun. The Brand Pros Demand, Since 1910.

Heavy-Duty Lever Type



LIN1142
\$21.25



LIN1148
\$27.34



LIN1147
\$27.45

Part Number	Description	Extension	Length
LIN1142	16oz. Bulk/14.5oz. Cartridge	5853 6" & 5852 coupler	21¾"
LIN1148	16oz. Bulk/14.5oz. Cartridge	5853 6" & 5852 coupler	21¾"
LIN1147	16oz. Bulk/14.5oz. Cartridge	71518 18" hose & 5852 coupler	21¾"

Heavy-Duty Pistol Grip Type



LIN1132
\$32.02



LIN1133
\$33.96



LIN1134
\$36.96

Part Number	Description	Extension	Length
LIN1133	16oz. Bulk/14.5oz. Cartridge	71518 18" Flex Nose & 5852 coupler	15½"
LIN1132	16oz. Bulk/14.5oz. Cartridge	6" Straight Pipe & 5852 coupler	15½"
LIN1134	16oz. Bulk/14.5oz. Cartridge	18" Flex Hose, 6" Straight Pipe & Coupler	15½"

jack·x·change**Material &
Handling****\$95.53****P15HA P-Series Puller**

- Made for superior strength with a steel frame and handle, alloy steel load hook, 1-piece cast aluminum drum, and solid steel drive and holding dog
- 4:1 design factor for lifting or pulling
- Long-lasting gears through the extra heavy Ingersoll Rand buttress tooth design

**CALL FOR PRICING**
**5lb Silver Series Lever
Chain Hoist**
5Ft -20Ft Chain Available

- 360 Degree Handle Rotation
- Premium Grade 100 Alloy Load Chain
- Hardened Swivel Latch Hooks
- Reliable Disc Braking System


CALL FOR PRICING
SMB SERIES
Manual Chain Hoist
5Ft -20Ft Chain Available

- Capacity: 1/2 - 5 tons
- Number of chain falls: 1
- Pull to lift rated load: 64 lbs. (29 kg.)
- Chain haul required to lift load one foot: 39 ft. (11.9 m)
- Chain size: 6mm x 18mm
- Chain weight per foot: 0.6 lb (.3 kg)

- Professional and ideal storage aid for all variety of manual transport tasks over short distances in stores and warehouses as well as factory plants.
- Compact and attractive design with maximum loading capacity of 5500 lbs.
- High quality steel and German standard WAGNER painting system ensures best powder coating and paint quality.
- All pivot points are greased, ensuring excellent maneuverability with effortless steering. The chromed bearing bushes and joints ensuring quiet running properties and long service life.

**Pallet Jacks****PJ5500 \$329.95****PJ5500N \$329.95**

- 3 position control handle for controlled lowering.
- Polyurethane wheels for quiet operation.

Model	Capacity	Low Height	High Height	Fork Width	For Length	N.W.
PJ5500	5500 lbs.	3.3"	7.8"	27"	48"	210 lbs.
PJ5500N	5500 lbs.	3.3"	7.8"	20"	48"	187 lbs.

AUTHORIZED FACTORY SERVICE CENTER & EQUIPMENT/REPAIR PARTS DISTRIBUTOR

AIR TOOLS & ACCESSORIES

AJAX TOOL WORKS
AMFLO
ASTRO
CHICAGO PNEUMATIC
INGERSOLL RAND

BATTERY CHARGERS& ACCESSORIES

ASSOCIATED

COLLISION REPAIR EQUIPMENT

BLACKHAWK
HEIN-WERNER
JACKCO
NORCO

ELECTRICAL EQUIPMENT

GREENLEE
OTC

HAND TOOLS & SOCKETS

ASTRO
GREY
JET
WRIGHT

HOISTS - WINCHES

JET
INGERSOLL RAND
LUG-ALL
GRIPHOISTS

HYDRAULIC "H" FRAME PRESSES

ENERPAC
HEIN-WERNER
OTC POWER TEAM
NORCO

HYDRAULIC CYLINDERS, PUMPS & JACKS

ASTRO
BLACK HAWK

HYDRAULIC CYLINDERS, PUMPS & JACKS (CONT.)

ENERPAC
GRAY JACKS
HEIN-WERNER
JACKCO
JET
NORCO
OMEGA
SPX FLOW - POWERTEAM
SPX- OTC
RAMPAC
SIMPLEX / T-K
SUNEX
TR ENGERNEERING
WEAVER

LUBRICATION EQUIPMENT

LINCOLN ST. LOUIS
FLO-DYNAMICS
ROBINAIR

MATERIAL HANDLING EQUIPMENT

BISHAMON
JACKCO
LIFT TABLES

MECHANICAL JACKS

SIMPLEX
DUFF-NORTON

PALLET TRUCKS

PALLETMASTER
BISHAMON
JACKCO

ROLLERS

HILMAN

WORM GEAR JACKS

DUFF-NORTON
SIMPLEX-UNI-LIFT



SALES • SERVICE • REPAIR • RENTALS

**DO YOU NEED PARTS?
WE STOCK PARTS FOR:**

**AIR TOOLS - JACKS - PUMPS - CYLINDERS
PALLET JACKS - SHOP CRANES - HOIST**

**DO YOU NEED SERVICE?
WE OFFER:**

**LARGE REPAIR FACILITY
FOUR TRAINED MECHANICS
RENTALS: HYDRAULIC EQUIPMENT**

DO YOU NEED SALES?

LARGE INVENTORY - EQUIPMENT & PARTS

**CALL TO ASK ABOUT OUR SPECIALS &
PICK UP & DELIVERY DEALS**

**PROVIDING QUALITY SERVICE
SINCE 1961**

CALL TODAY

NO SALES TAX OUTSIDE CALIFORNIA

Jack-X-Change
1609 N. Orangethorpe Way
Anaheim, CA 92801
(714) 871-4966 (562-860-1417 Fax:
(714) 871-4591
Outside Southern California
(800) 588-6657
www.jackxchange.com

***** PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE *****

jack·x·change

PNEUMATIC-HYDRAULIC TOOLS & JACKS

SALES • SERVICE • REPAIR • RENTALS

Monday - Friday 8:00am - 4:30pm

