

SEPTEMBER 2022 CATALOG

jack·x·change

PNEUMATIC-HYDRAULIC TOOLS & JACKS

SALES • SERVICE • REPAIR • RENTALS

**AUTHORIZED FACTORY SERVICE CENTER
&
EQUIPMENT/REPAIR PARTS DISTRIBUTOR**



Hablamos Español

**1609 N ORANGETHORPE WAY
ANAHEIM, CA 92801
(562) 860-1417 | (714) 871-4966
jackxchange.com**

PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE

PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE

NEED RENTALS? CALL TODAY FOR A QUOTE!



- * **HAND PUMPS**
- * **ELECTRIC PUMPS**
- * **GAS PUMPS**
- * **5-250 TON CYLINDERS**
- * **HOSES**
- * **GUAGES**
- * **VALVES & MANIFOLDS**

FIT TO YOUR PROJECT'S REQUIREMENTS

SERVICE CENTER AND REPAIRS CALL TODAY FOR A QUOTE!



**Specialty Equipment
Repairs**



Quality Tested



**Floor Jacks
Repairs**



**Pneumatic
Repairs**



**Hydraulic
Repairs**



**Painting
Service**

» **Authorized Factory Service Center
For Most of our Major Lines**

» **Repair Parts For Sale**

» **In Stock Inventory**

» **Preventive Maintenance**

jack·x·change

SALES

SPX

>Power Team

SALE

\$458.26

*WHILE SUPPLY LAST



POWERTEAM PA6 Hydraulic Pump

- The Power unit of choice for major manufacturers of auto body, frame straighteners and other shop equipment.
- Operate at 40-100 psi shop air pressure at the pump.
- Quiet operation that is suitable for indoor applications, 85dBA at 10,000 psi.
- Serviceable pump motor is not a "throw away", providing economical repair
- Permanently vented reservoir cap
- Internal relief valve protects circuit components, air inlet filter protects motor.



Casted Side-Pump Bottle Jacks



Model	Capacity	Min.Height	MaxHeight	ExtensionScrew	BaseSize(LxW)	G.W.	Price
61021	2Ton	7-1/8"	11-5/8"	1-7/8"	3-2/3"X3-2/3"	5.5Lbs.	\$21.19
61041	4Ton	7-11/16"	12-5/16"	2-3/8"	4-1/4"X3-9/10"	7.4Lbs.	\$27.61
61061	6Ton	8-1/2"	13-1/2"	2-3/8"	4-5/8"X4-5/16"	9.9Lbs.	\$35.75
61081	8Ton	9-1/8"	14-7/8"	3-1/8"	4-5/8"X4-5/8"	11.8Lbs.	\$42.16
61121	12Ton	9-1/8"	6"	3-1/8"	5-7/16"x4-15/16"	15.8Lbs.	\$61.84
61121S	12TonS	6-11/16"	12"	1-15/16"	12-3/16"X6-1/4"	15.6Lbs.	\$59.81
61201	20Ton	9-1/2"	5-7/8"	2-3/8"	6-1/4"x5-15/16"	23.7Lbs.	\$87.04
61201S	20TonS	7-1/2"	13-3/16"	1-15/16"	14-1/2"X7"	22.7Lbs.	\$85.92
61301	30Ton	11-3/16"	18-11/16"	-	6-5/8"x6-5/8"	31.4Lbs.	\$174.65

LET OUR EXPERTS AT

jack·x·change

HELP YOU WITH YOUR NEXT HYDRAULIC PROJECT

**LARGEST INVENTORY STOCKING DISTRIBUTOR
IN SOUTHERN CALIFORNIA**

ENERPAC



SIMPLEX



SPX > Power Team



**CALL NOW FOR PRICING ON
NEW EQUIPMENT & RENTALS
562) 860-1417 • 714) 871-4966**



Jack X Change is an authorized Enerpac distributor and service center. Providing quality service since 1961, we have all your Enerpac needs all under one roof. Our technical specialists are able to design, install and service any of these products. Need a quote for your next job or project? Call Today! Hablamos Español.



LARGEST INVENTORY STOCKING DISTRIBUTOR IN SOUTHERN CALIFORNIA

Hydraulic Cylinders, Jacks,
Lifting Products & Systems



Hydraulic Pumps
& Valves



System Components



Mechanical & Hydraulic
Bolting Tools



NOW STOCKING BOLTING EQUIPMENT CALL NOW FOR A FREE QUOTE



Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801
562.860.1417 | 714.871.4966 | jackxchange.com



POWER TEAM QUALITY

With over 90 years of experience in supplying Professional Grade High Pressure Hydraulic Pumps, Cylinders, Jacks, Pullers & Tools. Power Team Products are built tough with strict ISO 9001 manufacturing processes and are covered by a Lifetime PowerThon Warranty*.

› CYLINDERS



› HYDRAULIC ACCESSORIES



› PUMPS



› SHOP EQUIPMENT



› JACKS



› HYDRAULIC & MECHANICAL TOOLS



CALL FOR OUR WEEKLY SPECIALS!

jack·x·change

Foot Pumps

SPX
Power Team



\$458.26

SPX- PA6 Single Speed Air Pump for Single Acting Cylinders, High Density Polyethylene Reservoir

\$1,035.60



SPX- PA6M-1 Single Speed Air Pump for Single Acting Cylinders, 1 Gallon Metal Reservoir

\$973.92



SPX- PA6-2 Single Speed Air Pump for Single Acting Cylinders, High Density 2 Gallon Polyethylene Reservoir

ENERPAC
POWERFUL SOLUTIONS. GLOBAL FORCE.



\$869.60

ENERPAC- PATG1102N, Turbo II Air Hydraulic Pump, Hand/Foot Operated 3/3 Treadle Valve, 127 in3 Usable Oil, For use with Single-Acting Cylinders

\$1,392.00



ENERPAC- PARG1102N Turbo II Air Hydraulic Pump, 3/3 Manual Valve with Pendant, 127 in3 Usable Oil, For use with Single-Acting Cylinders

\$1,371.20



ENERPAC- PAMG1402N Turbo II Air Hydraulic Pump, 4/3 Manual Valve, 127 in3 Usable Oil, For use with Double-Acting Cylinders

NORCO



\$662.67

NORCO- 910017B 10,000 P.S.I. Air/Hydraulic Foot Pump



\$1,165.33

NORCO- 910018B 10,000 P.S.I. 2 Gallon Air / Hydraulic Foot Pump (Steel Case)



\$386.67

NORCO- 910130A 10,000 P.S.I. Air / Hydraulic Foot Pump

3/8" Impact Wrenches

**\$256.76****IRT2115TIMAX****3/8" Drive Titanium Impact Wrench**

- Max power - 300 ft-lbs of maximum reverse torque
- Max control - new feather touch trigger and one handed forward and reverse control
- Less than 6" long; weighs less than 2.5 lbs
- Titanium hammer case is lightweight with unparalleled durability
- 2 year warranty



WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov

IRT15QMAX \$142.00**3/8" Ultra-Compact Impactool**

- 475 ft-lbs. of nut-busting torque
- The twin hammer mechanism will reduce vibration
- Only 2.4 lbs
- Push button, forward/reverse buttons, and power regulator dial



WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov



**2X
LIFE**
of competitive products

**Chicago
Pneumatic****CLEARANCE SALE!****CPT724H \$172.45****3/8" Drive Heavy Duty Impact Wrench**

- Maximum torque: 200 ft./lbs.
- Pin clutch mechanism in oil bath
- Curved handle with Thermo-Plastic Rubber injected in housing for a durable/comfortable grip
- Full teasing trigger
- 360° air inlet swivel keeps air hose from being twisted
- One hand push button forward/reverse power regulator

WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov

**CPT721 \$200.00****3/8" Drive Heavy Duty Air Impact Wrench**

- Working torque: 5-50 ft./lbs.; maximum torque: 75 ft.-lbs.
- Rocking dog clutch
- Energy efficient motor
- Pistol-type grip
- Free speed: 11,000 RPM

WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov

**CPT7731 \$133.00****3/8" Stubby Impact Wrench**

- Ultra compact and powerful: 415 ft-lbs in reverse
- Rugged and lightweight: steel front cover and aluminum alloy body
- All controls on front of tool and adjustable for either right or left handed operation
- Only 4.4" long

WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov

**CPT7727 \$184.00****3/8" Angle Impact Wrench**

- 185 ft-lbs of maximum torque in reverse
- Steel motor • Aluminum housing
- Full teasing trigger • Only 2.5 lbs.
- 3 positions in forward and 1 in reverse

CPT7737 \$226.45**1/2" Extended Angled Impact Wrench**

- 220 ft-lbs of max. torque in reverse

WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov

**CPT7722 \$173.00****3/8" Drive Butterfly Impact Wrench**

- 90 ft./lbs. • 360° swivel air inlet
- Built in regulator for controlled torque
- Rocking dog clutch • Butterfly throttle

WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov



1/2" Impact Wrenches

**IRT35MAX \$168.89****1/2" Ultra-Compact Impacttool**

- 650 ft.-lbs. of nut-busting torque
- IR Twin Hammer
- Features 3 different regulation settings, as well as an easy to operate and user-preferred forward/reverse button



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT35-BOOT \$24.08**Boot Cover for IRT35MAX and IRT15QMAX**

- Keeps tools clean and protected



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT231C \$154.06**1/2" Drive Super Duty Impacttool™**

- Maximum torque: 600 ft.-lbs
- IR Twin Hammer Mechanism
- Adjustable power regulator
- Pressure feed lubrication



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT231HA \$171.74**1/2" Drive Super Duty Air Impacttool™**

- Pressure-fed lubrication system
- Handle exhaust directs air away from user
- Adjustable power regulation
- Maximum torque: 590 ft./lbs (800 ft./lbs. reverse)
- Contoured comfort handle



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CLEARANCE SALE!**CPT734H \$175.61****1/2" Drive Heavy Duty Air Impact Wrench**

- DYNA-PACT oil bath clutch delivers smooth operation and extended durability
- 360° air inlet swivel
- Air inlet thread: 1/4" NPTF
- Minimum hose size: 3/8"
- Length: 7.5"
- Weight: 5.13 lbs.

**HD**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT749 \$226.02**1/2" Drive Super Duty Air Impact Wrench**

- Working torque: 50-450 ft.-lbs
- Maximum torque: 610 ft.-lbs
- CP's patented Spring Hammer oil bath clutch
- One-handed reverse button with 4 power settings
- Air inlet thread: 1/4" NPTF
- Weight: 5.5 lbs



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT7748 \$190.99**1/2" Drive Composite Impact Wrench**

- 960 ft.-lbs of max torque in reverse
- One-hand reverse system (Ring system)
- Hard anodized end plates / Hard chromium aluminum cylinder / Twin hammer mechanism
- 6.89" in length
- Only 4.4 lbs in weight thanks to
- 360 degree swivel air inlet



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT7748-2 \$192.24**1/2" Drive Composite Impact Wrench with 2" Extension**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1/2" Impact Wrenches



\$191.89

**IRT231HA-2
1/2" Drive Super Duty
Air Impact Wrench
with 2" Extended Anvil**

- In-handle exhaust directs air away from user
- Contoured comfort handle
- 590 ft./lbs. maximum torque
- Pressure feed lubrication system
- Adjustable power regulation



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$370.88

**IRT2235QTIMAX
1/2" Drive Quiet Impact Wrench**

- 1,300 ft.-lbs of quiet, nut busting torque, with a twin-hammer impact mechanism
- Only 4.6 lbs
- At 91.9 dBA IR Quiet Technology
- 2 year warranty, one-handed forward/reverse control, feather-touch trigger and 4-position power regulator




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$373.73

**IRT2235QTIMAX-2
1/2" Drive Quiet Titanium
Impact Wrench with
Extended Anvil**

- 1,300 ft.-lbs. of quiet nut busting torque, with twin-hammer impact mechanism
- 2 year warranty, one-handed forward/reverse control, feather-touch trigger, and 4-position power regulator



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$364.04

**IRT2235TIMAX
1/2" Drive Impact Wrench**

- 1,350 ft.-lbs of nut busting torque, powered by Ingersoll Rand's finely tuned twin-hammer impact mechanism
- Only 4.6 lbs.
- Backed by a 2 year warranty
- One-handed forward/reverse control, feather-touch trigger, and 4-position power regulator



**IRT2235TIMAX-2 \$365.74
1/2" Drive Titanium Impact
Wrench with Extended Anvil**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**Chicago
Pneumatic**

CLEARANCE SALE!

CPT7749 \$197.21

1/2" Drive Composite Impact Wrench

- 955 ft.-lbs of extreme torque
- S2S Technology for forward / reverse
- Ergonomic composite handle
- 3 positive power settings
- Full teasing trigger allows full control when tightening or loosening fasteners



CPT7749-2 \$253.84

**1/2" Drive Composite Impact
Wrench with 2" Extended Anvil**

CPT7732C \$166.00

1/2" Composite

Stubby Impact Wrench

- 460 ft.-lbs of maximum torque in reverse
- Steel motor
- Aluminum clutch housing
- Side 2 Side (S2S): 1 hand forward/reverse operation
- 2 positions in forward and reverse: max and lower torque



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT7732 \$166.01

**1/2" Ultra Compact &
Powerful Impact Wrench**

- Excellent power to weight ratio: 450 ft.-lbs
- Ultra compact: 4.4" long
- Forward/reverse lever rotates to be on either the left or right side of the tool



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT749-2 \$249.82

**1/2" Super Duty
Impact Wrench with 2" Anvil**

- Ultimate torque: 625 ft.-lbs.
- Patented clutch provides smooth operation and extreme durability
- One hand push button forward/reverse power regulator
- 2" extended anvil for tire work



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1/2" Impacts



Ingersoll Rand®

CLEARANCE SALE!

IRT2130 \$152.62

1/2" Drive Heavy Duty Impacttool™

- 550 ft.-lbs. maximum torque
- Full stroke tease throttle
- Easy glide forward/reverse switch
- Multi-position power management
- Lightweight, reinforced aluminum hammercase

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$219.64

IRT2135QXPA 1/2" Composite Quiet Impact Wrench



Made in U.S.A.

- With 1,100 ft.-lbs. of nut busting torque. All powered by Ingersoll Rand's finely tuned motor and twin-hammer impact mechanism
- Ingersoll Rand's Quiet Technology reduces the sound of the tool
- Backed by a one-year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT232TGSL \$297.85

1/2" Drive Street Legal "Thunder Gun" Impact Wrench



Made in U.S.A.

- Distinctive appearance, similar to the IR ThunderGun racing tool
- Adjustable power regulator
- Our fastest 1/2" impact wrench
- 625 ft.-lbs max reverse torque
- 500 ft.-lbs forward torque

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT244A \$271.32

1/2" Drive Super Duty Impact Wrench

- Powerful, smooth balanced blows
- Pressure feed lubrication system automatically greases the impact system
- Working torque: 40-350 ft.-lbs
- Maximum torque: 500 ft.-lbs
- Variable speed trigger
- 1 yr warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3/4" Impacts



Ingersoll Rand®

\$579.14



Made in U.S.A.

IRT2145QIMAX

3/4" Drive Composite Impact Wrench

- 1,350 ft.-lb maximum reverse torque from a tool that weighs just 7.4 lbs and is compact enough to access tight spaces
- Designed to withstand tough use
- An air motor that's 16% more efficient
- 2 year limited warranty
- Quiet Technology - 91.1dBA

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CPT7763 \$507.02

3/4" Drive Heavy Duty High Power Impact Wrench

- 1200 ft.-lbs of torque
- Weighs less than 12 lbs
- 6-vane motor for speed - power with any 1/2" hose air supply
- Twin hammer high performance clutch
- Ergonomic handle exhaust

CPT7763-6

3/4" Drive Heavy Duty Impact Wrench with 6" Anvil

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3/4" Impacts



IRT259 \$420.59

3/4" Drive Impact Wrench

- Delivers 1,050 ft-lbs of maximum torque in both forward and reverse
- New ergonomic design for easy two-handed operation
- Two power settings in forward and reverse
- Lightweight at only 8.8 lbs
- Silenced exhaust reduces tool noise to only 91.6 dbA while in use



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT261

3/4" Drive Super Duty Air Impact Wrench

\$564.31

- Jumbo hammer mechanism
- Up to 1,100 ft-lbs of torque
- Trouble free, longer performance aided by the Pressure-Feed Lube System
- Compact; only 8.8" long
- Handle exhaust



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CLEARANCE SALE!

CPT7762 \$275.00
3/4" Stubby Impact Wrench

- 1050 ft-lbs. of torque
- Compact at 6.2 inches in length
- Lightweight at 6.6 lbs
- Twin Hammer mechanism
- Highly durable with a steel motor, and aluminum housing



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT772H \$466.16
3/4" Drive Super Duty Air Impact Wrench

- 4-position power settings in forward and ultimate power in reverse
- Working torque: 150-700 ft-lbs
- Maximum torque: 1000 ft-lbs
- Handle exhaust with 360° air inlet swivel
- Average air consumption: 6 cfm • Air inlet thread: 3/8" NPTF
- Minimum hose size: 1/2" • Sound dBA: 96
- Length: 9.63" • Weight: 10.5 lbs



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1" Impacts



IRT271 \$677.86

1" Drive Super Duty Air Impact Wrench

- Impressive power-to-size ratio
- Up to 1,100 ft./lbs. of torque
- Pressure-feed lube system
- Dead handle improves operator control
- Free-speed 5,500 RPM



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

\$694.60

CPT7783-6
1" Drive Lightweight Impact Wrench with 6" Anvil

- 1770 ft-lbs. maximum torque in reverse • Weighs 20.9 lbs
- Pinless closed reinforced rocking dog mechanism in oil bath
- Features an adjustable top or down exhaust



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1" Impacts

**IRT295A \$753.18****1" Drive Heavy Duty Air Impacttool™**

- 1,770 ft./lbs. maximum torque at 120 PSI with 5,250 rpm free speed and a high efficiency 6 vane motor
- Fast torque delivers 1,000 ft./lbs. in 2 seconds
- Handle exhaust directs air away from the work
- Top mounted dead handle provides great leverage
- 3 position power regulator for torque management
- 1 year warranty on material and workmanship

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**IRT2175MAX \$753.18****1" Drive Pistol Grip Impact Wrench**

- Delivers 2,000 ft lbs of reverse torque
- Chemical resistant housing & steel core
- Lightweight: Weighs in under 20 lbs
- 360 Degree adjustable handle: Keeps hoses from getting tangled so you can move freely around the garage

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**\$777.14****IRT2850MAX-6****1" D-Handle Impact Wrench with 6" Anvil**

- Delivers 2,100 ft-lbs of torque
- The steel core and chemical resistant housing is made to last even in the harshest working conditions
- At only 21 lbs this light weight design reduces user fatigue
- 2 year warranty on material and workmanship

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**IRT285B-6 \$672.15****1" Drive Heavy Duty Impact Wrench with 6" Anvil**

- Maximum torque: 1,770 ft-lbs
- New Fast-Torque feature delivers 1,000 ft-lbs in 2 seconds
- New increased pressure rating can withstand 120 PSI for better durability
- Improved feather-touch trigger

- Free chemical resistant protective boot helps prevent damage

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CLEARANCE SALE!

\$643.21**CPT7782-6****1" Drive Heavy Duty Impact Wrench with Extended Anvil****\$742.73****CPT7782-SP6****1" Drive Heavy Duty Impact Wrench with 6" Extension and #5 Spline**

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$3,879.00**CPT6120-D35H****1-1/2" Drive Impact Wrench**

- 2-Jaw clutch for superior ergonomics and productivity
- Very robust steel clutch housing and aluminum motor housing
- Extremely comfortable handle and adjustable support handle
- Interchangeable inside/outside trigger (parts included)
- Reverse biased 15%, possibility to change to forward biased by turning around the air motor cylinder

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**CPT797 \$784.00****1" Drive Super Duty Impact Wrench****\$804.01****CPT797-6****1" Drive Super Duty Impact Wrench with 6" Anvil**

- Working torque: 150-900 ft-lbs.; maximum torque: 1400 ft-lbs
- Rocking dog clutch • Teasing throttle for easy bolt starting

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**CPT7782 \$625.56****1" Drive Impact Wrench, Short Anvil**

- Powerful 1,920 ft. lbs of maximum torque in reverse
- Durable, closed reinforced rocking dog impact mechanism
- Regulator with integrated forward/reverse with 3 position power settings in both directions • Full teasing throttle

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov





IRT121 **\$122.11** Super Duty Air Hammer

- Professional touch trigger for total control
- Long-life tool with a tough one-piece alloy barrel
- Easy to maintain, with an "easy out" throttle valve assembly • 3,000 blows per minute
- 1 yr warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT115 **\$54.20** Standard Duty Air Hammer

- Up to 5,000 blows per minute
- Alloyed steel barrel and heat-treated piston
- Built-in power regulator and trigger control
- 1 year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT117 **\$75.88** Standard Duty Air Hammer

- Up to 2,000 blows per minute

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CLEARANCE SALE!

CPT7110 **\$75.00** Heavy Duty Air Hammer

CPT7110K **\$89.00** Heavy Duty Air Hammer Kit

- Shank: .401
- Vibration isolation system for smoother operation
- Average air consumption: 3.65 cfm
- Cushioned exhaust deflector on barrel for comfort and control
- Touch trigger for precision start ups and total control
- Kit includes: (1) quick change retainer, (4) chisels

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CLEARANCE SALE!

CPT717 **\$575.00** Air Hammer

\$781.00

CPT717K Air Hammer Kit

The CP717K is a Super Duty Air Hammer Kit which includes the CP717, a 4 piece .498 chisel set and a spring style retainer all packed in a heavy duty carry case.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT1105MAX-D2 **\$127.18** 1/4" Drive MAX Series Mini Air Ratchet

- 30 ft-lb max torque, 300 rpm free speed
- Variable-speed regulator
- Ergonomic coupling nut and composite handle ensure operator comfort
- Nickel-plated housing provides enhanced corrosion resistance

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT109XPA **\$176.88**

- 3/8" Drive Super Duty Air Ratchet
- 76 ft-lbs (103 Nm) maximum torque at 220 rpm free speed
- Variable speed button trigger
- 360° adjustable exhaust directs air away from the operator and the work
- Optimized gear ratio and airflow for extra performance

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT828 **\$116.58** 3/8" Drive Heavy Duty Ratchet

- Anti-slip head design
- Efficient 1/2 hp motor and triple idler planetary gear system provide up to 50 ft-lbs of torque • Teasing throttle
- Specifications: cfm - 4, hose size - 3/8", torque range - 10 to 50 ft-lbs, ultimate torque by hand - 125 ft-lbs, speed - 150 rpm

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

jack·x·change

Cordless Tools



IRTW7152-K22 \$616.24

20V 1/2" Drive Brushless High-Torque Impact Wrench with (2) Batteries Kit

- 1500 ft-lb nut-busting torque and 1000 ft-lb of MAX torque
- Weighs only 7.6 lbs (with BL2022 battery)
- 4 dimmable settings on the shadowless 360° LED light ring
- Robust and durable all-metal drivetrain and hammer mechanism optimized for maximum power and efficiency

IRTW7152-K12 \$515.81

1/2" Drive IQV20 High Torque with (1) Battery Kit

IRTW7172-K22 \$690.41

3/4" Drive IQV20 High Torque with (1) Battery Kit

IRTIQV20-K201 \$775.42

1/2" High-Torque Impact Wrench, 3/8" Compact Impact Wrench, (2) 5.0 Batteries, Universal Charger in Tool Bag

- W7152 1/2" 20V High-Torque Impact Wrench - 1500 ft-lb of Nut-Busting Torque
- W5133 3/8" 20V Compact Impact Wrench - 550 ft-lb Nut-Busting Torque
- Also includes (2) BL2022 5amp Batteries, (1) Universal charger and (1) Tool bag
- Patented Shadowless LED light ring with 4 dimmable settings
- Brushless motor delivers durability and efficiency

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRTW7152-K22

IRTW5133-K22 \$548.33

3/8" High Torque Impact Wrench with (2) Batteries Kit

- 550 ft-lbs nut-busting torque and 365 ft-lbs of MAX torque
- 360° Shadowless LED light ring with task light mode and 4 dimmable settings
- 7" tip-to-tail design at only 5.3 lbs (with BL2022 battery)

IRTW5133-K12 \$485.00

3/8" High Torque Impact Wrench with (1) Batteries Kit



Chicago Pneumatic



CPT8849K-4AH \$582.00
1/2" Cordless Impact Wrench Kit

- Highly durable brushless motor
- 850 ft. lbs. of maximum torque in reverse
- Four settings in forward, to be set up with the touch pad on the backside of the tool
- Two shut-off positions
- 5 yr warranty on material and workmanship

Kit includes (1) CP8849 1/2" impact wrench, (2) 4.0 Ah batteries, (1) 20V charger, (1) soft bag

WORLD'S MOST POWERFUL 1" CORDLESS IMPACT WRENCH

IRTW9491-K4E \$1,563.41

20V 1" D-Handle High Torque Impact Wrench with Standard Anvil - 4 Battery K

- Includes (1) tool, (4) 20v 5.0 amp batteries & (1) Dual Bay Universal Charger

IRTW9491

\$1,136.61

20V 1" D-Handle High Torque Impact Wrench with Standard Anvil (Bare Tool)

\$1,563.41

IRTW9691-K4E

20V 1" D-Handle High Torque Impact Wrench with Extended 6" Anvil - 4 Battery Kit

- Includes (1) tool, (4) 20v 5.0 amp batteries & (1) Dual Bay Universal Charger

IRTW9691

\$1,136.61

20V 1" D-Handle High Torque Impact Wrench with Extended 6" Anvil (Bare Tool)



jack·x·change

Air Tools Chisels/Accs



Zip Gun Chisels

.401 & .498 Shank Turn Type Tools



Ball Joint & Tie Rod Separator

Used to separate ball joints and tie rods

Ajax No.	Shank Type	Size	Length	Weight	
A903-5/8	.401	5/8"	7 1/4"	.70	\$29.42
A968	.498	1 1/4"	7 1/4"	.95	\$48.14



Wide Chisel & Scraper

1-5/16" wide offset blade for scraping applications

Ajax No.	Shank Type	Blade	Length	Weight	
A905	.401	1 5/16"	6 1/4"	.30	\$9.35
A955	.498	1 5/16"	7"	.50	\$13.61



Flat Chisel

Used to cut various metals, nuts, bolts, etc.

Ajax No.	Shank Type	Blade	Length	Weight	
A910	.401	3/4"	6 1/2"	.35	\$7.84
A910-1/2	.401	1/2"	6 1/2"	.30	\$9.42
A910-5/8	.401	5/8"	6"	.30	\$9.07
A910-11	.401	3/4"	11"	.60	\$10.81
A910-18	.401	3/4"	18"	1.00	\$18.08
A960	.498	5/8"	7"	.50	\$13.01



Wide Flat Chisel

Used to cut and scrape wider materials

Ajax No.	Shank Type	Blade	Length	Weight	
A910-1-1/2	.401	1 1/2"	6 1/2"	.40	\$10.65
A910-11-1-1/2	.401	1 1/2"	11"	.60	\$15.00



Tapered Punch

Used to remove rivet bodies and pins

Ajax No.	Shank Type	Length	Weight	
A911	.401	6 1/2"	.30	\$7.84
A961	.498	7"	.45	\$13.01



Straight Punch

Used to drive / punch pins and rods

Ajax No.	Shank Type	Length	Weight	
A913	.401	6 1/2"	.30	\$6.74



Pencil Point

Used to pierce sheet metal

Ajax No.	Shank Type	Length	Weight	
A925	.401	6 1/2"	.30	\$8.44



Moiil Point

Used to chip or break material

Ajax No.	Shank Type	Length	Weight	
A940	.401	7"	.35	\$9.48



Hammer - 1" Diameter

Used for hammering or driving applications (various lengths available)

Ajax No.	Shank Type	Length	Weight	
A945	.401	4 1/4"	.30	\$11.13
A967	.498	4 1/4"	.40	\$17.04



Undercoat Scraper

Used to scrape coatings and other gasket materials

Ajax No.	Shank Type	Length	Weight	
A951	.401	6 1/2"	.35	\$11.37

Power Tool Accessories
for the Professional

Ajax Kwik Change Retainers and Needle Scaler Attachments

A3300



\$38.52

A3200



\$62.4

Retaining Springs



A895	.401 Std. Beehive Spring (CPA 046096)	\$3.16	A896	.498 Mech Aid (CPA 047095)	\$4.88
A895-IR	.401 Std. Beehive Spring (AVC- 183)	\$3.16	A897	.401 Mech Aid (CPA 046095)	\$3.31
A898	.498 Beehive(CPA 047096)	\$5.77	A897-IR	.401 Mech Aid (AVC-183A)	\$3.15



A899 .401 Beehive Spring & Washer (Sioux 2208)
\$7.05



A900 .401 Mech Aid (B&D 58616)
\$4.98

Accessory Items



Air Regulators

Increase or Decrease pressure as needed. 1/4" Male x 1/4" Female NPT

Ajax No	Description	Wt.	
A889	Brass	1.35	\$8.98
A890	Aluminum	.65	\$8.98



360° Hose Swivel

Increase or Decrease pressure as needed.

1/4" Male x 1/4" Female NPT

Ajax No.	Description	Wt.	
A1094	1/2" NPT	.20	\$16.88
A1095	3/8" NPT	.20	\$18.34

More Available Upon Request

Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801
562.860.1417 | 714.871.4966 | jackxchange.com

jack·x·change

Impact Socket Sets

1/4" Drive Socket Sets



GRE9748 \$124.00

48 Piece 1/4" Drive Standard & Deep Impact socket Set

- Standard & deep sockets in both fractional & metric sizes
- Fractional: 3/16" to 9/16" & metric: 4-15mm

GRE9712UMD \$148.00

12 Piece 1/4" Surface Drive Deep Universal Metric Set

Set contains 6 point deep universal sizes 5mm to 15mm



GRE9712UM \$124.00

12 Piece 1/4" Surface Drive Standard Universal Metric Set

Set contains sizes: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm and 15mm



GRE9712MDG \$119.00

12 Piece 1/4" Drive Deep Metric Magnetic Impact Set

Set contains sizes: 5mm - 15mm in deep length



GRE9772 \$326.00

1/4" Surface Drive 72 Piece Complete Set

Set contains our most popular 1/4" Surface Drive Sockets. Fractional sizes 3/16" to 9/16" and Metric sizes 4mm to 15mm in both Standard and Deep lengths. Universal sizes 1/4" to 9/16" and 5mm to 15mm. Also contains a 3" extension, Universal Joint, 1/4" F x 3/8" M Adapter, and a 1/4" Hex to 1/4" Square Drive Adapter.

3/8" Drive Socket Sets

GRE1281 \$475.00

81 Piece 3/8" Drive Complete Impact Socket Set

- Set includes metric sizes up to 22mm and fractional sizes up to 1"
- Extensions and swivels included



GRE1243RD \$135.00

3/8" Drive 43 Piece Standard/Deep SAE/Metric Set

- Set contains 6 point Fractional Sizes 5/16" - 3/4" and Metric Sizes 8mm - 19mm both in Standard and Deep Length
- Now includes a 1/4" Hex to 3/8" Square Drive Adapter
- Also includes a 3" extension and Universal Joint



GRE1281 \$475.00

81 Piece 3/8" Drive Complete Impact Socket Set

- All in one 3/8" dr complete impact master set
- Set includes metric sizes up to 22mm and fractional sizes up to 1"
- Extensions and swivels included



GRE1226M \$66.00

26 Piece 3/8" Drive Standard & Deep Length Metric Master Set

- Set contains sizes: 7mm - 19mm in standard and deep length



GRE1104E \$42.00

3/8" Drive 4 Piece Impact Extension Set

- Includes 1-3/4", 3", 6" and 12" length extensions
- Lifetime Warranty (Individual Parts Only)



GRE2204E \$56.00

1/2" Drive 4 Piece Impact Extension Set

- Includes 3", 5", 7" and 10" impact extensions
- Lifetime Warranty (Individual parts only)



GRE1213MD \$42.00

13 Piece 3/8" Drive Deep Metric Impact Socket Set

- Set contains sizes: 7mm - 19mm



GRE1210UMSD \$133.00

10 Piece 3/8" Drive Semi Deep Metric Universal Impact Socket Set

- Set contains sizes: 10mm - 19mm



1/2" Drive Socket Sets

GRE1319D \$164.00

19 Piece 1/2" Drive Deep Length Fractional Master Impact Socket Set

- Set contains sizes: 3/8" - 1-1/2"



GRE1328RD \$157.00

28 Piece 1/2" Drive Standard and Deep Length Impact Socket Set

- Set contains sizes: 7/16" - 1-1/4"



GRE1313UM \$181.49

13 Piece 1/2" Drive Standard Length Metric Universal Set

- Set contains sizes: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm and 24mm in standard length.



GRE1326MD \$210.00

26 Piece 1/2" Drive Deep Length Metric Master Impact Socket Set

- Set contains sizes: 10mm - 36mm

GRE1498MH \$76.00

10 Piece 1/2" Drive Metric Hex Driver Impact Socket Set

GRE1598HC \$134.06

1/2" Drive 18 Pc. Combo Hex Driver SAE/Metric Set

- Set contains sizes: 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 6mm, 7mm, 8mm, 10mm, 12mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm.



PART #

GRE1312

Impact Socket sets

13 pc. 1/2" Dr. Fractional Impact Set \$48.00
Standard Length sizes: 7/16" to 1-1/4". Molded Case.

GRE1312D

13 pc. 1/2" Dr. DEEP Fractional Impact Set \$80.00
DEEP Impact sizes: 7/16" to 1-1/4". Molded Case.

GRE1319

19 pc. 1/2" Dr. Fractional Impact Set \$91.00
Standard Length sizes: 3/8" to 1-1/2". Molded Case.

GRE1326M

26 pc. 1/2" Dr. Metric Impact Set \$115.00
Standard Length sizes: 10mm-36mm. Molded Case.

GRE1412MD

14 pc. 1/2" Dr. DEEP Metric Set \$79.00
DEEP Impact sizes: 10mm-27mm. Molded Case.

SINGLE SOCKETS ALSO AVAILABLE

jack·x·change

Floor Service Jacks

norco

3 Ton Service Jack

71203
\$406.25



2 Ton Double Pump Floor Jack

71233B
\$336.25



5 Ton Air/Hydraulic Floor Jack

71500G
\$1,351.25



HEIN-WERNER AUTOMOTIVE

2 Ton Heavy Duty Service Jack

HW93642
\$385.00



3 Ton Heavy Duty Service Jack

HW93652
\$472.12



4 Ton Manual Service Jack



HW93657
\$2,528.35



10 Ton Manual Service Jack

HW93660
\$3,285.07



jack·x·change

Floor Service Jacks



3 Ton Rapid Floor Jack

\$255.00



66300C

3 Ton Low Profile Aluminum Jack

\$286.00



65300



Extra Low Profile and Deep Reach Design

62021


2 Ton Capacity

\$341.00

Industrial Grade of Castors
for Easier Transportation

One Piece Handle
with a Foam Sleeve
Added for Vehicle
Protection

Heavy Duty Chassis for
Increased Strength and
Durability



Double Pump Piston to
Decrease Required Pumps
Needed to Reach Chassis

Reinforced and Heavy
Duty Lift Arm Axle

Universal Joint Mechanism

Safety By pass System
for Cylinder Protection

Meets ASME/PASE 2014 standards



**For More Floor Jacks
Visit Us At
Jackxchange.com**

jack·x·change

Jacks Stands Bottle Jacks



Jack Stands

12 Ton

6 Ton

3 Ton



81004C

\$62.50

81006D

\$107.50

81012

\$266.25

Bottle Jacks

20 Ton

76520B

\$190.00

20 Ton

12 Ton

76412B

\$130.00

12 Ton



76820B

\$162.60

76512B

\$108.06



3 Ton Jack Stands



HW93503

\$106.68

6 Ton
Jack Stands



HW93506

\$168.28

10 Ton
High Reach
Jack Stands



HW93511

\$928.23



10 Ton Heavy Duty
Jack Stands



HW93512

\$690.00



jack·x·change

AIR/HYDRAULIC BOTTLE JACKS




61122

12 Ton Capacity

\$180.43



Self-Returning Spring
for Ease of Operation.



Machine Polished Ram
to Resist Rust and Wear.

4 foot Air Hose with Swivel
Fitting and Contraol.

61206

20 Ton Capacity

\$269.00



Built-In Inline Air Filter
to Extended Motor Life.

Built-In Muffler to Promote
Quiet Operation.

High Speed Turbo Motor for
Efficient Effortless Operation.

61207

20 Ton Capacity

\$230.00



Model	Capacity	Min. Height	Height	Lifting	Extension Screw	Base Size	G.W.
61122	12 Ton	9-7/8"	19-1/2"	6-1/2"	3-1/8"	7.75"x5.12"	26 Lbs.
61206	20 Ton	10-1/2"	20-1/2"	6-13/16"	3-3/16"	9-1/2" x 7"	42 Lbs.
61207	20 Ton	8-1/4"	15-1/2"	4"	3-1/4"	9-1/2" x 7"	37 Lbs.

jack·x·change

Truck Jacks



22 Ton Truck Jack

62220

\$574.50



22 Ton Truck Jack

72200D

\$878.33



20 Ton Truck Jack

HW93733


\$1,580.19



25 Ton Truck Jack With 3" Adapter

HW93735A

\$2,335.63



jack·x·change

Transmission Jacks



1/2 Ton Capacity



72050E

\$647.50

3/4 Ton Capacity



72475A

\$2,112.50

1 Ton Capacity



72700A

\$1,805.00

1-1/2 Ton Capacity



72000Ei

\$1,722.00

**HEIN-WERNER
AUTOMOTIVE®**

**1 Ton Floor
Transmission Jack**



HW93718

\$3,300.61

**1,000 lbs Air/Manual
Telescopic Trans Jack**



HW93720

\$2,884.52

OMEGALIFT™ EQUIPMENT

10 Ton Body Repair Kit

Body Repair Kit Include:

*Manual Hand Pumps
Hydraulic Cylinders
(Rams) Extension Tubes
Hydraulic Spreaders
Rubber Heads
Ram Toe (offset)
Plunger Toe (offset)
Variety of Different
Saddles Customized Blow
Mold Case*

50100

\$510.85



**4", 10", 18",
27" Extension Tubes**

Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
50100	10 Ton Body Repair Kit	10,000 PSI	13.75"	19.75"	2.40 in ²	83.60 lbs



66100

10 Ton Capacity

\$377.00



■ Packaged in a durable blow molded case for storage. Model 66100 case with wheels for easy movement

- Pump with 6' Hose
- Ram, 5-15/16" Stroke
- ½ Ton Spreader
- Ram Toe
- Plunger Toe
- Wedge Head
- V-Base
- Male Connector
- Serrated Saddle
- Rubber Head
- Base
- Extension Tubes, 4-5/16" 10", 18" & 26-3/4"
- Carrying Case with wheels

Model	Capacity	Output Pressure	Ram Minimum	Stroke	Oil Capacity Cubic inch	G.W.
66100	10 Ton	9,100 Psi	13-13/16"	6"	33.5	80.3 Lbs.



**Blackhawk
Automotive™**

4 Ton 13pcs Body Repair Equipment Kit

B65114
\$302.96



INCLUDES:

Model	Description
B65067	4 Ton Kit Blow-Mold Case
B65123	1000 lbs Spreader
B65151	Serrated Saddle
B65152	90° V-Base
B65153	Wedge Head
B65154	Plunger Toe
B65155	Ram Toe
B65156	Flat Base
B65157	3" Extension Tube
B65158	6" Extension Tube
B65159	8.5" Extension Tube 19.5"
B65161	Extension Tube

10 Ton 19pc Body Repair Equipment Kit

B65115
\$458.35



INCLUDES:

Model	Description
B65068	10 Ton Kit Blow-Mold Case
B65123	1000 lbs Spreader
B65162	27" Extension Tube
B65163	18" Extension Tube
B65164	10" Extension Tube
B65165	4" Extension Tube
B65166	Wedge Head
B65167	Serrated Saddle
B65168	Flat Base
B65169	Ram Toe
B65172	Plunger Toe
B65173	90° V-Base
B65179	Male Connector
B65180	Rubber Head
B65188	10 Ton Manual Hyd Hand Pump
B65189	10 Ton Hyd Ram
B65291	6 Feet Hose w/ Coupler
B69477	¼" Female Half Coupler
B69478	¼" Male Half Coupler

Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
B65114	4 Ton Body Repair Kit	8,000 PSI	11"	15.75"	.99 in ²	41.00 lbs
B65115	10 Ton Body Repair Kit	10,000 PSI	13.63"	19.75"	2.41 in ²	92.00 lbs

jack·x·change

OTC TOOLS



4597 \$68.00

Flexible Hose Clamp Pliers with Memory

- A heavy duty 24" cable flexes to almost any shape and holds it.
- Pliers have locking mechanism to hold clamp in the open position, making removal and installation of clamp easier.
- Allows technician to access the flat type hose clamps located in hard-to-reach areas.



4525 \$50.00

Flexible Hose Clamp Pliers

- Heavy-duty, 24" cable flexes to almost any position.
- Pliers have locking mechanism to hold clamp in the open position, making removal and installation of clamp easier.
- Allows technician to access the flat type hose clamps located in hard-to-reach areas.



4524 \$16.00

45° Hose Clamp Pliers

- Jaws are bent at a 45° angle and pliers tips swivel to allow easy access to confined areas.
- Ratchet lock mechanism holds jaws open.
- Works on most flat-band hose clamps.



6599 \$59.00

Fuel Tank Lock Ring Wrench

Universal design allows tool to fit fuel tank lock rings on Ford, Chrysler, and GM vehicles with gas engines.

- Works on: 2004–newer Ford F-150 trucks; 2004–newer Chrysler / Dodge minivans, PT Cruiser, Dakota, and Durango; 2004–newer Chevy 1/2-ton and 3/4-ton trucks; and 2005–newer Jeep vehicles.
- Fits 7-5/16" diameter lock rings.
- Tool easily removes and installs lock ring on the fuel tank when servicing the fuel pump or fuel sending unit.
- Used with a 1/2" drive ratchet or breaker bar.



4799 \$45.00

Brake Piston Removal Locking Pliers

This specially designed locking pliers allows the removal of brake caliper pistons during service or rebuild. The pliers is simply clamped into the I.D. of the caliper piston allowing it to be pulled out of the caliper. Range: 5/8" to 2-1/4" diameter pistons.



4995 \$53.00

Coil Spring Compressor Locking Pliers

- Locking pliers with special jaws that clamp on the external side of the coil spring. Use 2 pliers to evenly compress each side of the spring found on struts and coil over shocks.
- Similar to Polaris No's 2871573 & 2871574.

6170 \$23.00

Metric Hex Socket Set (7-piece)

Set includes one each of the following:

No.	Size	Sq. Drive
6171	3 mm	3/8"
6172	4 mm	3/8"
6173	5 mm	3/8"
6174	6 mm	3/8"
6175	7 mm	3/8"
6176	8 mm	3/8"
6177	10 mm	3/8"



6100 \$31.00

Standard TORX® Socket Set T10 to T60 (12 piece)

Set includes one each of the following:

No.	Size	Sq. Drive
6101	T10	1/4"
6102	T15	1/4"
6103	T20	1/4"
6104	T25	1/4"
6105	T27	1/4"
6106	T30	1/4"
6107	T40	3/8"
6108	T45	3/8"
6109	T47	3/8"
6110	T50	3/8"
6111	T55	3/8"
6112	T60	1/2"



Jimmy Bars

We've forged these bars from chrome alloy steel, then heat-treated them to resist bending and breaking.

7166 5/8" diameter, 18" long **\$22.00**

7167 3/4" diameter, 24" long **\$26.00**

7168 7/8" diameter, 30" long **\$33.00**

7420 7/8" diameter, 46" long **\$80.00**

For More OTC Tools

Vist Us At

Jackxchange.com

LINCOLN

LIN1162 \$89.27

Fully Automatic Pneumatic Grease Gun

- 30 high-pressure hose with coupler & attachment clip
- Air operating range 40-150 psi, and has greasing capabilities of 6000 psi



LIN1142 \$24.51

Heavy Duty Lever Gun

- Rugged cast iron pump head
- 16 oz. bulk or 14.5 oz cartridge



LIN1133 \$39.12

Heavy Duty Pistol Grip Grease Gun

- 18" whip hose



LINAC2440 \$225.11

120-Volt Corded Grease Gun

- 120v motor provides the highest torque values in its class



LIN1262 \$219.47

12V Li-Ion PowerLuber Single Battery Kit

- Kit includes: Cordless grease gun, One slide-on rechargeable battery, Charger and a heavy-duty carrying case



LIN1264 \$267.82

12-Volt Lithium Ion PowerLuber Grease Gun - 2 Battery Kit

20 Volt Lithium Ion PowerLuber Grease Gun

- Stable 3-point stance keeps the tool upright and within reach
- Electronically controlled two-speed motor
- LCD identifies: Empty cartridge, Loss of prime, Grease output and Blocked fitting
- 5 Year Warranty on Tool and 2 Year Warranty on Battery and Charger



LIN1882 (1 Battery Kit) \$323.52

LIN1884 (2 Battery Kit) \$390.58

LIN1134 \$42.60

Heavy Duty Pistol Grip Grease Gun with Whip Hose and Rigid Pipe


- Has a jam-proof handle mechanism and single piece head casting
- Variable stroke design delivers both high pressure and volume
- Filler nipple/bleeder valve combination
- Creates up to 7500 PSI



LIN1147 \$31.61

2 Way Loading Lever Action Manual Grease Gun with 18" Whip Hose and Coupler


- Cast iron pump head, precision fit plunger and extra heavy follower spring
- Length is 21-3/4"
- Jam proof toggle mechanism prevents binding or accidental bending of plunger
- Exclusive "flip over" follower provides a superior seal for cartridge applications



LIN877 \$361.17

Metered Control Handle for Oil and ATF

- For oils, ATF and antifreeze
- 3-1/2" diameter
- 1/2" NPT (f) inlet/outlet
- Includes 10" hose
- 1 year warranty on material and workmanship



LINCOLN

LIN1340 \$47.01

Lever Action Barrel Pump

- Pumps non-corrosive automotive, agricultural and industrial fluids
- Extended pump body for improved top-of-barrel clearance and excellent flow (14.0 fl oz. minimum per stroke)
- Removable non-drip spout allows for threaded hose connection
- Telescoping pick-up tube for 16-55 gallon drums
- Three tier threaded bung fits standard 2" and 1.5" drums and plastic drums utilizing 56 x 4mm buttress threads



LIN989 \$1,239.12

Heavy Duty Grease Pump for 25-50 lb. Drum

- Steel cover securely clamps to any 25-50 lb refinery container
- Carrying handle provides portability
- Follower plate assures positive prime at lowest temperatures
- Cover is rust-proofed and finished in Lincoln red
- Bucket shown is NOT included



LIN917 \$1,386.82

Air Operated Grease Pump

- Will dispense 45 ounces or 80 cubic inches of NLGI 0-2 grease per minute at 150 PSI
- Drum cover 46007 finished in Lincoln red; roll-a-round base 80895 base in black; air motor cover in white
- Height 43-1/8" • Base 17" square
- Drum not included



LIN1335 \$68.36

Heavy Duty Lever Action Fluid Pump

- Professional series fluid pump for 16-55 gal drums
- Brass Piston ring design resists wear
- 8.5 Fl Oz. per full stroke



LIN740 \$126.47

Heavy Duty High Pressure Control Valve

- 7500 psi maximum operating pressure
- Precision-machined, all steel handle, body and guard bracket provides durability and longevity
- Unique, precision control inlet check valve provides ease of handle operation even with increase in pressure



LIN4417 \$795.92

Grease Pump Assembly for 120 lb. Drum

- 40:1 ratio professional quality pump assembly for the automotive repair shop
- Includes 7' hose, control valve, universal swivel for easy operation, drum cover
- Flexible follower plate for positive prime
- 4 caster band-dolly for easy mobility around the shop
- 1 yr warranty on material and workmanship



LIN6917 \$966.84

Air-Operated Portable Grease Pump Package

- Lincoln's time tested 50:1 double acting grease pump is at the heart of the package
- High volume and pressure to handle additional hose length and/or adapt to hose reel
- Standard follower wipes 120 lb. drum sides clean and keeps the drum primed



jack·x·change

Material & Handling



\$95.53

P15HA P-Series Puller

- Made for superior strength with a steel frame and handle, alloy steel load hook, 1-piece cast aluminum drum, and solid steel drive and holding dog
- 4:1 design factor for lifting or pulling
- Long-lasting gears through the extra heavy Ingersoll Rand buttress tooth design



CALL FOR PRICING

5lb Silver Series Lever Chain Hoist

5Ft -20Ft Chain Available

- 360 Degree Handle Rotation
- Premium Grade 100 Alloy Load Chain
- Hardened Swivel Latch Hooks
- Reliable Disc Braking System



CALL FOR PRICING
SMB SERIES

Manual Chain Hoist

5Ft -20Ft Chain Available

- Capacity: 1/2 - 5 tons
- Number of chain falls: 1
- Pull to lift rated load: 64 lbs. (29 kg.)
- Chain haul required to lift load one foot: 39 ft. (11.9 m)
- Chain size: 6mm x 18mm
- Chain weight per foot: 0.6 lb (.3 kg)

- Professional and ideal storage aid for all variety of manual transport tasks over short distances in stores and warehouses as well as factory plants.
- Compact and attractive design with maximum loading capacity of 5500 lbs.
- High quality steel and German standard WAGNER painting system ensures best powder coating and paint quality.
- All pivot points are greased, ensuring excellent maneuverability with effortless steering. The chromed bearing bushes and joints ensuring quiet running properties and long service life.



Pallet Jacks

PJ5500 \$365.00

PJ5500N \$365.00

- 3 position control handle for controlled lowering.
- Polyurethane wheels for quiet operation.

Model	Capacity	Low Height	High Height	Fork Width	For Length	N.W.
PJ5500	5500 lbs.	3.3"	7.8"	27"	48"	210 lbs.
PJ5500N	5500 lbs.	3.3"	7.8"	20"	48"	187 lbs.

AUTHORIZED FACTORY SERVICE CENTER & EQUIPMENT/REPAIR PARTS DISTRIBUTOR

AIR TOOLS & ACCESSORIES

AJAX TOOL WORKS
AMFLO
ASTRO
CHICAGO PNEUMATIC
INGERSOLL RAND

BATTERY CHARGERS& ACCESSORIES

ASSOCIATED

COLLISION REPAIR EQUIPMENT

BLACKHAWK
HEIN-WERNER
JACKCO
NORCO

ELECTRICAL EQUIPMENT

GREENLEE
OTC

HAND TOOLS & SOCKETS

ASTRO
GREY
JET
WRIGHT

HOISTS - WINCHES

JET
INGERSOLL RAND
LUG-ALL
GRIPHOISTS

HYDRAULIC "H" FRAME PRESSES

ENERPAC
HEIN-WERNER
OTC POWER TEAM
NORCO

HYDRAULIC CYLINDERS, PUMPS & JACKS

ASTRO
BLACK HAWK

HYDRAULIC CYLINDERS, PUMPS & JACKS (CONT.)

ENERPAC
GRAY JACKS
HEIN-WERNER
JACKCO
JET
NORCO
OMEGA
SPX FLOW - POWERTEAM
SPX- OTC
RAMPAC
SIMPLEX / T-K
SUNEX
TR ENGERNEERING
WEAVER

LUBRICATION EQUIPMENT

LINCOLN ST. LOUIS
FLO-DYNAMICS
ROBINAIR

MATERIAL HANDLING EQUIPMENT

BISHAMON
JACKCO
LIFT TABLES

MECHANICAL JACKS

SIMPLEX
DUFF-NORTON

PALLET TRUCKS

PALLETMASTER
BISHAMON
JACKCO

ROLLERS

HILMAN

WORM GEAR JACKS

DUFF-NORTON
SIMPLEX-UNI-LIFT



SALES • SERVICE • REPAIR • RENTALS

**DO YOU NEED PARTS?
WE STOCK PARTS FOR:**

**AIR TOOLS - JACKS - PUMPS - CYLINDERS
PALLET JACKS - SHOP CRANES - HOIST**

**DO YOU NEED SERVICE?
WE OFFER:**

**LARGE REPAIR FACILITY
FOUR TRAINED MECHANICS
RENTALS: HYDRAULIC EQUIPMENT**

DO YOU NEED SALES?

LARGE INVENTORY - EQUIPMENT & PARTS

**CALL TO ASK ABOUT OUR SPECIALS &
PICK UP & DELIVERY DEALS**

**PROVIDING QUALITY SERVICE
SINCE 1961**

CALL TODAY

NO SALES TAX OUTSIDE CALIFORNIA

Jack-X-Change
1609 N. Orangethorpe Way
Anaheim, CA 92801
(714) 871-4966 (562) 860-1417
Fax: (714) 871-4591
www.jackxchange.com

***** PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE *****

jack·x·change

PNEUMATIC-HYDRAULIC TOOLS & JACKS

SALES • SERVICE • REPAIR • RENTALS

Monday - Friday 8:00am - 4:30pm

