

jack·x·change

HYDRAULIC EQUIPMENT & PNEUMATIC TOOLS

SALE • SERVICE • REPAIR • RENTALS

AUTHORIZED FACTORY SERVICE CENTER & EQUIPMENT/REPAIR PARTS DISTRIBUTOR



FALL 2026

1609 N ORANGETHORPE WAY
ANAHEIM, CA 92801
(714) 871-4966
jackxchange.com

PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE

PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE

NEED RENTALS? CALL TODAY FOR A QUOTE!



- * **HAND PUMPS**
- * **ELECTRIC PUMPS**
- * **GAS PUMPS**
- * **5-250 TON CYLINDERS**
- * **HOSES**
- * **GUAGES**
- * **VALVES & MANIFOLDS**

FIT TO YOUR PROJECT'S REQUIREMENTS

SERVICE CENTER AND REPAIRS CALL TODAY FOR A QUOTE!



**Specialty Equipment
Repairs**



Quality Tested



**Floor Jacks
Repairs**



**Pneumatic
Repairs**



**Hydraulic
Repairs**



**Painting
Service**

» **Authorized Factory Service Center
For Most of our Major Lines**

» **Repair Parts For Sale**

» **In Stock Inventory**

» **Preventive Maintenance**



POWERTEAM PA6 Hydraulic Pump



SALE
\$561.55

*WHILE SUPPLY LAST

- Foot-operated air/oil pump—compact, lightweight & portable—single-speed pumps designed to drive single-acting cylinders
- The power unit of choice for major manufacturers of auto body, frame straighteners and other equipment
- Serviceable pump motor is not a “throw away”, providing economical repair
- Permanently vented reservoir cap
- Internal relief valve protects circuit components, air inlet filter protects motor

Model # PRICE

PE550 - \$4,394.72

PE552 - \$5,078.48

PE552S - \$6,340.16

PE552A - \$5,193.04

PE553 - \$6,196.72

PE554 - \$5,871.76

PE55 Series Electric Pumps Single & Double Acting

- Heavy duty multiple applications pump for heavy construction and concrete stressing up to 200 tons
- 1-1/8 hp, 12,000 rpm, 110/115 volt, 50/60 Hz universal motor; draws 25 amps at full load, starts at reduced voltage. CSA rated for intermittent duty
- 10 foot remote motor control (except PE552S which has a 25 foot remote motor and valve control)
- True unloading valve achieves greater pump efficiency, allowing higher flows at maximum
- Reservoirs available in sizes up to 10 gallons
- Light weight and portable. Best weight to performance ratio of all Power Team pumps





Casted Side-Pump Bottle Jacks



Model	Capacity	Min.Height	MaxHeight	ExtensionScrew	BaseSize(LxW)	G.W.	Price
61021	2Ton	7-1/8"	11-5/8"	1-7/8"	3-2/3"X3-2/3"	5.5Lbs.	\$21.19
61041	4Ton	7-11/16"	12-5/16"	2-3/8"	4-1/4"X3-9/10"	7.4Lbs.	\$27.61
61061	6Ton	8-1/2"	13-1/2"	2-3/8"	4-5/8"X4-5/16"	9.9Lbs.	\$35.75
61081	8Ton	9-1/8"	14-7/8"	3-1/8"	4-5/8"X4-5/8"	11.8Lbs.	\$42.16
61121	12Ton	9-1/8"	6"	3-1/8"	5-7/16"x4-15/16"	15.8Lbs.	\$61.84
61121S	12TonS	6-11/16"	12"	1-15/16"	12-3/16"X6-1/4"	15.6Lbs.	\$59.81
61201	20Ton	9-1/2"	5-7/8"	2-3/8"	6-1/4"x5-15/16"	23.7Lbs.	\$87.04
61201S	20TonS	7-1/2"	13-3/16"	1-15/16"	14-1/2"X7"	22.7Lbs.	\$85.92
61301	30Ton	11-3/16"	18-11/16"	-	6-5/8"x6-5/8"	31.4Lbs.	\$174.65

• Professional and ideal storage aid for all variety of manual transport tasks over short distances in stores and warehouses as well as factory plants.

• Compact and attractive design with maximum loading capacity of 5500 lbs.

• High quality steel and German standard WAGNER painting system ensures best powder coating and paint quality.



Pallet Jack

PJ5500N \$375.00

- 3 position control handle for controlled lowering.
- Polyurethane wheels for quiet operation.

Model	Capacity	Low Height	High Height	Fork Width	For Length	N.W.
PJ5500N	5500 lbs.	3.3"	7.8"	20"	48"	187 lbs.



LET OUR EXPERTS AT

jack·x·change

HYDRAULIC EQUIPMENT & PNEUMATIC TOOLS

HELP YOU WITH YOUR NEXT PROJECT

**LARGEST INVENTORY STOCKING DISTRIBUTOR
IN SOUTHERN CALIFORNIA**

ENERPAC



SIMPLEX



POWER TEAM



**CALL NOW FOR PRICING ON
NEW EQUIPMENT & RENTALS
(714) 871-4966**



Jack X Change is an authorized Enerpac distributor and service center. Providing quality service since 1961, we have all your Enerpac needs all under one roof. Our technical specialists are able to design, install and service any of these products. Need a quote for your next job or project? Call Today! Hablamos Español.



LARGEST INVENTORY STOCKING DISTRIBUTOR IN SOUTHERN CALIFORNIA

Hydraulic Cylinders, Jacks,
Lifting Products & Systems



Hydraulic Pumps
& Valves



System Components



Mechanical & Hydraulic
Bolting Tools



NOW STOCKING BOLTING EQUIPMENT CALL NOW FOR A FREE QUOTE



Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801
(714) 871-4966 | jackxchange.com



POWER TEAM QUALITY

With over 90 years of experience in supplying Professional Grade High Pressure Hydraulic Pumps, Cylinders, Jacks, Pullers & Tools. Power Team Products are built tough with strict ISO 9001 manufacturing processes and are covered by a Lifetime PowerThon Warranty*.

» CYLINDERS



» HYDRAULIC ACCESSORIES



» PUMPS



» SHOP EQUIPMENT



» JACKS



» HYDRAULIC & MECHANICAL TOOLS



CALL FOR OUR WEEKLY SPECIALS!

POWER TEAM



\$561.55

SPX- PA6 Single Speed Air Pump for Single Acting Cylinders, High Density Polyethylene Reservoir

\$1,297.83



SPX- PA6M-1 Single Speed Air Pump for Single Acting Cylinders, 1 Gallon Metal Reservoir

\$1,220.63



SPX- PA6-2 Single Speed Air Pump for Single Acting Cylinders, High Density 2 Gallon Polyethylene Reservoir

ENERPAC POWERFUL SOLUTIONS. GLOBAL FORCE.



\$1,026.00

ENERPAC- PATG1102N, Turbo II Air Hydraulic Pump, Hand/Foot Operated 3/3 Treadle Valve, 127 in3 Usable Oil, For use with Single-Acting Cylinders

\$1,643.21



ENERPAC- PARG1102N Turbo II Air Hydraulic Pump, 3/3 Manual Valve with Pendant, 127 in3 Usable Oil, For use with Single-Acting Cylinders

\$1,618.87



ENERPAC- PAMG1402N Turbo II Air Hydraulic Pump, 4/3 Manual Valve, 127 in3 Usable Oil, For use with Double-Acting Cylinders

norco



\$814.11

NORCO- 910017B 10,000 P.S.I. Air/Hydraulic Foot Pump



\$1,378.82

NORCO- 910018B 10,000 P.S.I. 2 Gallon Air / Hydraulic Foot Pump (Steel Case)



\$400.00

NORCO- 910130A 10,000 P.S.I. Air / Hydraulic Foot Pump

3/8" Impact Wrenches



\$214.00



IRT2115TIMAX

3/8" Drive Titanium Impact Wrench

- Max power - 300 ft-lbs of maximum reverse torque
- Max control - new feather touch trigger and one handed forward and reverse control
- Less than 6" long; weighs less than 2.5 lbs
- Titanium hammer case is lightweight with unparalleled durability
- 2 year warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CLEARANCE SALE!

CPT7727 \$150.00

3/8" Angle Impact Wrench

- 185 ft-lbs of maximum torque in reverse
- Steel motor • Aluminum housing
- Full teasing trigger • Only 2.5 lbs.
- 3 positions in forward and 1 in reverse



1/2" Impact Wrenches



CLEARANCE SALE!

IRT231C \$174.00

1/2" Drive

Super Duty Impactool™

- Maximum torque: 600 ft-lbs
- IR Twin Hammer Mechanism
- Adjustable power regulator
- Pressure feed lubrication



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CLEARANCE SALE!

CPT734H \$178.00

1/2" Drive Heavy Duty Air Impact Wrench

- DYNA-PACT oil bath clutch delivers smooth operation and extended durability
- 360° air inlet swivel
- Air inlet thread: 1/4" NPTF
- Minimum hose size: 3/8"
- Length: 7.5"
- Weight: 5.13 lbs.



HD

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT231HA \$154.00

1/2" Drive

Super Duty Air Impactool™

- Pressure-fed lubrication system
- Handle exhaust directs air away from user
- Adjustable power regulation
- Maximum torque: 590 ft./lbs (800 ft./lbs. reverse)
- Contoured comfort handle



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CLEARANCE SALE!

CPT7748 \$140.00

1/2" Drive Composite Impact Wrench

- 960 ft.lbs of max torque in reverse
- One-hand reverse system (Ring system)
- Hard anodized end plates / Hard chromium aluminum cylinder / Twin hammer mechanism
- 6.89" in length
- Only 4.4 lbs in weight thanks to
- 360 degree swivel air inlet



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1/2" Impact Wrenches



\$210.64

IRT231HA-2
1/2" Drive Super Duty
Air Impact Wrench
with 2" Extended Anvil

- In-handle exhaust directs air away from user
- Contoured comfort handle
- 590 ft./lbs. maximum torque
- Pressure feed lubrication system
- Adjustable power regulation



WARNING: Cancer and Reproductive Harm -

\$130.00

IRT35MAX
1/2" Drive Impact Wrench

- 450 ft.-lbs. torque - reverse
- 360 ft.-lbs. torque - forward
- Composite body housing
- 8,000 rpm -free speed
- Fwd.-Rev button on back
- Weight: 2.40 lbs.
- Length: 4.60"
- Width: 2.40"
- Height: 7.10"
- 96.0 db(a) sound pressure



WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov



IRT232TGSL \$275.00

1/2" Drive Street
Legal "Thunder Gun"
Impact Wrench



Made in U.S.A.

- Distinctive appearance, similar to the IR ThunderGun racing tool
- Adjustable power regulator
- Our fastest 1/2" impact wrench
- 625 ft.-lbs max reverse torque
- 500 ft.-lbs forward torque -



IRT244A \$245.00

1/2" Drive Super
Duty Impact Wrench

- Powerful, smooth balanced blows
- Pressure feed lubrication system automatically greases the impact system
- Working torque: 40-350 ft./lbs
- Maximum torque: 500 ft./lbs
- Variable speed trigger
- 1 yr warranty on material and workmanship



WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov

3/4" Impacts



\$660.00



IRT2145QIMAX

3/4" Drive Composite Impact Wrench

- 1,350 ft-lb maximum reverse torque from a tool that weighs just 7.4 lbs and is compact enough to access tight spaces
- Designed to withstand tough use
- An air motor that's 16% more efficient
- 2 year limited warranty
- Quiet Technology - 91.1dBA



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$675.00

IRT2146Q1MAX

3/4" Impact Wrench

- 2,000 ft-lb maximum reverse torque from a tool that weighs just 7.8 lbs and is compact enough to access tight spaces
- Designed to withstand tough use
- An air motor that's 16% more efficient
- 2 year limited warranty



CPT7763 \$400.00

3/4" Drive Heavy Duty High Power Impact Wrench

- 1200 ft-lbs of torque
- Weighs less than 12 lbs
- 6-vane motor for speed - power with any 1/2" hose air supply
- Twin hammer high performance clutch
- Ergonomic handle exhaust



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT261

3/4" Drive Super Duty Air Impact Wrench

\$630.35

- Jumbo hammer mechanism
- Up to 1,100 ft-lbs of torque
- Trouble free, longer performance aided by the Pressure-Feed Lube System
- Compact; only 8.8" long
- Handle exhaust



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1" Impacts



IRT271 \$600.00

1" Drive Super Duty Air Impact Wrench

- Impressive power-to-size ratio
- Up to 1,100 ft./lbs. of torque
- Pressure-feed lube system
- Dead handle improves operator control
- Free-speed 5,500 RPM



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$679.49

CPT7783-6

1" Drive Lightweight Impact Wrench with 6" Anvil

- 1770 ft-lbs. maximum torque in reverse
- Weighs 20.9 lbs
- Pinless closed reinforced rocking dog mechanism in oil bath
- Features an adjustable top or down exhaust



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1" Impacts



IRT295A \$890.00

1" Drive Heavy Duty Air Impactool™

- 1,770 ft./lbs. maximum torque at 120 PSI with 5,250 rpm free speed and a high efficiency 6 vane motor
- Fast torque delivers 1,000 ft./lbs. in 2 seconds
- Handle exhaust directs air away from the work
- Top mounted dead handle provides great leverage
- 3 position power regulator for torque management
- 1 year warranty on material and workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT2175MAX \$650.00

1" Drive Pistol Grip Impact Wrench



- Delivers 2,000 ft lbs of reverse torque
- Chemical resistant housing & steel core
- Lightweight: Weighs in under 20 lbs
- 360 Degree adjustable handle: Keeps hoses from getting tangled so you can move freely around the garage



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$765.82

IRT2850MAX-6

1" D-Handle Impact Wrench with 6" Anvil

- Delivers 2,100 ft-lbs of torque
- The steel core and chemical resistant housing is made to last even in the harshest working conditions
- At only 21 lbs this light weight design reduces user fatigue
- 2 year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT285B-6 \$629.48

1" Drive Heavy Duty Impact Wrench with 6" Anvil

- Maximum torque: 1,770 ft-lbs
- New Fast-Torque feature delivers 1,000 ft-lbs in 2 seconds
- New increased pressure rating can withstand 120 PSI for better durability
- Improved feather-touch trigger



- Free chemical resistant protective boot helps prevent damage

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CLEARANCE SALE!

\$649.00

CPT7782-6

1" Drive Heavy Duty Impact Wrench with Extended Anvil



CPT797 \$978.00

1" Drive Super Duty Impact Wrench

- Working torque: 150-900 ft-lbs.; maximum torque: 1400 ft-lbs
- Rocking dog clutch • Teasing throttle for easy bolt starting

WARNING: Cancer and Reproductive Harm -



\$1,133.84

CPT797-6

1" Drive Super Duty Impact Wrench with 6" Anvil

- Working torque: 150-900 ft-lbs.; maximum torque: 1400 ft-lbs
- Rocking dog clutch • Teasing throttle for easy bolt starting

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





IRT121 **\$146.52** Super Duty Air Hammer

- Professional touch trigger for total control
- Long-life tool with a tough one-piece alloy barrel
- Easy to maintain, with an "easy out" throttle valve assembly • 3,000 blows per minute
- 1 yr warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT115 **\$37.00** Standard Duty Air Hammer

- Up to 5,000 blows per minute
- Alloyed steel barrel and heat-treated piston
- Built-in power regulator and trigger control
- 1 year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT117 **\$92.34** Standard Duty Air Hammer

- Up to 2,000 blows per minute

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7110 **\$65.00** Heavy Duty Air Hammer

- Shank: .401
- Vibration isolation system for smoother operation
- Average air consumption: 3.65 cfm
- Cushioned exhaust deflector on barrel for comfort and control
- Touch trigger for precision start ups and total control
- Kit includes: (1) quick change retainer, (4) chisels

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CPT7110K **\$89.00** Heavy Duty Air Hammer Kit

CLEARANCE SALE!



IRT1105MAX-D2 **\$110.00** 1/4" Drive MAX Series Mini Air Ratchet

- 30 ft-lb max torque, 300 rpm free speed
- Variable-speed regulator
- Ergonomic coupling nut and composite handle ensure operator comfort
- Nickel-plated housing provides enhanced corrosion resistance

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT109XPA **\$112.00**

- 3/8" Drive Super Duty Air Ratchet
- 76 ft-lbs (103 Nm) maximum torque at 220 rpm free speed
- Variable speed button trigger
- 360° adjustable exhaust directs air away from the operator and the work
- Optimized gear ratio and airflow for extra performance

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT828 **\$99.95** 3/8" Drive Heavy Duty Ratchet

- Anti-slip head design
- Efficient 1/2 hp motor and triple idler planetary gear system provide up to 50 ft-lbs of torque • Teasing throttle
- Specifications: cfm - 4, hose size - 3/8", torque range - 10 to 50 ft-lbs, ultimate torque by hand - 125 ft-lbs, speed - 150 rpm

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Clore Automotive Jump-N-Carry JNC550A 1100 Peak Amp 12 Volt Jump Starter with Air Compressor

Manufacturer: Clore Automotive

Part #:JNC550A

Features and Benefits:

\$188.30

- 1100 Peak Amps
- 325 Cranking Amps
- Clore PROFORMER battery technology
- Long 46" cables
- Built in charger
- Automatic charging
- 24" air hose
- Display provides charge status of onboard battery
- USB outlet to power and charge small electronics
- 12VDC outlet to power accessories
- 1 year limited warranty
- 12 Volt Peak Amps : 1100
- 12 Volt Cranking Amps : 325
- Cable Length : 46"
- Cable Gauge : #4 AWG
- Charger Type : Automatic
- Indicator Display : 7-Segment
- USB Output: 5V/2.4A
- Weight : 23 lbs.
- Warranty : One Year Limited
- UPC : 010271026869



Clore Automotive Jump-N-Carry JNC1224 3400A/1700A 12/24 Volt Jump Starter and Power Supply

Manufacturer: Clore Automotive

Part #:JNC1224

Features and Benefits:

\$509.78

- 3400 Peak Amps - 12V
- 850 Cranking Amps - 12V
- 1700 Peak Amps - 24V
- 425 Cranking Amps - 24V
- Clore PROFORMER battery technology
- 46 Feet #2 AWG welding cable leads
- Industrial-grade Hot Jaw clamps
- Built-in automatic charger
- Voltmeter provides charge status of onboard battery
- 12VDC outlet to power accessories
- 1 year limited warranty

When you reach for your jump starter, it has to work especially if you are a pro. If you need powerful, multi-volt jump starting in a portable unit, look no further than the JNC1224 from Clore Automotive.



Clore Automotive Jump-n-Carry 1100 Peak Amp 12 Volt Jump Starter

Manufacturer: Clore Automotive

Part #: JNC4000

Features and Benefits:

\$183.92

- 1100 Peak Amps
- 325 Cranking Amps
- Clore PROFORMER battery technology
- 23' #2 AWG welding cable leads
- Industrial-grade clamps
- Built-in charger
- Voltmeter provides charge status of on-board battery
- 12VDC outlet to power accessories
- 1 year limited warranty

A perfect entry-level professional unit, the JNC4000 combines power and ease-of-use in a durable, reliable unit. It features Clore PROFORMER battery technology, specifically designed for vehicle jump starting. With a built-in charger, convenient battery status gauge, impact resistant case and 1100 Peak Amps of starting power, it meets a wide variety of shop needs.

Specifications

- 12 Volt Peak Amps : 1100
- 12 Volt Cranking Amps : 325
- Cable Length : 23'
- Cable Gauge : #2 AWG
- Charger Type : Automatic
- Indicator Display : Volt Gauge
- Weight : 18 lbs.
- Warranty : One Year Limited
- UPC : 747410990568



Clore Automotive JNC660 Jump-N-Carry 1700A 12 Volt Jump Starter with Power Supply and Auto Charge Technology - Blue

Manufacturer: Clore Automotive

Part #: JNC660

Features and Benefits:

\$174.73

- 1700 Peak Amps
- 425 Cranking Amps
- Clore PROFORMER battery technology
- 46 Inch #2 AWG welding cable leads
- Industrial-grade clamps
- Built-in charger
- Automatic charging
- Voltmeter provides charge status of onboard battery
- 12VDC outlet to power accessories
- 1 year limited warranty

The Jump-N-Carry JNC660 1700 Peak Amp 12 Volt Jump Starter from Clore Automotive is a favorite piece of equipment for automotive service garages, car dealerships, towing operations and busy fleet service facilities. It is also preferred by consumers who want to do it like the pros.





mufflers optional

Paving Breakers

Features

- Drop-forged alloy steel handl
- Built-in automatic oil
- Rubber handle grip
- Latch-type retaine
- Swivel hose connectio
- Standard universal air fittin
- Noise-dampening muffler available
- Four-bolt backhea
- Replaceable chuck bushin (except for model 140/140A)

MODEL	CHUCK SIZE IN.	BORE IN.	STROKE IN.	BPM	CFM @90PSI	WEIGHT LBS.	LENGTH IN.	AIR INLET NPT
M117	7/8 x 3-1/4 • 1x4-1/4	1-3/4	3-3/8	1,850	34-48	33	21-3/4	3/8" male
M140	1 x 4-1/4	1-7/8	4-1/4	1,500	48	43	21-1/8	1/2" male
M160	1-1/8 x 6 • 1-1/4 x 6	2-1/4	4-1/8	1,680	60-65	70	25-3/4	1/2" male
M190	1-1/8 x 6 • 1-1/4 x 6	2-5/8	6-1/8	1,350	75-80	91	29	3/4" male

Airgo-Line® Paving Breakers

40 lb., 60 lb., 90 lb. classes

Features

- Ergonomic handle dampen vibration; reduces shock to the operator
- Same hitting power a standard breaker, reduces operator fatigue
- Handle is interchangeable with APT standard model
- Replaceable vibration isolato



mufflers optional

MODEL	CHUCK SIZE IN.	BORE IN.	STROKE IN.	BPM	CFM @90PSI	WEIGHT LBS.	LENGTH IN.	AIR INLET NPT
M140A	1 x 4-1/4	1-7/8	4-1/4	1,500	48	46	24	1/2" male
M160A	1-1/8 x 6 • 1-1/4 x 6	2-1/4	4-1/8	1,680	60-65	68	28-1/4	1/2" male
M190A	1-1/8 x 6 • 1-1/4 x 6	2-5/8	6-1/8	1,350	75-80	90	31	3/4" male



Airgo-Line® Backhead Assemblies

M140A assy # 18034 M160A assy # 17684 M190A assy # 17720

Rock Drills

Features

Model 109 - 9 lb. class

- Clockwise rotatio
- Stop-rotation featur
- Lightweight cast alum. handl
- Built-in automatic oil

Model 115 - 15 lb. class

- Stop-rotation featur
- Counterclockwise rotatio
- Built-in automatic oil

Model 115 cont.

- Latch-type retaine
- Lightweight cast alum handl

Model 137 - 30 lb. class

- 4 drilling speed
- Replaceable piston ste bearing
- Available wet or dr
- Counterclockwise rotatio

Model 137 cont.

- Rubber handle grip

Model 155 - 60 lb. class

- 3 drilling speed
- Replaceable piston ste bearing
- Built-in automatic oil
- Available wet or dr
- Counterclockwise rotatio
- Rubber handle grip



optional mufflers available for 109 & 155

MODEL	CHUCK SIZE IN.	BORE IN.	STROKE IN.	BPM	CFM @90PSI	WEIGHT LBS.	LENGTH IN.	AIR INLET NPT
M109	3/4 X 3-3/4 Round Slotted	1-1/4	1	3,400	19-21	9	15	3/8" female
M115	7/8 x 3-1/4	1-15/16	1-3/8	2,900	32-36	19	18-3/8	3/8" male
M137*	7/8 x 3-1/4 or 4-1/4 1x4-1/4	2-3/8	2-5/8	2,300	85-90	38	19-3/4	1/2" male
M155	7/8 x 3-1/4 or 4-1/4 1x4-1/4	2-5/8	3	2,100	110-120	61	22-3/4	3/4" male

*No built-in automatic oiler reservoir - constant feed oiler recommended.



Clay/Trench Diggers

Features

- Deep case-hardened alloy steel cylinders
- Replaceable chuck bushing
- Latch-type retainers

Model 118 Clay Digger

- Built-in automatic oiler
- D-style handle
- Inside trigger for better control and safety

Model 119 Trench Digger

- Built-in automatic oiler
- T-style forged handle
- Rubber handle grips

Model 125 Clay Digger

- D-style handle
- Inside trigger for better control and safety
- Flapper valved designs allows dirt to pass without stopping tool
- Replaceable chuck and piston stem bushing



MODEL	CHUCK SIZE IN.	BORE IN.	STROKE IN.	BPM	CFM @90PSI	WEIGHT LBS.	LENGTH IN.	AIR INLET NPT
M118	7/8 x 3-1/4 • 1x4-1/4	1-3/4	3-3/8	1,850	34-36	31	21-1/2	3/8" male
M119	7/8 x 3-1/4 • 1x4-1/4	1-3/4	3-3/8	1,500	34-38	37	31	1/2" female
M125	7/8 hex x 3-1/4	2-1/4	4-1/8	1,680	38-42	21	18-3/8	1/2" female

Rivet Busters/Demolition Tools

Features

- New closed-nose cylinder captivates the piston, thus adding an extra layer of safety. Includes traditional retainer system.
- Choice of 3 hand styles:
 - T-handle style with outside trigger
 - Pistol-grip style handle with outside trigger
 - Classic "D" handle with inside trigger
- Three stroke sizes: 6", 8" and 11"
- All models use jumbo extra heavy-duty (11x) steel
- 6' steel-braid reinforced whip hose and air fitting included with every tool



MODEL	CHUCK SIZE IN.	BORE IN.	STROKE IN.	BPM	CFM @90PSI	WEIGHT LBS. W/ RETAINER	LENGTH IN. W/ RETAINER	AIR INLET NPT
M633CN	D Handle	1-3/16	6	1,100	42-46	29	20-1/2	1/2" female
M633CN	Pistol Grip	1-3/16	6	1,100	42-46	28	21	1/2" female
M133CN	D Handle	1-3/16	8	1,140	42-46	32	22-1/2	1/2" female
M133CN	Pistol Grip	1-3/16	8	1,140	42-46	31	23	1/2" female
M1133CN	D Handle	1-3/16	11	850	48-52	35	25-1/2	1/2" female
M1133CN	Pistol Grip	1-3/16	11	850	48-52	34	26	1/2" female
M133CNT	Extended T Handle	1-3/16	8	1,140	42-46	36	32	3/8" male
M1133CNT	Extended T Handle	1-3/16	11	850	48-52	39	35	3/8" male

Chipping Hammers

Features

- Deep case-hardened alloy steel cylinders
- Drop-forged handles
- All models are 7/8" - 24 fine thread
- Replaceable bushing
- Adjustable exhaust deflector
- Price includes oval retainer, locking spring and whip hose assembly - 7/8" - 24 male swivel, 6' steel braid-reinforced whip hose and air fitting

260 & M43/44 Series

- 2-bolt and 4-bolt handle for ease of maintenance
- Patented ball valve design (U.S. pat #8,276,682 B2)
- Forgiving of dirt and debris, corrosion resistant
- Available in 3" and 4" strokes

650 Series

- Flapper valve design allows dirt to pass without stopping the tool
- Traditional pistol grip handle
- Available in 2", 3", 4" strokes



Part #	Retainers
9431	Standard oval retainer (7022 with 1941 spring)
5550	Quick change/ball retainer w/ 1941 spring - optional
18290	Bolt-on quick change/ball retainer - optional

MODEL		BORE IN.	STROKE IN.	BPM	CFM @90PSI	WEIGHT LBS. w/o RETAINER	LENGTH IN. w/o RETAINER	CHUCK BUSHING	AIR INLET
650 SERIES	M652	1-1/8	2	2,100	32-34	12	13-1/4	.680 Round or .580 Hex	7/8-24
	M653	1-1/8	3	1,650	33-35	14	15-1/4	.680 Round or .580 Hex	7/8-24
	M654	1-1/8	4	1,375	34-36	16	16	.680 Round or .580 Hex	7/8-24
260 SERIES 2-BOLT	M263	1-1/8	3	1,650	33-35	14	14-9/16	.680 Round or .580 Hex	7/8-24
	M264	1-1/8	4	1,375	34-36	15	15-9/16	.680 Round or .580 Hex	7/8-24
M43/ M44 SERIES	M43	1-1/8	3	1,650	33-35	21	16-3/4	.680 Round or .580 Hex	7/8-24
	M44	1-1/8	4	1,375	34-36	22	17-3/4	.680 Round or .580 Hex	7/8-24

1/4" Drive Socket Sets



GRE9748 \$129.12

48 Piece 1/4" Drive Standard & Deep Impact socket Set

- Standard & deep sockets in both fractional & metric sizes
- Fractional: 3/16" to 9/16" & metric: 4-15mm

GRE9712UMD \$153.98

12 Piece 1/4" Surface Drive Deep Universal Metric Set

Set contains 6 point deep universal sizes 5mm to 15mm



GRE9712UM \$129.14

12 Piece 1/4" Surface Drive Standard Universal Metric Set

Set contains sizes: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm and 15mm



GRE9712MDG \$123.60

12 Piece 1/4" Drive Deep Metric Magnetic Impact Set

Set contains sizes: 5mm - 15mm in deep length



GRE9772 \$337.63

1/4" Surface Drive 72 Piece Complete Set

Set contains our most popular 1/4" Surface Drive Sockets. Fractional sizes 3/16" to 9/16" and Metric sizes 4mm to 15mm in both Standard and Deep lengths. Universal sizes 1/4" to 9/16" and 5mm to 15mm. Also contains a 3" extension, Universal Joint, 1/4" F x 3/8" M Adapter, and a 1/4" Hex to 1/4" Square Drive Adapter.

3/8" Drive Socket Sets

GRE1281 \$463.67

81 Piece 3/8" Drive Complete Impact Socket Set

- Set includes metric sizes up to 22mm and fractional sizes up to 1"
- Extensions and swivels included



GRE1243RD \$139.82

3/8" Drive 43 Piece Standard/Deep SAE/Metric Set

- Set contains 6 point Fractional Sizes 5/16" - 3/4" and Metric Sizes 8mm - 19mm both in Standard and Deep Length
- Now includes a 1/4" Hex to 3/8" Square Drive Adapter
- Also includes a 3" extension and Universal Joint



GRE1226M \$68.57

26 Piece 3/8" Drive Standard & Deep Length Metric Master Set

- Set contains sizes: 7mm - 19mm in standard and deep length



GRE1104E \$44.03

3/8" Drive 4 Piece Impact Extension Set

- Includes 1-3/4", 3", 6" and 12" length extensions
- Lifetime Warranty (Individual Parts Only)



GRE2204E \$57.95

1/2" Drive 4 Piece Impact Extension Set

- Includes 3", 5", 7" and 10" impact extensions
- Lifetime Warranty (Individual parts only)

GRE1213MD \$44.38

13 Piece 3/8" Drive Deep Metric Impact Socket Set

- Set contains sizes: 7mm - 19mm



GRE1210UMSD \$137.65

10 Piece 3/8" Drive Semi Deep Metric Universal Impact Socket Set

- Set contains sizes: 10mm - 19mm



1/2" Drive Socket Sets

GRE1319D \$170.60

19 Piece 1/2" Drive Deep Length Fractional Master Impact Socket Set

- Set contains sizes: 3/8" - 1-1/2"

GRE1328RD \$144.31

28 Piece 1/2" Drive Standard and Deep Length Impact Socket Set

- Set contains sizes: 7/16" - 1-1/4"

GRE1313UM \$201.95

13 Piece 1/2" Drive Standard Length Metric Universal Set

- Set contains sizes: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm and 24mm in standard length.

GRE1326MD \$218.11

26 Piece 1/2" Drive Deep Length Metric Master Impact Socket Set

- Set contains sizes: 10mm - 36mm

GRE1498MH \$65.00

10 Piece 1/2" Drive Metric Hex Driver Impact Socket Set



PART #

GRE1312

Impact Socket sets

13 pc. 1/2" Dr. Fractional Impact Set \$49.67
Standard Length sizes: 7/16" to 1-1/4". Molded Case.

GRE1312D

13 pc. 1/2" Dr. DEEP Fractional Impact Set \$83.20
DEEP Impact sizes: 7/16" to 1-1/4". Molded Case.

GRE1319

19 pc. 1/2" Dr. Fractional Impact Set \$94.42
Standard Length sizes: 3/8" to 1-1/2". Molded Case.

GRE1326M

26 pc. 1/2" Dr. Metric Impact Set \$118.92
Standard Length sizes: 10mm-36mm. Molded Case.

GRE1412MD

14 pc. 1/2" Dr. DEEP Metric Set \$82.44
DEEP Impact sizes: 10mm-27mm. Molded Case.

GRE1598HC \$132.01

1/2" Drive 18 Pc. Combo Hex Driver SAE/Metric Set

- Set contains sizes: 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 6mm, 7mm, 8mm, 10mm, 12mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm.



SINGLE SOCKETS ALSO AVAILABLE



3 Ton Service Jack

71203
\$441.17



2 Ton Double Pump Floor Jack

71233B
\$341.16



3 Ton Capacity Lightweight Floor Jack

71331
\$441.17



3 1/2 Ton Capacity SUV & Service Truck Jack

71335
\$422.35



AMERICAN FORGE & FOUNDRY

4-Ton Heavy-Duty Floor Jack

AFF-400SS
\$375.00



3 Ton Professional Grade Floor Jack

66307
\$297.00



3 Ton Low Profile Aluminum Jack

\$322.73

65300





3 Ton Floor Jack

\$307.83



3 Ton Low Profile Floor Jack

\$318.80



Extra Low Profile and Deep Reach Design

62021


2 Ton Capacity

\$269.00

Industrial Grade of Castors for Easier Transportation

One Piece Handle with a Foam Sleeve Added for Vehicle Protection

Heavy Duty Chassis for Increased Strength and Durability



3 1/2 Ton Floor Jack

\$274.24



**For More Floor Jacks
Visit Us At
Jackxchange.com**



Jack Stands



Bottle Jacks



3 Ton Jack Stands



HW93506
\$210.00

6 Ton Jack Stands



AMERICANFORGE&FOUNDRY

AFF-LRC3B
\$201.21



AFF-LRC8B
\$251.45



MODEL	CAPACITY (Tons))	STROKE	COMPRESSED LENGTH	EXTENDED LENGTH
LRC3B	3	20-3/4"	24-1/4"	45"
LRC8B	8	20-3/4"	24-1/4"	45"




61122

12 Ton Capacity

\$174.42



Self-Returning Spring
for Ease of Operation.



Machine Polished Ram
to Resist Rust and Wear.

4 foot Air Hose with Swivel
Fitting and Contraol.

61206

20 Ton Capacity

\$250.00



Built-In Inline Air Filter
to Extended Motor Life.

Built-In Muffler to Promote
Quiet Operation.

High Speed Turbo Motor for
Efficient Effortless Operation.

61207

20 Ton Capacity

\$233.80



Model	Capacity	Min. Height	Height	Lifting	Extension Screw	Base Size	G.W.
61122	12 Ton	9-7/8"	19-1/2"	6-1/2"	3-1/8"	7.75"x5.12"	26 Lbs.
61206	20 Ton	10-1/2"	20-1/2"	6-13/16"	3-3/16"	9-1/2" x 7"	42 Lbs.
61207	20 Ton	8-1/4"	15-1/2"	4"	3-1/4"	9-1/2" x 7"	37 Lbs.



22 Ton Truck Jack

62220

\$575.00



25 Ton Truck Jack

TSL-50

\$2,492.00



22 Ton Truck Jack

72200D

\$1,111.00



25 Ton Truck Jack With 3" Adapter

HW93735A

~~**\$2,994.12**~~

\$2,076.11

CLEARANCE SALE!



1/2 Ton Capacity



72050E

\$751.00

1/2 Ton Capacity



72500E

\$1,264.70

**1/2 Ton Capacity
Double Pump**



72550B

\$1,347.84

**1-1/2 Ton
Capacity**



72000Ei

\$1,923.00



**1 Ton Telescopic
Trans Jack**

65200

\$1,040.00



**2 Ton Floor
Transmission Jack**

65320

\$1,089.96



OMEGALIFT™ EQUIPMENT

10 Ton Body Repair Kit

Body Repair Kit Include:

*Manual Hand Pumps
Hydraulic Cylinders
(Rams) Extension Tubes
Hydraulic Spreaders
Rubber Heads
Ram Toe (offset)
Plunger Toe (offset)
Variety of Different
Saddles Customized Blow
Mold Case*



**4", 10", 18",
27" Extension Tubes**

50100

\$597.41

Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
50100	10 Ton Body Repair Kit	10,000 PSI	13.75"	19.75"	2.40 in ²	83.60 lbs



66100

10 Ton Capacity

\$383.26



- Pump with 6' Hose
- Ram, 5-15/16" Stroke
- 1/2 Ton Spreader
- Ram Toe
- Plunger Toe
- Wedge Head
- V-Base
- Male Connector
- Serrated Saddle
- Rubber Head
- Base
- Extension Tubes, 4-5/16" 10", 18" & 26-3/4"
- Carrying Case with wheels

■ Packaged in a durable blow molded case for storage. Model 66100 case with wheels for easy movement

Model	Capacity	Output Pressure	Ram Minimum	Stroke	Oil Capacity Cubic inch	G.W.
66100	10 Ton	9,100 Psi	13-13/16"	6"	33.5	80.3 Lbs.



**Blackhawk
Automotive™**

4 Ton 13pcs Body Repair Equipment Kit

B65114
\$421.00



INCLUDES:

Model	Description
B65067	4 Ton Kit Blow-Mold Case
B65123	1000 lbs Spreader
B65151	Serrated Saddle
B65152	90° V-Base
B65153	Wedge Head
B65154	Plunger Toe
B65155	Ram Toe
B65156	Flat Base
B65157	3" Extension Tube
B65158	6" Extension Tube
B65159	8.5" Extension Tube 19.5"
B65161	Extension Tube

10 Ton 19pc Body Repair Equipment Kit

B65115
\$550.11



INCLUDES:

Model	Description
B65068	10 Ton Kit Blow-Mold Case
B65123	1000 lbs Spreader
B65162	27" Extension Tube
B65163	18" Extension Tube
B65164	10" Extension Tube
B65165	4" Extension Tube
B65166	Wedge Head
B65167	Serrated Saddle
B65168	Flat Base
B65169	Ram Toe
B65172	Plunger Toe
B65173	90° V-Base
B65179	Male Connector
B65180	Rubber Head
B65188	10 Ton Manual Hyd Hand Pump
B65189	10 Ton Hyd Ram
B65291	6 Feet Hose w/ Coupler
B69477	¼" Female Half Coupler
B69478	¼" Male Half Coupler


Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
B65114	4 Ton Body Repair Kit	8,000 PSI	11"	15.75"	.99 in ²	41.00 lbs
B65115	10 Ton Body Repair Kit	10,000 PSI	13.63"	19.75"	2.41 in ²	92.00 lbs



3 Ton Long Ram

D-51010-C

\$388.00



D-51122

\$335.29

3 Ton



D-51123

\$341.00

5 Ton



D-51124

\$352.00

8 Ton



Capacity (TONS)	Model Number	A	B	C	D	E	F	Ship Wgt.	Repair Kit	Base L	Size W
3	D-51122	8-1/2"	15-1/8"	17-3/8"	6-5/8"	2-1/4"	7/8"	11 lbs.	5-577	4-7/16"	5-7/8"
5	D-51123	8-3/4"	14-5/8"	17-5/8"	5-7/8"	3"	1-3/16"	15 lbs.	5-578	6-1/4"	4-11/16"
8	D-51124	9-1/8"	15-1/8"	19-1/2"	6"	4-3/8"	1-3/8"	17 lbs.	5-579	6-1/2"	5-1/4"

Capacity (TONS)	Model Number	Lifting Low	Range High	Ram Diameter	Hole Dia.	Base Size	Shipping Weight
3	D-51010-C	24-1/8"	41-1/8"	1-3/16"	0.641	4-5/16" X 5-7/8"	25 lbs.

D-41609

\$282.00



D-41610

\$311.00




D-41608

\$450.00



3-10 Ton Jack Stands



Model Number	Capacity (TONS)	Lift Low	Range High	Base Length	Size Width	Shipping Weight
D-41609	3-Ton	10-1/2"	18-1/4"	10"	10"	17 lbs.
D-41610	6-Ton	16"	25-1/2"	11"	11"	31 lbs.
D-41608	10-Ton	19"	28-1/2"	13-1/2"	13-1/2"	79 lbs.

MODEL	A	B	C
D-41609	4.5"	1.25"	0.25"
D-41610	5.6"	1.36"	0.28"
D-41608	6"	2"	0.36"



LIN1162 \$116.41

Fully Automatic Pneumatic Grease Gun

- 30 high-pressure hose with coupler & attachment clip
- Air operating range 40-150 psi, and has greasing capabilities of 6000 psi

LIN1142 \$31.00

Heavy Duty Lever Gun

- Rugged cast iron pump head
- 16 oz. bulk or 14.5 oz cartridge

LINAC2440 \$305.00

120-Volt Corded Grease Gun

- 120v motor provides the highest torque values in its class

LIN1262 \$277.89

12V Li-Ion PowerLuber Single Battery Kit

- Kit includes: Cordless grease gun, One slide-on rechargeable battery, Charger and a heavy-duty carrying case

LIN1134 \$53.94

Heavy Duty Pistol Grip Grease Gun with Whip Hose and Rigid Pipe

- Has a jam-proof handle mechanism and single piece head casting
- Variable stroke design delivers both high pressure and volume
- Filler nipple/bleeder valve combination
- Creates up to 7500 PSI

LIN1147 \$40.02

2 Way Loading Lever Action Manual Grease Gun with 18" Whip Hose and Coupler

- Cast iron pump head, precision fit plunger and extra heavy follower spring
- Length is 21-3/4"
- Jam proof toggle mechanism prevents binding or accidental bending of plunger
- Exclusive "flip over" follower provides a superior seal for cartridge applications

LIN877 \$473.41

Metered Control Handle for Oil and ATF

- 3-1/2" diameter
- Includes 10" hose
- For oils, ATF and antifreeze
- 1/2" NPT (f) inlet/outlet
- 1 year warranty on material and workmanship



LIN989 \$1,400.00

Heavy Duty Grease Pump for 25-50 lb. Drum

- Steel cover securely clamps to any 25-50 lb refinery container
- Carrying handle provides portability
- Follower plate assures positive prime at lowest temperatures
- Cover is rust-proofed and finished in Lincoln red
- Bucket shown is NOT included

LIN917 \$1,826.15

Air Operated Grease Pump

- Will dispense 45 ounces or 80 cubic inches of NLGI 0-2 grease per minute at 150 PSI
- Drum cover 46007 finished in Lincoln red; roll-a-round base 80895 base in black; air motor cover in white
- Height 43-1/8" • Base 17" square
- Drum not included

LIN740 \$169.70

Heavy Duty High Pressure Control Valve

- 7500 psi maximum operating pressure
- Precision-machined, all steel handle, body and guard bracket provides durability and longevity
- Unique, precision control inlet check valve provides ease of handle operation even with increase in pressure

LIN1013 \$48.00

Heavy Duty Grease Gun

- High-output setting delivers twice the grease per stroke and high-pressure setting for high-tolerance joints and bearings
- Large piston and bore, with quick adjustment handle
- Multi-port pickup makes greasing in tight areas easy
- Has a unique extension that can rotate 360° for hard-to-reach areas
- Exceeds 7000 psi pressure

LIN1035 \$95.00

Heavy Duty Grease Gun

- Precision High-Pressure Grease Gun.

LIN6917 \$1,260.88

Air-Operated Portable Grease Pump Package

- Lincoln's time tested 50:1 double acting grease pump is at the heart of the package
- High volume and pressure to handle additional hose length and/or adapt to hose reel
- Standard follower wipes 120 lb. drum sides clean and keeps the drum primed



AUTHORIZED FACTORY SERVICE CENTER & EQUIPMENT/REPAIR PARTS DISTRIBUTOR

AIR TOOLS & ACCESSORIES

AJAX TOOL WORKS
ASTRO
CARQUEST
CHICAGO PNEUMATIC
CORNWELL
INGERSOLL RAND
NAPA
MATCO
MONSTER

BATTERY CHARGERS& ACCESSORIES

ASSOCIATED

COLLISION REPAIR EQUIPMENT

BLACKHAWK
HEIN-WERNER
JACKCO
NORCO
SAFEGUARD

ELECTRICAL EQUIPMENT

GREENLEE
OTC

HAND TOOLS & SOCKETS

ASTRO
GREY
WRIGHT

HOISTS - WINCHES

INGERSOLL RAND

HYDRAULIC "H" FRAME PRESSES

ENERPAC
HEIN-WERNER
OTC POWER TEAM
NORCO

HYDRAULIC CYLINDERS, PUMPS & JACKS

ASTRO
BLACK HAWK
CARQUEST
CORNWELL

HYDRAULIC CYLINDERS, PUMPS & JACKS (CONT.)

ENERPAC
GRAY JACKS
HEIN-WERNER
JACKCO
JET
MAC
MATCO
MONSTER
NAPA
NORCO
OMEGA
SPX FLOW - POWERTEAM
SPX- OTC
RAMPAC
SIMPLEX / T-K
SUNEX
TR ENGERNEERING
WEAVER

LUBRICATION EQUIPMENT

ALEMITE
LINCOLN LUBE
GRACO

MATERIAL HANDLING EQUIPMENT

BISHAMON
JACKCO

MECHANICAL JACKS

SIMPLEX
DUFF-NORTON
HILLMAN ROLLERS

PALLET TRUCKS

PALLETMASTER
BISHAMON
JACKCO

ROLLERS

HILMAN

WORM GEAR JACKS

DUFF-NORTON
SIMPLEX-UNI-LIFT



SALE • SERVICE • REPAIR • RENTALS

DO YOU NEED PARTS? WE STOCK PARTS FOR:

**AIR TOOLS - JACKS - PUMPS - CYLINDERS
PALLET JACKS - SHOP CRANES - HOIST**

DO YOU NEED SERVICE? WE OFFER:

**LARGE REPAIR FACILITY
FOUR TRAINED MECHANICS
RENTALS: HYDRAULIC EQUIPMENT**

DO YOU NEED SALES?

LARGE INVENTORY - EQUIPMENT & PARTS

**CALL TO ASK ABOUT OUR SPECIALS &
PICK UP & DELIVERY DEALS**

**PROVIDING QUALITY SERVICE
SINCE 1961**

CALL TODAY

NO SALES TAX OUTSIDE CALIFORNIA

Jack-X-Change
1609 N. Orangethorpe Way
Anaheim, CA 92801
(714) 871-4966
www.jackxchange.com

***** PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE *****

jack·x·change
HYDRAULIC EQUIPMENT & PNEUMATIC TOOLS

SALE • SERVICE • REPAIR • RENTALS

Monday - Friday 8:00am - 4:30pm

