PVC · WOOD · ALUMINIUM WINDOWS - ROLLER SHUTTERS · DOORS · GARAGE DOORS

PVC BATCH DOORS

Table of Contents


SERIES OVERVIEW	2
BASIC LINE	4
COLOUR PALETTE	14
ECONOMIC LINE	16
COLOUR PALETTE	26
NEW LINE EK	28
COLOUR PALETTE	34
FASHION LINE	36
GLASS LINE	40
SPECIAL FILLINGS	52
COLOUR PALETTE	56
REINFORCEMENTS	58
GLASS	59
DECORATIVE BEVELS	63
3D APPLICATIONS IN INOX STAINLESS STEEL	70
HANDRAILS	73
VISORS	74
CAT DOOR	74
MAII SIOTS	75

Group of door panels embossed in PVC (white) and ABS (veneers). ABS is a very impact-resistant material that strongly reflects the sun's UV rays. It has very good thermal insulation properties, and at the same time it does not deform itself when the temperature changes. Both materials are of high quality and have a long aging period. Basic Line fits both modern and classic construction.

PARAMETERS:

- standard size 850 x 2000 x 36/48 mm
- reinforcement made of waterproof plywood 8 mm
- + all models are available in veneer and white, as well as cream-coloured RAL 9001;
- + Thirteen standard glazing variants: Thermofloat, VSG 3.3.1, Satinato, Chinchila white, Chinchila brown, Mastercarre, Masterpoint, Stopsol brown, Delta colourless, Delta brown, Delta Matte, Crepi and Flutes. In standard warmspacer RAL 7040.
- + Possibility to use interglazing bars (8,18,26 mm) in colours: white RAL 9016, silver, gold, pearl copper RAL 8029, dark grey, golden oak
- the remaining colours of veneered and painted muntins are available for the width of 18 and 26 mm

Attention: The pattern is only double-sided.



BL-01(2)



BL-02(2)



BL-02(8)





BL-02(2)S



BL-02



BL-03(1)





BL-01



BL-04(1)



BL-04



BL-05(1)



BL-05



BL-07(1)



BL-07(3)





PHOTOS SHOW A VIEW OF THE DOOR FROM THE OUTER SIDE

BL-07



BL-11(1)



BL-11



BL-13(1)





BL-13



BL-14(1)



BL-14



BL-15(1)





BL-15



BL-17



PHOTOS SHOW A VIEW OF THE DOOR FROM THE OUTER SIDE

BL-17(6)



BL-20(1)



BL-20



BL-25





PHOTOS SHOW A VIEW OF THE DOOR FROM THE OUTER SIDE

BL-26



BL-27



BL-28(1)








Colour palette

Due to the embossing technique, the Basic Line series has its own colour palette based on RENOLIT and is available ONLY in the following colours. The colours may slightly differ from the given RAL and RENOLIT numbers.



Navy blue no. 515005-167

EK-01(A)



EK-02(A) SANDBLASTED 03



EK-02(A)



EK-02(A) SANDBLASTED 08



EK-02(A) SANDBLASTED 01



EK-03(A)



EK-04(A) SANDBLASTED 04



EK-02(A) SANDBLASTED 02



EK-04(A)



EK-04(A) SANDBLASTED 05





EK-04(A) SANDBLASTED 06



EK-04/6(A)



EK-05(A)



EK-06(A)



EK-07(A)



EK-08(A)







EK-10(A)









EK-11(A)



EK-12(A)





EK-13(A)



EK-17(A)



EK-21(A)



EK-14(A)



EK-18(A)



EK-22(A)



EK-15(A)



EK-19(A)



EK-23(A)



EK-16(A)



EK-20(A)



EK-24(A)



20-21

EK-25(A)



EK-26(A)



EK-27(A)



EK-28(A)



EK-29(A)



EK-30(A)



EK-32(A)







EK-33(A)



EK-34(A)



EK-35(A)



EK-36(A)



EK-37(A)



EK-38(A)





EK-39(A)



EK-40(A)



EK-41(A)



EK-42(A)



EK-43(A)



EK-44(A)



EK-45(A)



EK-46(A)



EK-47(A)



EK-48(A)



EK-48(A) SANDBLASTED 10



EK-49(A)



EK-50(A)



EK-50(A) SANDBLASTED 09



EK-51(A)



EK-51(A) SANDBLASTED 09



EK-52(A)




EK-53(A)



Colour palette

Economic Line series







NL-EK 13



NL-EK 14



NL-EK 15



NL-EK 16



30-31

NL-EK 17





NL-EK 25



NL-EK 18



NL-EK 22



NL-EK 26



NL-EK 19



NL-EK 23



NL-EK 27



NL-EK 20



NL-EK 24



NL-EK 28



PHOTOS SHOW A VIEW OF THE DOOR FROM THE OUTER SIDE




* Attention:

Only available in white, applies to models NL-EK 35, NL-EK 36, NL-EK 39, NL-EK 40


Colour palette

NEW LINE EK SERIES



FASHION LINE

PHOTOS SHOW A VIEW OF THE DOOR FROM THE OUTER SIDE




Attention: Only white colour available.

GLASS LINE

It is an exclusive series of the original, full glass fillings for demanding customers, in which a digital print is applied directly to the glass. We offer many different digital print projects, in which you can choose the most appropriate filling. Glass Line is characterized by a unique design, long service life, good thermal insulation properties and gives the door structure strength and stability.

PARAMETERS:

- * standard dimensions 900 x 2000 x 36 mm,
- + maximum filling size 1300 x 2200 mm,
- glazing system: 44.2/warm swisspacer/43.1 TF
 (anti-burglary glass 44.2 with printing/ warm swisspancer/ VSG 43.1 TF glass)
- + minimum filling dimension 700 x 1600 mm
- + GL-01 to GL-25 models are combination of non-transparent digital printing and transparent glass
- + GL-26 to GL-50 are made with full-surface digital printing, without transparent parts



GLASS LINE

PHOTOS SHOW A VIEW OF THE DOOR FROM THE OUTER SIDE

GL-01



GL-02



GL-03







SPECIAL FILLINGS



SPECIAL FILLINGS

The offer is dedicated to the modern transom windows, winter gardens, muntin doors and partition walls.

PARAMETERS:

- + BL-02(4)ST, BL-05(1)ST, BL-07(3)ST: standard dimensions 430 x 2000 x 36/48 mm
- + BL-X1: standard dimensions 880x1020 x 36/48 mm
- NL/EK-41ST, NL/EK-16ST, EK-03(A)ST, EK-16(A)ST, NL/EK-19ST: standard dimensions 430 x 2000 x 36/48 mm





SPECIAL FILLINGS











Colour palette



^{*} Special fillings with BL designation, not available in veneers: Agate grey, Green and Quartz grey.






 * NL/EK-41ST, NL/EK-16ST, EK-16(A)ST, NL/EK-19ST and EK-03(A)ST fillings are available in the colours of the Economic Line range

REINFORCEMENTS

There is a possibility to use an additional aluminium plate inside the filling structure as a reinforcement. This significantly improves the stiffness of the panel, acoustics and anti-burglary parameters. As standard, we offer a thickness of 2 mm.








GLASS

A RAL 7040 warm swisspacer is used as standard in infills with glazing packets. Available colours for warm swisspacers: RAL 7040, 9005, 7035, 8003, 8016, 9016. Warm swisspacers are available for the Basic Line, Glass Line and special infill series. Aluminium swissacer and warm swisspacers are available for the New line EK, Fashion line and Economic line series.

ORNAMENT GLASS



GLASS TYPES

Standard glass: thermofloat, VSG 33.1, satinato, chinchilla white, chinchilla brown, stopsol brown (reflex brown), delta colourless, delta brown, delta matte, mastercarre, mastepoint, crepi, flutes.

Non-standard, group I: stopsol graphite, masterlinge, antisol brown, altdeutsch colourless, VSG with thermofloat 43.1 TF

Non-standard, group II: silvit, VSG matte 33.1, cathedral, mirastar (venetian mirror), stopsol silver

Anti-burglary glass 44.4, Anti-burglary matte glass 44.2

SAND GLASS

Glass sandblasting is the process of the specialised abrasive treatment of the glass surface, leading to the removal of the top layer of glass, resulting in visible tarnishing. The use of this technology gives extremely delicate and subtle results. Sandblasting the glass makes it possible to create any pattern that decorates the surface in a unique way. In addition to the following patterns, it is also possible to make an individual pattern at the customer's request.



The above patterns of sandblasted glass are dedicated to the following models:

- EK-02(A)/ EK-44(A) / EK-45(A): SANDBLASTED 01, SANDBLASTED 02, SANDBLASTED 03, SANDBLASTED 08
- + EK-04(A) and EK-04/6(A): SANDBLASTED 04, SANDBLASTED 05, SANDBLASTED 06
- EK-05(A) and EK-15(A): SANDBLASTED 07
- + EK-50(A) and EK-51(A): SANDBLASTED 09

STAINED GLASS - BEWELA, DECORGLAS, FUSING, TIFFANY SERIES

Stained glass are an effective decoration of the door. Their luminosity and colour create a unique atmosphere. They create the "magic of light". Doors decorated by stained glass undergo a striking visual transformation, both in stylized and modern buildings.


Stained glass, being a decorative element, at the same time has the utility functions - it protects from unwanted views, protects against too strong sunlight, or ensures discretion. When used in the door, it can be a painting, simple geometry or an intricate arabesque, and it can also contain the heraldic elements or a company logo.





We present sets of decorative bevels. Their advantage is the possibility of using in each door fillings series, which opens up many possibilities for you. Bevels add character, elegance and individuality to the front door. They can be applied to any type of glass, except: Colourless Delta, Brown Delta, Delta Mat, Kathedral, Flutes and Colourless Altdeutsch.

small sets



Front door

DECORATIVE BEVELS

DB 269 136 x 190 mm



DB 034 144 x 144 mm










medium sets

DB 069 262 x 190 mm



DB 149 285 x 144 mm












DB 161 126 x 126 mm



DB 163 346 x 197 mm



DB 242 120 x 120 mm



DB 249 265 x 155 mm




DB 347 212 x 217 mm



DB 110 72 x 100 mm







DB 111 42 x 100 mm



DB 114 80 x 100 mm



DB 112 70 x 100 mm



DB 115 73 x 100 mm



DB 113 72 x 103 mm



DB 116 77 x 100 mm



DB 117 77 x 100 mm



DB 118 73 x 100 mm



DB 119 77 x 100 mm



large sets

DB 246 125 x 830 mm



DB 243 334 x 806 mm





DB 298 283 x 519 mm



DB 299 283 x 519 mm



DB 184 277 x 153 mm



DB 240 109 x 385 mm



DB 316 112 x 610 mm




DB 314 74 x 640 mm






3D APPLICATIONS IN INOX STAINLESS STEEL

3D convex elements are fixed elements welded to the INOX applications. Our decorations are characterized by exemplary workmanship and a modern shape that gives the door an extraordinary look. Thanks to the properties of stainless steel, such as durability and nobility, we guarantee complete customer satisfaction with the purchased fillings. We can apply them in models EK-04(A), EK-04/6 (A), EK-17(A), EK-18(A), EK-02(A), EK-44(A), EK-45(A), EK-51(A).











HANDRAILS





MAIL SLOTS



We offer the mail slots in three colours of aluminium: silver, white and gold. We offer the installation of the slots in each of our series of fillings. Filling thickness from 36 mm to 70 mm maximum.



