



Adventure Trails



**LAKESIDE
PLAY**



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



600mm Wobble Board
L 600 W 195 H 380mm
FFH 600mm



1.6m Wobble Board
L 1600 W 195 H 380mm
FFH 600mm



Tightrope Crossing
L 4695 W 850 H 1200mm
FFH 400mm



Parallel Bars
L 2400 W 725 H 1175mm
FFH 1175mm



Leap Frog
L 9125 W 125 H 600mm
FFH 600mm




1.2m Tunnel
L 1338 W 850 H 965mm
FFH 135mm



Log Hurdles
L 8125 W 2400 H 903mm
FFH 903mm



Roll Over Bars
L 3200 W 125 H 1100mm
FFH 1100mm




1.5m Chin Ups
L 3200 W 125 H 1500mm
FFH 1500mm




Crawl Net
L 2107 W 1179 H 599mm
FFH 599mm



Spider Web Net
L 3243 W 3243 H 1500mm
FFH 459mm




Rope Junction
L 2850 W 1500 H 1600mm
FFH 575mm



Wobble Log Bridge
L 2700 W 1200 H 1700mm
FFH 536mm




Rope Crossing
L 2650 W 1000 H 1400mm
FFH 450mm




Wobble Bridge
L 2700 W 1200 H 1400mm
FFH 513mm



Burma Bridge
L 3000 W 1125 H 1450mm
FFH 523mm







Suspension Bridge
L 2225 W 1300 H 1400mm
FFH 513mm





Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Steel feet



Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.








A-Frame Mini
L 1465 W 1800 H 1000mm
FFH 1000mm

A-Frame Low with Nets
L 1685 W 2110 H 1449mm
FFH 1449mm



Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




Zig Zag Traverse Wall
L 3922 W 840 H 1800mm
FFH 599mm





Traverse Wall
L 2850 W 150 H 1800mm
FFH 500mm (Double Sided)



Wall Net Combo
L 6770 W 150 H 2380mm
FFH 1139mm (Double Sided)



6m Sleeper Traverse Wall
L 6000 W 190 H 1755mm
FFH 590mm



Zig-Zag Sleeper Traverse Wall
L 2720 W 775 H 1755mm
FFH 590mm




Sleeper Climb Wall
L 4000 W 385 H 2340mm
FFH 2340mm (Double Sided)

Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




Regular Embankment Net
L 3640 W 2235 H 599mm
FFH 599mm



Medium Embankment Net
L 4305 W 2475 H 599mm
FFH 599mm




Large Embankment Net
L 5050 W 2800 H 825mm
FFH 825mm



Embankment Ramp
L 2196 W 1350 H 1300mm
FFH 275mm

FFH is assuming the ramp is situated on a bank with no drops.

Recommended angle for embankment is 30 degrees.



Traverse Weave Combo
L 2764 W 802 H 2100mm
FFH 599mm (Double Sided)



Jigsaw Traverse Wall
L 2670 W 825 H 1850mm
FFH 599mm



Scrambling Post
Naturally Shaped Peeled
Scrambling Post.
Average Diameter: 175mm
Height: 2000mm



Climbing Post
Naturally Shaped Peeled
Climbing Post.
Average Diameter: 175mm
Height: 1800mm




Peeled Stilts
Naturally Shaped Peeled Stilts.
Average Tall Post Diameter: 140mm
Average Stepping Post Diameter: 175mm

Trail 1

L=21m W=1.6m Not including Safety Surface

Consists of: Sloping Balance Walk, Balance Walk, Drop Rope Traverse, 200mm Stepping Logs, Sloping Balance Weave, Balance Challenge.



Trail 2

L=21m W=640mm Not including Safety Surface

Consists of: Sloping Balance Walk, Cross Rope, 200mm Stepping Logs, Log Rope, Log Snake, Rope Walk, Walk and Stretch, Sloping Balance Walk.

Trail 3

L=20m W=1.3m Not including Safety Surface


Consists of: Sloping Balance Walk, Suspension Bridge, Log Snake, Log Roll, 200mm Stepping Logs, Burma Bridge, Sloping Balance Walk, Log Snake Weaver.

All trails can be arranged differently to suit your needs!

Trail 4

L=25.5m W=1.1m Not including Safety Surface

Consists of: Tightrope Crossing, Rope Tunnel, 200mm Stepping Logs, Balance Walk, Traverse Weave Combo, Climb Ladder, Tarzan Ring Beam.



Trail 5

L=17.5m W=1.2m Not including Safety Surface

Consists of: 200mm Stepping Logs, Crawl Net, Slalom Rope Walk, Rope Weave, 1.6m Wobble Board, Balance Slalom.



Trail 6

L=24m W=1.6m Not including Safety Surface

Consists of: Balance Challenge, Log Rope, 200mm Stepping Logs, Double Sloping Balance Weave, Drop Rope Traverse, Balance Slalom.



All trails can be arranged differently to suit your needs!



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Trail 7

L=22.9m W=1.2m Not including Safety Surface

Consists of: Tightrope Crossing, Wobble Bridge, 200mm Stepping Logs, Log Roll with Drop Ropes, Rope Bridge, Sloping Balance Weave.



Trail 8

L=13.75m W=0.6m Not including Safety Surface

Consists of: Balance Walk, Rope Walk, Log Rope, Cross Rope Balance Walk.



Trail 9

L=9m W=0.8m Not including Safety Surface


Consists of: Slalom Rope Walk, Log Snake, Jigsaw Traverse Wall.



Trail 10

L=10.5m W=1.2m Not including Safety Surface

Consists of: Sloping Balance Weave, Log Snake Weaver, Balance Slalom, 1.2m Tunnel.




Linked Trail 1

L=9.56m W=0.58m H=2.5m

FFH = <600mm (Not including Safety Surface)

Consists of: Sloping Balance Beam (x2), Drop Rope Traverse, Stepping Posts (x2), Rope Weaver Net, Log Rope.



Linked Trail 2

L=15.8m W=0.58m H=2.5m

FFH = <600mm (Not including Safety Surface)

Consists of: Balance Beam with Rope (x2), Tarzan Traverse, Rope Weaver Net, Log Roll, Stepping Posts (x2), Rope Walk, Rope Weave.



Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Linked Trail 3

L=14.4m W=0.8m H=2.5m

FFH= <600mm (Not including Safety Surface)

Consists of: Sloping Balance Weave, Rope Weave, Walk and Stretch Posts, Log Rope, Jigsaw Traverse Wall, Balance Beam, Stepping Posts (x2).



Linked Trail 4

L=14.3m W=1.32m H=2.5m

FFH= <600mm (Not including Safety Surface)

Consists of: Rope Crossing, Balance Beam, Log Roll, Rope Weaver Net, Drop Rope Traverse, Balance Beam, Wobble Bridge.



Linked Trail 5

L=17m W=1.2m H=2.5m

FFH=1450mm (Not including Safety Surface)

Consists of: Balance Beam (x2), Drop Rope Traverse, Mini Twist Net, Wobble Bridge, Tightrope Crossing, Rope Weave, Stepping Posts (x1).



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.





Linked Trail 6

L=14m W=4.2m H=2.5m

FFH=950mm (Not including Safety Surface)

Consists of: Double Balance Beam, Rope Crossing, Balance Beam, Log Rope, Rope Weaver Net, Log Roll, Jigsaw Traverse Wall, Tarzan Traverse, Cross Rope, Traverse Net, Balance Slalom, Stepping Posts (x4).




Linked Trail 7

L=17.2m W=6.35m H=2.5m

FFH=1460mm (Not including Safety Surface)

Consists of: Sloping Balance Weave, Slalom Rope Walk, Log Rope, Mini Twist Net, Rope Crossing, 3 Bar Balance, Wobble Bridge, Balance Beam, Log Roll, Rope Weaver Net, Tarzan Traverse, Tightrope Crossing, Stepping Posts (x4).



Linked Trail 8

L=15.5m W=4.94m H=2.5m

FFH=970mm (Not including Safety Surface)

Consists of: 3 Bar Balance, Rope Weave, Balance Beam, Log Rope, Rope Walk, Log Roll, Double Sloping Balance Weave, Drop Rope Traverse, Cross Rope, Traverse Net, Stepping Posts (x7), Jigsaw Traverse Wall, Tarzan Traverse.

Bespoke Linked Trails can be designed on request.




Mini Timber Trail 1

L=5.7m W=3.7m H=1.8m
FFH=405mm (Not including Safety Surface)
Consists of: 2 Mini Balance Beams, Mini Rope Weave, Mini Balance Weaver.

Mini Timber Trail 2

L=4.9m W=0.6m H=1.8m
FFH=405mm (Not including Safety Surface)
Consists of: Mini Drop Rope Traverse, Mini Uneven Bridge, Mini Balance Weaver.



Mini Timber Trail 3

L=7.1m W=0.6m H=1.8m
FFH=442mm (Not including Safety Surface)
Consists of: Mini Balance Beam, Mini Drop Rope Traverse, Mini Stepping Posts, Mini Rope Walk, Mini Balance Weaver.




Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.


Mini Timber Trail 4

L=10m W=0.9m H=1.8m
FFH=398mm (Not including Safety Surface)
Consists of: 2 Mini Balance Beams with Ropes, Mini Drop Rope Traverse, 2 Triangular Mini Decks, Mini Wobble Bridge, Mini Rope Walk, Mini Stepping Logs.



Mini Timber Trail 5

L=7m W=5.9m H=1.8m
FFH=415mm (Not including Safety Surface)
Consists of: 3 Mini Balance Beams, Mini Balance Weave, 3 Mini Triangular Rope Walks, Triangular Mini Deck, Mini Drop Rope Traverse, Mini Rope Weave.



Mini Timber Trail 6

L=14.2m W=0.4m H=1.8m
FFH=495mm (Not including Safety Surface)
Consists of: Mini Balance Beam, Mini Traverse Wall, Mini Stepping Logs, Mini Drop Rope Traverse, Mini Crossover Balance Beams, Mini Rope Walk, Mini Uneven Bridge, Mini Rope Weave, Mini Balance Weaver.

Bespoke Mini Trails can be designed on request.

Steel TrΔils

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Sloping Balance Beam
L 2400 W 100 H 410mm
FFH 410mm

Steel 3 Bar Balance Beam
L 7200 W 100 H 415mm
FFH 415mm

Steel Balance Beam
L 2400 W 100 H 410mm
FFH 410mm

Steel Sloping Balance Weave
L 2800 W 300 H 1800mm
FFH 475mm

Steel Zig Zag Balance Beam
L 2000 W 605 H 420mm
FFH 420mm

Steel Stilts
L 3600 W 540 H 1800mm
FFH 590mm

Steel 1.2m Tunnel
L 1300 W 760 H 975mm
FFH 140mm

Steel Leap Frog
L 8484 W 100 H 1000mm
FFH 1000mm

Steel Slalom Rope Walk
L 3066 W 1587 H 1800mm
FFH 480mm

Steel Spider Web Net
L 2285 W 2285 H 1500mm
FFH 580mm

Different paint options available upon request

Steel TrΔils

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Mini Twist Net
L 2550 W 1100 H 1500mm
FFH 1500mm

Steel Rope Bridge
L 2600 W 1100 H 1410mm
FFH 1410mm

Steel Burma Bridge
L 2900 W 850 H 1460mm
FFH 520mm

Steel Crawl Net Bridge
L 2056 W 1100 H 1410mm
FFH 510mm

Steel Suspension Bridge
L 2150 W 1100 H 1400mm
FFH 510mm

Steel Wobble Bridge
L 2650 W 1100 H 1410mm
FFH 510mm

Steel Jigsaw Traverse Wall
L 2704 W 100 H 1925mm
FFH 599mm


Steel Traverse Weave Combo
L 2429 W 980 H 2100mm
FFH 575mm

Different paint options available upon request

Steel TrΔils

Steel Roll Over Bars
L 2100 W 100 H 1150mm
FFH 1107mm

Dimensions do not include surfacing
FFH - Free Fall Height



Different paint options available upon request

Steel TrΔils


Dimensions do not include surfacing
FFH - Free Fall Height

Steel Tarzan Ring Beam
L 2540 W 1065 H 2143mm
FFH 1750mm



Steel Trail 1

L=12.1m W=1.6m Not including Safety Surface
CONSISTS OF: Sloped Balance Beam,
Drop Rope Traverse, Slalom Rope Walk,
Sloping Balance Weave.



Steel Trail 2

L=14.2m W=0.45m Not including Safety Surface
Consists of: Sloped Balance Beam,
Rope Walk, Log Rope, Cross Rope,
Sloped Balance Beam.

Different paint options available upon request



The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key. The Adventure Trails range accommodates all ages, budgets and play scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount.

With this in mind all products are designed to meet BSEN 1176 and individual Timber Trail items have been independently certified.

In order to ensure the highest level of accuracy, all units are produced on a custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.