Product Catalog

PRODUCTS & PARTS FOR OIL & GAS INDUSTRY



Integrity Simplicity Innovation Perseverance





Casing: SMLS

Sizes: 4-1/2" to 20"

Grade: H40, J55/K55, L80, L80 HC, T95, P110, P110 HC, C110, Q125

Description:

- We have excellent on time delivery and fast delivery
- We offer API connections, semi-premium connections and premium connections
- Supplier: Hengyang Steel Tubes, an excellent pipe manufacturer and reputable supplier in Canada



Tubing: SMLS

Sizes: 2-3/8", 2-7/8", 3-1/2", 4-1/2"

Grade: J55, L80

Description:

- We have excellent delivery
- Supplier: Hengyang



Macaroni Tubing: SMLS

Sizes: 1.050", 1.315", 1.660", 1.900", 2.063"

Grade: J55, L80

Pup Joint: SMLS

Sizes: 2-3/8", 2-7/8", 3-1/2", 4-1/2"

Grade: J55, L80

Length: 2', 4', 6', 8', 10', 12'

Coupling & Coupling Stock:

Grade: All grades as for casing and tubing

Drill Pipe:

API standard drill pipes

BOP:

- Up to 10,000 & 15,000 psi
- Single & Double Rams
- Shear & Non-Shear

Mud Pump:

Piston Mud Pump: 100 - 1,600 HP, from 2,000 - 5,000 psi

• Plunger Mud Pump: 500 - 1,600 HP @ 5,000 psi



VIT:


OD of Outer Pipe: 3-1/2", 4-1/2", 5"

ID of Inner Pipe: 1.90", 2-3/8", 2-7/8", 3-1/2"



Slotted Steel Pipe:

- Laser cut, precise and accurate
- Customized patterns and slot sizes & shapes





Sucker Rod:

Sizes: Standard 3/4", 7/8" & 1" x 20'/25'/30'

Grade: D&H

Description:

• Forged or welded ends

Pump Jack:

Description:

Standard and specially made pumping units





CRA Clad / Lined Pipe:

Sizes: 1" to 62"

Description:

• Inner pipe: CRA (Corrosion Resistant Alloy): 304/316L, 625/825, 22Cr/25Cr, Titanium, Alu-

minum, Copper

• Outer pipe: Carbon steel

Automatic Welding of CRA





Clad Pipe Seam after Welding





Line Pipe:

Sizes: Variety of sizes up to 64"

Grade: All grades

Description:

- SMLS
- ERW
- SSAW



Well Head:

Standard and specially fitted for your specifications, up to 30,000 psi

Pipe Fitting:

• Variety of pipe fittings such as tee, elbow, cross, reducer, etc.

Galvanized Pipe & Tube:

Grade: Per client's requirement

Thickness of coating: Per client's requirement

Our Clients





















For more information, please contact:

Glenn Wang 403.303.3213 T 403.399.7800 C glenn.wang@shinestoneltd.com

Shine Stone International Limited

Suite 1600, 144 - 4 Avenue SW Calgary, Alberta, T2P 3N4, Canada 403.303.3213 T 403.295.9471 F www.shinestoneltd.com

Frank Zhang 403.303.3213 T 403.918.9085 C frank.zhang@shinestoneltd.com

