

FLORENCE CORPORATION

Contact Info:
(919) 482-3717



**POSTAL
SUPPLY**

A Division of Southern Woodcraft
& Design

Your Authorized Florence Dealer



2018 Product Catalog Booklet

STD-4C Mailbox Suites & Accessories



STD-4C Mailbox Suites

The Key to Good Design



The U.S. Postal Service Operations Manual provides the USPS with autonomy in determining the appropriate mode of delivery; which includes the location and type of equipment to be used. For multi-family new construction, that is most often the STD-4C mailbox.

As the first manufacturer to introduce a full USPS Approved line of mailboxes which met the mandatory USPS wall-mounted mailbox standard (STD) in 2006, Florence has continued to evolve the product line in order to keep pace with changing marketplace demands.

Our robust versatile™ 4C mailbox line was developed with a simple to use modular system that provides a very flexible solution for your individual project needs - taking the guesswork out of meeting the necessary USPS requirements and/or ADA Fair Housing requirements, too.

As an architecturally specified product, Florence takes the guesswork out of the process by providing standard pre-configured options for simple installations, or gives you the ability to custom-build a solution which will make your centralized mail center stand out from all the rest.



Florence is also pleased to offer you numerous industry exclusive standard features, finishes, and accessories; all providing greater design flexibility and installation solutions than any other STD-4C mail equipment available on the market today.

So, whether you are replacing an outdated mailbox installation, or starting a new construction project, Florence stands ready to assist you. Visit us online for simple-to-use resources that allow you to plan your own mailbox installation, view technical and installation information, and learn how to easily customize your project.

Or, contact an Authorized Florence Dealer for personalized assistance. These knowledgeable experts can help you find the right product for your needs, navigate local codes and accessibility, and some even help with installation work.

For architects, we offer robust BIM Objects and an industry unique online Revit Configurator, which allows you to create your own solution and export it as an RFA file for easy download into your existing design. Be sure to check out our 'how-to' video library, online resource toolkit, and take one of several continuing education courses for AIA credit.



These rugged 4C mailboxes are weather-resistant and can be used indoors or out.



Surface-mounted 4C mailboxes are perfect for limited wall depth projects.

versatile™ 4C Mailboxes

Flexibility without the fuss



Florence versatile™ 4C mailboxes provide a simple, easy-to-use 'pre-configured' line of mailboxes and parcel lockers which all meet or exceed every security requirement of the USPS STD-4C regulation for wall-mounted mail receptacles. By providing different "suite" height options, adding the right module to your installation is quick and easy.

Offering more than 140 different individual modules to select from, plus the ability to configure any base module, Florence has the most robust line of USPS Approved 4C products and installation accessories on the market today.



florencemailboxes.com/4C




Product Design and Security Features

- Standard pre-configured modules with integrated parcel lockers in 12 different heights (as shown below)
- Thick, reinforced collection door to prevent break-ins
- Master front-loading door has interlocking, overlapping seams to prevent prying
- Integrated outgoing mail collection compartment with weather protection hood and anti-fishing comb
- One piece extruded hinge to prevent prying
- Solid aluminum frame protects adjacent customer/collection compartments
- Multi-unit connector kit hardware supplied with every module for easier installation across larger openings


FLORENCE
EXCLUSIVE PRODUCT



- Hardy stainless steel latching hook cam on every tenant door with EXCLUSIVE double-latching cam on all oversized doors
- EXCLUSIVE double-latching parcel locking mechanism design for added door security and strength



STD-4C Mailboxes



Interlocking, overlapping seams to prevent prying

Heavy duty tenant cam lock with three keys

Standard decals or 3/4" H engraving

Solid aluminum integrated outgoing mail collection compartment prepared for USPS installed Arrow Lock

Integrated Outgoing Mail Slot with weather protection hood

Product and manufacturer ID serial tag

Easy release handle to open master gate

Stainless steel hold open door catch on each side of master gate

Aluminum comb prevents mail fishing in outgoing mail collection compartment

Fully integrated parcel locker(s) with key trapping lock

Rugged, weather-resistant powder coat finish

Heavy duty cam latches through frame for added security



versatile™ 4C Mailboxes

Plenty of Choices



The Florence versatile™ 4C mailbox line provides unsurpassed flexibility in creating your perfect centralized mail delivery center with nearly a limitless combination of options.

Begin by selecting the mailbox height and module for your needs.

Module Choices

USPS and Private STD-4C Mailboxes

Over 115 individual mailbox modules are available, all of which can be customized with oversized doors and lock options for both postal and private delivery applications.



Collection Boxes

These secure modules complement your mailbox installation and are designed for all your collection needs; postal or private collection, x-rays, DVD/Blue Ray, books, etc.



Recycling Bins

Keep the centralized mail center tidy by providing receptacles for the disposal of unwanted mail, or create a recycling center with these matching modules.



(Actual Size Shown)

Door ID Options

Decals: All 4Cs come standard with silver adhesive decals which are 1-1/2"H x 1-3/4"W. Black lettering can contain up to five characters per decal.

Engraving: Custom engraving utilizes the USPS Standard *US Block* font and is 3/4" tall. All engraving can include up to 12 characters per line, up to two lines per door.



(Optional Engraving into Aluminum Door)

Color Options

Customize your versatile™ 4C module with one of eight different architectural color options, all in a durable, powder coat finish.

Colors shown are representative of the actual powder coat finish but are limited by printing conditions and may vary slightly from finished product.



Antique Bronze (AB)



Black (BK)



Dark Bronze (DB)



Gold Speck (GS)



Postal Grey (PG)



Sandstone (SD)



Silver Speck (SS)



White (WH)

versatile™ 4C Mailboxes

Florence 4C Quick Reference Guide




All STD-4C compliant mailboxes must meet the U.S. Postal Service's (USPS) design and installation regulation in order to receive the designation *USPS Approved*. Accessibility regulations may vary locally and regionally; always consult local building codes for applicable accessibility requirements related to your mailbox project.

Sequential numbering (rather than assigning mailbox IDs that match apartment or house numbers) of mailbox compartments may allow greater flexibility in providing accessible mailbox compartments that meet accessibility regulations applicable to your project. It also provides greater security and privacy for residents.

Mounting at specified heights AFF (Above Finished Floor) ensure USPS installation requirements are met.

- If your installation is for USPS delivery and contains any tenant compartments in the bottom row, the minimum height from the floor is 28."
- If your installation contains no tenant compartments in the bottom row, you have the option to install at a minimum of 15" from the floor to be compliant with ADA and USPS requirements.

versatile™ 4C Mailbox Height Options



The reference module images and charts on the following pages show the proper installation heights for Florence's versatile™ 4C mailbox suites to help your project comply with USPS installation and accessibility codes. Drawings shown are for your quick reference only. For specific standards, consult with local authorities.





Standard Lock

Cam-lock is USPS Approved and standard on all versatile™ 4C mailboxes.



Top/Side Views For All Heights



INSTALLATION AND ACCESSIBILITY REFERENCES


Designing appropriate accessibility into every feature of a facility is a key consideration for any project, and how the mailboxes are installed into that facility is no exception. Plus, all wall-mounted mailboxes which will be serviced by the U.S. Postal Service (USPS) must also be installed according to specifications as outlined in the USPS STD-4C regulation.

Meeting USPS Installation Requirements

Florence Corporation USPS Approved 4C mailbox products are designed to adhere to STD-4C regulations. To ensure your project complies with USPS regulations for wall-mounted mailboxes, your mailbox center must be installed according to the following U.S. Postal Service guidelines:

Installation requirements specified in the U.S. Postal Service STD-4C regulation are outlined below:


1. At least one customer compartment shall be positioned less than 48 inches above the finished floor.
2. No parcel locker compartment (interior bottom shelf) shall be positioned less than 15 inches above the finished floor.
3. No customer lock shall be located more than 67 inches above the finished floor.
4. No customer compartment (interior bottom shelf) shall be positioned less than 28 inches above the finished floor.
5. The USPS Arrow lock shall be located between 36 and 48 inches above the finished floor.



Standards Governing the Design of Wall-Mounted Centralized Mail Receptacles. Federal Register/Vol. 69, No 171/September 3, 2004 Rules and Regulations POSTAL SERVICE, 39 CFR Part 111. www.gpo.gov/fdsys/pkg/FR-2004-09-03/pdf/04-19781.pdf

Meeting ADA Installation Requirements

Accessibility regulations may vary by type of facility and by governing jurisdictions. Therefore, always consult local building officials and codes for applicable accessibility requirements that could affect your mailbox project. Below are industry references for your convenience.



2010 ADA Standards for Accessible Design, Department of Justice Code of Federal Regulations, ADA CHAPTER 2: SCOPING REQUIREMENTS, 228.2 Mail Boxes: Where mail boxes are provided in an interior location, at least 5 percent, but no fewer than one, of each type shall comply with 309. In residential facilities, where mail boxes are provided for each residential dwelling unit, mail boxes complying with 309 shall be provided for each residential dwelling unit required to provide mobility features complying with 809.2 through 809.4.

The full text can be found at: www.ada.gov/2010ADASTandards_index.htm

Installation Alternatives


Options for STD-4C Mounting

Recessed Mounting



All standard 4C modules are designed to be recessed into their mounting; whether it is directly into a wall, enclosure, or casing. The most common way to install the 4C modules is into a wall. Florence makes installation easy by providing a **Multi-Unit Connector Kit (MUCK)** for each specified module. This connector can be used to secure multiple units across a larger rough opening, eliminating the

need for studs. It also ensures your installation has a clean look as units are pulled together tightly so they are mounted flush to one another, reducing any potential gaps between modules.



Surface Mounting



By utilizing the surface-mount collar, 4C modules can be installed flush onto a wall. This installation alternative is ideal for settings with limited wall depth or material that is difficult to cut in a rough opening - like brick or marble. The 4C module is simply mounted into an assembled collar to provide a finished, sleek look to your installation.

Pedestal Mounting

Mounting a USPS Approved 4C module on a pedestal is not a Postal approved installation alternative, but is an excellent solution for any private delivery application. Pedestals are designed to ensure the selected module is installed at a standard accessible height, making installation quick and easy.



Mailbox Enclosures Provide Greater Flexibility



Surface-Mount Collars

Designed for indoor or outdoor use, Florence is pleased to offer a heavy-duty STD-4C mailbox enclosure which allows modules to quickly and easily be mounted to any flat surface. This smooth aluminum collar ensures the mail system achieves that desired sleek, finished look while easily attaching directly to the mailbox module. Ideal for settings with limited wall depth, this USPS Approved solution provides greater flexibility in your mailbox placement and installation.


Product Features

- 4C collars are designed to fit and attach easily to ALL front-loading versatile™ 4C modules for both single- and double-wide configurations.
- All aluminum construction in rugged, weather-resistant powder coat finishes (see color options below).
- Easy-to-assemble collar has industry EXCLUSIVE slotted back designed for ease in installation and reduction of overall unit weight.

FLORENCE
EXCLUSIVE PRODUCT



SM##D



SM##S

(Note: ## = selected suite height, e.g. SM14D)



florencemailboxes.com/4C

Color Options

Customize your surface mount collar with one of eight different architectural color options, all in a durable, powder coat finish.

Colors shown are representative of the actual powder coat finish but are limited by printing conditions and may vary slightly from finished product.



Antique Bronze (AB)

Black (BK)

Dark Bronze (DB)

Gold Speck (GS)

Postal Grey (PG)

Sandstone (SD)

Silver Speck (SS)

White (WH)

Pedestal-Mounted Mailboxes

Added Flexibility for Private Delivery



With all the same features and options, security, and durability of the Florence wall-mounted versatile™ 4C modules, pedestal mounting simply adds greater flexibility to your project as it is not tied to the USPS regulations. Designed to ensure every module is at a standard accessible height, pedestal-mount units come prepared with a master commercial lock to provide easy access to all compartments at once.

Ideal for centralized mail delivery applications where the USPS letter carrier delivers to a single location and the facility manager or entrusted individual then distributes the mail to the resident compartments.

Product Applications

- Military Housing (*right*)
- Off-campus Student Housing
- On-campus Residence Halls
- Gated/Guarded Facility
- Book Collection
- Rent Payment Collection
- Multi-Media Drop Off
- Key Returns/Collection
- College Campus
- Private Medical Facility (*above*)
- Financial Institutions
- K-12 Schools



Color Options

Customize your 4CPM with one of eight different architectural color options, all in a durable, powder coat finish.

Colors shown are representative of the actual powder coat finish but are limited by printing conditions and may vary slightly from finished product.



Antique Bronze (AB)



Black (BK)



Dark Bronze (DB)



Gold Speck (GS)



Postal Grey (PG)



Sandstone (SD)



Silver Speck (SS)



White (WH)

Product Features

- versatile™ 4C modules mounted on a pedestal include the same robust product features outlined on pages 14-16.
- Any 4C Mailbox or accessory module offered by Florence may be mounted on a pedestal.
- Each 4C module is factory-installed in an aluminum outer casing for pedestal mounting.
- Matching aluminum pedestal provided with unit snaps on for convenient installation.




Free-standing collection boxes may be approved for USPS collection if local postal officials authorize use and location.



NOTE: To view all standard pre-configured pedestal-mounted module options, simply add “-P” to the end of the front-load module numbers shown. Listed weights in Quick Reference Guide are for modules only and do not include weight of pedestal or outer cabinet. Pedestal-mount module dimensions are listed below:

For Pedestal-Mount Module numbers,



Overall pedestal-mount module dimensions: (Shown above) H x 32-13/16" W (Double) or 18-3/4" W (Single) x 17-3/4" D

cluster box units



If your project calls for USPS Approved pedestal-mount units, be sure to check out the Florence vital™ cluster box unit product line. Complete with industry EXCLUSIVE units, decorative accessories, and additional parcel only units |



Mailbox Accessories

for Postal or Private Use



When used alone or in conjunction with other Florence Mailboxes, this collection of accessories is puts the finishing touches on your project and adds convenience for users. Designed to match finishes of other Florence products, these enhanced options complement existing installations or are the perfect solution to new construction. Available series includes:



Directories



Key Keepers



Letter Drops



120 Series
Collection Boxes



120 Series Collection Boxes
with Letter Drop/Liner

Directories



florencemailboxes.com/directories

These surface-mounted directories can be used independently or installed next to any mailbox installation to neatly and alphabetically list the names of your residents. A clear plastic window, metal back plate, and blank ruled name cards are included with each directory.

Standard Features

- Anodized aluminum or powder coat finish (color options below)
- Extruded aluminum construction
- 40 or 80 name capacity
- D400-1: 19" H x 8-3/4" W
- D400-2: 19" H x 15-1/8" W



D400-1A



D400-2A

Color Options

Select either Anodized Aluminum or one of eight different architectural powder coat finishes as noted for all mailbox accessories.

Colors shown are representative of the actual powder coat finish but are limited by printing conditions and may vary slightly from finished product.

Antique Bronze (AB)
PMS 8622C

Black (BK)
PMS Black 6C

Dark Bronze (DB)
PMS Black 7C

Gold Speck (GS)
PMS 7-5C

Postal Grey (PG)
PMS 413C

Sandstone (SD)
PMS 7501C

Silver Speck (SS)
PMS 877C

White (WH)
PMS White

Key Keepers

 florencemailboxes.com/keykeepers

Florence Key Keepers securely provide access to important keys to only those authorized to use them. So whether you need to provide access to a key that lets your letter carrier into your secure mailroom or any other part of your facility, a Florence Key Keeper provides a simple solution. Prepared to accept a postal lock installed by local postal officials, key keepers may be converted to locks appropriate for private uses so staff can gain access to controlled areas.



Model KK



Model KKSM



Model KKR

Standard Features

- Recessed- or surface-mounted
- Prepared for USPS installed master lock
- Anodized aluminum
- Extruded aluminum construction
- Exterior dims: 6-3/4" H x 6-1/4" W x 2-3/8" D
- Interior dims: 4-5/8" H x 4-1/16" W x 2" D
- Rough opening: 5-1/8" H x 4-3/8" W x 2-1/4" D

Optional Features

- Private master lock
- Powder coat finish (see pg 50 for color options)
- Retractable reel

Model	Description
KK#	Recess-mounted key keeper. Prepared for USPS lock.
KK#SM#	Surface-mounted key keeper. Prepared for USPS lock.
KKP#	Recess-mounted key keeper with private lock included.
KKR#	Recess-mounted key keeper. Prepared for USPS lock with retractable reel.

Note: Exchange “#” in Model above with A=Anodized Aluminum or SP=powder coat finish. See page 51 for color options.

Mailbox Accessories

for Postal or Private Use



Letter Drops florencemailboxes.com/letterdrop

The LD12 Letter Drop allows for deposit of mail through a spring-loaded flap mounted into a wall.

Standard Features

- Spring-hinged front flap
- Anodized aluminum or powder coat finish
- Engraved "U.S. MAIL"
- Frame size: 6-3/8"H x 14-1/16"W x 3/4"D
- Rough opening size: 5" H x 12-5/8" W
- Door size: 4" H x 11-3/4" W

Optional Features

- 8" or 12" angled wall liner
- Back plate
- Designated custom engraving



LD12A



LD12SP



LD12AL8B



LD12SPHS

Model	Description
LD12A	Letter drop with aluminum finish, engraved "U.S. MAIL".
LD12SP	Letter drop. Specify finish and engraving.
LD12SPHS	Letter drop with fixed flap and mail slot. Specify finish and engraving. Slot height is 1-1/4".
LD12AL8B	Letter drop with aluminum finish, engraved "U.S. MAIL". Includes 8" angled liner.
LD12AL12B	Letter drop with aluminum finish, engraved "U.S. MAIL". Includes 12" angled liner.
LD12SPL8B	Letter drop. Specify finish and engraving. Includes 8" angled liner.
LD12SPL12B	Letter drop. Specify finish and engraving. Includes 12" angled liner.
LD12SPLHS	Letter drop with fixed flap and mail slot. Specify finish, engraving and 8" or 12" angled liner. Slot height is 1-1/4".
LD12F#	Backplate for letter drop (without angled liner) - aluminum finish.
LD12R#	Backplate for letter drop (with angled liner) - aluminum finish.

Note: Exchange "#" in Model above with A=Anodized Aluminum or SP=powdercoat finish (See next page for details.)

120 Series Collection Box florencemailboxes.com/collection-box

Whether they are used alone or in conjunction with other Florence mailboxes like the versatile™ 4C mailbox line, these indoor letter collection boxes secure mail until pick up by the USPS and are a natural extension of your mailbox system.



120SPSMS

Standard Features

- Front-load, Recessed-mounted
- Prepared for USPS installed master lock
- Anodized aluminum or powder coat finish
- Engraved "LETTERS"
- Frame Size: 19-1/8"H x 15-1/6" W
- Rough Opening Size: 17-5/8" H x 13-5/8" W x 6 -3/4" D
- Letter slot size: 3/4"H x 10"W

Optional Features

- Private master lock available
- Surface-mount collar
- Designated custom engraving

Model	Description
120RA	Fully-recessed collection box is a standard aluminum unit with engraved "LETTERS" prepared for USPS lock.
120SPR	Recessed collection box. Specify powder coat finish, engraving and lock.
120SMSA	Surface-mounted collection box is a standard aluminum unit with engraved "LETTERS" prepared for USPS lock.
120SPSMS	Surface-mounted collection box. Specify powder coat finish, engraving and lock.

120 Series Collection Box with Letter Drop/Liner

This combination of 120 Series Surface-mounted Collection Box with the LD12 (with liner) Letter Drop creates a collection box solution. The 120SMLDL allows for deposit and secure collection of mail, or other documents in private applications.

Model	Description
120SMLDLA	Collection box with letter drop and 8" angled liner combination. Standard aluminum engraved "U.S. MAIL". Includes private lock for drop box.
120SPSMLDL	Collection box with letter drop and 8" or 12" angled liner combination. Select powder coat finish, engraving, lock, and liner length.
120SPSMLDLHS	Collection box and rent drop with fixed flap and slot. Liner combination (8" or 12" angled liner.) Slot height is 1-1/4". Select powder coat finish, engraving, lock, and liner length.



Deliver

120SMLDLA

Retrieve

Collection Boxes

for Letters or Packages



versatile™ Collection Centers

Use this secure product for all your individual collection needs; whether that includes x-rays, DVD/Blu Rays, books, key drop, etc. for private collection, or as a wall-mounted version for postal collection. The patent pending hopper mechanism and collection box lock ensure contents remain safe and secure. Designed to be suitable for indoor or outdoor use, it is available in nine wall- or pedestal-mount heights.

Standard Features

- Collection box units can be installed recess- or surface-mounted on a wall or with a pedestal
- Units designed to meet ADA/DOJ, ICC/ANSI, and IBC compliance for maximum 48" door access when installed 14-1/8" above the finished floor
- Industry unique designs seal off access to the main collection compartment when open to prevent mail fishing
- Once unit is full, hopper door will not open to accept more items

FLORENCE
EXCLUSIVE PRODUCT



 florencemailboxes.com/collection

Did you know?

The Postal Regulation that pertains to collection centers is USPS Publication 16 and states local Postal Authorities must approve all units prior to installation.

Color Options

Customize your versatile™ Collection Boxes with eight different architectural powder coat finishes.

Colors shown are representative of the actual powder coat finish but are limited by printing conditions and may vary slightly from finished product.



Antique Bronze (AB)

Black (BK)

Dark Bronze (DB)

Gold Speck (GS)

Postal Grey (PG)

Sandstone (SD)

Silver Speck (SS)

White (WH)

Collection Box Selections

Florence is pleased to be the only manufacturer to have achieved USPS Approval status for its versatile™ 4C collection box. Designed to coordinate with the versatile™ 4C mailbox suites



4C16S-HOP 4C15S-HOP 4C14S-HOP 4C13S-HOP 4C12S-HOP 4C11S-HOP 4C10S-HOP 4C09S-HOP 4C08S-HOP




4C16S-HOP 4C15S-HOP 4C14S-HOP 4C13S-HOP 4C12S-HOP 4C11S-HOP 4C10S-HOP 4C09S-HOP 4C08S-HOP


Note: Free-standing collection boxes for postal delivery must be pre-approved by local postal officials.



4C10S-HOP



When open, collection door extends 5-7/16" from unit and seals off access to the main collection compartment. Once unit is full, collection door will not open to accept more items.



4CADS-HOP

Collection Bins

for Waste / Recycling



 florencemailboxes.com/collection

Standard Lock

The versatile™ 4C bins come standard with a 86009 lock.



86009

Color Options

Customize your versatile™ Collection Bin with eight different architectural powder coat finishes.

Colors shown are representative of the actual powder coat finish but are limited by printing conditions and may vary slightly from finished product.



versatile™ Trash / Recycling Bins

Since these bins were designed as part of the versatile™ 4C mailbox line, they are the perfect complement to your centralized mail center. Keep the area tidy by providing receptacles for the disposal of junk mail, or create a standalone recycling center for the convenience of your residents.

Standard Features

- Constructed of heavy gauge aluminum and stainless steel components
- Included interior collection receptacle(s) constructed of all recycled materials
- Master door includes 5-pin cam lock with three keys
- Door flap in brushed stainless steel with pre-printed decals: WASTE, TRASH, PLASTIC, GLASS or PAPER
- Recessed-mount

Optional Features

- Custom door flap decals with up to 12 characters
- Keyless latch options
- Powder coat finish door flap in coordinating color
- Eight powder coat color finishes
- Four mounting options

Bin Selections

Florence is pleased to be the provider of the versatile™ 4C trash/recycling bins. Designed to coordinate with the versatile™ 4C mailbox suites



Door Flap Decal Options

Choose from five standard decal options or create your own custom option with up to 12 characters.

TRASH

WASTE



GLASS



PAPER



PLASTIC

Mounting Options

Three different mounting options provide greater flexibility in creating your recycling center or matching an existing mailbox installation:

- Recessed-mount (*shown to right*)
- Surface-mount collar
- Pedestal-mount



Note: There are no mounting height requirements, but we suggest 14-1/8" to ensure doors meet possible 48" requirement.

FLORENCE CORPORATION

Contact Info:
(919) 482-3717



**POSTAL
SUPPLY**

A Division of  Southern Woodcraft
& Design

Your Authorized Florence Dealer



Powering Your Commercial and Residential Centralized Mailbox Designs for Over 80 Years!

Florence Corporation. Established. Dependable. Strong.

Like all great stories, ours started in a garage. Elbow grease, a sweaty brow. It's that kind of story. More than 80 years later, we're still hard at it; continually perfecting our craft, allowing you to perfect yours. You may take our products for granted. We take that as a compliment. Our products don't require attention or fuss. They're built smart, designed to work, and engineered to last.

We empower our customers with the products, the support, and the tools to design faster. Build smarter. Manage better. We understand that in a world of global commerce, demands of efficiency and last minute deadlines, you need a partner that can keep pace. You've met your match with Florence. Established. Dependable. Strong. It's not just what we make...it's what makes us.