DIABETES

www.thoughtsrevolution.co

GUIDELINE BY SANJAY G.M.

| _ | \mathbf{C} | TIC | TC |
|---|--------------|-----|----|
| 0 | CA | .US | L) |

- Auto-immune
- cross food with milk
- low food quality
- no food intake on time
- stress
- obesity
- Less sleep
- Heavy Antibiotic medicine's (temporary sugar increase)
- Some vitamin supplements medicine
- Vitamin deficiency of "D", B12 or Iron.

o **SYMPTOMS**

- Increased thrust, urination & hunger
 - Blurred vision
 - Wounds take more time to heal.
- Low Testosterone

o **SOLUTIONS**

- Stop milk, instead of that take desi cow ghee
- Do exercise, Be active, Walk 40mins daily, Control weight
- Control stress by doing Yoga Anulom Vilom
- Sleep 9 hours
- Eat sprouts lentils which can reduce sugar
- Reduce carbohydrate food like milk item, rice, cookies, potato, desserts, snacks, WHITE bread.
- Iron & B12 deficiency can increase level of sugar so control B12 & iron by food
- To raise vitamin D take 20 mins golden sunlight 7am or 5pm.
- Under the observation of regular sugar level test every 2 days, hold Kutki 4 times in a day each 2 hours
- Eat raw celery sticks to control sugar.

- Check your regular medicine side effects to increase sugar & then do needful to change or skip that medicine.
- In breakfast eat soaked chickpeas (Chana)
- Chew & eat 4 custard apple (sitaphal) leaves and monitor blood sugar level, check blood frequently and accordingly increase or decrease number of leaves till the sugar level is in control & then continue eating the same. Later, check bloodevery month.
- Check blood sugar in house yourself by purchasing equipment (Blood Glucose test monitor)

OR

If sugar not controlled from all above points in certain period then take AMIL "BGR-34" (based on DRDO research) and monitor blood sugar level, check blood frequently and accordingly increase or decrease the dosage of "BGR-34" medicine till you get sugar level in control & then continue that same dose. Later, check blood every month. (Check blood sugar in house yourself by purchasing equipment) (Blood Glucose test monitor)

NOTE: - All guideline is on my personal research or study from many author which convince me. Follow guideline under doctor's observation.