## SATCO NUVO AVVARE® NEW PRODUCTS | PROMOS | IDEAS

#### TOP TRENDS & NEWEST TECHNOLOGIES INSIDE!



## FUNCTIONAL PAGES 18-39



LAMPS PAGES 42-61 COUNTERQUICK PRODUCT! pg. 16

## ELECTRICAL PAGES 62-67

## DECORATIVE PAGES 70-84



SATCO|NUVO AWARE, 2023

## **SATCO**<sup>®</sup> NUVO<sup>®</sup>

# AWARE

Welcome to the third edition of Aware! Our semi – annual special marketing and promotional hybrid brochure which offers educational resources, selling tools, new product introductions and of course savings on a great many items that are on sale for a limited time period.

As we ease into 2023, SATCO|NUVO is ready to service a broad scope of your lighting project needs. From residential lamp replacement to high-rise office and multi-family dwellings; we have the products and inventory to provide a single source solution.

Take note of our expanded STARFISH "SMART" lighting products. We continue to expand this category. Recent introductions include, "SMART" Video Floodlight/Camera, String Lights and CounterQUICK™ Under Cabinet RGBTW lighting system.

New commercial luminaires and retrofit lamps, new decorative lighting from NUVO, and so much more are featured in this timely introduction. Enjoy!



## STARFISH<sup>™</sup> SMART USES

## Creative Uses For STARFISH™

STARFISH<sup>™</sup> LED Smart Lighting is a convenient way to connect and create a vibe! STARFISH LED brings a stylish, affordable, lighting solution to illuminate your space. The capabilities of SATCO's Smart bulbs when used with the STARFISH app will create an entirely immersive experience.



Add some atmosphere with dynamic RGB lights! Self-adhering tape lights are flexible and fun, use the smart dimming and tunable white features for a soft



PLAN A ROMANTIC EVENING UNDER THE STARS! elegant glow or to wash the room in colors for a techni-color vibe! STARFISH tape lights fit great along the edge of your TV. Sync the lights with the sounds of your TV to give your room an entire theater vibe.







STARFISH Smart bulbs have also been used in wedding venues for colorful dance floor lighting, DJ booth lighting, and up-lighting! There are so many interesting ways to arrange STARFISH Smart lights.


•••••• Light The Way Home

SCAN TO LEARN MORE ABOUT STARFISH SMART LIGHTING!

. 10

000

STARFISH



## STARFISH<sup>™</sup>

The SMART home lighting and control system created to enrich your quality of life through convenience and connection.

## live life enlightened<sup>™</sup>



COLOR CHANGEABLE TUNABLE WHITE, 80 OR 90 CRI, 2700K-5000K DIMMABLE WITH STARFISH APP SCALABLE WI-FI ENABLED NO HUB REQUIRED



#### WI-FI LED RGB & TUNABLE WHITE BULBS

LED Color Changing and Tunable White bulbs replace standard medium base lamps with smart technology adding dynamic color changes and toning whites from warm-to-cool light.




**RGB** Color Tunable White, 80 or 90 CRI Ranging from 2200-5000K Damp or wet location Dimmable, with Starfish app S11252, S11253, S11287 S11250 S11274 S11251 S11254, S11275 S11258, S11277 S11283 S11271, S11278 S11255, S11256, S11257, S11276 :(Ui S11284 US MOL LUMENS WATTS BASE VOLTS ITEM TYPE ССТ MOD CRI HRS ΡK STANDARD A19 & A21 COLOR CHANGEABLE & TUNABLE WHITE S11252 A19 RGB/TW 2.36" (60) 4.57" (116) 9.5W 800 80 E26 120 25K 24 S11253 RGB/TW A19 2.36" (60) 4.57" (116) 9.5W 80 E26 120 25K 24 800 S11254\* RGB/TW A19 2.36" (60) 4.57" (116) 10W 800 90 E26 120 15K 24 S11275\* A19 RGB/TW 2.36" (60) 4.57" (116) 10W 800 90 E26 120 15K 24 S11287\* A21 RGB/TW 2.4" (61) 5.35" (135.9) 13W 1100 90 E26 120 15K 48 **LED Filament Tunable White** S11250\*\* A19 ТW 2.36" (59.94) 4.33" (110) 5W 450 80 E26 120 15K 24 S11274\*\* 2.36" (59.94)) A19 ТW 4.33" (110) 7.5W 800 90 E26 120 15K 24 S11251\*\* G25 4.5W ΤW 3.15" (80.01) 4.45" (113.03) 450 80 E26 120 15K 24 DIRECTIONAL REFLECTORS COLOR CHANGEABLE & TUNABLE WHITE S11283 R20 RGB/TW 2.48" (63) 3.69" (93.7) 6W 480 90 E26 120 25K 24 S11255 BR30 RGB/TW 3.70" (94) 5.12" (130) 9.5W 800 80 E26 120 25K 12 S11256 BR30 RGB/TW 3.70" (94) 5.12" (130) 9.5W 80 E26 800 120 25K 12 S11257\* BR30 RGB/TW 3.70" (94) 5.12" (130) 9.5W 760 90 E26 120 25K 12 S11276\* BR30 RGB/TW 3.70" (94) 5.12" (130) 9.5W 760 90 E26 120 25K 12 S11284\* BR40 RGB/TW 4.72" (127) 6.42" (163.1) 12W 960 90 E26 120 25K 12 S11258 PAR38 RGB/TW 4.72" (127) 5.00" (127) 15W 1200 80 E26 120 25K 12 S11277\* PAR38 RGB/TW 4.72" (127) 5.00" (127) 15W 1200 90 E26 120 25K 12 S11271 1.97" (50) MR16 RGB/TW 80 48 2.2" (56) 5.5W 400 GU10 120 25K S11278 1.97" (50) MR16 RGB/TW 2.2" (56) 5 5W 385 90 GU10 120 25K 48





## WI-FI LED COLOR CHANGING AND TUNABLE WHITE DOWNLIGHTS



S11260**^†	RETROFIT	7.36" (187)	2.85"(73.5)	10W	800	90	E26 ADAPTER	120	25K	6
RGB COLOR	RGB COLOR/TUNABLE WHITE									
S11285**^†	RETROFIT	5.12" (130.05)	2.8" (71.12)	8.7W	700	90	E26 ADAPTER	120	25K	12
S11286**^†	RETROFIT	7.36" (187)	2.85"(73.5)	10W	800	90	E26 ADAPTER	120	25K	12

### WI-FI LED COLOR CHANGING AND TUNABLE WHITE DOWNLIGHTS











## live life enlightened™

## STARFISH<sup>™</sup> WI-FI SMART SWITCHES & OUTLETS



Enable smart on-off or dimming control throughout a circuit utilizing STARFISH<sup>™</sup> Wall and Dimmer Switches and Outlets.



Enable smart on-off of small appliances with STARFISH<sup>™</sup> plug-in outlets.



The rectangular Wi-Fi DIMMER outlet allows for on-off and dimming operation of lighting to a maximum of 300W of incandescent or 150W LED loads.



Dry location

Dimmable, with app

Plug-in

The rectangular Wi-Fi DIMMER outlet allows for on-off and dimming operation of lighting to a maximum of 300W of incandescent or 150W LED loads.



Dry location


Dimmable, with app

Plug-in





Dimmer switch





WiFi Smart Dimmer outlet

#### STARFISH™ WI-FI SMART SWITCHES & OUTLETS



ТҮРЕ	WIDTH	DEPTH	HEIGHT	AMPS	INC.	LED	VOLTAGE	PACK
ON-OFF SWITCH	2.76"(70)	1.71"(43.43)	4.53" (115)	6A	720W	720W	120V	12
DIMMER	2.76"(70)	1.71"(43.43)	4.53" (115)	N/A	450W	150W	120V	12
ON-OFF OUTLET	2.87"(72.89)	1.69"(42.92)	1.97" (50.03)	15A	1800W	1800W	120V	12
MINI SQUARE PLUG-IN OUTLET	1.99"(50.54)	1.99"(50.54)	1.99" (50.54)	10A	1200W	1200W	120V	12
ON-OFF DIMMER OUTLET	2.87"(72.89)	1.69"(42.92)	1.97" (50.03)	N/A	300W	150W	120V	12
	ON-OFF SWITCH DIMMER ON-OFF OUTLET MINI SQUARE PLUG-IN OUTLET	ON-OFF SWITCH         2.76"(70)           DIMMER         2.76"(70)           ON-OFF OUTLET         2.87"(72.89)           MINI SQUARE PLUG-IN OUTLET         1.99"(50.54)	ON-OFF SWITCH         2.76"(70)         1.71"(43.43)           DIMMER         2.76"(70)         1.71"(43.43)           ON-OFF OUTLET         2.87"(72.89)         1.69"(42.92)           MINI SQUARE PLUG-IN OUTLET         1.99"(50.54)         1.99"(50.54)	ON-OFF SWITCH         2.76"(70)         1.71"(43.43)         4.53" (115)           DIMMER         2.76"(70)         1.71"(43.43)         4.53" (115)           ON-OFF OUTLET         2.87"(72.89)         1.69"(42.92)         1.97" (50.03)           MINI SQUARE PLUG-IN OUTLET         1.99"(50.54)         1.99"(50.54)         1.99" (50.54)	ON-OFF SWITCH         2.76"(70)         1.71"(43.43)         4.53" (115)         6A           DIMMER         2.76"(70)         1.71"(43.43)         4.53" (115)         N/A           ON-OFF OUTLET         2.87"(72.89)         1.69"(42.92)         1.97" (50.03)         15A           MINI SQUARE PLUG-IN OUTLET         1.99"(50.54)         1.99" (50.54)         1.99" (50.54)         1.99"	ON-OFF SWITCH         2.76"(70)         1.71"(43.43)         4.53" (115)         6A         720W           DIMMER         2.76"(70)         1.71"(43.43)         4.53" (115)         N/A         450W           ON-OFF OUTLET         2.87"(72.89)         1.69"(42.92)         1.97" (50.03)         15A         1800W           MINI SQUARE PLUG-IN OUTLET         1.99"(50.54)         1.99"(50.54)         1.99" (50.54)         1.99" (50.54)         10A         1200W	ON-OFF SWITCH         2.76"(70)         1.71"(43.43)         4.53" (115)         6A         720W         720W           DIMMER         2.76"(70)         1.71"(43.43)         4.53" (115)         N/A         450W         150W           ON-OFF OUTLET         2.87"(72.89)         1.69"(42.92)         1.97" (50.03)         15A         1800W         1800W           MINI SQUARE PLUG-IN OUTLET         1.99"(50.54)         1.99" (50.54)         1.99" (50.54)         10A         1200W	ON-OFF SWITCH         2.76"(70)         1.71"(43.43)         4.53" (115)         6A         720W         720W         120V           DIMMER         2.76"(70)         1.71"(43.43)         4.53" (115)         N/A         450W         150W         120V           ON-OFF OUTLET         2.87"(72.89)         1.69"(42.92)         1.97" (50.03)         15A         1800W         1800W         120V           MINI SQUARE PLUG-IN OUTLET         1.99"(50.54)         1.99" (50.54)         1.99" (50.54)         10A         1200W         120V





STARFISH<sup>™</sup> live life enlightened

### STARFISH SMART LED INDOOR/OUTDOOR STRING LIGHTS

WI-FI ENABLED, MULTI-FUNCTION SYSTEM WITH INFINITE COLOR OPTIONS MOBILE APP OR VOICE CONTROL DIMMABLE WITH APP.\*\* 12-15 SMART LED BULBS INCLUDED CONNECT UP TO 144 FT., 3 SETS MAX. FOR RESIDENTIAL AND COMMERCIAL USE HEAVY DUTY 18 GAUGE WIRE EASY INSTALLATION AND SETUP 3 YEAR WARRANTY



STARFIS	STARFISH INDOOR/OUTDOOR STRING LIGHTS				● ★ 15,0 WET INDOOR OUTDOOR HOL	000 JRS Vea Warra	r nty c		-C	ROHS
ITEM	CCT TECH	ТҮРЕ	LENGTH	WIDTH	HEIGHT	WATTS	CRI	VOLTS	HRS	PACK
S11288		STRING LIGHTS	24' (7315.2mm)	1.77" (45mm)	7.48" (190mm)	10W	80	120	15K	4
S11289	RGB/TW	REPLACEMENT BULB (S11288 ONLY)	-	1.77" (45mm)	3.46" (87.9mm)	1W	80		15K	12
S11290	RGB/TW	STRING LIGHTS	24' (7315.2mm)	1.77" (45mm)	7.48" (190mm)	12W	-	120	15K	4
S11291	RGB/TW	STRING LIGHTS	48' (14630.4mm)	1.77" (45mm)	7.48" (190mm)	15W	-	120	15K	4
S11292	TW	STRING LIGHTS	24' (7315.2)mm	1.77" (45mm)	7.48" (190mm)	12W	=	120	15K	4
Accessor	ies									

**80-2812** 6FT. EXTENSION FOR S11288, 10W





## WI-FI LED COLOR CHANGING & TUNABLE WHITE TAPE LIGHT

Color changing and tunable white indoor and outdoor tape lights are dimmable with thousands of colors and warm-to-cool white settings, damp location certified and offer an ever-changing array of versatility.







ITEM	ТҮРЕ	DIMENSIONS LENGTH (MM)	WATTS	CRI	VOLTS	HRS	PACK
S11263	INDOOR TAPE	6' (2000mm)	20W	80	120	25K	4
S11264	INDOOR TAPE EXT.*	3' (1000mm)	8W	80	120	25K	48
S11265	OUTDOOR TAPE	16' (5000mm)	28W	80	120	25K	4

\*Up to 8 extensions can be used with S11263 6' indoor tape



## SECURITY WITHOUT A SUBSCRIPTION

NO MONTHLY SUBSCRIPTION **REAL-TIME MOTION EVENTS VIDEO HISTORY & NIGHT VISION REMOTE ACCESS** ADJUSTABLE LED FLOODLIGHTS 270° MOTION DETECTION 20W - 1900 LUMENS - 3000K **IP65 WEATHERPROOF DESIGN** 50,000 HOURS **5 YEAR WARRANTY** 

SATCO's Security Floodlight Camera offers the latest technology in home security and surveillance without the monthly subscription fees associated with competing products.

When motion is detected, the 1080p HD camera records events and stores them directly to the devices included 32GB microSD card. Live and recorded events can instantly be viewed on any mobile device using the STARFISH<sup>™</sup> app, anywhere, any time.







#### NO MONTHLY SUBSCRIPTION ·

Access video content on included 32G microSD Card (expandable to 128G)



**REAL-TIME** MOTION EVENTS Get real-time notifications when motion is detected around your home



VIDEO HISTORY -

STARFISH<sup>™</sup> is a leading technology that combines smart home security and lighting controls into one complete solution. With a growing line of

Check your motion recording history to see activity while you're away




Mobile App

#### security and lighting products, SATCO's STARFISH products are the premier choice in building your smart home—all controlled by a single app. Visit Website



A WHOLE HOME SMART SOLUTION

For an in-depth exploration of STARFISH<sup>™</sup> features including the latest products, visit SATCOSTARFISH.COM



		DIMMABLE 20 3	<b>3000</b> 1900 50,000 <b>K</b> LUMENS HOURS	JA8 Residential and T24 Compliant Compliant
ITEM	DESCRIPTION	WATTS	v	DIMENSIONS
65-900	SECURITY LIGHT W/ CAMERA - WHITE	20W	120-240V	W 7.6 x H 10.04
65-901	SECURITY LIGHT W/ CAMERA - BLACK	20W	120-240V	W 7.6 x H 10.04
65-902	SECURITY LIGHT W/ CAMERA - BRONZE	20W	120-240V	W 7.6 x H 10.04

C





ARF

ŏ

00000

°°°000

## LED SMART RGBTW

LINKABLE UNDER CABINET FIXTURES

RGB COLOR-CHANGING & WARM-TO-COOL TUNABLE WHITE DIMMABLE VIA APP WI-FI ENABLED NO HUB REQUIRED EASY INSTALLATION HARDWIRE OR PLUG-IN CONCEALED DIRECT MOUNT HARDWARE KEYHOLE MOUNTING OPTION





SATO AUNO CARELON REALTING

DOWNLOAD THE STARFISH APP



#### AVAILABLE IN 11", 14", 22", 28", AND 34" LENGTHS





ITEM	DESCRIPTION	WATTS	LUMENS	VOLTAGE	DIMENSIONS L x W x H	
63-551	11" LED RGB SMART	6.5	450	120	11" x 3.5" x 1"	up to 72
63-552	14" LED RGB SMART	9	650	120	14" x 3.5" x 1"	up to 48
63-553	22" LED RGB SMART	13	920	120	22" × 3.5" × 1"	up to 36
63-554	28" LED RGB SMART	17	1350	120	28" x 3.5" x 1"	up to 22
63-555	34" LED RGB SMART	20	1500	120	34" x 3.5" x 1"	up to 18





## LED CCT **SELECTABLE**

LINKABLE UNDER CABINET FIXTURES


CCT SELECTABLE 3000K/4000K/5000K

EASY INSTALLATION

HARDWIRE OR PLUG-IN

CONCEALED DIRECT MOUNT HARDWARE

#### **KEYHOLE MOUNTING OPTION**



AVAILABLE IN 8", 11", 14", 22", 28", AND 34" LENGTHS



1.0 (100000)

5000K

ITEM	DESCRIPTION	WATTS	LUMENS	VOLTAGE	DIMENSIONS L x W x H	
63-500	8" LED CCT SELECT	5	325-366	120	8" x 3.5" x 1"	up to 96
63-501	11" LED CCT SELECT	6.5	408-456	120	11" x 3.5" x :1"	up to 72
63-502	14" LED CCT SELECT	9	577-647	120	14" x 3.5" x 1"	up to 48
63-503	22" LED CCT SELECT	13	859-956	120	22" x 3.5" x 1"	up to 36
63-504	28" LED CCT SELECT	17	1216-1366	120	28" x 3.5" x 1"	up to 22
63-505	34" LED CCT SELECT	20	1500	120	34" x 3.5" x 1"	up to 18

Packing: 12/Master



#### COUNTERQUICK STARFISH RGBTW AND CCT SELECTABLE ACCESSORIES

ITEM	DESCRIPTION	DIMENSIONS	MASTER	PACKAGE
63-510	POWER CORD	60" LENGTH	96	POLYBAG
63-511*	END-TO-END CONNECTOR (INCLUDED)	1" LENGTH	96	POLYBAG
63-512	3/8" WIRE CONNECTOR (ATTACHED TO JUNCTION BOX)	1.5" X 0.67" X 0.35"	96	POLYBAG
63-513	JUNCTION BOX - PLASTIC	4" X 2" X 1"	48	BOX
63-514	JUNCTION BOX - METAL	4" X 2" 1"	48	BOX
63-515	LINK CABLE 6"	6" LENGTH	96	POLYBAG
63-516	LINK CABLE 12"	12" LENGTH	96	POLYBAG
63-517	LINK CABLE 24"	24" LENGTH	96	POLYBAG
63-518	CABLE LINK CONNECTOR	3" LENGTH	96	POLYBAG

\*Included End-to-End Connector can be reordered if needed

## FUNCTIONAL

#### **Commercial Lighting Solutions**

SATCO offers an end-to-end lighting solution for today's commercial and industrial spaces with products that include superior LED fixtures and high efficiency lamps built to effectively and efficiently illuminate with both quality and maintenance satisfaction.

SATCO is here to help! We can provide assistance with lighting layouts and offer tools such as our ROI utility rebates calculator to help economize projects. All commercial/functional fixtures are either DLC or ENERGY STAR certified.

Advanced features in our functional luminaries may include:

- Flicker Free drivers to reduce eye strain/fatigue
- **CCT & Wattage Selectable features**
- Integrated & Add On EM, PIR and MW Sensors
- Optional add-ons that meet NFPA Life Safety Codes
- Hi lumen and connectable options
- Adjustable features for fast and easy installation
- Multiple accessories for post install adjustment
- Broad wattage ranges, from 15W to 300W
- Multiple mounting options
- Accent, general, landscape lighting and more!

From indoors to out, offices to warehouses, malls to municipal buildings, auditoriums to arenas, SATCO|NUVO'S offering accommodates the space, budget and operating necessity.

Satco has your solutions.




## **LED AREA LIGHTS**

120-277V, 120-347V AND 277-480V OPTIONS BRONZE POWDER COATED FINISH FOR ALL WEATHER DURABILITY 3" SLIP-FITTER MOUNT INCLUDED TYPE III LIGHT DISTRIBUTION 0-10V DIMMING BUILT-IN 4KV SURGE PROTECTION OPERATING TEMPERATURE: -40°C TO 45°C (-40°F TO 113°F) IP65 RATED MULTIPLE MOUNTING OPTIONS AND ADD-ON SENSORS AVAILABLE


> LONG LIFE-50,000 HOURS 5 YEAR WARRANTY





Cutoff Shield

ITEM	DESCRIPTION	FEATURE	РК
65-870	UNIVERSAL MOUNT	DIRECT & SLIP-FITTER MNT BRZ	8
65-871	DIRECT MOUNT	SQUARE/ROUND POLE MOUNT BRZ	8
65-872	TRUNNION MOUNT	BRONZE FINISH	8
65-873	YOKE MOUNT	100W/150W/200W BRONZE	8
65-874	YOKE MOUNT	240W/300W BRONZE	8
65-875	EXT SLIP-FITTER	WITH SENSOR KNOCKOUTS BRONZE	8
65-876	FIXED ARM MOUNT	WITH SENSOR KNOCKOUTS BRONZE	8
65-877	CUTOFF SHIELD	BRONZE FINISH	8
65-878	CUTOFF SHIELD	BRONZE-ONLY FOR 200W FIXTURE	8
86-221	PHOTOCELL/SOCKET	100-277V FOR 100W/200W	50
86-222	PHOTOCELL/SOCKET	100-277V FOR 240W/300W	50
86-223	PHOTOCELL/SOCKET	277-480V	50
86-224	SURGE SUPPRESSOR	10KV-100-277V	50
86-225	SURGE SUPPRESSOR	10KV-277-480V	50
86-226	12-24V PIR SENSOR	277-480V	50
86-227	PIR SENSOR	100-277V	50
86-228	MICROWAVE SENSOR	100-277V	50



240W and 300W

# CULUE US FCC CHARACTER SOLUCION

LED AREA LIGHTS

ITEM	DESCRIPTION	w	v	сст	LM	РК
65-840	100W LED AREA LIGHT TYPE III	100	100-277	4000K	13793	1
65-841	100W LED AREA LIGHT TYPE III	100	100-277	5000K	13793	1
65-842	150W LED AREA LIGHT TYPE III	150	100-277	4000K	19507	1
65-843	150W LED AREA LIGHT TYPE III	150	100-277	5000K	19736	1
65-844	200W LED AREA LIGHT TYPE III	200	100-277	4000K	26051	1
65-845	200W LED AREA LIGHT TYPE III	200	100-277	5000K	26536	1
65-846	240W LED AREA LIGHT TYPE III	240	100-277	4000K	31481	1
65-847	240W LED AREA LIGHT TYPE III	240	100-277	5000K	32585	1
65-848	300W LED AREA LIGHT TYPE III	300	100-277	4000K	39815	1
65-849	300W LED AREA LIGHT TYPE III	300	100-277	5000K	38988	1
65-850	100W LED AREA LIGHT TYPE III	100	100-347	4000K	13793	1
65-851	100W LED AREA LIGHT TYPE III	100	100-347	5000K	13793	1
65-852	150W LED AREA LIGHT TYPE III	150	100-347	4000K	19507	1
65-853	150W LED AREA LIGHT TYPE III	150	100-347	5000K	19736	1
65-854	200W LED AREA LIGHT TYPE III	200	100-347	4000K	26051	1
65-855	200W LED AREA LIGHT TYPE III	200	100-347	5000K	26536	1
65-856	240W LED AREA LIGHT TYPE III	240	100-347	4000K	31481	1
65-857	240W LED AREA LIGHT TYPE III	240	100-347	5000K	32585	1
65-858	300W LED AREA LIGHT TYPE III	300	100-347	4000K	39815	1
65-859	300W LED AREA LIGHT TYPE III	300	100-347	5000K	38988	1
65-860	100W LED AREA LIGHT TYPE III	100	277-480	4000K	13793	1
65-861	100W LED AREA LIGHT TYPE III	100	277-480	5000K	13793	1
65-862	150W LED AREA LIGHT TYPE III	150	277-480	4000K	19507	1
65-863	150W LED AREA LIGHT TYPE III	150	277-480	5000K	19736	1
65-864	200W LED AREA LIGHT TYPE III	200	277-480	4000K	26051	1
65-865	200W LED AREA LIGHT TYPE III	200	277-480	5000K	26536	1
65-866	240W LED AREA LIGHT TYPE III	240	277-480	4000K	31481	1
65-867	240W LED AREA LIGHT TYPE III	240	277-480	5000K	32585	1
65-868	300W LED AREA LIGHT TYPE III	300	277-480	4000K	39815	1
65-869	300W LED AREA LIGHT TYPE III	300	277-480	5000K	38988	1
					-	



## LED TEMPERED **GLASS FLOODS**

WATTAGE SELECTABLE 3000K/4000K/5000K **SELECTABLE** 120-347V **TEMPERED GLASS LENS IP65-RUGGED & DURABLE** 0-10V DIMMABLE 150 BEAM AMGLE° **50,000 HOUR LIFE** 



**Trunnion Mount** 

Yoke Mount

Slipfit

, 0-10V

ter	Mount	

Q



REFERENCE

REFERENCE FREE FREERERERE



Selectable Color Technology

3000K

US

Switch to/from the following CCT

4000K 5000K

80 CRI 50,000 Hours RoHS WATTAGE SELECTABLE ITEM DESCRIPTION VOLTAGE CCT SELECTABLE LM LED WATT/CCT SELECTABLE FLOOD 65-541 120-347V 3000/4000/5000K 1800~4900 15W/25W/35W 65-542 LED WATT/CCT SELECTABLE FLOOD 45W/60W/80W 120-347V 3000/4000/5000K 5400~11120 65-543 LED WATT/CCT SELECTABLE FLOOD 100W/125W/150W 120-347V 3000/4000/5000K 12000~21000 ACCESSORIES 65-544 TRUNNION MOUNT ACCESSORY TRUNNION MOUNT ACCESSORY 65-545 65-546 YOKE MNT SM TEMPERED GL FLOOD YOKE MNT MD TEMPERED GL FLOODS 65-547 YOKE MNT MD TEMPERED GL FLOODS 65-548 SLIP-FITTER TEMPERED GL FLOODS 65-549



## CCT & WATTAGE WALL PACKS SELECTABLE

POWER QUICK<sup>™</sup> TECHNOLOGY 3 SELECTABLE WATTAGES COLOR QUICK<sup>™</sup> TECHNOLOGY 3 SELECTABLE CCTS IP65 RUGGED,

ALL WEATHER DURABILITY INTEGRATED EMERGENCY BATTERY BACKUP VERSIONS

#### INTEGRATED BY-PASSABLE PHOTOCELL

**DLC PREMIUM** 

50,000 HOURS LONG LIFE

3000K	4000K 5000K			50,000 HOURS CRI	ROHS COMPLANT	
ITEM	DESCRIPTION	w	v	сст	LM	РК
LED WAL	L PACK CCT & WATTAGE ADJUSTABLE					
65-754	LED WALL PACK CCT & WATT ADJ WITH INTEGRATED EM	29W/40W/60W	120-277	3000/4000/5000K	4060~8640	1
65-755	LED WALL PACK CCT & WATT ADJ	29W/40W/60W	120-277	3000/4000/5000K	4060~8640	1
65-756	LED WALL PACK CCT & WATT ADJ	80W/100W/120W	120-277	3000/4000/5000K	11200~17280	1
65-757	LED WALL PACK CCT & WATT ADJ	29W/40W/60W	120-347	3000/4000/5000K	4118~8700	1
65-758	LED WALL PACK CCT & WATT ADJ	80W/100W/120W	120-347	3000/4000/5000K	11360~17400	1
LED SEM	1I-CUTOFF WALL PACK CCT & WATTAGE ADJU	STABLE				
65-760	LED SEMI-CUTOFF WALL PACK CCT&WATT	29W/40W/60W	120-277	3000/4000/5000K	3915~8400	1
65-761	LED SEMI-CUTOFF WALL PACK CCT&WATT	80W/100W/120W	120-277	3000/4000/5000K	10800~15600	1
65-762	LED SEMI-CUTOFF WALL PACK CCT&WATT ADJ WITH INTEGRATED EM	29W/40W/60W	120-277	3000/4000/5000K	3915~8400	1

Semi-Cutoff Full Footprint

Color Quick


Selectable Color Technology
Switch to/from the following CCT

Power Quick



## LED CCT SELECTABLE SMALL RECTANGULAR WALL PACKS

3000K/4000K/5000K SELECTABLE INTEGRATED PHOTOCELL (BY-PASSABLE) COMPACT DESIGN WITH MULTIPLE 1/2" NPT KNOCKOUTS BLACK, BRONZE OR WHITE FINISHES 0-10V DIMMABLE WET LOCATION, IP65



		20 WATTS 277V		50,000 80 HOURS CRI	100- 150W Equivalent	FC ROHS	CUL) US USE
ITEM	DESCRIPTION		FINISH	CCT SELEC	TABLE	LM	PACK
65-747	LED SMALL 20W WALL PACK		BLACK	3000/4000	/5000K	2608~2920	10
65-748	LED SMALL 20W WALL PACK		BRONZE	3000/4000	/5000K	2608~2920	10
65-749	LED SMALL 20W WALL PACK		WHITE	3000/4000	/5000K	2608~2920	10



## LED T8 LAMP READY FIXTURES

LED READY USE WITH LED TYPE B LINEAR LAMPS 2, 3, & 4 FOOT LENGTHS RUGGED ALL STEEL BODY WHITE FINISH DAMP LOCATION RATED



Add-on reflector

Suspension Kit



Cambered Protective Cage



ITEM	DESCRIPTION	VOLTAGE	FINISH	РК
65-910	2' DOUBLE LAMP READY	120-277V	White	9
65-911	3' DOUBLE LAMP READY	20-277V	White	9
65-912	4' DOUBLE LAMP READY	20-277V	White	6
ACCESSO	RIES			
65-913	2' ADD-ON REFLECTOR		White	20
65-914	3' ADD-ON REFLECTOR		White	20
65-915	4' ADD-ON REFLECTOR		White	20
65-916	2' CAMBERED PROTECTIVE CAGE		Steel	50
65-917	3' CAMBERED PROTECTIVE CAGE		Steel	50
65-918	4' CAMBERED PROTECTIVE CAGE		Steel	50
65-919	3' CAMBERED PROTECTIVE CAGE			100

### NEW STATE-OF-THE-ART SOUTHEAST DISTRIBUTION CENTER

SATCO is excited to announce the newly opened state-of-the-art 100,000 sq. ft. distribution center in Miami Gardens, FL earlier this month.

The new location more than doubles the inventory capacity from their original Miami location, which has serviced the Southeast market since 1976. Bill Gildin, President of SATCO notes, "We have enjoyed continuous growth in the Southeast and Caribbean territory for more than four decades from our prior location, and we thank our loyal customers for their support. Our new facility will deliver a new level of service and product availability to this market. Satco's commitment to product innovation and customer support will be further enhanced by the capabilities of our new Miami Gardens, Florida distribution center".

The new distribution center also encompasses a substantial increase in office space for our local sales and support team as well as a conference center and showroom for future customer training and events. Local distributors will appreciate the facilities central proximity as the location boasts easy access to all major roadways. Alan Karen, SVP Global Sales states, "We thank our loyal and dedicated staff for all they have accomplished in making this move a reality. This is just one more step which shows SATCO's dedication to enhancing our business and delivering on our promise of being the single resource for all lighting needs".

## SATCO|NUVO's distribution center is located at: 1694 NW 215th Street, Miami Gardens, FL 33056

NEW OFFICE SPACE AND TRAINING CENTER



## **SATCO** NUVO



OADING DOCKS



100,000 SQ. FT. WAREHOUSI



## LED SQUARE, LOW PROFILE CANOPY FIXTURES

28W, 40W, 60W AND 70W OPTIONS 4000K & 5000K OPTIONS 8.5" & 10" SIZES CEILING OR PENDANT MOUNTING IP65 OPTIONAL MICROWAVE

SENSOR, PHOTOCELL & ADD-ON EM AVAILABLE

Add on Emergency Backup Battery for LED Square Canopy Light



	20 WATTS 277V CONTRACT 50,000 HOURS	80 100- 150W CRI EQUIVALENT	FC		
ITEM	DESCRIPTION	w	сст	LM	PACK
65-138	8.5" SQUARE CANOPY - BRONZE	28	4000K	3360	6
65-139	8.5" SQUARE CANOPY - BRONZE	28	5000K	3360	6
65-140	8.5" SQUARE CANOPY - BRONZE	40	4000K	4800	6
65-141	8.5" SQUARE CANOPY - BRONZE	40	5000K	4800	6
65-142	10" SQUARE CANOPY - BRONZE	28	4000K	3360	4
65-143	10" SQUARE CANOPY - BRONZE	28	5000K	3360	4
65-144	10" SQUARE CANOPY - BRONZE	40	4000K	4800	4
65-145	10" SQUARE CANOPY - BRONZE	40	5000K	4800	4
65-146	10" SQUARE CANOPY - BRONZE	60	4000K	7200	4
65-147	10" SQUARE CANOPY - BRONZE	60	5000K	7200	4
65-148	10" SQUARE CANOPY - BRONZE	70	4000K	8400	4
65-149	10" SQUARE CANOPY - BRONZE	70	5000K	8400	4
ACCESS	ORIES				
65-150	ADD-ON EMERGENCY BATTERY BACKUP				10
86-203	ADD-ON MICROWAVE SENSOR				100
86-204	ADD-ON PHOTOCELL				100

28



### COLOR SELECTABLE ROUND CANOPY FIXTURES

CCT SELECTABLE 3000K/4000K/5000K DLC PREMIUM CERTIFIED 5 WATTAGE OPTIONS 1-10V DIMMING 150° BEAM ANGLE IP65 CEILING OR PENDANT MOUNTING OPTIONAL MICROWAVE SENSOR,

& ADD-ON EM AVAILABLE

		WATT	c 277V	ColorQuick 0-10V HOURS CRI 150W EQUIVALENT		LISTED	U/JITEN
ITEM	DESCRIPTION	w	FINISH	сст	LM	LIFE/ HRS	РК
65-623	25W LED CANOPY LIGHT	25	White	3000/4000/5000K	2800~3322	50K	4
65-624	25W LED CANOPY LIGHT	25	Bronze	3000/4000/5000K	2800~3322	50K	4
65-625	40W LED CANOPY LIGHT	40	White	3000/4000/5000K	4425~5293	50K	4
65-626	40W LED CANOPY LIGHT	40	Bronze	3000/4000/5000K	4425~5293	50K	4
65-627	55W LED CANOPY LIGHT	55	White	3000/4000/5000K	6297~7546	50K	4
65-628	55W LED CANOPY LIGHT	55	Bronze	3000/4000/5000K	6297~7546	50K	4
65-629	75W LED CANOPY LIGHT	75	White	3000/4000/5000K	8876~10485	50K	2
65-630	75W LED CANOPY LIGHT	75	Bronze	3000/4000/5000K	8876~10485	50K	2
65-631	100W LED CANOPY LIGHT	100	White	3000/4000/5000K	11946~13999	50K	2
65-632	100W LED CANOPY LIGHT	100	Bronze	3000/4000/5000K	11946~13999	50K	2
ACCESS	ORIES						
65-622	ADD-ON EMERGENCY BATT	ERY BACK	(UP				5
86-213	ADD-ON MICROWAVE SENS	OR	White				50

Color Quick

Selectable Color Technology

Switch to/from the following CCT

4000K

5000K

Add on Emergency

Round Canopy Light

Backup Battery for LED

3000K



### ADJUSTABLE GOOSENECK FIXTURES



Switch to/from the following CCT 3000K 4000K 5000K



65-660 White includes 16" mounting arm





Black includes 16" mounting arm



Bronze includes 16" mounting arm

CCT SELECTABLE 3000K/4000K/5000K

> 30W/40W/50W SELECTABLE

INTEGRATED PHOTOCELL WITH ON/OFF SWITCH

0-10V DIMMING

**2KV SURGE PROTECTION** 

DIE CAST ALUMINUM WITH UV POWDER COATED FINISH

> IP65 RATED 50,000 HOURS

ColorQuick	0-10V DIMMING	120- 277V	80 CRI	WET LOCATION	50,000 Hours	5 Year Warranty	FC	ROHS	Ð	
------------	------------------	--------------	-----------	-----------------	-----------------	-----------------------	----	------	---	--

ITEM	DESCRIPTION	WATTAGE SELECTABLE	CCT SELECTABLE	LM	PACK
65-660	LED GOOSENECK WHITE FINISH	30W/40W/50W	3000/4000/5000K	3300 ~ 5500	1
65-661	LED GOOSENECK BLACK FINISH	30W/40W/50W	3000/4000/5000K	3300 ~ 5500	1
65-662	LED GOOSENECK BRONZE FINISH	30W/40W/50W	3000/4000/5000K	3300 ~ 5500	1
65-657	24" ACCESSORY ARM WHITE FINISH				15
65-658	24" ACCESSORY ARM BLACK FINISH				15
65-659	24" ACCESSORY ARM BRONZE FINISH				15



(7

### LED ADJUSTABLE VAPOR TIGHT FIXTURES

90° ADJUSTABLE ARM RED/GREEN/BLUE SELECTABLE VERSION 3000K/4000K/5000K

SELECTABLE VERSION


WALL OR CEILING MOUNT DURABLE DIE-CAST ALUMINUM BODY AND PROTECTIVE CAGE GRAY FINISH/FROSTED GLASS IP65 ENERGY STAR

I BEFRE

.

2

FIEL



#### FIXTURE ADJUSTS A FULL 90° IN MULTIPLE INCREMENTS.



	сст
	3K 4K 5K
-	5K
80	RGB
P	R

Select the CCT setting (Model 65-550) or the RGB setting (Model 65-551).

Red/Green/Blue selectable Red: 500 Lumens Green: 1000 Lumens Blue: 200 Lumens

20 WATTS	CCT SELECTABLE	WET LOCATION	120- 277V	2KV SURGE PROTECTION	80 CRI
50,000 Hours	5 Year Warranty	Energy STAR	FC	ROHS	COLOR

G B

ITEM	DESCRIPTION	w	CCT/RGB	LM	РК
65-550*†	GRAY/20W-3K/4K/5K SELECTABLE	20	3000/4000/ 5000K	1700-2000	6
65-551	GRAY/20W-RGB SELECTABLE	20	Red/Green/Blue	Red: 500lms/Green: 1000lms/ Blue: 200lms	6




BACKLIT FLAT PANEL CCT & WATTAGE SELECTABLE

BACKLIT LED TECHNOLOGY 0-10V DIMMING 80 CRI 100-277V/100-347V INTEGRATED EM OPTIONS DLC CERTIFIED DAMP LOCATION 50,000 HOURS Available in Sizes: 2'x2', 1'x4' & 2'x4'











Optional junction box for excess wire, available separately.





Selectable CCT 3500K, 4000K, 5000K





ITEM	DESCRIPTION	WATTS	VOLTAGE	CRI	CCT SELECTABLE	LM	LIFE/ HRS.	PACK
LED BACK	- -LIT FLAT PANEL WITH CO	LORQUICK TECH	NOLOGY					
65-571R1	2'x2' LED BACKLIT	20/30/40W	100-277V	>80	3500/4000/5000K	2200L-4600	50K	1
65-572R1	2'x4' LED BACKLIT	30/40/50W	100-277V	>80	3500/4000/5000K	3300L-5750	50K	1
65-573R1	1'x4' LED BACKLIT	20/30/40W	100-277V	>80	3500/4000/5000K	2200L-4600	50K	1
65-575R1	2'x2' LED EM BACKLIT	20/30/40W	100-347V	>80	3500/4000/5000K	2200L-4600	50K	1
65-576R1	2'x4' LED EM BACKLIT	30/40/50W	100-347V	>80	3500/4000/5000K	3300L-5750	50K	1
65-577R1	1'x4' LED EM BACKLIT	20/30/40W	100-277V	>80	3500/4000/5000K	2200L-4600	50K	1
65-581R1	2'x2' LED BACKLIT	20/30/40W	100-277V	>80	3500/4000/5000K	2200L-4600	50K	1
65-582R1	2'x4' LED BACKLIT	30/40/50W	100-277V	>80	3500/4000/5000K	2200L-4600	50K	1
65-583R1	1'x4' LED BACKLIT	220/30/40W	100V-347V	>80	3500/4000/5000K	2200L-4600	50K	1
65-585R1	2'x2' LED EM BACKLIT	20/30/40W	100-347V	>80	33500/4000/5000K	3300L-5750	50K	1
65-586R1	2'x4' LED EM BACKLIT	30/40/50W	100-347V	>80	33500/4000/5000K	2200L-4600	50K	1
65-587R1	1'x4' LED EM BACKLIT	20/30/40W	100-347V	>80	33500/4000/5000K	4200L- 4400	50K	1
ITEM	DESCRI	PTION			DIMENSIONS	FINISH		PACK
LED FLAT	PANELS ACCESSORIES		l					
LED Back-	lit suspension kit — include	s all necessary mo	ounting hardwa	are and	4´ of airplane cable			
65-591	2'x2' SUSPENSION KIT							30/1
65-592	1'x4' SUSPENSION KIT							30/1
65-593	2'x4' SUSPENSION KIT							30/1
LED Back-	lit surface mount frame kit	— includes all nec	essary hardwa	re — us	e with EM Panels			
65-595	1'x4' FRAME KIT			48″L	x 12 <sup>11</sup> / <sub>16</sub> "W x 4 <sup>5</sup> / <sub>16</sub> "D	White		10/1
65-596	2'x2' FRAME KIT			24 <sup>1</sup> / <sub>16</sub> "	_ x 24 <sup>9</sup> / <sub>16</sub> "W x 4 <sup>5</sup> / <sub>16</sub> "D	White		10/1
65-597	2'x4' FRAME KIT			48″L:	x 24 <sup>9</sup> / <sub>16</sub> " W x 4 <sup>5</sup> / <sub>16</sub> "D	White		10/1
LED Back-	lit recessed flange kit — inc	ludes all necessar	y hardware - E	M Vers	ion			
65-588	1'x4' RECESSED FLANGE K	(IT		49 <sup>3</sup> /16	5″L x 13 ¼″W x 1 ¼″D	White		10/1
65-589	2'x2' RECESSED FLANGE	<it.< th=""><th></th><th>25 <sup>3</sup>/16′</th><th>′L x 25 ³/16″W x 1 ¹/2″D</th><th>White</th><th></th><th>10/1</th></it.<>		25 <sup>3</sup> /16′	′L x 25 ³/16″W x 1 ¹/2″D	White		10/1
65-590	2'x4' RECESSED FLANGE	KIT		49 <sup>3</sup> / <sub>16"</sub>	"L x 25 <sup>3</sup> /16"W x 1 <sup>1</sup> /2"D	White		10/1
Add-on ju	nction box (increases flexib	ility for branch ci	cuit wiring)					
65-594	Add-On Junction Box							20/1
Add-on fr	ame kits — Slim							
65-598	1′X4′ Backlit Panel Frame Ki	it		48′	'L x 12"W x 2 1/2"H	White		10
65-599	2'X4' Backlit Panel Frame K	lit		48′	'L x 12"W x 2 1/2"H	White		10
65-600	2'X2' Backlit Panel Frame K	(it		24″	L x 24"W x 2 1/2"H	White		10



INTEGRATED MW SENSOR HAS **ON/OFF AND BI-LEVEL DIMMING CAPABILITIES DOWN TO 30%** 

NEW 2' & 4' VERSION

**CCT SELECTABLE** 3500K/4000K/5000K SELECTABLE WATTAGE

30W/40W/50W (65-699)

0-10V DIMMING 65-698 - EM MODE: 4W/90 MIN. RUN TIME 65-699 - EM MODE: 8W/90 MIN. RUN TIME

**2KV SURGE PROTECTION** 

Color Quick Selectable Color Technology Switch to/from the following CCT 3500K 4000K 5000K





Suspension Kits Available

		* set	ATTAGE ECTABLE CCT SELECTABLE	80 50,000 FC	RoHS		
ITEM	DESCRIPTION	WATTAGE SELECTABLE	VOLTAGE	CCT SELECTABLE	LM	CRI	PACK
65-698	2' LINEAR STRIP W/ EM & SENSOR	20W	100-277V	3500/4000/5000K	2735~2830	80	8
*65-699	4' LINEAR STRIP W/ EM & SENSOR	30W/40W/50W	100-277V	3500/4000/5000K	3900-6750	80	6
Accessor	ies						
65-706	2' & 4' SUSPENSION KIT – 59" SUS	SPENSION LENGTH -	– Includes All N	ecessary Mounting Hardy	ware		50



HIGH LUMEN OUTPUT 110 LPW DAMP LOCATION RATED 2KV SURGE PROTECTION 50,000 HOURS 5 YEAR WARRANTY ENERGY STAR CERTIFIED



Easy Installation



86-211 PIR Sensor

		80 120- CRI 277V	DAMP LOCATION	S0,000 Warranty HOURS		Energy STAR
ITEM	DESCRIPTION		w	ССТ	LM	PACK
65-1070	2' LED DOUBLE LIGHT STRIP		20	4000K	2200	12
65-1071	4' LED DOUBLE LIGHT STRIP		43	4000K	4750	8
Accessories	:					
86-211	PIR SENSOR - WHITE					20

## 4" LED SURFACE MOUNT FIXTURES

CCT SELECTABLE 3000K/4000K/5000K\*

DIMMABLE MOUNTS TO 4" JUNCTION BOXES

ENERGY STAR

WET LOCATION

AVAILABLE IN WHITE, BRUSHED NICKEL, BRONZE OR BLACK FINISH


3000K & 5000K VERSIONS AVAILABLE IN CONTRACTOR 6-PACKS

**5 YEAR WARRANTY** 



3000K 4000K 5000K

Color temperature selection switch



ITEM	DESCRIPTION	сст	LM	PACK
62-1580	4" LED - WHITE - CONTRACTOR 6-PACK	3000K	650	4
62-1590	4" LED - WHITE - CONTRACTOR 6-PACK	5000K	680	4
62-1581*	4" LED - WHITE	3000/4000/5000K	680~720	16
62-1582*	4" LED - BRUSHED NICKEL	3000/4000/5000K	680~720	16
62-1583*	4" LED - BRONZE	3000/4000/5000K	680~720	16
62-1584*	4" LED - BLACK	33000/4000/5000K	680~720	16

2

1.

100





## 11" & 14" SQUARE & 19" ROUND LED CLOUD FIXTURES

CCT SELECTABLE 3000K/4000K/5000K

> 11" & 14" SQUARE 19" ROUND

PMMA NON-YELLOWING LENS

AVAILABLE WITH OR WITHOUT ON/OFF MICROWAVE SENSOR DAMP LOCATION ENERGY STAR\*



						ENERGIA	1 AN
ITEM	DESCRIPTION	w	v	сст	LM	HEIGHT (IN)	PACK
62-1214*	11" SQUARE ACRYLIC LED FLUSH	16	120	3000/4000/5000K	990~1100	3.25	6
62-1215	11" SQUARE ACRYLIC LED FLUSH w/SENSOR	16.5	120	3000/4000/5000K	990~1100	3.25	6
62-1216*	14" SQUARE ACRYLIC LED FLUSH	20	120	3000/4000/5000K	1230~1330	3.25	4
62-1217	14" SQUARE ACRYLIC LED FLUSH w/SENSOR	20.5	120	3000/4000/5000K	1230~1330	3.25	4
62-1218*	19" ACRYLIC LED FLUSH FIXTURE	32	120	3000/4000/5000K	2527-2732	4.75	2
62-1219	19" ACRYLIC LED FLUSH FIXTURE w/SENSOR	32.5	120	3000/4000/5000K	2527-2732	4.75	2

50,000 Hours

CR


DIMMABLE



## INTRODUCING "SHOTGUN" - SUPERIOR ILLUMINATION FOR HIGH DEMAND APPLICATIONS

SLEEK DESIGN, RUGGED CONSTRUCTION AVAILABLE IN BLACK OR WHITE TEXTURED FINISH 10W/20W/30W VERSIONS HIGH CRI & R9 VALUES

MULTIPLE LUMEN AND BEAM ANGLE OPTIONS DIMMABLE



10 WATT ELONGATED CYLINDER





20 WATT ELONGATED CYLINDER





#### 30 WATT ELONGATED CYLINDER





30W

30W

30W

30W

WHITE

BLACK

WHITE

BLACK

2000

2000

2000

2000

24°

24°

36°

36°

12

12

12

12

TH621

TH622

TH623

TH624

PRO SERIES - 30W - WHITE - 24°

PRO SERIES - 30W - BLACK - 24°

PRO SERIES - 30W - WHITE - 36°

PRO SERIES - 30W - BLACK - 36°

39





## MOTIVATION<sup>®</sup> IS HERE! NOW YOU CAN MERCHANDISE YOUR PRODUCTS IN MULTIPLE WAYS.

SATCO's motivation program allows you to build and create your own gridwall, tower or gondola display from one, two, or four-fixture panels.

It is well known that product placement can have a direct impact on sales. Our Motivation program has been designed to help you choose the best merchandising option to highlight the products most valuable features and to provide your customer with the opportunity to interact with products prior to purchase.

Engage customer interest, maximize product exposure, and increase profits with a complete line of showcasing displays that cover a variety of merchandising needs. Make the most out of your sales space with a SATCO Motivation display fixture today!



### SLATWALL MOUNTED <u>MERCHANDISER</u>

Present a number of LED assortments with matching descriptive graphics. Created for easy installation, this merchandiser was designed with a lightweight styrene backer that mounts directly to your slatwall. Easily mount an interchangeable header graphic to help advertise new product!



Interchangeable graphics Individual On/Off switches

#### **Available Product Demonstrator** See product sheet SA2813 for more details.



ISATCO NUVO

USE LED LIGHTING TECHNOLOGIES

DOWNLOAD THE PRODUCT SHEET TO LEARN MORE!



## RESIDENTIAL & COMMERCIAL HIGH LUMEN FILAMENT LAMPS

**REPLACES UP TO 200W INCANDESCENT** 

IMPROVED LUMENS PER WATT-HIGHER EFFICIENCY LED FILAMENT AND GLASS ENVELOPE CONSTRUCTION DIMMABLE\* WET LOCATION T20 COMPLIANT<sup>+</sup>

**3 YEAR WARRANTY** 

* WET LOCATION	Efficiency Standards T20 California Title 20 Residential and Non-Residential Compliant	
-------------------	--	--

ITEM	DESCRIPTION	w	v	сст	BASE TYPE	LM	CRI	LIFE/ HRS.	MOL (IN.)	PACK
125W EQU	IVALENT									
S12444*†	17A21/FR/LED/E26/930/120V	17	120V	3000K	E26	2000	90	15,000	5.2	24
S12445*†	17A21/FR/LED/E26/940/120V	17	120V	4000K	E26	2000	90	15,000	5.2	24
S12446*†	17A21/FR/LED/E26/950/120V	17	120V	5000K	E26	2000	90	15,000	5.2	24
150W EQU	JIVALENT									
S12447*	18.5A21/FR/LED/E26/830/120V	18.5	120V	3000K	E26	2610	80	15,000	5.2	24
S12448*	18.5A21/FR/LED/E26/840/120V	18.5	120V	4000K	E26	2610	80	15,000	5.2	24
S12449*	18.5A21/FR/LED/E26/850/120V	18.5	120V	5000K	E26	2610	80	15,000	5.2	24
200W EQ	UIVALENT									
S12450	21A23/FR/LED/E26/830/120V/ND	21	120V	3000K	E26	2900	80	15,000	5.6	24
S12451	21A23/FR/LED/E26/840/120V/ND	21	120V	4000K	E26	2900	80	15,000	5.6	24
S12452	21A23/FR/LED/E26/850/120V/ND	21	120V	5000K	E26	2900	80	15,000	5.6	24



## HIGH LUMEN A25 LED LAMPS FOR LARGER RESIDENTIAL & COMMERCIAL SPACES

HIGH EFFICIENCY LED'S -USES ONLY 30W TO REPLACE 300W TRADITIONAL INCANDESCENT BULBS 15,000 HRS, 3 YR WARRANTY SHATTERPROOF PLASTIC LENS AVAILABLE IN 3 COLOR TEMPERATURES, 3000K, 4000K, 5000K STANDARD E26 BASE DAMP LOCATION RATED

										UN LISTED
ITEM	DESCRIPTION	w	v	сст	BASE TYPE	LM	CRI	LIFE/ HRS.	MOL (IN.)	PACK
300W A25 REPLACEMENT										
S11465	30A25/LED/830/120V/ND	30	120V	3000K	E26	3750	80	15,000	7.32	24
S11466	30A25/LED/840/120V/ND	30	120V	4000K	E26	3750	80	15,000	7.32	24
S11467	30A25/LED/850/120V/ND	30	120V	5000K	E26	3750	80	15,000	7.32	24

### FEATURED PRODUCT CASE STUDY

As a leading supplier of commercial lighting, SATCO<sup>®</sup> provides excellent customer service and sales experience needed in today's market. Installing samples for our customer to demo, quality of the fixtures, and a competitive price point, were the deciding factors for the client. Illuminating a 600,000 sq. ft. facility is no easy feat, however, with sufficient tools to assist in the process, and terrific availability and shipping time, Satco is unprecedented.





#### CLEAN DESIGN THROUGH AN LED SOLUTION



65-797R1 LED UFO HighBay



A lighting layout tool featured on the website provided a photometric drawing, getting this project off the ground and completed quickly. The LED UFO Highbay with its 240-watt output did not only meet the requirements, it exceeded them. At the time of purchase, most of the fixtures were available with the remaining to follow in just a few weeks. Competitors were anywhere from 12 weeks to 6 months out. Installing a new LED lighting solution provided a clean design and will reduce future maintenance and repairs.

#### SCAN THE QR CODE TO CHECK OUT THE LIGHTING LAYOUT TOOL!



### CCT AND WATTAGE SELECTABLE HI-PRO LED LAMPS

CCT SELECTABLE WATTAGE SELECTABLE IMPROVED LUMENS PER WATT – HIGHER EFFICIENCY REDUCED JACKET SIZE ENCLOSED FIXTURE RATED DAMP LOCATION BUILT IN SURGE PROTECTION 50,000 HOURS





WI ATTINISTICS

ColorQuick Selectable Color Technology Switch to/from the following CCT

4000K

5000K



3000K

ITEM	DESCRIPTION	w	v	BASE TYPE	CCT SELECTABLE	LUMEN 100% PWR		CRI	LIFE HRS.	M.O.L. (IN.)	PACK
S13160	20W/AP23/LED/CCT/100-277V/E26	20	100-277	E26	3000/4000/5000K	2600	N/A	80	50K	5.12	24
S13161	25W/AP23/LED/CCT/100-277V/E26	25	100-277	E26	3000/4000/5000K	3250	N/A	80	50K	5.12	24
S13162	35W/AP28/LED/CCT/100-277V/E26	35/17	100-277	E26	3000/4000/5000K	4550	2380	80	50K	6.26	12
S13163*	* 35W/AP28/LED/CCT/100-277V/EX39	35/17	100-277	EX39	3000/4000/5000K	4550	2380	80	50K	6.54	12
S13164	45W/AP32/LED/CCT/100-277V/E26	45/22	100-277	E26	3000/4000/5000K	5850	3060	80	50K	7.05	12
S13165*	* 45W/AP32/LED/CCT/100-277V/EX39	45/22	100-277	EX39	3000/4000/5000K	5850	3060	80	50K	7.32	12
S13166	65W/AP37/LED/CCT/100-277V/E26	65/32	100-277	E26	3000/4000/5000K	8450	4420	80	50K	7.76	12
S13167*	* 65W/AP37/LED/CCT/100-277V/EX39	65/32	100-277	EX39	3000/4000/5000K	8450	4420	80	50K	8.03	12

CCT & WATTAGE SELECTABLE HI-PRO LAMPS FOR LARGE SCALE LIGHTING APPLICATIONS

CCT SELECTABLE 3000K/4000K/5000K WATTAGE SELECTABLE ENCLOSED FIXTURE RATED ADVANCED THERMAL MANAGEMENT DAMP LOCATION 4KV BUILT IN SURGE PROTECTION 50,000 HOURS ColorQuick<sup>...</sup> Selectable Color Technology

Switch to/from the following CCT

3000K 4000K


5000K



Wide Variety of Wattage Options

High Medium

Low



			100- 277V BALLAST BYPASS	360° CCT SELECTABLE	Ĩ Ĵ	S CUL	us 🕡
ITEM	DESCRIPTION	WATTAGE SELECTABLE	CCT SELECTABLE	LM/WATTAGE HIGH/MED/LOW	CRI	M.O.L. (IN)	PACK
S23146	18W/LED/HID/CCT/E26	18/16/12	3000/4000/5000	2520/2240/1680	80	6.29	24
S23147	22W/LED/HID/CCT/E26	22/18/16	3000/4000/5000	3080/2520/2240	80	6.89	24
S23148	27W/LED/HID/CCT/E26	27/22/18	3000/4000/5000	3780/3080/2520	80	6.89	24
S23151	27W/LED/HID/CCT/EX39	27/22/18	3000/4000/5000	3780/3080/2520	80	7.48	24
S23149	36W/LED/HID/CC T/E26	36/27/18	3000/4000/5000	5040/3780/2520	80	8.27	24
S23152	36W/LED/HID/CCT/EX39	36/27/18	3000/4000/5000	5040/3780/2520	80	8.50	24
S23140	45W/LED/HID/CCT/E26	45/36/27	3000/4000/5000	6300/5040/3780	80	9.45	12
S23141	45W/LED/HID/CCT/EX39	45/36/27	3000/4000/5000	6300/5040/3780	80	9.69	12
S23142	54W/LED/HID/CCT/EX39	54/45/36	3000/4000/5000	7560/6300/5040	80	9.69	12
S23150	63W/LED/HID/CCT/EX39	63/54/45	3000/4000/5000	8820/7560/6300	80	10.28	12
S23143	80W/LED/HID/CCT/EX39	80/63/54	3000/4000/5000	11200/8820/7560	80	9.96	4
S23144	100W/LED/HID/CCT/EX39	100/80/63	3000/4000/5000	14000/11200/8820	80	10.55	4
S23145	120W/LED/HID/CCT/EX39	120/100/80	3000/4000/5000	16800/14000/11200	80	11.33	4

SSIE

Color temperature selection switch

> Intelligent sensor port, 277-480V lamps only



## HI-PRO CCT SELECTABLE HIGH VOLTAGE LED LAMPS

CCT SELECTABLE 3000K/4000K/5000K 277-347V & 277-480V OPTIONS SENSOR PORT ON ALL 277-480 VOLT VERSIONS ENCLOSED FIXTURE RATED ADVANCED THERMAL MANAGEMENT DAMP LOCATION 4KV BUILT IN SURGE PROTECTION 50,000 HOURS





80-954 Hi-Pro WiFi Module<sup>†</sup>

80-955 Hi-Pro Motion Sensor / Infra-Red



80-957 Hi-Pro Motion Sensor/Microwave









			BALLAST BYPASS	Color <b>Guick</b>	277- 347V 277- 480V 300° BEAM				us 🕡	
ITEM	DESCRIPTION	W	v	BASE TYPE		CRI	LIFE/ HRS.	M.O.L. (IN.)	РАСК	
S23160	18W/LED/HID/CCT/E26	18	277-347	E26	2340-2520-2430	80	50K	6.3	24	
S23161	27W/LED/HID/CCT/E26	27	277-347	E26	3510-3780-3645	80	50K	6.89	24	
S23162	36W/LED/HID/CCT/E26	36	277-480	E26	4680-5040-4860	80	50K	7.73	12	
S23163	45W/LED/HID/CCT/E26	45	277-480	E26	5850-6300-6075	80	50K	8.91	12	
S23164	36W/LED/HID/CCT/EX39	36	277-480	EX39	4680-5040-4860	80	50K	8.35	12	
S23165	45W/LED/HID/CCT/EX39	45	277-480	EX39	5850-6300-6075	80	50K	9.53	12	
S23166	54W/LED/HID/CCT/EX39	54	277-480	EX39	7020-7560-7290	80	50K	9.53	12	
S23167	80W/LED/HID/CCT/EX39	80	277-480	EX39	10400-11200-10800	80	50K	9.88	4	
S23168	100W/LED/HID/CCT/EX39	100	277-480	EX39	13000-14000-13500	80	50K	10.46	4	
ITEM	DESCRIPTION									
80-954	Hi-Pro Wi-Fi Module - (Satco ST.	ARFISH	in the App s	tore)						
80-955	Hi-Pro Motion Sensor - Infra-Rec	I - Stand	lby bi-level d	imming						
80-956	Hi-Pro Motion Sensor - Infra-Red - Standby bi-level dimming									
80-957	Hi-Pro Microwave motion sensor	- On/O	ff with stand	by dimm	ning option					





## LED RETROFIT WITH NIGHT LIGHT

Night light ring. Switch off and back on to active nightlight mode. Switch off, then back on to reactivate downlight.



Selectable Color Technology

Warm Cool

2700K 3000K 3500K 4000K 5000K

Night light 2200K / 100Lumens



Color selection switch: Warm white 2700K Soft White 3000K Neutral White 3500K Bright White 4000K Daylight 5000K CCT SELECTABLE EASY TO OPERATE NIGHT LIGHT MODE MOUNTS TO 5/6" RECESSED HOUSINGS DIMMABLE WET LOCATION T20, T24 COMPLIANT 50,000 HOURS ENERGY STAR CERTIFIED

	FC		us T	ciency Standards 200 California Title20 Residential and Non-Residential Compliant	JA8	Standards California Title 24 Residential and Non-Residential Compliant	90 N CR		Energy STAR
ITEM	DESCRIPTION	w	v	BULB TYPE	FINISH	CCT SELECTABLE	LM	BEAM ANGLE	PACK
S11846	9WLED/NL/RDL/5-6/CCT-SEL/120V	9	120	RetroFit	White	27/30/35/40/50K	800	90°	8

## **CLOSET CODE YOU SHOULD KNOW**



## SATCO|NUVO FIXTURES WITH ZERO CLEARANCE RATING

#### **Not Permitted**

• Open or partially open fixtures including pendants

#### Permitted 12" from storage material – No Certification

- Surface mounted incandescent, fluorescent or LED with a completely enclosed light source installed on wall above the door or on
- the ceiling

#### Permitted 6" from storage material – No Certification

- Surface mounted fluorescent luminaires installed on the wall above the door or on the ceiling
- Recessed incandescent or LED luminaires with a completely enclosed light source installed in the ceiling
- Recessed fluorescent luminaires installed on the ceiling

## Permitted Zero Clearance fromstorage material - Need UL1598 Closet



"Complies with NEC 410.16, A3, (C)(5)" and or UL 1598 suitable for closet installation/use will be on the fixture

#### SATCO-NUVO NOW HAS 120+ PRODUCTS THAT MEET NEC 410.16, A3, (C)(5) AND GROWING!

## ZERO CLEARANCE RATED FIXTURES REDUCE CONCERNS ON THE DISTANCE A LIGHTING FIXTURE IS FROM OBJECTS IN A CLOSET.



## LED CCT SELECTABLE GIMBAL DOWNLIGHTS WITH NEW TRIM FINISHES

**5 SELECTABLE CCT SETTINGS** 

3 NEW TRIM FINISHES—BLACK, BRONZE AND BRUSHED NICKEL

2 SIZES—4" AND 5/6" STANDARD RECESSED HOUSING IC RATED

DAMP LOCATION

50,000 HOURS

ENERGY STAR CERTIFIED

COLORQUICK Selectable Color Technology

2700К 3000К 3500К 4000К 5000К



Color changeable - 5 color temperature settings

	* Colorowick 120	90 50,0 CRI HOUI	California Title20	fificiency Standards         JA8       California Title 24         Residential and         Non-Residential         Compliant	c U us	FC	HS ENERGY STAR
ITEM	DESCRIPTION	w	FINISH	LM	BEAM ANGLE	M.O.L. (INCHES)	PACK
4"							
S11854	7.5WLED/DIR/4/60'/CCT-SEL/120V/BL	7.5	BLACK	600	60°	3.54	8
S11855	7.5WLED/DIR/4/60'/CCT-SEL/120V/BN	7.5	BRUSHED NICKEL	600	60°	3.54	8
S11856	7.5WLED/DIR/4/60'/CCT-SEL/120V/BZ	7.5	BRONZE	600	60°	3.54	8
5-6"							
S11857	10.5WLED/DIR/5-6/CCT-SEL/120V/BL	10.5	BLACK	800	90°	3.9	8
S11858	10.5WLED/DIR/5-6/CCT-SEL/120V/BN	10.5	BRUSHED NICKEL	800	90°	3.9	8
S11859	10.5WLED/DIR/5-6/CCT-SEL/120V/BZ	10.5	BRONZE	800	90°	3.9	8

\*Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.



## LED DEEP BAFFLE RECESSED RETROFITS

CCT SELECTABLE 2700K/3000K/3500K/ 4000K/5000K

REPLACES 45 AND 65 WATT REFLECTORS REDUCED GLARE WITH

SUBTLE, PLEASING LIGHT DISTRIBUTION DIMMABLE WET LOCATION 90 CRI T20, T24 COMPLIANT

50,000 HOURS ENERGY STAR CERTIFIED Deep baffle for reduced glare, architectural effect and subtle, pleasing light distribution



Selectable Color Technology

Switch to/from the following CCT

2700К 3000К 3500К 4000К 5000К

त्र हि



Color selection switch: Warm white 2700K Soft White 3000K Neutral White 3500K Bright White 4000K Daylight 5000K

				California Title20 Residential and Non-Residential Compliant		WMABLE LOCATION	90 50,0 CRI <sup>HOU</sup>	IRS ENERGY STAR
ITEM	DESCRIPTION	w	v	BULB TYPE	FINISH	LM	BEAM ANGLE	PACK
S11844	7WLED/DB/4/CCT-SEL	7	120	RETROFIT	WHITE	600	80°	16
S11845	9WLED/DB/6/CCT-SEL	9	120	RETROFIT	WHITE	800	80°	8

1200

\*Visit www.satco.com for an up to date dimmer compatability list



## LED REMOTE DRIVER GIMBAL DOWNLIGHTS



					COTSELECTABLE	200	LISTE			ENERGY STAR
ITEM	DESCRIPTION	w	v	CRI	BEAM	LM	MOL (IN.)	MOD. (IN.)	LIFE/ HRS.	РАСК
ROUND										
S11840	9WLED/GBL/4/CCT/RND/WH	9	120	90	36°	650-750	1.02	4.92	50K	1/12
S11842	9WLED/GBL/4/CCT/RND/BLK	9	120	90	36°	650-750	1.02	4.92	50K	1/12
SQUARE										
S11841	9WLED/GBL/4/CCT/SQ/WH	9	120	90	36°	650-750	1.02	4.92	50K	1/12
S11843	9WLED/GBL/4/CCT/SQ/BLK	9	120	90	36°	650-750	1.02	4.92	50K	1/12
ACCESSORI	ES									
80-943	ROUGH-IN PLATE / BARS 4" RD									1/12
80-946	GOOF RING 4" - DIRECT WIRE DL - 6" OUTSIDE DIAMETER									1/12
80-985	REMOTE DRIVER 6' EXTENSION CAE	BLE								1/12



## COMMERCIAL LED DOWNLIGHTS





Selectable Color Technology

Switch to/from the following CCT

2700K 3000K 3500K 4000K 5000K

New construction is easy with these available accessories

1.1.1.



Rough-In Plate

			0-10V DIMMING	80 CRI	WET LOCATION	50,000 HOURS			Energy STAR
ITEM	DESCRIPTION	w	v	LM	CRI	MOL (in.)	FINISH	LIFE HRS.	PACK
S11850	12WLED/CDL/4/CCT/120-277	12	120-277	1200	80	3.16	White	50K	8
S11851	15WLED/CDL/6/CCT/120-277	15	120-277	1600	80	3.46	White	50K	8
S11852	22WLED/CDL/8/CCT/120-277	22	120-277	2200	80	3.97	White	50K	4
S11853	30WLED/CDL/10/CCT/120-277	30	120-277	3500	80	4.49	White	50K	4
ACCESSORI	ES								
80-946	GOOF RING 4" - DIRECT WIRE DL - 6" OL	JTSIDE DIA	METER						12
80-947	GOOF RING 6" - DIRECT WIRE DL - 8" OU	JTSIDE DIA	METER						12

80-970	GOOF RING 10" - DIRECT WIRE DL - 131/4" OUTSIDE DIAMETER
80-959	ROUGH-IN PLATE/CDL 4/6/8/10

GOOF RING 8" - DIRECT WIRE DL - 101/8" OUTSIDE DIAMETER

80-948

12

12

12



Attractive, informative 2-packs

120

## COLOR QUICK™ LED TUBES

CCT SELECTABLE BALLAST BYPASS REPLACES 4' T8 & T12 BALLAST COMPATIBLE REPLACES T8 ON ELECTRONIC IS & RS BALLASTS

SINGLE SLEEVE OR RETAIL-READY 2-PACK

ALL GLASS TUBE

**5 YEAR WARRANTY** 

CCT Selectable 4000K, 5000K, 6500K





4000K 5000K 6500K

* TYPE A	DAMP LOCATION	50,000 Hours	C UL US	

ITEM	DESCRIPTION	сст	LM	PACK
DIRECT	REPLACEMENT - BALLAST COMPATIBLE		1	
S11918*	10T8/LED/48/CCT-SEL/DR/2PK	4000/5000/6500K	1800	10-2 pks
S11928*	10T8/LED/48/CCT-SEL/DR	4000/5000/6500K	1800	25 pk
S11968*	10T8/LED/48/CCT-SEL/DR	3000/3500/4000K	1800	25 pk
*Visit satco	o.com for ballast compatibility list.	** TYPE B DAMP LOCATION H	0,000 OURS	) us 鼲
ITEM	DESCRIPTION	сст	LM	РК
DIRECT	WIRE - BALLAST BYPASS			
S11919**	12.5T8/LED/48/CCT-SEL/BP/2PK	4000/5000/6500K	1800	10-2 pks
S11929**	12.5T8/LED/48/CCT-SEL/BP	4000/5000/6500K	1800	25 pk
S11969**	12.5T8/LED/48/CCT-SEL/BP	3000/3500/4000K	1800	25 pk

\*\*120-277V direct wire. Visit satco.com for installation & wiring instructions.

## 2', 3', & 4' LED T8 BAA COMPLIANT BALLAST BYPASS LAMPS

BUY AMERICAN ACT (BAA) LINEAR BALLAST BYPASS LED T8 LAMPS SINGLE OR DOUBLE ENDED WIRING OPTIONS SINGLE OR DOUBLE ENDED WIRING\* ALL-GLASS TUBES DIRECT WIRE 120-277V LINE VOLTAGE SUITABLE FOR DAMP LOCATIONS DLC 5.1 LONG LIFE—50,000 HOURS

ACOMPI

1ER\C

84

ITEM	DESCRIPTION	сст	LM	PACK
2' LED 1	8			
S11980	9T8/LED/24-830/BP/USA	3000K	1100	25
S11981	9T8/LED/24-835/BP/USA	3500K	1100	25
S11982	9T8/LED/24-840/BP/USA	4000K	1150	25
S11983	9T8/LED/24-850/BP/USA	5000K	1150	25
3' LED	т8			
S11984	12T8/LED/36-830/BP/USA	3000K	1400	25
S11985	12T8/LED/36-835/BP/USA	3500K	1400	25
S11986	12T8/LED/36-840/BP/USA	4000K	1450	25
S11987	12T8/LED/36-850/BP/USA	5000K	1450	25
4' LED 1	18			
S11988	10.5T8/LED/48-830/BP/USA	3000K	1700	25
S11989	10.5T8/LED/48-835/BP/USA	3500K	1700	25
S11990	10.5T8/LED/48-840/BP/USA	4000K	1700	25
S11991	10.5T8/LED/48-850/BP/USA	5000K	1700	25
S11992	14T8/LED/48-830/BP/USA	3000K	1700	25
S11993	14T8/LED/48-835/BP/USA	3500K	1700	25
S11994	14T8/LED/48-840/BP/USA	4000K	1800	25
S11995	14T8/LED/48-850/BP/USA	5000K	1800	25
S11996	17T8/LED/48-830/BP/USA	3000K	2100	25
S11997	17T8/LED/48-835/BP/USA	3500K	2100	25
S11998	17T8/LED/48-840/BP/USA	4000K	2200	25
S11999	17T8/LED/48-850/BP/USA	5000K	2200	25

 Image: Construction

 Image: Constr

\*Single ended wiring requires non-shunted sockets.



## REMOTE CONTROLLED LED INDOOR/OUTDOOR STRING LIGHTS

COLOR CHANGING 12-15 COLOR CHANGING LED BULBS INCLUDED

CHANGE COLORS WITH 9 FUNCTION INFRARED WIRELESS REMOTE

NO WIFI NEEDED

CHANGEABLE COLORS: RED, GREEN, BLUE, YELLOW, PURPLE, LIGHT BLUE, ORANGE, WHITE AND MANY MORE

**ENERGY EFFICIENT** 

CONNECT UP TO 144 FT., 3 SETS MAX. USING 1W LED BULBS

FOR RESIDENTIAL AND COMMERCIAL USE HEAVY DUTY 18 GAUGE WIRE

> EASY INSTALLATION 3 YEAR WARRANTY









#### **REMOTE CONTROLLED LED** INDOOR/OUTDOOR STRING LIGHTS



**COLOR CHANGEABLE** 

		В	ULBS		FIX	TURES			
ITEM	DESCRIPTION	# INCL.	WATTS PER BULB	CONNECTIBLE UNITS	сст	w	v	FINISH	M/CASE QTY.
S8031	24FT/LED/SL/S14/IRR/RGBW/12V	12	1	3	2700-5000K	12	120	Black	4
S8033†	48FT/LED/SL/S14/IRR/RGBW/12V	15	1	3	2700-5000K	15	120	Black	4

DECHANGEARLE



### LED INDOOR/OUTDOOR STRING LIGHTS

24' INCLUDES 12 BULBS 60' INCLUDES 24 BULBS WARM WHITE 2200K-2700K ENERGY EFFICIENT FOR RESIDENTIAL AND COMMERCIAL USE HEAVY DUTY 18 GAUGE WIRE EASY INSTALLATION 3 YEAR WARRANTY







**S8020** 24FT set with 12, 1W LED S14 bulbs, 2700K



**\$8030** 24FT set with 12, 1W LED \$14 bulbs, 2200K



**\$8032** 60FT set with 24, 1W LED \$14 bulbs, 2200K



**S8034** 24FT set with 12, 1W LED G25 bulbs, 2200K



S8036 24FT set with 12, 2W LED ST19 vintage style bulbs, 2200K

**STRING LIGHTS** 

LED INDOOR/OUTDOOR



**\$8037** 24FT set (Two pack) with 24, 1W LED \$14 bulbs, 2200K



**S8038** 24FT set with 24, 1W LED S14 bulbs and white cord, 2200K



		BULE				FIX	TURES	5	
ITEM	DESCRIPTION	# INCL.	WATTS PER BULB		CONNECTIBLE UNITS	сст	w	FINISH	PK.
S8020	24FT/LED/SL/S14/827K/120V	12	1	S14	30	2700K	12	Black	4
S8030	24FT/LED/SL/S14/822K/120V	12	1	S14	10	2200K	12	Black	4
S8032	60FT/LED/SL/S14/822K/120V	24	1	S14	5	2200K	24	Black	4
S8034	24FT/LED/SL/G25/822K/120V	12	2	G25	7	2200K	24	Black	4
S8036	24FT/VINT/SL/ST19/120V	12	2	ST19	7	2200K	24	Black	4
S8037	24FT/LED/SL/S14/822K/2PK/120V	24	2	S14	7	2200K	24	Black	4
S8038	24FT/LED/SL/S14/822K/WH/120V	12	1	S14	10	2200K	24	White	4



### INCANDESCENT INDOOR/ OUTDOOR STRING LIGHTS

INCLUDES 12 INCANDESCENT S14 BULBS CONNECT UP TO 72 FEET, 3 SETS MAX. USING 11 WATT INCANDESCENT BULBS WARM WHITE 2850K FOR RESIDENTIAL AND COMMERCIAL USE HEAVY DUTY 18 GAUGE WIRE EASY INSTALLATION 3 YEAR WARRANTY





#### INCANDESCENT INDOOR/OUTDOOR STRING LIGHTS

		В	ULBS	FIXTURES					
ITEM	DESCRIPTION	# INCL.	WATTS PER BULB	CONNECTIBLE UNITS	сст	w	FINISH	LIFE/HRS.	PK.
S8035	24FT/INCD/SL/S14/120V	12	11	3	2850K	132	Black	2500	4

Not for use with dimmers. Mounting hardware not included.

### STRING LIGHTS -LAMPS NOT INCLUDED





**S8035** 24FT set with 12, 11W incandescent S14 bulbs, 2850K



**\$8039** 24FT, 12 socket cord and plug only



WET LOCATION DUTDOOR 120V 3

#### STRING LIGHTS - LAMPS NOT INCLUDED

ITEM	DESCRIPTION	w	FINISH	РАСК
S8039	24FT/SL/E26/BL/120V / 12 SOCKET CORD & PLUG ONLY	120	Black	4





## NEW! HI-PRO LED 120-277V WET LOCATION TEMPORARY WORK LIGHT

60W/80W/100W SELECTABLE DURABLE, LIGHTWEIGHT CONSTRUCTION OF HIGH RESISTANCE PC MATERIAL **ENHANCED, PASSIVE** HEAT SINK DESIGN **EASY INSTALLATION:** PORTABLE, FLEXIBLE HIGH LUMEN, EFFICIENT LED LIGHTING **OMNI-DIRECTIONAL 360° BEAM ANGLE** HEAVY DUTY MOUNTING HOOK 25' POWER CORD INCLUDED WET LOCATION **IP65** 50,000 HOUR LIFE **5 YEAR WARRANTY** 



Power select: 60W/80W/100W Selectable



IP65

Enhanced passive

heat sink design



High resistance PC material to protect the top and bottom of the cage

#### #16/3 Ga. SJTW-3 Orange Outdoor Extension Cords

Satco carries a full line of #16/3 Ga. outdoor extension cords, rugged enough for any job site. See catalog SA1700 or go to www.satco.com for details.

ITEM	Length
93-5034	8 ft.
93-5035	15 ft.
93-5005	25 ft.
93-5006	50 ft.
93-5007	100 ft.





## PUTTING POWER WHERE YOU NEED IT

## OUTDOOR

#### ORANGE OUTDOOR LIGHT DUTY EXTENSION CORDS 16-3 SJTW-3 Orange Cord

93-5034 - 8 FT. 13A/125V - 1625W 93-5035 - 15 FT. 13A/125V - 1625W 93-5005 - 25 FT. 13A/125V - 1625W 93-5006 - 50 FT. 13A/125V - 1625W 93-5007 - 100 FT. 10A/125V - 1250W

#### **3 OUTLET OUTDOOR EXTENSION CORDS** 12/3 GA. STW Orange Cord

93-5030 - 2 FT. 15A/125V - 1875W

#### HEAVY DUTY GREEN OUTDOOR EXTENSION CORDS 16-3 SJTW Green Cord

93-5024 - 25 FT. 13A/125V - 1625W 93-5025 - 50 FT. 13A/125V - 1625W 93-5026 - 80 FT. 10A/125V - 1250W

#### 3 OUTLET INDOOR EXTENSION CORDS 16/2 SPT2 13A / 125V / 1625W

#### INDOOR USE ONLY

6 FT. WHITE
6 FT. BROWN
6 FT. GREEN
9 FT. WHITE
9 FT. BROWN
9 FT. GREEN
12 FT. WHITE
12 FT. BROWN
12 FT. GREEN
15 FT. WHITE
15 FT. BROWN
15 FT. GREEN

#### 3 OUTLET INDOOR EXTENSION CORDS 16/3 SJT

13A / 125V / 1625W

3 Ground	3 Grounded Outlets							
16/3 SJT Round Wire								
3 Prong	Plug							
Super Fl	exible							
Durable	Plastic							
93-5044	93-5044 6 FT. BROWN							
93-5045	6 FT.							
WHITE								
93-5046	9 FT. BROWN							
93-5047	9 FT. WHITE							
93-5048	12 FT. BROWN							
93-5049	12 FT.							
WHITE								

### HIDE-A-CORD

40″ LENGTH - WHITE \$70-826\_\_\_\_\_

12 11

## INDOOR

#### LED PLASTIC FLOOD LITE WITH STAKE FOR OUTDOOR USE

18/2 SJTW

# 3.5 Watts 6 Ft. Green Cord Moulded Plug 200 Lumens 180° Rotation High Brightness LEDs

93-5058

## **SATCO** NUVO

## POWER **STRIP** SOLUTIONS

#### **6 OUTLET SUPERIOR** SURGE STRIP

#### 91-221

4' CORD - 14/3 SJTS **6 OUTLET SUPERIOR** SURGE STRIP

540 JOULES RATING **ON/OFF SWITCH WITH BUILT-IN RESETTABLE** CIRCUIT BREAKER AND INDICATOR LIGHT

15A-120V, 1800W PACKING: 12/MASTER



#### **6 OUTLET** PROFESSIONAL **METAL SURGE STRIP**

#### 91-222

4' CORD - 14/3 SJT 6 OUTLET PROFESSIONAL METAL SURGE STRIP

**540 JOULES RATING ON/OFF SWITCH WITH** BUILT-IN RESETTABLE CIRCUIT BREAKER AND INDICATOR LIGHT

15A-120V, 1800W

PACKING: 12/MASTER







### **6 OUTLET METAL SURGE POWER STRIP 300 JOULES**

INDOOR USE 15A-120V-1875W STRAIGHT PLUG LIGHTED ON-OFF W/BUILT-IN CIRCUIT BREAKER SURGE INDICATOR LIGHT **1 ADAPTER RECEPTABLE** 



ITEM	WIRE TYPE	JOULES	COLOR	LENGTH
91-232	14/3 SJT	300	BEIGE	6 FT.

## CERTIFIED

#### 6 OUTLET METAL SURGE PROTECTOR INDOOR USE ONLY

#### 91-235

BEIGE 6 OUTLET SURGE STRIP 6 FT. 14/3 SJT WITH STRAIGHT PLUG LIGHTED ON-OFF SWITCH W/CIRCUIT BREAKER SURGE INDICATOR LIGHT 1 ADAPTER RECEPTACLE 1200 JOULES 15A-120V 1875W



91-220 3' Cord - 14/3 SJT 91-229 6' Cord - 14/3 SJT WHITE 6 OUTLET SURGE STRIP ON-OFF SWITCH W/BUILT-IN-RESETTABLE CIRCUIT BREAKER 245 JOULES 15A-125V 1875W




#### 6 OUTLET SURGE WALL TAP INDOOR USE ONLY

91-223 6 OUTLET SURGE WALL TAP 540 JOULES RATING 15A-120V 1800W

I

1 1

11111



## SATCO'S LIBRARY

Satco|Nuvo catalogs, available in online and in print, provide a comprehensive guide to all of our current product.



SATCO LED FIXTURE REFERENCE GUIDE (NU1600)



COUNTERQUICK LED UNDERCABINET CATALOG (NU1759)



NUVO LIGHTING INSPIRATIONS SUPPLEMENT (NU1400)



SATCO LAMP SPECIFICATION GUIDE (SA2100-2)



NUVO LIGHTING "IMAGINE" CATALOG (NU1550)



NUVO LIGHTING REFLECTIONS SUPPLEMENT (NU1450)



SATCO LED LAMP REFERENCE GUIDE (SA2000-4)



SATCO STARFISH SMART LIGHTING CATALOG (SA2750)



NUVO LIGHTING 2019 CATALOG (NU4050)



NUVO LIGHTING 2019 CATALOG (NU1700)

## TRAINING WITH BOB

SATCO|NUVO offers lighting solutions that answer various challenges across a wide range of projects and market segments. Our product lines are constantly evolving to incorporate the newest technology, integrate controls, meet energy codes, field needs and much more.



SATCO's education director, Bob Nigrello takes you through several training videos to help guide you through everything from lighting basics to fixture layouts. These videos can be viewed on our youtube page in our "Training with Bob" playlist section.



## TRENDING SOLUTIONS FOR COLLECTIVE BUILDS

## Multi-Family Lighting for Today

NUVO lighting, a division of SATCO, is one of the largest decorative lighting brands in America. It evolved from Satco's venerable understanding of the light source, how it sets the mood and helps creates the space.

With quality, value and style, NUVO provides beautiful, on-trend fixtures to the market at a competitive price.

Growing our business on our solid reputation for over 17 years, NUVO has one of the largest decorative fixture offerings in the lighting industry, with a vast selection of style and designs for nearly every application. This years decorative lines cover styles from mid-century modern to transitional designs and timeless classics.



.







60-7375



60-7468

## MODERN CLASSIC STYLES

## NEW STYLES AVAILABLE



Other Styles & Sizes Available at SATCO.com





## LINCOLN

#### PENDANT, FLUSH AND SEMI FLUSH

This striking collection is inspired by an armillary sphere, which is fashioned around astronomically important details. Choose from a matte white finish with opal glass for a more ethereal style or matte black with clear seeded glass for a black tie, elegant look.

60-7672 FLUSH

1 LT MED. PENDANT W:11" H:16¼" 60-7674 MATTE BLACK/ CLEAR SEEDED GLASS

1 LT LG. PENDANT W:164" H:215/s" 60-7675 MATTE BLACK/ CLEAR SEEDED GLASS

60-7674 Pendant

#### 2 LT MED. FLUSH W:14¾" H:6" **60-7662** MATTE WHITE, NATURAL BRASS/ OPAL WHITE GLASS

2 LT LARGE FLUSH W:14¾" H:6" **60-7672** MATTE BLACK/ CLEAR SEEDED GLASS

#### FINISH

Matte White/ Natural Brass, Opal White Glass





### **SATCO** NUVO



#### PENDANT

Minimalism at it's finest, renew your lighting with these stunning, modern farmhouse drum pendants. Offered in matte black or brass with a white shade or go for the natural brass shade and matte black finish, the choice is yours. 4 LT. PENDANT 60-7691 NATURAL BRASS/ WHITE FABRIC SHADE 4 LT. PENDANT 60-7692 MATTE BLACK/ WHITE FABRIC SHADE 4 LT. PENDANT 60-7693 MATTE BLACK/ NATURAL BRASS METAL SHADE

DIMENSIONS: W:225%" H:215%"



60-7693



## **FLYNN**

#### PENDANT

A streamlined design suited to today's no-nonsense style. A textured shade and matte black finish provide this charismatic design with its natural flair.

3 LT. PENDANT 60-7678 BLACK/WHITE TEXTILE FABRIC SHADE

DIMENSIONS: W: 22" H:21<sup>3</sup>/<sub>4</sub>

#### **FINISH**

Black/ White Textile Fabric Shade



60-7678

### SEE MORE DESIGNS LIKE THESE AT SATCO.COM

## **GLACIER**

#### FLUSH AND VANITY

Crafted with striking attention-to-detail, this series brings a whole new level of contemporary style to your home's lighting. Refresh your bathroom with beautiful, iced glass displayed against a matte black finish.



60-7810




60-7811

2 LT FLUSH W:13" H:13" EXT. 5% 60-7810 MATTE BLACK/ ICED GLASS

1 LT VANITY W:4¾" H:10%" 60-7811 MATTE BLACK/ ICED GLASS

2 LT VANITY W:22" H:4¾" EXT. 4% 60-7812 MATTE BLACK/ ICED GLASS

3 LT VANITY W:34" H:4%" EXT. 4% 60-7813 MATTE BLACK/ ICED GLASS



60-7813



FINISH

Matte Black Iced Glass



### **SATCO** NUVO

### NLB TRUSTED WARRANTY EVALUATION PROGRAM

SATCO | NUVO has been approved by the National Lighting Bureau's Trusted Warranty Program.

This program awards certificates to lighting and lighting component companies that meet the NLB's objective quality standards and practices for warranty administration.



The National Lighting Bureau assesses companies based on five criteria:

- Formal Warranty Process
- Warranty Language
- Length of Business/Warranty Insurance
- Technical Evaluation
- Claims Review Evaluation

In demonstrating quality and reliability across these 5 categories, companies give industry stakeholders confidence in their manufacturers warranty policy.

Mary Beth Gotti, NLB Chair stated, "We are excited SATCO|NUVO is now certified for the Trusted Warranty Evaluation Program. The TWEP is an independent validator for their warranty program."

#### ABOUT THE NATIONAL LIGHTING BUREAU

The National Lighting Bureau is an independent, IRS-recognized not-for-profit, educational foundation that has served as a trusted lighting-information source since 1976. The NLB is focused on Promoting Lighting Excellence<sup>™</sup> and helping the lighting industry solve its business problems. The NLB exists to create demand for High Benefit Lighting<sup>®</sup>—efficient lighting designed to optimize human performance, health, safety, and commerce by educating and acknowledging those who make and influence decisions about lighting. The Bureau provides its services to the public free of charge, thanks to the generous funding of the organization's sponsors: professional societies, trade associations, labor unions, manufacturers, and agencies of the U.S. government.

## RAVEN

#### **OUTDOOR SCONCE**

Lighting that brings bold style and understated design, all in a modern package. A streamlined silhouette, LED technology, and a versatile finish combined to provide decorative illumination at its finest.

10" SCONCE6 8W/660 LUMENS 3000K/90CRI W:4¾" H:10" **62-1425** MATTE BLACK 18" SCONCE 15W/1180 LUMENS 3000K/90CRI W:4¾" H:18" **62-1426** MATTE BLACK

FINISH Matte Black





62-1425



# AUSTEN

#### POST, HANGING AND WALL

Austen lighting series features a classic design that brings a romantic charm to the outdoors with its transitional style. An elongated metal structure is finished in a versatile matte black to coordinate with existing finishes. The rippling water glass provides glimpses of the bulb while allowing for superior illumination through the clear panels. Conveying a sense of classic style allows this collection to shine bright on your home's exterior.



FINISH Matte Black

Clear Water Glass





60-5996

60-5997

1 LT LG. WALL LANTERN W:7¾" H:17¾" Ext. 10" **60-5998** MATTE BLACK/ CLEAR WATER GLASS

60-5995

1 LT POST LANTERN W:7¾" H:20¼" **60-5995** MATTE BLACK/ CLEAR WATER GLASS

1 LT HANGING LANTERN W:7¾" H:17¼" **60-5996** MATTE BLACK/ CLEAR WATER GLASS 1 LT SM. WALL LANTERN W:6" H:13¼" Ext. 7¾" **60-5997** MATTE BLACK/ CLEAR WATER GLASS

MODERN CONTEMPORARY



# STILLWELL

#### POST, HANGING AND WALL

A lantern-style approach to its design makes the Stillwell outdoor series a bonafide hit. The translucent, water glass obscures the bulb while still providing plenty of light to go around. Its elongated structure is finished in matte black making it quite versatile to match with existing fixtures and home exteriors. A stunning collection ideally suited to bring grace and style to your homes landscape.

### MODERN CONTEMPORARY



60-5957

60-5958



60-5959

FINISH Matte Black Water Glass



1 LT POST LANTERN W:6½" H:17½" 60-5957 MATTE BLACK WATER GLASS

1 LT HANGING LANTERN W:6½" H:13%" 60-5958 MATTE BLACK WATER GLASS 1 LT WALL LANTERN W:6½" H:13½" Ext. 8¼" **60-5959** MATTE BLACK WATER GLASS

# JASPER

#### POST, HANGING AND WALL

Styled with a transitional approach, the Jasper outdoor collection features clean lines, and a structured silhouette with subtle hints of Asian-inspired influence. Finished in matte black, it will complement existing finishes and provide curb appeal to your walkway, driveway, and rich landscaping. The clear glass ensures maximum output, bringing light to even the most difficult areas to illuminate



60-5747



60-5746

60-5746

#### FINISH Matte Black Clear Glass



1 LT POST LANTERN W:7½" H:14<sup>4</sup>" **60-5745** MATTE BLACK/ CLEAR GLASS 1 LT HANGING LANTERN W:7½" H:12¾" **60-5746** MATTE BLACK/ CLEAR GLASS 1 LT WALL LANTERN W:7½" H:11¼" Ext. 8%" **60-5747** MATTE BLACK/ CLEAR GLASS



# **SULLIVAN**

#### POST, HANGING AND WALL

Sullivan combines clean lines and minimal details in one versatile design. The seeded clear glass provides subtle diffusion of light and is perfect for lighting the way into your home. The black finish works well with existing fixtures, bringing a stylish yet versatile appeal to your home's exterior.

#### **FINISH**

Matte Black Clear Seeded Glass





60-7375

60-7376

1 LT MED. WALL LANTERN W:7½" H:12½" Ext. 6¼" 60-7375 MATTE BLACK/ CLEAR SEEDED GLASS 1 LT LG. WALL LANTERN W:9¼" H:15½" Ext. 8" 60-7376 MATTE BLACK/ CLEAR SEEDED GLASS





### SEE MORE DESIGNS LIKE THESE AT SATCO.COM

## **OVERTOP LED**

#### MATTE BLACK / SILVER SHADE

#### **OUTDOOR - INTEGRATED LED**

The fashionable, cylindrical silver metal and inner frosted shades support the LED light source of the Overtop wall lantern. Presented by an elegant single arm that extends from a broad back plate, Overtop is simplicity with a touch of glam.

1 LT MED. WALL LANTERN 10W/900 LUMENS 3000K/90CRI W:6" H:15" Ext. 6¾" **62-1607** MATTE BLACK/ SILVER


#### 1 LT LG. WALL LANTERN 10W/900 LUMENS 3000K/90CRI W:8½" H:21½" Ext. 9½" 62-1608 MATTE BLACK/ SILVER

### SATCO SHINING STAR!

Wilfredo Lopez began his career as a product specialist with SATCO six years ago, bringing with him unparalleled experience in electrical and lighting controls. Some may call him a hero, others may call him a friend, here at SATCO we call him our go-to guru.

When asked what first drew Wilfredo to consider working at SATCO he responds, "The people. My relationship with SATCO started years ago as a customer and I always loved that SATCO was a privately-owned business, with great values." He says, "From legacy HID lamps to smart devices, there is always something new to learn and I appreciate that as well as all the support available from the Product Managers, and their teams."

Wilfredo is a person who goes above and beyond to help customers. He goes out of his way to find solutions. Wearing many hats, Wilfredo handles quality control, technical support, customer service and, on occasion, has been known to pose as a model for some of our marketing needs!



### **SATCO**<sup>®</sup> NUVO<sup>®</sup>

#### WE ARE LIGHTING.

A SINGLE AND TOTAL RESOURCE.

Finding the quality, wide selection and company that makes it easy to do business is what being a total resource is all about.

Whatever your space, industry or business, if it needs lights, we have the solution.

b

MULTI-FAMILY SOLUTIONS



RETAIL






OFFICE



COMMERCIAL



HOSPITALITY

1 -



#### DISTRIBUTION CENTERS

**New York (Headquarters)** 

110 Heartland Blvd., Brentwood, NY 11717 Tel. 631-243-2022, Fax: 631-243-2027

#### Texas

2000 Valwood Parkway, Farmers Branch, TX 75234 Tel. 972-247-2437, Fax: 972-247-5408

#### Florida

1694 NW 215th Street, Miami Gardens, FL 33056 Tel. 305-624-2044, Fax: 305-623-0286

#### California

31288 San Benito Street, Hayward, CA 94544 Tel. 510-487-4822, Fax: 510-487-8955

#### Washington 4710 116th S.W., Mukilteo, WA 98275 Tel. 425-789-3300, Fax: 425-789-3310

#### **Puerto Rico**

Campeche Street. 23 Julio N. Matos Industrial Park, Carolina, PR 00984 Tel. 787-757-3510, Fax: 787-757-3540

Canada & Mexico Internationalsales@satco.com/631-243-2022 EXT315

National Toll Free 1-800-437-2826