

Title: Nancegollan Village Hall Bouncy Castle Risk Assessment. This RA applies to **indoor** use only.

Date Compiled by AT. 15/2/2023

Reviewed 2/2024 by AT

Hirer is responsible their own insurance and for setting up the Bouncy Castle safely and issuing instructions for use.

A contact number must be obtained.

Hazard	Risk	Persons at risk	Control measures	Comments an actions	Residual risk L/M/H	Review date
Ensure Castle is sited away from walls, doors, exits chairs and other hazards, and impact absorbing mats are in position. Cables wires and air hoses neat and tidy and out of walk areas.	Risk of collision cluttering objects musculo skeletal damage. Slips trips and falls.	Users and supervisors	Check correct siting throughout usage period. Make sure adequate space is around the equipment. Cables crossing walk ways must be marked with hazard tape, and mats in place	Supervision First aiders present	Low	Feb 2025
Ensure castle is safely anchored to the floor but does not damage the floor surface.	Becoming dislodged when used and users colliding and sustaining injuries. Damage to floor through abrasion	All users	Ensure Hirer sets up castle securely. Supervisors to observe equipment and halt use if castle becomes unstable.		Low	
Electric motor blower Fire hazard	Overheating could cause fires. Risk of smoke inhalation or burns .	All users	Ensure blowers and motors have adequate air space around them for ventilation. Phone fire brigade if fire	Evacuate all persons. First aider present.	Low	

			suspected. Familiarise all participants with position of fire extinguishers, fire exits and outside evacuation areas. Hall has fire alarm system	Seek medical help if required.		
Ensure Castle does not become under inflated or over inflated	Suffocation or injury	All users	Ensure blowers are working correctly and have adequate ventilation. Stop use of equipment if unsure	Consult the Hirer if unsure.	Low	
Too Many simultaneous users and/or users of bigger and smaller sizes.	Musculo skeletal Injuries from collisions. Overloading.	users and supervisors	Adult supervision at all times. First aider present. Weight restriction <_ 14 stone seek medical help if required.	Observe and supervise at all times	Low	Feb 2025
Excessive bouncing rocking, climbing or tipping of equipment	Over loading and unbalancing may cause collisions injuries	All	Supervise user behaviour		Low	
Ensure users don't have back or neck problems ,heart conditions are pregnant or effected by alcohol or drugs	Risk of life threatening illness and injury if users collide or collapse.	all	Parents and carers will be asked to ensure that children are properly prepared to meet safety requirements before using the bouncy castle and remain on hand to supervise them. Nancegollan Village Hall Insurance policy covers all	No adults supervising will have consumed alcohol or drugs	Low if safety regulations are complied with	

			accidents and injuries sustained in the Hall.			
No food or drink consumed. Shoes, jewellery and or glasses must not been worn whilst using the Castle	Risk of choking scratching ,cuts bruising and other musculo skeletal injury	All users	As above, Supervise all children before they use the equipment. Keep shoes and other belongings in a safe area.		Low	