




RUBBER ROADLINER PADS

- ✓ *Replaces Existing Steel Shoes*
- ✓ *More Durable than Clip On Rubber Pads*
- ✓ *Available for Most Popular Excavator Models*



PART#	L	L1	L2	S	BOLT HOLE	CHAIN APPLICATION	COMMON MACHINE APPLICATIONS	MACHINE PITCH	BOLT	NUT
CT400B	400 mm	104 mm	80 mm	46 mm	12 mm	9143849	Hitachi ZX60USB-3	5.31"	571894	FT887
CT400C	400 mm	94 mm	64 mm	46 mm	12 mm	KB69/XX, 22M-32-01100	Komatsu PC40/50MR-2, PC40FR-2, PC45MR-1, PC45/55MR-3, PC50UD/UUM-2, PC58UU-3	5.31"	571894	FT887
CT450A	450 mm	90 mm	90 mm	55 mm	14 mm	AT159890, 9096710	Hitachi EX60, EX60-2/3, EX90, EX90US - Deere 70, 70D, 190E, 290D	6.06"	203-32-21210	9691/03
CT450B	450 mm	99 mm	72 mm	43.5 mm	12 mm	KM906/XX	Komatsu PC60-2/3/5	5.31"	571894	FT887
CT450F	450 mm	89 mm	73 mm	57 mm	14 mm	KM3041/XX	Komatsu PC60-6/7, PC75-1/UU-2, PC78MR-6, PC78US-5/6/8 - Cat 307C, EX60-5, EX80-5, ZX70/80 - Kobelco SK60-III/IV/V, SK70SR, SK80MSR - Case CX75/80 - Linkbelt 75/80LX - Deere 75C/D/G, 85D/G	6.06"	203-32-21210	9691/03
CT500	500 mm	102.4 mm	86.4 mm	57 mm	16 mm	KM1262/XX	Komatsu PC90-1, PC100-5/6, PC120-5/6, PC130-5/6/8, PC138US-2, PC138USLC-8	6.89"	205-32-51210	9691/04
CT500A	500 mm	108 mm	108 mm	60.3 mm	5/8"	CR5952/XX, KB100/XX	Cat 311, 312, 313C, 314C, E110B, E120B - Hitachi EX100-2/3/5, EX120-2/3/5, ZX120, ZX135US - Deere 110, 120, 130G, 490, 690B/C/D - Kobelco K904D/E, K905A - Linkbelt 130LX, LS2650C - Case 9010, CX130BLC, CX145C - Volvo EC130C, EC140, ECR145CL, EC150 - many more...	6.75"	7H3597	1M1408
CT600A	600 mm	160.4 mm	124.4 mm	62 mm	20 mm	KM2561/XX	Komatsu PC150-5, PC158US-2, PC160-6, PC200-3/5/6/7/8, PC210-3/5/6/7/8, PC220-3/5/6/8, PC240-3/5 - Deere 160D/G, 180G, 210G, 245G, 790 - Hitachi EX/ZX200-3, EX220-2/3, ZX225US, ZX240 - Volvo EC210B, EC220D, EC240B, EC250EL	7.48"	20Y-32-11210	79035816
CT600C	600 mm	108 mm	108 mm	60.3 mm	5/8"	CR5952/XX, KB100/XX	Cat 311, 312, 313C, 314C, E110B, E120B - Hitachi EX100-2/3/5, EX120-2/3/5, ZX120, ZX135US - Deere 110, 120, 130G, 490, 690B/C/D - Kobelco K904D/E, K905A - Linkbelt 130LX, LS2650C - Case 9010, CX130BLC, CX145C - Volvo EC130C, EC140, ECR145CL, EC150 - many more...	6.75"	7H3597	1M1408
CT600D	600 mm	155.6 mm	119.6 mm	69 mm	20 mm	CR5350/XX	Cat 315, 317B, 318C, 320, 322, 324, E200B, E/EL240 - Kobelco SK150-III/IV, SK160, SK170, SK200-V/VI/SR, SK210-VI/VIII, SK220-IV, SK235SR - Case CX160, CX210C, 9020/9030/9040B - many more...	7.5"	9W3619	79035816
CT600F	600 mm	89 mm	73 mm	57 mm	14 mm	KM3041/XX	Komatsu PC60-6/7, PC75-1/UU-2, PC78MR-6, PC78US-5/6/8 - Cat 307C, EX60-5, EX80-5, ZX70/80 - Kobelco SK60-III/IV/V, SK70SR, SK80MSR - Case CX75/80 - Linkbelt 75/80LX - Deere 75C/D/G, 85D/G	6.06"	203-32-21210	9691/03



**confirm chain part# before ordering

All manufacturers' names, numbers, symbols and descriptions shown are for reference only. It is not implied that any part listed is the product of those manufacturers





CLIP ON RUBBER PADS



- ✓ **Simple Bolt-On Solution**
- ✓ **Mounts to Existing Triple Grouser Shoes**
- ✓ **Easy Removal for Changing Jobsite Conditions**

PART #	EXISTING SHOE WIDTH	W	H	W1	H1	FITS ITR TRACK SHOE PART NUMBER	COMMON APPLICATIONS
RP154/450	450 mm	127 mm	59 mm	42 mm	20 mm	KM1685/450	Cat 307/308 - Hitachi EX/ZX70, EX/ZX75, EX/ZX80 - Deere 75/80/85 - Komatsu PC60/75/78 - many more...
RP154/600	600 mm	127 mm	59 mm	42 mm	20 mm	KM1685/600	Cat 307/308 - Hitachi EX/ZX70, EX/ZX75, EX/ZX80 - Deere 75/80/85 - Komatsu PC60/75/78 - many more...
RP175/500	500 mm	125 mm	61 mm	34 mm	23 mm	CR3248/20, CR3248/20L, CR4835/20, KM1263/500	Cat 311/312 - Hitachi EX/ZX135 - Deere 135D/G - Komatsu PC100-5/6, PC120-5/6, PC130-5/6/6, PC138US-2/USLC-8 - many more...
RP175/600	600 mm	127 mm	64 mm	34 mm	25 mm	CR3248/24, CR3248/24L, CR4835/600, KM1263/600	Cat 311/312 - Hitachi EX/ZX135 - Deere 135D/G - Komatsu PC100-5/6, PC120-5/6, PC130-5/6/6, PC138US-2/USLC-8 - many more...
RP175/700	700 mm	140 mm	74 mm	34 mm	27 mm	CR3248/28, CR3248/28L, CR4835/28	Cat 311/312 - Hitachi EX/ZX135 - Deere 135D/G - many more...
RP190/600	600 mm	148 mm	83 mm	42 mm	26 mm	KM783/600, KM783/600L, KM1080/600, KM1080/600L, CR5360/600, CR5360/600L	Hitachi EX/ZX200, EX/ZX220 - Deere 160/180/210G - Komatsu PC200/220 - many more...
RP190/700	700 mm	148 mm	83 mm	42 mm	26 mm	KM783/700, KM783/700L, KM1080/700, KM1080/700L, CR5360/700, CR5360/700L	Hitachi EX/ZX200, EX/ZX220 - Deere 160/180/210G - Komatsu PC200/220 - many more...
RP190/800	800 mm	148 mm	83 mm	42 mm	26 mm	KM783/800, KM783/800L, KM1080/800, KM1080/800L, CR5360/800, CR5360/800L	Hitachi EX/ZX200, EX/ZX220 - Deere 160/180/210G - Komatsu PC200/220 - many more...



*****Steel shoe profiles differ by manufacturer. Test fitting is highly recommended.**

All manufacturers' names, numbers, symbols and descriptions shown are for reference only. It is not implied that any part listed is the product of those manufacturers







BOLT ON RUBBER PADS



TYPE 1



TYPE 2



PART#	OVERALL SIZE	A	B	C	D	E	STUD DIAMETER	DESIGN	APPLICATION
DHR90X230	230x32x66 mm	150 mm	n/a	n/a	n/a	n/a	12 mm	TYPE 1	FOR USE ON S90X26X230X XX STEEL MINI TRACK GROUPS
DHR101X300B	295x35x68 mm	200 mm	n/a	n/a	n/a	n/a	12 mm	TYPE 1	FOR USE ON S101X30X300X XX , S101X35X300X XX , S101X40X300X XX & S101X45X300X XX STEEL MINI TRACK GROUPS
DHR135X400B	390x36x106 mm	300 mm	72 mm	99 mm	46 mm	46 mm	12 mm	TYPE 2	FOR USE ON S135X31X400X XX , S135X41X400X XX , & S135X45X400X XX STEEL MINI TRACK GROUPS
DHR135X450B	445x36x106 mm	350 mm	73 mm	102 mm	46 mm	46 mm	12 mm	TYPE 2	FOR USE ON S135X45X450AX XX STEEL MINI TRACK GROUPS
DHR154X450B	445x45x123 mm	350 mm	82 mm	90 mm	58 mm	58 mm	14 mm	TYPE 2	FOR USE ON S154X45X450X XX & S154X58X450X XX STEEL MINI TRACK GROUPS - KM1685/450 PRE-DRILLED ITR TRACK SHOES
DHR171X500B	495x57x135 mm	400 mm	97 mm	105 mm	60.32 mm	59 mm	16 mm	TYPE 2	CR4835/20 PRE-DRILLED ITR TRACK SHOES

**all mounting hardware included

All manufacturers' names, numbers, symbols and descriptions shown are for reference only. It is not implied that any part listed is the product of those manufacturers

