

**RJSFAVICRETE™**

**RJSFAVICRETE TILE CLEANER**



**RJSFAVICRETE TILE CLEANER**  
**HIGH PERFORMANCE TILE**  
**CLEANER**



For Internal  
& External  
Floor & Wall



Dilute  
with Water



Easy to use



Protect the color  
& shine of tile



Removes  
difficult stains



Not Harmful



**Available in 1 Ltr pack**

## DESCRIPTION

RJS Favicrete Tile Cleaner is a high quality rapid active cleaner and degreasing solution for use on tiles, bathtubs, wash basin, privy basin and concrete etc. It is used to clean whitish spot/ layer as normally observed in the bathroom under plastic/ metal buckets (normal detergent is not helpful) with ease.

It is also used as rapid removal of white yellowish spot/layer along with water stains over tiles, cement stains, grime, oil, paint stains, grease, moss and wax from concrete, asbestos, terrazzo and ceramics.

## STANDARD COMPLIANCE/ SPECIFICATION

RJS Favicrete Tile Cleaner complies to Class 2 requirements as per "ISO 9001: 2015 Method of test, Sampling & basis for acceptance for determination of Stain and Chemical Resistance of glazed tiles"

## AREA OF USE

| Surface to be cleaned                                                                                                                                                                                                                                                                 | Area of application                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Stain cleaning for ceramic tile, glazed tiles, porcelain tiles, vitrified tiles, glass mosaic tiles &amp; sanitaryware.</p> <p>Cleaning moss and wax from concrete, asbestos, terrazzo and ceramics. Surface before &amp; after application of epoxy products. Natural stones*</p> | <p>Cleaning floor and wall tiling in kitchen, bathrooms, toilets, garages, factories, general building sites &amp; residential tiling. Internal &amp; external tiling area.</p> <p>Domestic &amp; commercial tiling area. Routing tile cleaning with mop in bathroom &amp; other tiling area.</p> |

Note :

\*Check RJS Favicrete Tile Cleaner before using for cleaning of coloured concrete, granite, marble stone flooring with corner test because it may etch the surface. (If stone shows discoloration up to 24 hrs. after application, do not use product).

## FEATURES AND ADVANTAGES

- Easy to use - just mix with water & clean the surface.
- Removes difficult stains easily – Fast & effective.
- Degreases the tile surface easily for soaps, scum, efflorescence, mineral deposit.
- Cleans all types of tile like ceramic, porcelain & vitrified tile and grout.
- Protects the color & shine of tile.
- Does not damage joints between ceramic tiles, even those grouted with colored products.
- Not harmful like acid.

## LIMITATIONS

- Check RJS Favicrete Tile Cleaner before using for cleaning of coloured concrete, granite, marble stone flooring & other stones with corner test because it may etch the surface. (If stone shows discoloration up to 24 hrs. after application, do not use product)..

**TECHNICAL INFORMATION**

## PHYSICAL &amp; APPLICATION PROPERTIES

| Testing Properties  | Test Results                                                               |
|---------------------|----------------------------------------------------------------------------|
| Density             | 1.02 ± 0.02 kg/ litre                                                      |
| Color               | Reddish Liquid                                                             |
| Viscosity           | Equal to water                                                             |
| Soaking Time        | 5 minutes                                                                  |
| Dilution with Water | Dilution with water will depend upon substrate condition & Stain severity. |

## RESISTANCE TO STAINING AS PER "ISO 9001: 2015

(1 : 1 DILUTION WITH WATER)


| Testing Properties | Requirement        |
|--------------------|--------------------|
| Pickle             | Resistant, Class 2 |
| Turmeric           | Resistant, Class 2 |
| Wine               | Resistant, Class 2 |
| Oil                | Resistant, Class 2 |

Note : Above data was obtained at 25 ±2°C and 50% relative humidity. Data may vary depending on specific conditions at the building site, i.e. temperature, ventilation and absorbency level of the substrate and of the materials laid.

## APPLICATION INSTRUCTIONS



- For mild blemish spots/ layers, mix RJSFavicrete Tile Cleaner with water with 1 : 1 proportion.
- Soak the cloth or sponge in the diluted solution and rub the surfaces till the spots/layers are removed.
- For stubborn spots/ layers neat RJSFavicrete Tile Cleaner liquid (without mixing with water) shall be used for cleaning. Please check this in small areas before cleaning the complete area.
- For routine tile cleaning, dilute two capful RJSFavicrete Tile Cleaner with half bucket water & use diluted solution for cleaning the tiles & sanitaryware.



## PRECAUTIONS & NOTE

- It is advisable to use clinical gloves while using RJSFavicrete Tile Cleaner as some people with sensitive skin may experience mild itching or irritation.
- Check RJSFavicrete Tile Cleaner before using for cleaning of colored concrete, granite, marble stone & other natural stones with corner test because it may etch the surface. (If stone shows discoloration up to 24 hrs. after application, do not use product).
- Consult RJSFavicrete Technical Services for recommendations for unusual conditions.

## COVERAGE

Coverage would dependent upon porosity & contamination of substrate.

## PACKAGING

1 litre

## SHELF LIFE

18 months for sealed pack when stored under cover, out of direct sunlight, dampproof condition and protect from extremes of temperature.

## SAFETY PRECAUTIONS

Keep out of reach of children. Wear suitable protective clothing, gloves and eyes/face protection. After contact with skin, wash immediately with plenty of clean water. In case of contact with eyes rinse immediately with plenty of clean water and seek medical advice. Limited to professional use only.

## CUSTOMER CARE

### FAVICRETE CHEMIE & COMPANY

Office No.212,Parmesh Business Centre-1,  
Plot No.20, Karkardooma Community Centre,  
Delhi-110092  
Contact No:-9560870630  
Email  
ID:[sales@rjsfavicrete.com](mailto:sales@rjsfavicrete.com)  
Website:- [www.rjsfavicrete.com](http://www.rjsfavicrete.com)