

**EVOLUTION LINE COMPLETE  
EXHAUST SYSTEM WITH  
HEXAGONAL DUAL MUFFLERS\***  
FOR HONDA CRF250R/RX 18-21

- The flagship of the Akrapovic exhaust system range and simply the finest exhaust system available
- Used and tested by our top factory teams in motorcycle racing
- Unique and dedicated to maximizing the engine's performance, while reducing overall weight for optimized overall handling of the motorcycle
- Made entirely of titanium
- Link pipe is made of titanium and welded to the muffler
- Hexagonal mufflers feature a composite plastic outlet cap to match the design of each bike
- Features a more durable welded bracket and titanium end cap
- Meets FIM noise limits
- Includes spark arresters

**NOTE: For closed course competition use only.  
Not intended for street use.**



**PART #**

**1820-1982**



1811-4055



1811-4056

**SLIP-ON SERIES MUFFLERS\***  
FOR BMW F900XR 20-21, F900R 20-21

- Slip-on mufflers represent the first step in the exhaust system tuning process
- Easy to install and offers a great balance between price and performance
- More power, more torque, less weight and the unique Akrapovic sound
- Muffler sleeves constructed from titanium or carbon fiber
- End caps constructed from titanium or carbon fiber
- Optional carbon fiber muffler heat shield available separately



1861-1500

DESCRIPTION	PART #
Single titanium muffler w/ carbon end cap (will fit w/ BMW side cases and central stand)	1811-4055
Single carbon muffler w/ titanium end cap (will fit w/ BMW side cases and central stand)	1811-4056
Optional carbon fiber heat shield to replace stock heat shield	1861-1500



1810-2809



### TRUE DUAL PERFORMANCE EXHAUST SYSTEMS\*

- 1<sup>3</sup>/<sub>4</sub>" equal-length headers for Chieftain; 1<sup>3</sup>/<sub>4</sub>" stepped to 1<sup>7</sup>/<sub>8</sub>" for Challenger
- 4" straight can mufflers with removable baffles (baffles are perforated on Challenger models)
- Slant-cut billet aluminum end caps
- Include full heat shields
- 18mm O<sub>2</sub> bungs with 12mm O<sub>2</sub> adapters included
- Made in the U.S.A.

DESCRIPTION	PART #
<b>FOR INDIAN CHALLENGER 20</b>	
Black w/ black end caps	1810-2809
Chrome w/ polished end caps	1810-2808

1810-2808



### ROAD RAGE 2-INTO-1 EXHAUST\*

- 4" muffler with removable baffle
- Includes full heat shields that cover header pipes
- 4" slash-cut end cap
- Show chrome or black ceramic finish available
- Made in the U.S.A.

DESCRIPTION	PART #
<b>FOR INDIAN CHALLENGER 20</b>	
Chrome	1810-2778
Black	1810-2779

1810-2779



### 4" PERFORMANCE SLIP-ON MUFFLERS\*

- 4" slip-on mufflers mount to stock headpipes and fit under hard bags
- Give your bike a unique style, performance and sound
- Come with a 4" slash-cut end cap
- Constructed from 16-gauge stainless steel
- Necessary hardware included
- Sold in pairs
- Available in black
- Made in the U.S.A.

PART #	DESCRIPTION
1811-3973	For 14-21 Indian Chieftain w/ hard bags, 14-21 Roadmaster, 20-21 Challenger

1811-3973



# KURYAKYN

## LODESTAR 1850L HIGH-OUTPUT DRIVING LIGHTS

- Durable polycarbonate lenses and aluminum housings with large cooling fins to dissipate heat
- All Lodestar LED driving lights are equipped with Deutsch connectors
- Kit includes two lamps with sealed connectors and wiring pigtailed and integrated mount brackets with fasteners
- 90mm x 90mm lamps (lens dimensions) put out a true/effective 1,850 lumens per light, with crisp 5700K color temp
- IP69K rated for total dust ingress and high-pressure washing and/or steam cleaning
- Integrated overheating, overvoltage and polarity protection
- Universal compatibility with standard 12V electrical systems (each lamp draws 2.3 amps)
- Spot and flood-style lights both have a rectangular cone beam pattern and should be mounted to a horizontal surface or bar
- Provides excellent auxiliary (white) driving lights for use on off- or on-road motorcycles, ATVs/UTVs, Jeeps and other 4x4 ORVs or trucks (Not DOT compliant)
- Sold in pairs



2001-2372



2001-2373



DESCRIPTION	PART #
Spot beam	2001-2372
Flood beam	2001-2373

## LODESTAR 750L HIGH-OUTPUT DRIVING LIGHTS

- Durable polycarbonate lenses and aluminum housings with large cooling fins to dissipate heat
- All Lodestar driving lights are equipped with Deutsch connectors
- Kit includes two lamps with sealed connectors and wiring pigtailed and integrated mount brackets with M8 x 1.25 fasteners
- 60mm x 60mm lamps (lens dimensions) put out a true/effective 750 lumens per light and 5700K color temp
- IP69K rated for total dust ingress and high-pressure washing and/or steam cleaning
- Integrated overheating, overvoltage and polarity protection
- Universal compatibility with standard 12V electrical systems (each lamp draws 1.1 amps)
- Spot-style driving lights have round cone beam pattern and can be mounted in any position
- Flood-style driving lights have a rectangular cone beam pattern and should be mounted to a horizontal surface or bar
- Provides excellent auxiliary (white) driving lights for use on off- or on-road motorcycles, ATVs/UTVs, Jeeps and other 4x4 ORVs or trucks (Not DOT Compliant)
- Sold in pairs



2001-2370



2001-2371



DESCRIPTION	PART #
Spot beam	2001-2370
Flood beam	2001-2371



# KURYAKYN

## TRUNK RELOCATOR KIT FOR HONDA GL1800 GOLD WING MODELS 18-20

- Frees up more space for both rider and passenger
- Easy to install with included hardware
- Included OEM-styled vinyl filler pad covers the gap and exposed wiring for a clean look
- Moves the trunk back 4" from the rider and up 1"



### PART #

3522-0014

## TRUNK LID ORGANIZER BAG FOR HONDA GL1800 GOLD WING MODELS (EXCEPT F6B) 01-17

- All-new design with extra-secure mounting using lid-mounted snap tab attachments and hook-and-loop fasteners
- Includes Lid Organizer and separate MOLLE-integrated tool pouch/Dopp kit
- Three separate storage pockets for optimum organization
- Integrated MOLLE field can be used to attach included tool pouch or as a tool organizer
- Made from durable moisture-resistant and UV-treated 1200-denier polyester
- Dimensions: 12" W x 22" L



### PART #

3522-0012

## TRUNK LID ORGANIZER BAG FOR HONDA GL1800 GOLD WING MODELS 18-20

- Eliminate clutter and keep your trunk from looking like a junk drawer with this handy and versatile lid organizer designed specifically for the new Gold Wing Tour trunk
- All new design bolts onto the interior trunk lid with the included fasteners and reusing OEM hardware
- Lightweight durable construction
- Includes compact removable mirror
- MOLLE attachment points for tools, pocket knives or other items



### PART #

3522-0013

## OMNI TRANSMISSION COVERS FOR HONDA GL1800 GOLD WING 18-20

- Features stylized mesh inserts that mimic the stock fairing grilles for a cohesive look throughout
- Conceals the engine and transmission cases with mesh grilles for airflow/heat dissipation
- Made from durable lightweight ABS
- Styled to mimic the OEM/stock mesh grilles in the fairing for a clean look
- Includes hardware for easy bolt-on install
- Available in chrome or satin black

# KURYAKYN



1107-0679



1107-0680

DESCRIPTION	PART #
Chrome	1107-0679
Satin black	1107-0680

## LODESTAR REAR AXLE SLIDERS

- CNC-machined 6061-T6 aluminum offered in gold, black or silver anodized finish
- Offer added protection for the driveshaft casing, hub, wheel and final drive on select BMW models
- Adds rugged style while protecting vital components by minimizing damage in the event of a fall
- Easy bolt-on installation with included hardware – no permanent modifications necessary
- Includes left- and right-side axle sliders, plus drive shaft housing slider



0214-1926



0214-1927



0214-1928

FITS MODEL	DESCRIPTION	PART #
<b>BMW</b>		
R1250GS/Adventure 18-20; R1200GS/Adventure 13-18; R1250RT 19-20; R1200RT 14-18, R1200R/RS 15-18, R nineT, R nineT Pure, R nineT Racer, R nineT Scrambler, R nineT Urban G/S 14-20	Gold	0214-1926
	Black	0214-1927
	Silver	0214-1928

## LODESTAR HANDLEBAR SLIDERS

- Keep your bar-end weights, add some subtle style and get the added benefit of protection from tip-overs or low-side crashes
- Protect handguards and, to some degree, levers, from damage during tip-overs or low-side crashes
- Direct bolt-on installation that retains use of the stock bar-end weights (install outside of hand guards)
- CNC machined 6061-T6 aluminum offered in gold, black or silver anodized finishes
- Sold in pairs



0634-0553



0634-0554



0634-0555

FITS MODEL	DESCRIPTION	PART #
<b>BMW</b>		
R1250GS/R1250GS Adventure 19-20, R1200GS/R1200GS Adventure 12-18, F850GS Adventure 19-20, S1000XR 14-19	Gold	0634-0553
	Black	0634-0554
	Silver	0634-0555



## LODESTAR KICKSTAND SHOE

- CNC-machined 6061-T6 aluminum top with laser-cut stainless steel bottom plate
- Provides additional surface area to keep kickstand from sinking into soft surfaces
- Outer edge can be utilized to break beads on flat tires during roadside or trailside repairs
- Serrated edge on the bottom plate adds traction to help deploy kickstand in wet or muddy conditions
- Available in gold, black or silver anodized finishes

FITS MODEL	DESCRIPTION	PART #
<b>BMW</b>		
R1250GS/Adventure 19-20, R1200GS 16-18, R1200GS Adventure 14-18	Gold	0510-0582
	Black	0510-0583
	Silver	0510-0584



0640-1456



0640-1457



### DYNAMIC AMBER/WHITE LED MIRRORS

- Two rows of forward-facing bright white/amber LEDs behind a smoke lens
- White DRL LEDs automatically deactivated when the turn signal lamp or hazard warning lamp is activated
- Built-in rear-facing red LEDs, also behind a smoked lens, can be wired to illuminate as turn signal or brake light
- Mirror head dimensions: 5 1/8" wide x 2 9/16" tall
- Mirror stems position heads 2 1/2" out and 5 1/2" above mounting location
- Wires concealed in mounting stem
- Requires 5/16" mounting hole
- Mounting hardware included
- DOT compliant mirror glass

PART #	DESCRIPTION
0640-1456	Chrome
0640-1457	Black



### SENTINEL BRAKE MOUNT KIT

- For Sentinel and Fuzion Handguards
- Only 1/2" of space is needed near your handlebar grips to accommodate the mounting brackets
- Unique design allows you to fit the brake side mounting bracket under your existing Hayes Stealth master cylinder
- All parts are aluminum for lightweight strength and durability
- This mount kit only works with the Sentinel and Fuzion handguards

**DESCRIPTION**

Hayes brake snowmobile mount kit; Arctic Cat 19 (all), Yamaha Sidewinder 19, Yamaha SR Viper 19

**PART #**

0635-1612



0641-0256



### MIRROR MOUNTING ADAPTERS

- Fit Custom Dynamics mirror side M8 x 1.25" mounting stem
- Sold in pairs

PART #	DESCRIPTION
0641-0256	Fits all Honda, Kawasaki, Suzuki, and Victory models (M8 x 1.25 to M10-1.25 right-hand thread)
0641-0258	Fits all Yamaha, Ducati Scrambler, Full Throttle, Urban Enduro, Icon, Classic, Flat Track Pro, Sixty2, Desert Sled models (M8 x 1.25 to M10-1.25 right-hand thread and M8 x 1.25 to M10-1.25 left-hand thread)




### UNIVERSAL PHONE AND MAP HOLDER

- Designed to work with any dual sport or off-road bike application
- Can be attached by removing bike seat and attaching the holder around seat, below the tank mount that holds the seat to the gas tank on the motorcycle
- Designed to fit up to an iPhone® 11 size to fit inside compartment
- Uses hook-and-loop closure with clear vinyl face so you can view phone or map inside the compartment
- Made in the U.S.A.

**PART #**

3502-0488





### CARBON STEEL 7/8" HANDLEBARS

- Constructed from 2mm thick carbon steel for high strength
- Knurled center clamp area prevents slipping in the heat of battle
- Plastic end caps prevent bars from cutting through grips
- Durable powdercoated finish
- Available in many popular bends to suit personal riding styles
- Crossbar pad included



### CARBON STEEL OVERSIZED HANDLEBARS

- Constructed from lightweight 2mm thick carbon steel for high strength
- Oversized 1 1/8" diameter base tapers to 7/8" to allow standard size controls/ grips
- Great alternative to more expensive aluminum oversized bars
- Matte black powdercoated finish offers a clean look
- Available in CR-HI
- Plastic end caps prevent bars from cutting through grips in a crash
- Crossbar pad included

BEND	BLACK	BLUE	RED	GREY
<b>STANDARD – 7/8" BENDS</b>				
CR-HI	0601-4964	0601-4965	0601-4966	0601-4967
CR-LO	0601-4969			
KX	0601-4973			
YZ	0601-4976			
Mini	0601-4979			

### CARBON STEEL HANDLEBARS

- The same quality, features and construction found in higher-priced 7/8" bars
- Constructed from a lightweight 2mm thick carbon steel for more strength to resist tweaking
- Knurled center clamp area prevents slipping in the heat of battle
- Plastic end caps prevent bars from cutting through grips
- Durable powder-coated finish available in four colors
- Available in popular bends to suit the rider's personal style
- Crossbar pad included



BEND	BLACK	GREY
<b>STANDARD – 7/8" BENDS</b>		
ATV-Hi	0601-4985	0601-4988
4-Trax/ Quad	0601-4989	

### AIR FILTERS

- OEM-style cellulose air filters
- Developed by All Balls Racing to be a direct OEM replacement
- OEM-level protection without the cost



1011-4473

FITS MODEL	PART #
<b>POLARIS</b>	
ACE 900 EFI 16-19	1011-4472
RZR 4 900 15-18	1011-4472
RZR 900/900S 50/55/60 Inch 15-20	1011-4472
General 1000/1000 4/XP/XP 4 16-20	1011-4472
Ranger 1000 18-20	1011-4473

FITS MODEL	PART #
<b>POLARIS (CONT)</b>	
Ranger XP 1000 17-20 (all)	1011-4473
Ranger XP 1000 Crew 17-20 (all)	1011-4473
RZR 1000 60 Inch 16-20	1011-4472
RZR S4 1000 19-20	1011-4472





### OPTIMATE 1 DUO BATTERY CHARGER/ MAINTAINER

- Charges and maintain both 12V AGM, gel or standard lead-acid batteries and 12V/12.8V/13.2V LFP (LiFePO4) Lithium batteries
- Ideal for vehicles that are seldom or seasonally used, or in storage
- Global (100-240V 50-60Hz), high-efficiency (CEC listed), fully sealed
- Dust-proof plug-in case, with 12' charge lead ending in SAE connector
- Weatherproof battery lead & small battery clip set included
- Delivers precise micro-processor controlled charging and long-term maintenance
- No risk of overcharging
- Totally safe for vehicle electronics
- Sparks suppressed
- Safe for long-term battery maintenance
- Automatic shut-down if short-circuited or battery disconnected



PART #	DESCRIPTION
3807-0502	Optimate 1 Duo Battery Charger/Maintainer

### OPTIMATE BATTERY STATUS/ CHARGE SYSTEM MONITORS

- Permanent battery leads with integrated battery status/ charge system monitors for 12V lead-acid batteries or lithium batteries
- Monitor charge or confirm if the charging system is working correctly
- Two automatic modes: battery charge level monitor and charging system test
- SAE charge port with weatherproof sealing cap

DESCRIPTION	PART #
12V battery eyelet connector w/ integrated state of charge monitor for lead-acid batteries; 24" L	3807-0500
12V battery eyelet connector w/ integrated state of charge monitor for lithium LiFePO4 batteries; 24" L	3807-0501



### OPTIMATE 1 DUO BATTERY CHARGER/ MAINTAINER

- Charges and maintain both 12V AGM, gel or standard lead-acid batteries and 12V/12.8V/13.2V LFP (LiFePO4) Lithium batteries
- Ideal for vehicles that are seldom or seasonally used, or in storage
- Global (100-240V 50-60Hz), high-efficiency (CEC listed), fully sealed
- Dust-proof plug-in case, with 12' charge lead ending in SAE connector
- Weatherproof battery lead and small battery clip set included
- Delivers precise micro-processor controlled charging and long-term maintenance
- No risk of overcharging
- Totally safe for vehicle electronics
- Sparks suppressed
- Safe for long-term battery maintenance
- Automatic shut-down if short-circuited or battery disconnected



PART #	DESCRIPTION
3807-0441	Optimate 1 Duo Battery Charger/Maintainer

### JARS OF EYELET CONNECTORS

- Jar of 20 premium quick-connector permanent battery leads
- PART #3807-0454 features a heavy-duty/auto/marine connection system and cable
- Industry standard 2-pin SAE connector
- Length 20"/ 50cm; eyelet diameter 1/4" and M6 weather-protected 15A fuse
- -40°F/-40°C very low temperature use
- Cable remains flexible at below-freezing temperatures
- Rubber sealing cap and shroud for OptiMate heavy-duty SAE connector




PART #	DESCRIPTION
3807-0454	Auto/ marine





## LEFT-HAND REAR BRAKE KITS

- The perfect complement to an auto clutch, the Rekluse Left-Hand Rear Brake allows riders to operate the rear brake using their left hand
- The new system features a Rekluse-engineered and -manufactured full-size billet master cylinder featuring Rekluse Rail Adjuster (RAD) Mount Technology
- This provides high-performance braking power with expanded mounting options to better position the lever without disrupting other controls, or hand guards
- The Left-Hand Rear Brake by Rekluse maintains the function of the existing foot pedal – adding the ability to actuate the rear bike with the left hand helps riders navigate challenging terrain, including steep declines and narrow ridges, with ease
- In addition, it provides riders the ability to use their left hand to drag the rear brake in cornering situations for better line setup and control
- Made in the U.S.A.



1704-0524

FITS MODEL	PART #
<b>ALTA MOTORS</b>	
Redshift EX 17-18	1704-0525
Redshift MX 17-18	1704-0525
Redshift MXR 18	1704-0525
Redshift SM 17-18	1704-0525
<b>BETA</b>	
250 RR 13-20	1704-0526
250 RR-Race Edition 15-20	1704-0526
300 RR 13-20	1704-0526
300 RR-Race Edition 15-20	1704-0526
X Trainer 300 15-20	1704-0526
350 RR (Except Factory Edition) 14-17	1704-0526
350 RR 11-13	1704-0526
350 RR 17-20	1704-0526
350 RR-Race Edition 15-20	1704-0526
350 RR-S 17-19	1704-0526
390 RR 15-20	1704-0526
390 RR-Race Edition 18-20	1704-0526
390 RR-S 17-19	1704-0526
390 RS 15	1704-0526
400 RR Factory 11	1704-0526
400 RR 10-14	1704-0526
400 RS 13-14	1704-0526
430 RR 15-20	1704-0526
430 RR-Race Edition 15-20	1704-0526
430 RR-S 17-19	1704-0526
430 RS 15	1704-0526
450 RR Factory 11	1704-0526
450 RR 10-14	1704-0526
450 RS 13-14	1704-0526
480 RR 15-20	1704-0526
480 RR-Race Edition 15-20	1704-0526
498 RR 12-14	1704-0526
500 RR-S 17-20	1704-0526
500 RS 15-16	1704-0526
520 RR Factory 11	1704-0526
520 RR 10-11	1704-0526
520 RS 13-14	1704-0526
<b>GAS GAS</b>	
DE 250 05-06	1704-0526
DE 300 05-06	1704-0526
EC 200 05-11	1704-0526
EC 200 17-19	1704-0526
EC 200R 12/17	1704-0526
ECRanger 200 20	1704-0526
XC 200 10-12	1704-0526
XC 200 18-19	1704-0526
EC 250 05-15	1704-0526
EC 250 17-19	1704-0526
EC 250F 10-15	1704-0526
GP 250 18	1704-0526
MC 250 05-09	1704-0526
XC 250 11-13/18-19	1704-0526
EC 300 05-15	1704-0526
EC 300 17-19	1704-0526
EC 300F 13-15	1704-0526
EC 300R 12/17	1704-0526

FITS MODEL	PART #
<b>GAS GAS (SUITE)</b>	
MC 300 05/07-08	1704-0526
ECRanger 300 20	1704-0526
GP 300 18	1704-0526
XC 300 11-13/18-19	1704-0526
EC 450 FSR 05-11	1704-0526
EC 450F 12-15	1704-0526
<b>HONDA</b>	
CR125R 02-07	1704-0524
CRF150R 07-20	1704-0524
CR250R 02-07	1704-0524
CRF250R 04-20	1704-0524
CRF 250RX 19-20	1704-0524
CRF 250X 04-09	1704-0524
CRF 250X 12-17	1704-0524
CRF 450L 19-20	1704-0524
CRF 450R 02-20	1704-0524
CRF450RWE 19-20	1704-0524
CRF450RX 17-20	1704-0524
<b>HUSABERG</b>	
TE 125 14	1704-0525
FE 250 13-14	1704-0525
TE 250 11-14	1704-0525
TE 300 11-14	1704-0525
FE 350 13-14	1704-0525
FE 390 09-12	1704-0525
FE 450 09-14	1704-0525
FX 450 09-12	1704-0525
FE 501 13-14	1704-0525
FE 570 09-12	1704-0525
FS 570 11-12	1704-0525
<b>HUSQVARNA</b>	
TC 125 14-18	1704-0525
TE 125 14-16	1704-0525
TX 125 17	1704-0525
TE 150 17	1704-0525
FC 250 14-17/20	1704-0525
FE 250 14-17	1704-0525
TC 250 10-12	1704-0525
TC 250 R 13	1704-0525
TC 250 14-17	1704-0525
TE 250 10-12	1704-0525
TE 250 R 13	1704-0525
TE 250 14-17	1704-0525
TXC 250 R 13	1704-0525
TXC 250 10-12	1704-0525
TE 300 14-17	1704-0525
TX 300 17	1704-0525
TE 310 R 13	1704-0525
TE 310 10-12	1704-0525
TC 310 10-11	1704-0525
TXC 310 R 13	1704-0525
TXC 310 12	1704-0525
<b>KTM</b>	
FC 350 14-17	1704-0525
FE 350 S 15-17	1704-0525
FE 350 14-17	1704-0525



## LEFT-HAND REAR BRAKE KITS (CONT)

FITS MODEL KTM (SUITE)	PART #	FITS MODEL KTM (SUITE)	PART #
FX 350 17/20	1704-0525	450 SMR 14	1704-0525
FC 450 14-17	1704-0525	450 SX 05-06	1704-0525
FE 450 14-17	1704-0525	450 SX-F Factory Edition 12-19	1704-0525
FR 450 Rally 16	1704-0525	450 SX-F 07-20	1704-0525
FX 450 17	1704-0525	450 SXS 05	1704-0525
TC 450 06-10	1704-0525	450 XC 07-07	1704-0525
TE 450 06-10	1704-0525	450 XC-F 08-11/13-20	1704-0525
TXC 450 06-10	1704-0525	450 XC-G Racing 06-06	1704-0525
FE 501 S 15-17	1704-0525	450 XCR-W 08	1704-0525
FE 501 14-17	1704-0525	450 XC-W Champion Edition 10	1704-0525
TC 510 06-10	1704-0525	450 XC-W Six Days 10-11	1704-0525
TE 510 06-10	1704-0525	450 XC-W 07-17	1704-0525
TXC 510 06-10	1704-0525	500 EXC Six Days 12-16	1704-0525
125 EXC 05-16	1704-0525	500 EXC 12-16	1704-0525
125 SX 05-20	1704-0525	500 EXC-F Six Days 17-20	1704-0525
125 SXS 00-08	1704-0525	500 EXC-F 17-20	1704-0525
125 XC-W 17-19	1704-0525	500 XCF-W 20-20	1704-0525
144 SX 07-08	1704-0525	500 XC-W 12-16	1704-0525
150 SX 09-18/20	1704-0525	505 SX-F 07-08	1704-0525
150 XC 10-14	1704-0525	505 XC-F 08-11	1704-0525
150 XC-W/TPI 17-20	1704-0525	525 EXC Factory Racing 07	1704-0525
200 EXC 05-16	1704-0525	525 EXC Factory 05	1704-0525
200 XC 06-11	1704-0525	525 EXC Racing Six Days 05-07	1704-0525
200 XC-W 06-16	1704-0525	525 EXC Racing 05-07	1704-0525
250 EXC 05-19	1704-0525	525 EXC 05-07	1704-0525
250 EXC-F Champion Edition 10	1704-0525	525 EXC-G Racing 05-06	1704-0525
250 EXC-F Six Days 07/20	1704-0525	525 MXC-G Racing 05	1704-0525
250 EXC-F 07-20	1704-0525	525 SMR 05	1704-0525
250 EXC-G Racing 4-Stroke 05	1704-0525	525 SX Supermoto 05	1704-0525
250 SX 03-20	1704-0525	525 SX 05-06	1704-0525
250 SX-F Factory Edition 15-16	1704-0525	525 XC 06-07	1704-0525
250 SX-F 06-20	1704-0525	525 XC-G Racing 06-06	1704-0525
250 XC TPI 20-20	1704-0525	525 XC-W 07-07	1704-0525
250 XC 06-19	1704-0525	530 EXC Champion Edition 10	1704-0525
250 XC-F 07-20	1704-0525	530 EXC Factory Edition 11	1704-0525
250 XCF-W Champion Edition 10	1704-0525	530 EXC Six Days 09-11	1704-0525
250 XCF-W Six Days 11	1704-0525	530 EXC 09-11	1704-0525
250 XCF-W 06-16	1704-0525	530 EXC-R Six Days 08-08	1704-0525
250 XC-W TPI 18-20	1704-0525	530 EXC-R 08	1704-0525
250 XC-W 06-19	1704-0525	530 XCR-W 08	1704-0525
300 EXC 05-07	1704-0525	530 XC-W Six Days 10-11	1704-0525
300 MXC 05	1704-0525	530 XC-W 09-11	1704-0525
300 XC TPI 20-20	1704-0525	560 SMR 06-07	1704-0525
300 XC 06-20	1704-0525	<b>SHERCO</b>	
300 XC-W Six Days 11/14-16/20	1704-0525	250 SC Factory 20	1704-0525
300 XC-W TPI Six Days 19-20	1704-0525	250 SEF 14-20	1704-0525
300 XC-W TPI 19-20	1704-0525	250 SEF-R 14-20	1704-0525
300 XC-W 06-19	1704-0525	250 SE-R 16-20	1704-0525
350 EXC-F Factory Edition 15	1704-0525	250i 13	1704-0525
350 EXC-F Six Days 12-20	1704-0525	250i-R 12-13	1704-0525
350 EXC-F 12-20	1704-0525	300 SC Factory 20	1704-0525
350 SX-F Factory Edition 15	1704-0525	300 SEF 14-20	1704-0525
350 SX-F 11-20	1704-0525	300 SEF-R 14-20	1704-0525
350 XC-F 11-20	1704-0525	300 SE-R 16-20	1704-0525
350 XCF-W Six Days 14-16	1704-0525	300i 13	1704-0525
350 XCF-W 12-16/20	1704-0525	300i-R 13	1704-0525
400 EXC Factory Edition 11	1704-0525	450 SCF Factory 20	1704-0525
400 EXC Factory Racing 07	1704-0525	450 SEF-R 15-20	1704-0525
400 EXC Factory 05	1704-0525	500 SCF Factory 20	1704-0525
400 EXC Racing 05-07	1704-0525	500 SEF-R 19-20	1704-0525
400 EXC 05-07	1704-0525	<b>YAMAHA</b>	
400 EXC 09-11	1704-0525	YZ65 18-20	1704-0527
400 EXC-G Racing 05-06	1704-0525	YZ125 03-08	1704-0526
400 XC-W 08-11	1704-0525	YZ125 09-20	1704-0527
450 EXC Champion Edition10	1704-0525	YZ125X 20	1704-0527
450 EXC Factory Edition 05	1704-0525	WR250F 03-08	1704-0526
450 EXC Factory Edition 11	1704-0525	WR250F 09-20	1704-0527
450 EXC Factory Racing 07	1704-0525	YZ250 03-08	1704-0526
450 EXC Racing Six Days 05-07	1704-0525	YZ250 09-20	1704-0527
450 EXC Racing 05-07	1704-0525	YZ250F 03-08	1704-0526
450 EXC Six Days 09-16/18	1704-0525	YZ250F 09-20	1704-0527
450 EXC 05-16	1704-0525	YZ250FX 15-20	1704-0527
450 EXC-F Six Days 17/19-20	1704-0525	YZ250X 16-20	1704-0527
450 EXC-F 17/19-20	1704-0525	WR450F 03-08	1704-0526
450 EXC-G Racing 05-06	1704-0525	WR450F 09-20	1704-0527
450 EXC-R Six Days 08-08	1704-0525	YZ450F 03-08	1704-0526
450 EXC-R 08	1704-0525	YZ450F 09-20	1704-0527
450 MXC-G Racing 05	1704-0525	YZ450FX 16-20	1704-0527
450 MXC-G 05	1704-0525		
450 Rally Factory Replica 15-16	1704-0525		



### SXS 100% SYNTHETIC 4-STROKE ENGINE OIL

5W40

- Ester-fortified, 4-stroke engine oil formulated specifically for SXS engines
- Superior protection and oxidative stability at any temperature
- Reduces temperature and increases power output
- Shear-stable, ester-fortified formula maintains oil viscosity and film thickness
- Surface-active chemistry aggressively attaches to engine surfaces and keeps them clean
- Recommended for all OEM equipment
- Exceeds API SN PLUS and JASO MA2 specifications



3601-0778

DESCRIPTION	PART #
1 liter	3601-0778

### RACING FORK FLUID

- Mineral-based racing fork fluid
- Zero-drag fluid with special rust and corrosion inhibitors, as well as an antifoam agent and oxidation stabilizers
- Reduces overall friction and prevents stiction
- Shear stable, high viscosity index formula maintains film strength and eliminates wear
- Maintains optimal damping performance by minimizing foaming and air entrainment
- Keeps internals clean while eliminating corrosion and conditioning seals



DESCRIPTION	PART #
5W 20L	3609-0026
10WT 20L	3609-0143

### RACING FORK OIL

- Fork oil for all motorcycle forks that have to withstand heavy loads
- Optimum damping at all temperatures
- Provides lowest coefficient of friction for optimum response and uniform immersion
- Protects against foaming and corrosion
- Includes care additive for seals
- 25 liter

DESCRIPTION	PART #
RACING FORK OIL 2.5WT 25L	3609-0148
RACING FORK OIL 5WT 25L	3609-0149
RACING FORK OIL 7WT 25L	3609-0150
RACING FORK OIL 10WT 25L	3609-0151

3604-0017



### SXS SYNTHETIC GEAR OIL 75W140

- Full synthetic, ester-based gear oil specifically formulated for use in modern side-by-side vehicles
- Superior protection from wear, pitting and spalling
- Shear stable formula maintains viscosity and ensures smooth shifting
- Surface-active chemistry aggressively attaches to surfaces, keeping them clean and corrosion-free
- Exceeds API GL-5 specifications



DESCRIPTION	PART #
1 liter	3604-0017

### SC1 SILICONE DETAILER

- Restores the factory shine with a superior detailer specifically formulated for the powersports industry
- Safe on all finishes
- Cleans and polishes leaving a dry, long lasting luster
- Excellent mud and debris release when left on surface wet
- Also effective as a light lubricant for cables and levers
- Fresh clean scent
- 4oz/24 per case
- Made in the U.S.A.



DESCRIPTION	PART #
(CS/24) MAXIMA SC1 4OZ	3706-0089

