

SUN SHINE FIVE LIGHT

FITTINGS AND FIXTURES TRADING LLC

2025/2026

CATALOGUE OF ALL CABINET LIGHTS

SPECIALLY FOR JEWELLERY



Mini Track Spot Light P.001 - P.064




T2021A	T2021A-2	T2021B	T2021D	T2021E	T2021E
P.003	P.005	P.007	P.009	P.011	P.013



T2021
P.015



T1901A	T1901B	T1901C	T1901D	T1901E	T1901
P.019	P.021	P.023	P.025	P.027	P.29



T2004A	T2004B	T2004C	T2004
P.033	P.035	P.037	P.039



T1902A	T1902B	T1902C	T1902D	T1902E	T1902
P.043	P.045	P.047	P.049	P.051	P.053



T2001A	T2001B	T2001D	T2001
P.057	P.059	P.061	P.063

Line Spot Light P.065 - P.074



T1907	T1914	T1911	T1912
P.067	P.069	P.071	P.073

Pole Spot Light P.075 - P.084



L1215	L1223	L1221	L2003
P.077	P.079	P.081	P.083

Cabinet Spot Light P.085 - P.098



S1524	S1525	S1508	S1517	S1523
P.087	P.089	P.091	P.095	P.097

Mini Track Spot Light >>>

The lamp is directly inserted into the track slot to fix.
 The light fixture can be moved freely when needed,
 Change lamps at will to achieve great flexibility and adaptability.
 Install fixtures without tools. Put the lamp in any position and make adjustments.
 Just move it around manually and let the light shine to the right place as much as you need.



HQ LED CHIPS



EXCELLENT HEAT DISSIPATION MANAGEMENT



EFFICIENT OPTICAL TECHNOLOGY



IP20



DIFFERENT BEAM ANGLES



MANY COLORS FOR HOUSING



DIFFERENT COLOR TEMPERATURE



III



T2021A




OUTPUT / LUMENS

1W 95LM

POWER SUPPLY

DC 12-24V

DEGREES



CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K




COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2021A-2



OUTPUT / LUMENS

2W 170LM

POWER SUPPLY

DC 12-24V

DEGREES

15° 30° 45°

CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K

COLOUR RENDERING INDEX





80Ra 90Ra

COLOURS

Black and Grey color swatches

STANDARDS, COMPLIANCE

CE, RoHS, Energy Star, 35°C/20°C, 50000 hours, IP20



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2021B



OUTPUT / LUMENS

2W 170LM

POWER SUPPLY

DC 12-24V

DEGREES

15° 30° 45°

CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K

COLOUR RENDERING INDEX



80Ra 90Ra

COLOURS

Black and Grey color swatches

STANDARDS, COMPLIANCE

CE, RoHS, Energy Star, 35°C/20°C, 50000 hours, IP20



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2021D



OUTPUT / LUMENS

5W 400LM

POWER SUPPLY

DC 12-24V

DEGREES

15° 30° 45°

CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K

COLOUR RENDERING INDEX




80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS Energy Star 35°C/20°C 50000 hours IP20



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2021E



OUTPUT / LUMENS

1W 95LM

POWER SUPPLY

DC 12-24V

DEGREES

15° 30° 45°

CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K

COLOUR RENDERING INDEX



80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS WEEE 35°C / 20°C 50000 hours IP20




PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2021E




OUTPUT / LUMENS

3W 280LM

POWER SUPPLY

DC 12-24V

DEGREES



CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K



COLOUR RENDERING INDEX

80Ra 90Ra

灯体颜色 COLOURS



STANDARDS, COMPLIANCE



PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2021



PRODUCT FEATURES

Aluminum alloy precision molding, surface electrostatic spraying process. Lights can move freely within the track, free positioning, arbitrarily change the position of lights, realize the great flexibility and adaptability.

Track is equipped with a security card clasp, more secure.

The lights can be placed in any position of lamps and lanterns and adjust at any time.

POWER SUPPLY




COLOURS



STANDARDS, COMPLIANCE



DIMENSIONS |




(mm)

INSTALLATION SURFACE MOUNTED

Mini Track Spot Light >>>

The lamp is directly inserted into the track slot to fix.
 The light fixture can be moved freely when needed,
 Change lamps at will to achieve great flexibility and adaptability.
 Install fixtures without tools. Put the lamp in any position and make adjustments.
 Just move it around manually and let the light shine to the right place as much as you need.



HQ LED CHIPS



EXCELLENT HEAT DISSIPATION MANAGEMENT



EFFICIENT OPTICAL TECHNOLOGY



IP20



DIFFERENT BEAM ANGLES



MANY COLORS FOR HOUSING



DIFFERENT COLOR TEMPERATURE



III



T1901A




OUTPUT / LUMENS



POWER SUPPLY



DEGREES




CHIP

OSRAM

COLOUR TEMPERATURE







COLOUR RENDERING INDEX



COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T1901B



OUTPUT / LUMENS

3W 165LM

POWER SUPPLY



DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K




COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T1901C



OUTPUT / LUMENS

3W 180LM

POWER SUPPLY



DEGREES



CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX




80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE

CE RoHS WEEE 35°C / 20°C 50000 hours IP20



(mm)


PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T1901D




OUTPUT / LUMENS

3W 180LM

POWER SUPPLY



DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K




COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T1901E



OUTPUT / LUMENS

3W 180LM

POWER SUPPLY

DC24V

DEGREES

15° 30° 45°

CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K

COLOUR RENDERING INDEX


80Ra 90Ra

COLOURS

Black and Grey color swatches

STANDARDS, COMPLIANCE

CE, RoHS, Energy Star, 35°C/20°C, 50000 hours, IP20



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T1901



PRODUCT FEATURES

Aluminum alloy precision molding, surface electrostatic spraying process. Lights can move freely within the track, free positioning, arbitrarily change the position of lights, realize the great flexibility and adaptability. Track is equipped with a security card clasp, more secure. The lights can be placed in any position of lamps and lanterns and adjust at any time.

POWER SUPPLY



INPUT CURRENT



COLOURS



STANDARDS, COMPLIANCE




► Suggest 1 meter 5 lights, the whole set not more than 10 lights

INSTALLATION


SURFACE MOUNTED







DIMENSIONS



Mini Track Spot Light >>>

The lamp is directly inserted into the track slot to fix.
 The light fixture can be moved freely when needed,
 Change lamps at will to achieve great flexibility and adaptability.
 Install fixtures without tools. Put the lamp in any position and make adjustments.
 Just move it around manually and let the light shine to the right place as much as you need.



-  HQ LED CHIPS
-  EXCELLENT HEAT DISSIPATION MANAGEMENT
-  EFFICIENT OPTICAL TECHNOLOGY
-  IP20
-  DIFFERENT BEAM ANGLES
-  MANY COLORS FOR HOUSING
-  DIFFERENT COLOR TEMPERATURE
-  III



T2004A




OUTPUT / LUMENS

1W 110LM

POWER SUPPLY



角度 DEGREES



CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K





COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2004B




OUTPUT / LUMENS

3W 165LM

POWER SUPPLY



DEGREES



CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K





显色指数 COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2004C




OUTPUT / LUMENS

5W 420LM

POWER SUPPLY



DEGREES



CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K


COLOUR RENDERING INDEX

80Ra 90Ra


COLOURS



STANDARDS, COMPLIANCE



H(m)	Ø	Illuminance (Lux)
0,5m	0,05mØ	33095 Lx
1m	0,10mØ	8274 Lx
1,5m	0,15mØ	3677 Lx
2m	0,21mØ	2068 Lx
3m	0,31mØ	919 Lx



(mm)


PRODUCT FEATURES

Mini magnetic spot light, aluminum precision machining molding, surface electrostatic spraying process. The integrated heat dissipation structure enables LED chip to dissipate heat rapidly, ensuring the average life of the light source can reach 50,000 hours. Can be divided to increase or decrease the number of lamp, choose the light color to meet different application environment, HQ LED cold light source, no radiation, no strobe, for the spectrum does not contain red, ultraviolet light, protect the subject. Suitable for jewelry, jewelry, clocks, antiques and other display cabinets, display small space as the key lighting.

INSTALLATION

Insert to the track

T2004



PRODUCT FEATURES

Aluminum alloy precision molding, surface electrostatic spraying process. Lights can move freely within the track, free positioning, arbitrarily change the position of lights, realize the great flexibility and adaptability.

Track is equipped with a security card clasp, more secure.

The lights can be placed in any position of lamps and lanterns and adjust at any time.

POWER SUPPLY



INPUT CURRENT




COLOURS



STANDARDS, COMPLIANCE



DIMENSIONS



(mm)

- ▶ Suggest 1 meter 5 lights, the whole set not more than 10 lights

INSTALLATION

SURFACE MOUNTED

Mini Track Spot Light >>>

Mini and exquisite design, lights can be positioned freely, key illuminate action, lamp head can adjust angle freely degrees and can be arbitrarily combined. Low voltage power supply, safety. Easy to install and free to change.



HQ LED CHIPS



EXCELLENT HEAT DISSIPATION MANAGEMENT



EFFICIENT OPTICAL TECHNOLOGY



IP20



DIFFERENT BEAM ANGLES



MANY COLORS FOR HOUSING



DIFFERENT COLOR TEMPERATURE



III



T1902A




OUTPUT / LUMENS

1W 110LM

POWER SUPPLY

DC12V

DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K





COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Mini track spot lights adopt high quality LED chips, exquisite shape, delicate texture, matching precision light design to create a round, full and incomparable perfect light. The spectrum does not contain red, ultraviolet light, the protection is according to the object, does not contain harmful substances mercury, care for human health, environmental protection love the earth. Suitable for exhibition halls, museums, such as display cabinets, cabinets and other places, play the role of key light.

INSTALLATION

Insert to the track

T1902B



OUTPUT / LUMENS

3W 165LM

POWER SUPPLY

DC12V

DEGREES

15° 30° 45°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX




80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS Energy Star 35°C / 20°C 50000 hours IP20



(mm)

PRODUCT FEATURES

Mini track spot lights adopt high quality LED chips, exquisite shape, delicate texture, matching precision light design to create a round, full and incomparable perfect light.

The spectrum does not contain red, ultraviolet light, the protection is according to the object, does not contain harmful substances mercury, care for human health, environmental protection love the earth.

Suitable for exhibition halls, museums, such as display cabinets, cabinets and other places, play the role of key light.

INSTALLATION

Insert to the track

T1902C




OUTPUT / LUMENS

3*1W 280LM

POWER SUPPLY

DC12V

DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K




COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Mini track spot lights adopt high quality LED chips, exquisite shape, delicate texture, matching precision light design to create a round, full and incomparable perfect light. The spectrum does not contain red, ultraviolet light, the protection is according to the object, does not contain harmful substances mercury, care for human health, environmental protection love the earth. Suitable for exhibition halls, museums, such as display cabinets, cabinets and other places, play the role of key light.

INSTALLATION

Insert to the track

T1902D



OUTPUT / LUMENS

3W 120-200 LM

POWER SUPPLY



DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX




80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE

CE, RoHS, Energy Star, 35°C/20°C, 50000 hours, IP20



(mm)

PRODUCT FEATURES

Mini track spot lights adopt high quality LED chips, exquisite shape, delicate texture, matching precision light design to create a round, full and incomparable perfect light. The spectrum does not contain red, ultraviolet light, the protection is according to the object, does not contain harmful substances mercury, care for human health, environmental protection love the earth. Suitable for exhibition halls, museums, such as display cabinets, cabinets and other places, play the role of key light.

INSTALLATION

Insert to the track

T1902E



OUTPUT / LUMENS

1W 90LM

POWER SUPPLY

DC12V

DEGREES

15° 30° 45°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX





80Ra 90Ra

COLOURS

Black and Grey color swatches

STANDARDS, COMPLIANCE

CE, RoHS, Energy Star, 35°C / 20°C, 50000 hours, IP20



(mm)


PRODUCT FEATURES

Mini track spot lights adopt high quality LED chips, exquisite shape, delicate texture, matching precision light design to create a round, full and incomparable perfect light. The spectrum does not contain red, ultraviolet light, the protection is according to the object, does not contain harmful substances mercury, care for human health, environmental protection love the earth. Suitable for exhibition halls, museums, such as display cabinets, cabinets and other places, play the role of key light.

INSTALLATION

Insert to the track

T1902



PRODUCT FEATURES

Aluminum alloy precision molding, surface electrostatic spraying process. Lights can move freely within the track, free positioning, arbitrarily change the position of lights, realize the great flexibility and adaptability.

Track is equipped with a security card clasp, more secure.

The lights can be placed in any position of lamps and lanterns and adjust at any time.

POWER SUPPLY



INPUT CURRENT





COLOURS



STANDARDS, COMPLIANCE



DIMENSIONS



(mm)

- ▶ Suggest 1 meter 5 lights, the whole set not more than 10 lights

INSTALLATION

SURFACE MOUNTED

Mini Track Spot Light >>>

Mini and exquisite design, lights can be positioned freely, key illuminate action, lamp head can adjust angle freely degrees and can be arbitrarily combined. Low voltage power supply, safety. Easy to install and free to change.



HQ LED CHIPS



EXCELLENT HEAT DISSIPATION MANAGEMENT



EFFICIENT OPTICAL TECHNOLOGY



IP20



DIFFERENT BEAM ANGLES




MANY COLORS FOR HOUSING



DIFFERENT COLOR TEMPERATURE



III



T2001A



OUTPUT / LUMENS

2W 130LM

POWER SUPPLY

DC12V

DEGREES

15° 30° 45°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX




80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS WEEE Thermal: 35°C / 20°C 50000 hours IP20



(mm)

PRODUCT FEATURES

LED mini track lights adopt the super mini design, high quality led chips, efficient optical technology, excellent thermal management, more colour temperature, use to the pavilion, the museum exhibition space, such as such as display ark, clothes closet and other places, have the effect of accent light.

INSTALLATION

Insert to the track

T2001B




OUTPUT / LUMENS

3W 165LM

POWER SUPPLY

DC12V

DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K




COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



PRODUCT FEATURES

LED mini track lights adopt the super mini design, high quality led chips, efficient optical technology, excellent thermal management, more colour temperature, use to the pavilion, the museum exhibition space, such as such as display ark, clothes closet and other places, have the effect of accent light.

INSTALLATION

Insert to the track

T2001D




OUTPUT / LUMENS

2W 130LM

POWER SUPPLY

DC12V

DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K




COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE




PRODUCT FEATURES

LED mini track lights adopt the super mini design, high quality led chips, efficient optical technology, excellent thermal management, more colour temperature, use to the pavilion, the museum exhibition space, such as such as display ark, clothes closet and other places, have the effect of accent light.

INSTALLATION

Insert to the track

T2001



PRODUCT FEATURES

Aluminum alloy precision molding, surface electrostatic spraying process. Lights can move freely within the track, free positioning, arbitrarily change the position of lights, realize the great flexibility and adaptability. Track is equipped with a security card clasp, more secure. The lights can be placed in any position of lamps and lanterns and adjust at any time. .

POWER SUPPLY



INPUT CURRENT



COLOURS



STANDARDS, COMPLIANCE





- ▶ Suggest 1 meter 5 lights, the whole set not more than 10 lights

INSTALLATION

SURFACE MOUNTED

DIMENSIONS



CUSTOMIZED

(mm)

Line Spot Light >>> T1907



OUTPUT / LUMENS

12W 1500 LM

POWER SUPPLY

AC 220V

DEGREES

15° 30° 45°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX



80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS WEEE 35°C / 20°C 50000 hours IP20



PRODUCT FEATURES

Super mini design, high quality LED light source, the perfect lighting, create a fruity, full incomparable perfect light type. The spectrum does not contain red, ultraviolet light, protect the subject, does not contain harmful substances mercury. More suitable for the pavilion, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of key lighting.

INSTALLATION

FIX WITH CLIPS

Line Spot Light >>> T1914



OUTPUT / LUMENS

18 W/M 1500 LM/M

POWER SUPPLY

DC12V

DEGREES

120°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K



COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Super mini design, high quality LED light source, the perfect lighting, create a fruity, full incomparable perfect light type. The spectrum does not contain red, ultraviolet light, protect the subject, does not contain harmful substances mercury. More suitable for the pavilion, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of key lighting.

INSTALLATION

HOLE 12MM, FIX THE BASE

Line Spot Light >>> T1911



OUTPUT / LUMENS

12W 80LM PER SET

POWER SUPPLY

220V / 110V

DEGREES

25° 45° 60°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX



80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS Energy Star 35°C / 20°C 50000 hours IP20



(mm)

PRODUCT FEATURES

Adopt the classic three Angle shape appearance design, high quality lamp bead, efficient optical technology, excellent thermal management, a variety of color temperature, special dry exhibition hall, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of accent lighting.

INSTALLATION

FIX WITH CLIPS

Line Spot Light >>> T1912



OUTPUT / LUMENS

12W 80LM PER SET

POWER SUPPLY

220V / 110V

DEGREES

25° 45° 60°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX



80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS WEEE 35°C / 20°C 50000 hours IP20



(mm)

PRODUCT FEATURES

Adopt the classic three Angle shape appearance design, high quality lamp bead, efficient optical technology, excellent thermal management, a variety of color temperature, special dry exhibition hall, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of accent lighting.

INSTALLATION

FIX WITH CLIPS

Pole Spot Light >>> L1215




OUTPUT / LUMENS

3*1W 280LM

POWER SUPPLY

220V/
110V

DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K



COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS

CUSTOMIZED

STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Made of high quality LED light source, exquisite appearance, smooth texture, precision optical design, create a fruity, full incomparable perfect light type. Spectrum contains no red, uv, protection is according to the content, do not contain harmful substances mercury, caring human body health, protect the environment. Diversified product range, can choose suitable products according to the different environmental needs.

INSTALLATION

HOLE 13mm, FIX THE BASE

Pole Spot Light >>> L1223




OUTPUT / LUMENS

3W 280LM

POWER SUPPLY



DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX



80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE

CE, RoHS, Energy Star, 35°C/20°C, 50000 hours, IP20



(mm)


PRODUCT FEATURES

Made of high quality LED light source, exquisite appearance, smooth texture, precision optical design, create a fruity, full incomparable perfect light type. Spectrum contains no red, uv, protection is according to the content, do not contain harmful substances mercury, caring human body health, protect the environment. Diversified product range, can choose suitable products according to the different environmental needs.

INSTALLATION

HOLE 13mm, FIX THE BASE

Pole Spot Light >>> L1221



OUTPUT / LUMENS

3W 165LM

POWER SUPPLY

220V/
110V

DEGREES

10° 25° 45° 60°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX




80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS WEEE 35°C / 20°C 50000 hours IP20



(mm)

PRODUCT FEATURES

Made of high quality LED light source, exquisite appearance, smooth texture, precision optical design, create a fruity, full incomparable perfect light type. Spectrum contains no red, uv, protection is according to the content, do not contain harmful substances mercury, caring human body health, protect the environment. Diversified product range, can choose suitable products according to the different environmental needs.

INSTALLATION

HOLE 13mm, FIX THE BASE

Pole Spot Light >>> L2003




OUTPUT / LUMENS

3*1W 280LM

POWER SUPPLY

AC 220V

DEGREES



CHIP

OSRAM

COLOUR TEMPERATURE

3000K 4000K 6500K



COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Made of high quality LED light source, exquisite appearance, smooth texture, precision optical design, create a fruity, full incomparable perfect light type. Spectrum contains no red, uv, protection is according to the content, do not contain harmful substances mercury, caring human body health, protect the environment. Diversified product range, can choose suitable products according to the different environmental needs.

INSTALLATION

HOLE 13mm, FIX THE BASE

Cabinet Spot Light >>> S1524




OUTPUT / LUMENS

6W 280LM

POWER SUPPLY



DEGREES



CHIP



COLOUR TEMPERATURE

3000K 4000K 6000K




COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



PRODUCT FEATURES

Adopt the super mini design, high quality LED chips, efficient optical technology, anti-dazzle design, excellent thermal management and a variety of color temperature, dedicated to the pavilion, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of accent lighting.

INSTALLATION

RECESEED

Cabinet Spot Light >>>

S1525



OUTPUT / LUMENS

5W 420LM

POWER SUPPLY

220V/
110V

DEGREES

6°-60°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K





COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Adopt the super mini design, high quality LED chips, efficient optical technology, anti-dazzle design, excellent thermal management and a variety of color temperature, dedicated to the pavilion, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of accent lighting.

INSTALLATION

RECESEED

Cabinet Spot Light >>>

S1508




OUTPUT / LUMENS

3W 280LM

POWER SUPPLY

220V/
110V

DEGREES



CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K





COLOUR RENDERING INDEX

80Ra 90Ra

COLOURS



STANDARDS, COMPLIANCE



(mm)

PRODUCT FEATURES

Adopt the super mini design, high quality LED chips, efficient optical technology, anti-dazzle design, excellent thermal management and a variety of color temperature, dedicated to the pavilion, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of accent lighting.

INSTALLATION

RECESEED

Cabinet Spot Light >>> S1517



OUTPUT / LUMENS

3W 165LM

POWER SUPPLY

220V/
110V

DEGREES

15° 30° 45°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX





80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS Energy Star 35°C/20°C 50000 hours IP20



(mm)

PRODUCT FEATURES

Adopt the super mini design, high quality LED chips, efficient optical technology, anti-dazzle design, excellent thermal management and a variety of color temperature, dedicated to the pavilion, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of accent lighting.

INSTALLATION

RECESEED

Cabinet Spot Light >>> S1523



OUTPUT / LUMENS

1W 120LM

POWER SUPPLY

220V/
110V

DEGREES

15° 30° 45°

CHIP

CREE OSRAM

COLOUR TEMPERATURE

3000K 4000K 6000K

COLOUR RENDERING INDEX




80Ra 90Ra

COLOURS

Black Grey

STANDARDS, COMPLIANCE

CE RoHS WEEE 35°C / 20°C 50000 hours IP20



(mm)

PRODUCT FEATURES

Adopt the super mini design, high quality LED chips, efficient optical technology, anti-dazzle design, excellent thermal management and a variety of color temperature, dedicated to the pavilion, the museum exhibition space, such as display ark, clothes closet and other places, have the effect of accent lighting.

INSTALLATION

SURFACE MOUNTED

SUN SHINE FIVE LIGHT

FITTINGS AND FIXTURES TRADING LLC



UAE

OFFICE NO. 12
NAKHEEL CENTER
NAIF DEIRA
DUBAI, UNITED ARAB EMIRATES



+971 52 799 7331 UMAR DARAZ
+971 56 636 9873 UMAR DARAZ
+971524029896 Office

Mail: sunshine121455@gmail.com

