



www.sunshineuae.com | info@sunshineuae.com | sunshine121455@gmail.com

+971 52 799 7331 | +971 56 636 9873 | +971 42 827 850

Add: Office #12, Nakheel Center, Naif, Deira, Dubai, UAE.



Contents

<i>LED Track Light Series</i>	<i>P13-P24</i>
<i>LED Downlight Series</i>	<i>P25-P49</i>
<i>LED Spot Light Series</i>	<i>P50-P85</i>
<i>LED Grille Downlight Series</i>	<i>P86-P98</i>
<i>LED Surface Mounted Downlight Series</i>	<i>P99-P111</i>
<i>LED Linear Light Series</i>	<i>P112-P124</i>

Contents

LED Track Light Series



XF Series
10-45W P13



XS Series
15-45W P14



XG Series
10-30W P15



XD Series
10-60W P16



XA Series
10-40W P17



XZ Series
20-45W P18



XO Series
10-50W P19




XC Series
20-50W P20




XQ Series
10-40W P21



XM Series
10-45W P22



XR Series
15-45W P23



Xx-B Series
10-50W P24

Contents

LED Downlight Series



DTA Series
10-50W P25



DTB Series
10-50W P26



DTC Series
10-40W P27



DTD Series
10-35W P28



DTE Series
10-25W P29



DTF Series
10-50W P30



DTG Series
10-80W P31



DTH Series
10-40W P32



DTI Series
10-50W P33



DTJ Series
10-25W P34



DTK Series
10-50W P35



DTL Series
10-40W P36

Contents

LED Downlight Series



DTM Series
10-50W P37



DTN Series
10-50W P38



DTO Series
10-80W P39



DTP Series
7-30W P40



DTQ Series
10-50W P41



DTS Series
5-50W P42



DTT Series
5-30W P43



DTU Series
10-50W P44



DTW Series
5-35W P46



DTX Series
7-40W P47




DTY Series
10-50W P48



DTZ Series
10-50W P49

Contents

LED Spot Light Series




HTA Series
1-10W P50



HTC Series
7-40W P51



HTC-S Series
7-40W P51



HTE Series
7-20W P52



HTF Series
7-15W P53



HTG Series
5-15W P54



HTI Series
10-30W P55



HTJ Series
7-20W P56



HTK Series
7-15W P57



HTL Series
7-20W P58



HTM Series
10-30W P59



HTN Series
5-15W P60

Contents

LED Spot Light Series



HTO Series
5-14W P61



HTP Series
12-25W P62



HTQ Series
7-48W P63



HTR Series
5-9W P64



HTS Series
7-12W P65



HTU Series
10-20W P66



HTW Series
10-70W P67



HTY Series
10-30W P68



HTZ Series
7-15W P69



STA Series
1-3W P70



STB Series
1-10W P71



STC Series
3-10W P72

Contents

LED Spot Light Series



STD Series
7-35W P73



STF Series
5-20W P74



STH Series
5-20W P75



STI Series
5-35W P76



STL Series
7-40W P77



STM Series
7-36W P78



STN Series
6-30W P80



STO Series
7-20W P81



STP Series
10-20W P82



STR Series
6-45W P83



STY Series
7-15W P84



STZ Series
7-12W P85

Contents

LED Grille Downlight Series



RC Series
15-70W P86




RG Series
25-70W P88



RH Series
10-90W P89



RK Series
12-48W P90



RP Series
12-80W P91



RS Series
7-30W P92


LED Linear DownLight Series



LAC Series
2-30W P93



LBC Series
2-30W P94



LFC Series
2-20W P95



LGC Series
6-60W P96



LHC Series
6-12W P97



LMC Series
4-30W P98

Contents

LED Surface Mounted Downlight Series



SMA Series
7-60W P99



SMB Series
10-45W P100



SMC Series
10-45W P101



SMD Series
10-60W P102



SME Series
15-45W P103



SMP Series
5-12W P104



SMR Series
7-25W P105



SMS Series
7-40W P106



SMT Series
7-30W P108



SMW Series
5-80W P109



SMY Series
12-48W P110



SMZ Series
10-40W P111

Contents

LED Linear Light Series



LL-SC Series
10-80W P112




LL-PC Series
10-80W P113




LL-KC Series
10-80W P114



LL-WC Series
10-80W P115



LL-GC Series
10-80W P116



LL-HC Series
10-80W P117



LL-YC Series
10-80W P118



LL-FC Series
10-80W P119



LL-TC Series
10-80W P120



LL-JCxx Series
10-30W P122



LL-RC Series
10-80W P123




LL-ZC Series
10-80W P124

LED TRACK LIGHT

XF Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFud** **EAGLE RISE**
- ▶ **Beam Angle**
15° | 24° | 36° | 45° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)
10W	90lm/w	50*150mm
15W	100lm/w	60*170mm
20W	100lm/w	70*170mm
25W	100lm/w	80*190mm
30W	100lm/w	90*180mm
35W	100lm/w	90*180mm
40W	100lm/w	95*190mm



LED TRACK LIGHT

XS Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE RISE**
 - ▶ **Beam Angle**
15° | 24° | 36° | 45° | 60°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(lm/w) | Size(mm) |
|-----------|------------------|-----------|
| 20W | 100lm/w | 75*110mm |
| 25W | 100lm/w | 90*110mm |
| 30W | 100lm/w | 90*110mm |
| 35W | 100lm/w | 105*130mm |
| 40W | 100lm/w | 105*130mm |





LED TRACK LIGHT

XG Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE LiFud EAGLEWISE
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

▶ Power (W)	Efficiency(lm/w)	Size(mm)
10W	90lm/w	60*120mm
20W	100lm/w	70*130mm
30W	100lm/w	80*160mm



LED TRACK LIGHT

XD Series



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLE RISE
 - ▶ **Beam Angle**
15° | 24° | 38° | 50°
50°x50° | 70°x70° | 35°x70°
90°x90° | Asymmetric
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ○
- | Power (W) | Efficiency(mA) | Size(mm) |
|-----------|----------------|----------------|
| 15W | 100lm/w | 200*W60*H80mm |
| 30W | 100lm/w | 400*W60*H80mm |
| 45W | 100lm/w | 600*W60*H80mm |
| 60W | 100lm/w | 1000*W60*H80mm |
| 80W | 100lm/w | 1200*W60*H80mm |




LED TRACK LIGHT

XA Series


- ▶ **LED Brand**
CITIZEN **CREE** + EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE RISE**
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
15° | 24° | 38° | 50°
50°x50° | 70°x70° | 35°x70°
90°x90° | Asymmetric
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency (lm/w)	Size (mm)
10W	100lm/w	120*42*66mm
15W	100lm/w	82*82*66mm
20W	100lm/w	195*42*66mm
30W	100lm/w	120*120x66mm
40W	100lm/w	385*42*66mm



LED TRACK LIGHT

XZ Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE LiFud EAGLE CRISE
- ▶ **Beam Angle**
Shapeable angle
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)
10W	90lm/w	50*225mm
15W	100lm/w	60*245mm
20W	100lm/w	80*285mm
30W	100lm/w	80*285mm




LED TRACK LIGHT

XO Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EASA** **CRISE**
- ▶ **Beam Angle**
10° - 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)
5W	90lm/w	40*110mm
10W	90lm/w	50*130mm
15W	100lm/w	60*160mm
20W	100lm/w	70*170mm
25W	100lm/w	80*180mm
35W	100lm/w	95*180mm
45W	100lm/w	110*195mm




LED TRACK LIGHT

XC Series



- ▶ **LED Brand**
CITIZEN **CREE** + EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LiFud** **EAGLE** **CRUSE**
- ▶ **Beam Angle**
15° | 24° | 38° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)
30W	100lm/w	90*130mm
40W	100lm/w	90*160mm
45W	100lm/w	105*130mm
30W*2	100lm/w	105*130mm*2




LED TRACK LIGHT

XQ Series

- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKOX LIFUD EAGLEWISE
- ▶ **Beam Angle**
15° | 24° | 38° | 50°
50°x50° | 70°x70° | 35°x70°
90°x90° | Asymmetric
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(lm/w)	Size(mm)
12W	100lm/w	118*145mm
15W	100lm/w	120*180mm
20W	100lm/w	193*145mm
30W	100lm/w	160*180mm
2*15W	100lm/w	205*180mm




LED TRACK LIGHT

XM Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LiFud** **EAGLE ERISE**
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
15° | 24° | 36° | 45° | 60°
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)
10W	90lm/w	50*150mm
15W	100lm/w	60*170mm
20W	100lm/w	70*170mm
25W	100lm/w	80*190mm
30W	100lm/w	90*180mm
35W	100lm/w	90*180mm
40W	100lm/w	95*190mm




LED TRACK LIGHT

XR Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFud** **EAGLE RISE**
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
15° | 24° | 36° | 45° | 60°
- ▶ **Finish Color**
White ○ Black ● Silver ●



▶ Power (W)	Efficiency(mA)	Size(mm)
15W	100lm/w	75*110mm
20W	100lm/w	75*110mm
25W	100lm/w	90*110mm
30W	100lm/w	90*110mm
35W	100lm/w	105*130mm
40W	100lm/w	105*130mm



LED TRACK LIGHT

XB Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE RISE**
- ▶ **Beam Angle**
15° | 24° | 36° | 45° | 60°
- ▶ **Power (W)**
10W
15W
20W
25W
30W
35W
45W
- ▶ **Efficiency(mA)**
90lm/w
100lm/w
100lm/w
100lm/w
100lm/w
100lm/w
100lm/w
- ▶ **Size(mm)**
50*150mm
60*170mm
70*170mm
80*190mm
90*180mm
90*180mm
95*190mm
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●



LED DOWNLIGHT


DTA Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
E•XE **LiFud** **EAGLE RISE**
 - ▶ **Beam Angle**
15° | 24° | 36° | 60°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(lm/w) | Size(mm) | Cutout(mm) |
|-----------|------------------|-----------|------------|
| 10W | 100lm/w | 95*73mm | 80mm |
| 15W | 100lm/w | 105*80mm | 90mm |
| 20W | 100lm/w | 115*110mm | 100mm |
| 25W | 100lm/w | 140*130mm | 120mm |
| 30W | 100lm/w | 180*156mm | 150mm |
| 50W | 100lm/w | 230*193mm | 200mm |
| 60W | 100lm/w | 260*230mm | 230mm |





LED DOWNLIGHT

DTB Series(IP44)



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLE EYE
 - ▶ **Beam Angle**
24° | 36° | 60°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|-----------|------------|
| 10W | 100lm/w | 91*83mm | 75mm |
| 15W | 100lm/w | 109*92mm | 95mm |
| 20W | 100lm/w | 138*130mm | 125mm |
| 30W | 100lm/w | 170*150mm | 150mm |
| 40W | 100lm/w | 190*163mm | 170mm |
| 50W | 100lm/w | 240*192mm | 210mm |






LED DOWNLIGHT

DTC Series(IP65)


- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoKE LiFud EAGLE RISE
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
45°
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(lm/w)	Size(mm)	Cutout(mm)
10W	90lm/w	100*75mm	90mm
20W	100lm/w	140*90mm	130mm
30W	100lm/w	185*112mm	170mm
40W	100lm/w	230*182mm	200mm



LED DOWNLIGHT

DTD Series



▶ **LED Brand**
CITIZEN **CREE** EPISTAR

▶ **Dimmable**
Triac | 0-10V | DALI

▶ **CRI**
Ra83 | Ra90 | RA97

▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LiFud** **EAGLEWISE**

▶ **Beam Angle**
15° | 24° | 38°

▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz

▶ **CCT**
2700K | 3000K | 4000K | 5000K

▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS

▶ **Warranty & Life span**
5 years & 50,000hrs

▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
5W	90lm/w	60*66mm	50mm
10W	90lm/w	83*81mm	75mm
12W	100lm/w	100*105mm	90mm
20W	100lm/w	130*116mm	118mm
30W	100lm/w	160*125mm	145mm





LED DOWNLIGHT

DTE Series(IP65)

- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoKE LiFud EAGLE CRISE
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
10° | 30° | 90°
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	90lm/w	95*51mm	80mm
15W	100lm/w	115*55mm	90mm
20W	100lm/w	155*67mm	130mm
25W	100lm/w	155*67mm	130mm




LED DOWNLIGHT

DTF Series(IP44)



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LiFud** **EAGLE EYE**
 - ▶ **Beam Angle**
60° | 90°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ○
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|-----------|------------|
| 15W | 100lm/w | 110*53mm | 95mm |
| 20W | 100lm/w | 145*65mm | 125mm |
| 40W | 100lm/w | 190*86mm | 170mm |
| 50W | 100lm/w | 230*100mm | 210mm |





LED DOWNLIGHT

DTG Series

- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoXE LiFud EAGLEWISE
- ▶ **Beam Angle**
15° | 35° | 40° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	100lm/w	93*65mm	80mm
15W	100lm/w	118*75mm	100mm
20W	100lm/w	138*90mm	120mm
30W	100lm/w	168*100mm	145mm
40W	100lm/w	196*120mm	170mm
50W	100lm/w	235*140mm	210mm
60W	100lm/w	280*160mm	255mm
80W	100lm/w	280*160mm	255mm



LED DOWNLIGHT

DTH Series(IP44)






- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LiFud** **EAGLEWISE**
 - ▶ **Beam Angle**
24° | 36° | 50° | 90°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|----------|------------|
| 7W | 90lm/w | 82*53mm | 75mm |
| 12W | 100lm/w | 96*58mm | 85mm |
| 15W | 100lm/w | 106*63mm | 95mm |
| 20W | 100lm/w | 123*68mm | 110mm |
| 30W | 100lm/w | 155*67mm | 145mm |
| 40W | 100lm/w | 182*73mm | 170mm |



LED DOWNLIGHT


DTI Series(IP65)

- ▶ **LED Brand**
CITIZEN **CREE** + EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
E•XE **LiFud** **EAGLE CRISE**
 - ▶ **Beam Angle**
15° | 35° | 38° | 60°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|-----------|------------|
| 15W-R | 100lm/w | 86*54mm | 75mm |
| 20W-R/S | 100lm/w | 100*64mm | 90mm |
| 30W-R/S | 100lm/w | 136*83mm | 125mm |
| 40W-R/S | 100lm/w | 158*96mm | 145mm |
| 50W-R/S | 100lm/w | 180*109mm | 165mm |




LED DOWNLIGHT

DTJ Series(IP44)



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFud** **EAGLE** **WISE**
- ▶ **Beam Angle**
110°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years&50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	100lm/w	105*38mm	90mm
12W	100lm/w	139*38mm	125mm
15W	100lm/w	139*38mm	125mm
20W	100lm/w	180*43mm	160mm
25W	100lm/w	180*43mm	160mm




LED DOWNLIGHT

DTK Series(IP44)


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LIFUD** **EAGLE CRISE**
- ▶ **Beam Angle**
24° | 38° | 55°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(lm/w)	Size(mm)	Cutout(mm)
10W	90lm/w	86*55mm	75mm
20W	100lm/w	100*60mm	90mm
30W	100lm/w	140*70mm	125mm
40W	100lm/w	180*94mm	165mm
50W	100lm/w	214*110mm	200mm



LED DOWNLIGHT

DTL Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFud** **EAGLEWISE**
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	90lm/w	90*80mm	75mm
20W	100lm/w	110*100mm	95mm
30W	100lm/w	140*127mm	120mm
35W	100lm/w	160*130mm	145mm
40W	100lm/w	160*130mm	145mm





LED DOWNLIGHT

DTM Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFi** **EAGLE** **CRISE**
- ▶ **Beam Angle**
50°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W-R/S	90lm/w	115*65mm	100mm
20W-R/S	100lm/w	140*80mm	125mm
30W-R/S	100lm/w	160*85mm	145mm
40W-R/S	100lm/w	200*98mm	180mm
50W-R	100lm/w	230*102mm	215mm




LED DOWNLIGHT

DTN Series



- ▶ **LED Brand**
CITIZEN **CREE** ÷ EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE LiFud **EAGLE RISE**
- ▶ **Beam Angle**
60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	90lm/w	92*53mm	75mm
15W	100lm/w	105*55mm	95mm
20W	100lm/w	135*66mm	120mm
30W	100lm/w	190*90mm	170mm
40W	100lm/w	224*98mm	200mm
50W	100lm/w	224*98mm	200mm




LED DOWNLIGHT

DTO Series

- ▶ **LED Brand**
CITIZEN **CREE** ÷ EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFe** **EAGLE** **CRISE**
- ▶ **Beam Angle**
24° | 40° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	95*79mm	70mm
10W	100lm/w	111*88mm	80mm
15W	100lm/w	119*103mm	90mm
20W	100lm/w	142*118mm	110mm
30W	100lm/w	150*126mm	130mm
40W	100lm/w	180*150mm	145mm
50W	100lm/w	194*149mm	160mm
60W	100lm/w	233*149mm	210mm
80W	100lm/w	233*169mm	210mm




LED DOWNLIGHT

DTP Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LiFud** **EAGLEWISE**
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	85*70mm	75mm
12W	100lm/w	100*100mm	85mm
20W	100lm/w	140*105mm	125mm
30W	100lm/w	175*105mm	150mm




LED DOWNLIGHT

DTQ Series(IP65)


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LIFUD** **EAGLE CRISE**
- ▶ **Beam Angle**
60° | 90°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	90lm/w	115*48mm	95mm
15W	100lm/w	145*60mm	125mm
20W	100lm/w	160*90mm	140mm
30W	100lm/w	190*60mm	170mm
40W	100lm/w	230*72mm	200mm



LED DOWNLIGHT

DTS Series



▶ LED Brand

CITIZEN CREE EPISTAR

▶ Dimmable

Triac | 0-10V | DALI

▶ CRI

Ra83 | Ra90 | RA97

▶ Driver Brand

TRIDONIC OSRAM
EONKE LiFud EAGLE RISE

▶ Beam Angle

120°

▶ Voltage & Frequency

AC220-240V | 100-277V | 50/60Hz

▶ CCT

2700K | 3000K | 4000K | 5000K

▶ Certificate

CB | CE | RoHS | SAA | TUV | GS

▶ Warranty & Life span

5 years & 50,000hrs

▶ Finish Color

White ○ Black ● Silver ○

Power (W)	Efficiency (lm/w)	Size (mm)	Cutout (mm)
5W	100lm/w	100*50mm	85mm
7W	100lm/w	115*60mm	100mm
10W	100lm/w	130*60mm	115mm
15W	100lm/w	160*70mm	140mm
20W	100lm/w	180*70mm	160mm
25W	100lm/w	190*70mm	170mm
30W	100lm/w	230*72mm	200mm
40W	100lm/w	280*100mm	260mm
50W	100lm/w	300*100mm	260mm




LED DOWNLIGHT

DTT Series



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoKE LiFud EAGLE CRISE
- ▶ **Beam Angle**
110°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
5W	90lm/w	98*45mm	70mm
7W	90lm/w	110*47mm	80mm
9W	90lm/w	118*48mm	90mm
12W	100lm/w	143*52mm	115mm
18W	100lm/w	178*57mm	145mm
24W	100lm/w	192*58mm	160mm
30W	100lm/w	232*62mm	205mm




LED DOWNLIGHT

DTU Series(IP65)



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLEWISE
 - ▶ **Beam Angle**
45° | 90°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(lm/w) | Size(mm) | Cutout(mm) |
|-----------|------------------|----------|------------|
| 7W-R | 90lm/w | 90*47mm | 75mm |
| 15W-R/S | 100lm/w | 110*59mm | 90mm |
| 20W-R/S | 100lm/w | 130*70mm | 110mm |
| 30W-R/S | 100lm/w | 165*80mm | 145mm |
| 40W-R/S | 100lm/w | 220*90mm | 200mm |
| 50W-R/S | 100lm/w | 220*90mm | 200mm |






LED DOWNLIGHT

DTV Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE** **CRISE**
- ▶ **Beam Angle**
50°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	90*50mm	75mm
10W	100lm/w	110*60mm	90mm
15W	100lm/w	140*65mm	120mm
20W	100lm/w	140*65mm	120mm



LED DOWNLIGHT

DTW Series(IP65)



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LiFud EAGLE RISE
 - ▶ **Beam Angle**
24° | 40° | 60° | 90°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ○
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|----------|------------|
| 7W-R/S | 100lm/w | 90*67mm | 75mm |
| 12W-R/S | 100lm/w | 108*72mm | 95mm |
| 15W-R | 100lm/w | 140*72mm | 95mm |
| 20W-R | 100lm/w | 190*70mm | 170mm |
| 25W-R | 100lm/w | 190*70mm | 170mm |
| 30W-R | 100lm/w | 238*70mm | 210mm |
| 35W-R | 100lm/w | 238*70mm | 210mm |





LED DOWNLIGHT

DTX Series(IP44)


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFi** **EAGLE** **CRISE**
- ▶ **Beam Angle**
60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(lm/w)	Size(mm)	Cutout(mm)
7W	90lm/w	90*50mm	70mm
10W	100lm/w	105*53mm	85mm
15W	100lm/w	120*62mm	100mm
20W	100lm/w	160*73mm	140mm
30W	100lm/w	190*82mm	170mm
40W	100lm/w	220*95mm	200mm



LED DOWNLIGHT

DTY Series(IP65)



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LiFud** **EAGLEWISE**
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
15W	100lm/w	115*78mm	95mm
20W	100lm/w	135*80mm	120mm
30W	100lm/w	170*90mm	150mm
40W	100lm/w	195*105mm	170mm
50W	100lm/w	220*130mm	200mm




LED DOWNLIGHT

DTZ Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
E•XE **LiFud** **EAGLE** **CRISE**
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
25W	100lm/w	140*115mm	125mm
35W	100lm/w	160*130mm	145mm
40W	100lm/w	190*160mm	170mm
50W	100lm/w	190*160mm	170mm





LED SPOT LIGHT

HTA Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LIFUD** **EAGLE CRISE**
- ▶ **Beam Angle**
10° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
1W	60lm/w	37*40mm	30mm
3W	60lm/w	37*40mm	30mm
5W	90lm/w	45*50mm	40mm
7W	90lm/w	57*62mm	50mm
10W	90lm/w	68*78mm	60mm




LED DOWNLIGHT

HTC Series




- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFud** **EAGLEWISE**
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	70*80mm	55mm
12W	100lm/w	85*105mm	75mm
20W	100lm/w	110*130mm	95mm
30W	100lm/w	140*150mm	125mm
40W	100lm/w	165*180mm	150mm




LED DOWNLIGHT

HTE Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **Lifud** **EAGLE EYE**
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	85*50mm	75mm
10W	90lm/w	85*50mm	75mm
15W	100lm/w	100*60mm	90mm
20W	100lm/w	125*65mm	115mm




LED SPOT LIGHT

HTF Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFi** **EAGLE** **CRISE**
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
5W-F	90lm/w	62*65mm	55mm
7W-F	90lm/w	72*77mm	65mm
10W-F	100lm/w	82*80mm	75mm
12W-F	100lm/w	92*92mm	85mm
15W-F	100lm/w	105*90mm	95mm
20W-F	100lm/w	117*128mm	105mm
7W-G	90lm/w	75*76mm	65mm
12W-G	100lm/w	85*88mm	75mm




LED DOWNLIGHT

HTG Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LiFud** **EAGLEWISE**
 - ▶ **Beam Angle**
20° | 40°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|----------|------------|
| 5W | 90lm/w | 40*58mm | 35mm |
| 7W | 90lm/w | 60*80mm | 55mm |
| 10W | 90lm/w | 60*80mm | 55mm |
| 12W | 100lm/w | 75*100mm | 70mm |
| 15W | 100lm/w | 75*100mm | 70mm |




LED SPOT LIGHT

HTI Series

- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LiFD EAGLE RISE
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(lm/w)	Size(mm)	Cutout(mm)
10W	90lm/w	80*85mm	75mm
15W	100lm/w	105*108mm	95mm
20W	100lm/w	105*108mm	95mm
25W	100lm/w	132*127mm	125mm
30W	100lm/w	132*127mm	125mm



LED DOWNLIGHT


HTJ Series



A Series



B Series



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EKOX LIFUD EAGLE EYE
 - ▶ **Beam Angle**
15° | 24° | 38°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(lm/w) | Size(mm) | Cutout(mm) |
|-----------|------------------|-----------|------------|
| A/B-7W | 90lm/w | 70*69mm | 55mm |
| A/B-12W | 100lm/w | 90*78mm | 75mm |
| A/B-15W | 100lm/w | 112*116mm | 95mm |
| A/B-20W | 100lm/w | 112*116mm | 95mm |




LED DOWNLIGHT

HTK Series(IP65)


- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKE LIFUD EAGLE CRISE
- ▶ **Beam Angle**
24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	90*55mm	75mm
10W	90lm/w	90*55mm	75mm
12W	100lm/w	105-65mm	90mm
15W	100lm/w	105*65mm	90mm



LED SPOT LIGHT

HTL Series



▶ LED Brand

CITIZEN CREE EPISTAR

▶ Dimmable

Triac | 0-10V | DALI

▶ CRI

Ra83 | Ra90 | RA97

▶ Driver Brand

TRIDONIC OSRAM
EUXE LIFUD EAGLE CRUSE

▶ Beam Angle

15° | 24° | 38° | 55°

▶ Voltage & Frequency

AC220-240V | 100-277V | 50/60Hz

▶ CCT

2700K | 3000K | 4000K | 5000K

▶ Certificate

CB | CE | RoHS | SAA | TUV | GS

▶ Warranty & Life span

5 years & 50,000hrs

▶ Finish Color

White ○ Black ● Silver ●

▶ Power (W)	Efficiency (mA)	Size (mm)	Cutout (mm)
7W	90lm/w	60*42mm	55mm
10W	90lm/w	80*50mm	75mm
15W	100lm/w	100*62mm	95mm
20W	100lm/w	100*62mm	95mm





LED SPOT LIGHT

HTM Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE** **CHISE**
- ▶ **Beam Angle**
110°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W-R/S	90lm/w	90*40mm	75mm
12W-R	100lm/w	120*40mm	105mm
15W-R/S	100lm/w	140*40mm	125mm
20W-R/S	100lm/w	170*40mm	155mm
30W-R/S	100lm/w	225*40mm	205mm



LED SPOT LIGHT


HTN Series




A Series



B Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE LiFud **EAGLE RISE**
 - ▶ **Beam Angle**
12° | 24° | 36°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|----------|------------|
| A-5W | 90lm/w | 60*37mm | 55mm |
| A-7W | 100lm/w | 70*45mm | 65mm |
| A-10W | 100lm/w | 80*45mm | 75mm |
| B-5W | 100lm/w | 65*30mm | 55mm |
| B-10W | 100lm/w | 85*35mm | 75mm |
| B-15W | 100lm/w | 110*42mm | 95mm |



LED SPOT LIGHT

HTO Series

- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LIFUD EAGLE CRISE
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○



Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
A/B-5W	90lm/w	75*66mm	65mm
A/B-7W	90lm/w	75*100mm	65mm
A/B-10W	90lm/w	85*90mm	75mm
A/B-12W	90lm/w	85*160mm	75mm
A/B-5Wx2	90lm/w	105*65mm	95mm
A/B-7Wx2	90lm/w	105*100mm	95mm



A Series




B Series




LED SPOT LIGHT

HTP Series



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LIFUD EAGLE CRUSE
- ▶ **Beam Angle**
15° | 24° | 38° | 50°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
12W	100lm/w	84*47mm	75mm
15W	100lm/w	104*50mm	95mm
20W	100lm/w	128*58mm	120mm
25W	100lm/w	128*58mm	120mm



LED SPOT LIGHT

HTQ Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFUD** **EAGLE RISE**
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(lm/w)	Size(mm)	Cutout(mm)
7W-R/S	90lm/w	65*52mm	55mm
12W-R/S	100lm/w	85*63mm	75mm
20W-R/S	100lm/w	105*77mm	95mm
7Wx2	90lm/w	65*126mm	55*115mm
12Wx2	100lm/w	85*165mm	75*160mm
20Wx2	100lm/w	105*208mm	95*195mm
7Wx3	90lm/w	65*187mm	55*175mm
12Wx3	100lm/w	85*250mm	75*240mm
7Wx4	90lm/w	126*126mm	115*115mm
12Wx4	100lm/w	165*165mm	150*150mm



LED SPOT LIGHT

HTR Series



▶ LED Brand

CITIZEN CREE EPISTAR

▶ Dimmable

Triac | 0-10V | DALI

▶ CRI

Ra83 | Ra90 | RA97

▶ Driver Brand

TRIDONIC OSRAM
EKO LIFUD EAGLE CRUSE

▶ Beam Angle

15° | 24° | 38° | 60°

▶ Voltage & Frequency

AC220-240V | 100-277V | 50/60Hz

▶ CCT

2700K | 3000K | 4000K | 5000K

▶ Certificate

CB | CE | RoHS | SAA | TUV | GS

▶ Warranty & Life span

5 years & 50,000hrs

▶ Finish Color

White ○ Black ● Silver ○

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
5W	90lm/w	60*36mm	55mm
9W	90lm/w	82*45mm	75mm




LED SPOT LIGHT

HTS Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE** **CRISE**
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	85*80mm	75mm
12W	100lm/w	85*80mm	75mm



LED SPOT LIGHT

HTU Series(IP65)



▶ **LED Brand**

CITIZEN CREE EPISTAR

▶ **Dimmable**

Triac | 0-10V | DALI

▶ **CRI**

Ra83 | Ra90 | RA97

▶ **Driver Brand**

TRIDONIC OSRAM
EKO LIFUD EAGLE CRUSE

▶ **Beam Angle**

15° | 24° | 38° | 55°

▶ **Voltage & Frequency**

AC220-240V | 100-277V | 50/60Hz

▶ **CCT**

2700K | 3000K | 4000K | 5000K

▶ **Certificate**

CB | CE | RoHS | SAA | TUV | GS



▶ **Warranty & Life span**

5 years & 50,000hrs

▶ **Finish Color**

White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	90lm/w	71*50mm	60mm
15W	100lm/w	82*59mm	75mm
20W	100lm/w	101*66mm	90mm





LED DOWNLIGHT

HTW Series


- ▶ **LED Brand**
CITIZEN **CREE** ÷ EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOX **LiFud** **EAGLECRISE**
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W-R/S	90lm/w	65*86mm	55mm
15W-R/S	100lm/w	85*105mm	75mm
25W-R/S	100lm/w	105*132mm	95mm
35W-R/S	100lm/w	135*125mm	125mm
10Wx2	90lm/w	125*70mm	115*60mm
15Wx2	100lm/w	165*90mm	155*80mm
25Wx2	100lm/w	220*110mm	200*100mm
35Wx2	100lm/w	275*138mm	255*125mm



LED SPOT LIGHT

HTY Series



▶ **LED Brand**
CITIZEN CREE EPISTAR

▶ **Dimmable**
Triac | 0-10V | DALI

▶ **CRI**
Ra83 | Ra90 | RA97

▶ **Driver Brand**
TRIDONIC OSRAM
EUXE LIFUD EAU LCRISE

▶ **Beam Angle**
15° | 24° | 38° | 50°

▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz

▶ **CCT**
2700K | 3000K | 4000K | 5000K

▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS

▶ **Warranty & Life span**
5 years & 50,000hrs

▶ **Finish Color**
White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	90lm/w	95*65mm	85mm
15W	100lm/w	115*68mm	95mm
20W	100lm/w	140*75mm	120mm
30W	100lm/w	185*80mm	150mm





LED SPOT LIGHT

HTZ Series


- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE** **CRISE**
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W-R/S	90lm/w	65*48mm	55mm
10W-R/S	90lm/w	85*54mm	75mm
15W-R/S	100lm/w	105*62mm	95mm



LED SPOT LIGHT

STA Series



▶ LED Brand

CITIZEN CREE EPISTAR

▶ Dimmable

Triac | 0-10V | DALI

▶ CRI

Ra83 | Ra90 | RA97

▶ Driver Brand

TRIDONIC OSRAM
EONKE LIFUD EAGLE CRUSE

▶ Beam Angle

15° | 24°

▶ Voltage & Frequency

AC220-240V | 100-277V | 50/60Hz

▶ CCT

2700K | 3000K | 4000K | 5000K

▶ Certificate

CB | CE | RoHS | SAA | TUV | GS

▶ Warranty & Life span

5 years & 50,000hrs

▶ Finish Color

White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
1W	50lm/w	55*25mm	40mm
3W	60lm/w	55*25mm	40mm
3W*2	60lm/w	55*25mm	40mm
3W*3	60lm/w	55*25mm	40mm







LED SPOT LIGHT

STB Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLECHISE**
- ▶ **Beam Angle**
8° | 15° | 24° | 36° | 45° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
1W	60lm/w	22*40mm	18mm
3W	60lm/w	32*50mm	25mm
5W	90lm/w	42*53mm	35mm
7W	90lm/w	52*50mm	45mm
10W	90lm/w	62*55mm	55mm



LED SPOT LIGHT

STC Series



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLE CRUSE
- ▶ **Beam Angle**
24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
3W	60lm/w	24*80mm	20mm
5W	60lm/w	34*80mm	30mm
7W	90lm/w	44*90mm	40mm
10W	90lm/w	44*90mm	40mm



LED SPOT LIGHT

STD Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE LiFud EAGLE RISE
- ▶ **Beam Angle**
38° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	83*75mm	75mm
15W	100lm/w	108*82mm	95mm
20W	100lm/w	130*120mm	115mm
30W	100lm/w	160*120mm	145mm
40W	100lm/w	225*145mm	200mm



LED SPOT LIGHT

STF Series



▶ **LED Brand**

CITIZEN **CREE** EPISTAR

▶ **Dimmable**

Triac | 0-10V | DALI

▶ **CRI**

Ra83 | Ra90 | RA97

▶ **Driver Brand**

TRIDONIC **OSRAM**
EOXE LIFUD EAGLE CRUSE

▶ **Beam Angle**

15° | 24° | 36°

▶ **Voltage & Frequency**

AC220-240V | 100-277V | 50/60Hz

▶ **CCT**

2700K | 3000K | 4000K | 5000K

▶ **Certificate**

CB | CE | RoHS | SAA | TUV | GS

▶ **Warranty & Life span**

5 years & 50,000hrs

▶ **Finish Color**

White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
5W	90lm/w	60*38mm	55mm
7W	90lm/w	70*36mm	65mm
12W	100lm/w	82*40mm	75mm
20W	100lm/w	102*46mm	95mm






LED DOWNLIGHT

STH Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EKO **LIFUD** **EAGLE CRISE**
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
15° | 24° | 38° | 60°
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	80/90*85mm	75mm
12W	100lm/w	80/90*85mm	75mm
7W*2	90lm/w	175*90mm	155*75mm
12W*2	100lm/w	175*90mm	155*75mm




LED SPOT LIGHT

STI Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE RISE**
 - ▶ **Beam Angle**
15° | 24° | 38° | 60°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency (lm/w) | Size (mm) | Cutout (mm) |
|-----------|-------------------|-----------|-------------|
| 5W | 90lm/w | 62*85mm | 50mm |
| 10W | 100lm/w | 86*115mm | 75mm |
| 15W | 100lm/w | 110*140mm | 100mm |
| 20W | 100lm/w | 140*155mm | 125mm |
| 30W | 100lm/w | 170*200mm | 155mm |
| 35W | 100lm/w | 200*210mm | 185mm |





LED SPOT LIGHT

STL Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LIFUD** **EAGLE CRISE**
- ▶ **Beam Angle**
15° | 24° | 36° | 50°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
5W	90lm/w	52*55mm	45mm
7W	90lm/w	65*61mm	55mm
10W	100lm/w	75*70mm	65mm
12W	100lm/w	85*80mm	75mm
20W	100lm/w	106*100mm	95mm
35W	100lm/w	135*124mm	120mm



LED SPOT LIGHT

STM-F Series



▶ **LED Brand**

CITIZEN **CREE** EPISTAR

▶ **Dimmable**

Triac | 0-10V | DALI

▶ **CRI**

Ra83 | Ra90 | RA97

▶ **Driver Brand**

TRIDONIC **OSRAM**
EOXE LiFud EAGLE CRUSE

▶ **Beam Angle**

15° | 24° | 38° | 60°

▶ **Voltage & Frequency**

AC220-240V | 100-277V | 50/60Hz

▶ **CCT**

2700K | 3000K | 4000K | 5000K

▶ **Certificate**

CB | CE | RoHS | SAA | TUV | GS


▶ **Warranty & Life span**

5 years & 50,000hrs

▶ **Finish Color**

White ○ Black ● Silver ●

▶ Power (W)	Efficiency (lm/w)	Size (mm)	Cutout (mm)
7W	90lm/w	64*73mm	60mm
12W	100lm/w	85*88mm	80mm
12W-S	100lm/w	85*88mm	80mm
20W	100lm/w	105*117mm	100mm




LED SPOT LIGHT

STM-G Series


- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoXE LIFUD EAGLE CRISE
- ▶ **Beam Angle**
15° | 24° | 38° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	64*68mm	60mm
12W	100lm/w	85*88mm	80mm
12W-S	100lm/w	85*88mm	80mm
12W*2	100lm/w	157*85mm	150*80mm
12W*3	100lm/w	230*85mm	220*80mm
20W	100lm/w	105*115mm	100mm



LED SPOT LIGHT

STN Series(IP65)



▶ **LED Brand**
CITIZEN **CREE** EPISTAR

▶ **Dimmable**
Triac | 0-10V | DALI

▶ **CRI**
Ra83 | Ra90 | RA97

▶ **Driver Brand**
TRIDONIC **OSRAM**
EcoX **LiFud** **EAGLEWISE**

▶ **Beam Angle**
15° | 24° | 38° | 55°

▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz

▶ **CCT**
2700K | 3000K | 4000K | 5000K

▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS

▶ **Warranty & Life span**
5 years & 50,000hrs

▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
4W	90lm/w	40*85mm	35mm
6W	90lm/w	52*72mm	45mm
8W	90lm/w	62*77mm	55mm
10W	100lm/w	73*80mm	65mm
12W	100lm/w	84*85mm	75mm
20W	100lm/w	103*110mm	95mm
30W	100lm/w	130*135mm	120mm




LED SPOT LIGHT

STO Series(IP65)


- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoKE Lifud EAGLE CRISE
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(lm/w)	Size(mm)	Cutout(mm)
7W	90lm/w	65*52mm	55mm
12W	100lm/w	87*78mm	75mm
20W	100lm/w	108*92mm	95mm




LED SPOT LIGHT

STP Series



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKOX LIFUD EAGLE CRUSE
- ▶ **Beam Angle**
90°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
10W	100lm/w	83*42mm	75mm
15W	100lm/w	104*44mm	95mm
20W	100lm/w	134*46mm	120mm



LED SPOT LIGHT

STR Series


- ▶ **LED Brand**
CITIZEN **CREE** + EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
E•XE **LiFud** **EAGLECRISE**
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
6W-R/S	90lm/w	72*62mm	60mm
12W-R/S	100lm/w	88*71mm	75mm
18W-R/S	100lm/w	102*86mm	90mm
6Wx2	90lm/w	142*72mm	130*60mm
12Wx2	100lm/w	173*88mm	160*75mm
18Wx2	100lm/w	210*102mm	195*90mm
6Wx3	100lm/w	212*72mm	200*60mm
12Wx3	100lm/w	253*88mm	240*75mm
18Wx3	100lm/w	312*102mm	300*90mm



LED SPOT LIGHT

STY Series



▶ **LED Brand**
CITIZEN CREE EPISTAR

▶ **Dimmable**
Triac | 0-10V | DALI

▶ **CRI**
Ra83 | Ra90 | RA97

▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLE CRUSE

▶ **Beam Angle**
15° | 24° | 38°

▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz

▶ **CCT**
2700K | 3000K | 4000K | 5000K

▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS

▶ **Warranty & Life span**
5 years & 50,000hrs

▶ **Finish Color**
White ○ Black ● Silver ●

▶ Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	62*80mm	55mm
10W	100lm/w	83*73mm	75mm
12W	100lm/w	83*83mm	75mm
15W	100lm/w	105*93mm	95mm



LED SPOT LIGHT

STZ Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE RISE**
- ▶ **Beam Angle**
15° | 24° | 36° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	65*55mm	60mm
15W	100lm/w	80*69mm	75mm
7W-G	100lm/w	86*65mm	75mm
12W-G	100lm/w	86*80mm	75mm
15W-G	100lm/w	86*90mm	75mm
15W-G2	100lm/w	110*90mm	95mm



LED GRILLE DOWNLIGHT

RC Series

- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LIFUD EAGLE CRISE
- ▶ **Beam Angle**
15° | 24° | 38° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○



Power (W)	Efficiency(lm/w)	Size(mm)	Cutout(mm)
7W-M	90lm/w	42*158mm	/
15W-M	100lm/w	62*150mm	/
25W-M	100lm/w	83*168mm	/
7W-Q	90lm/w	55*108mm	45mm
15W-Q	100lm/w	73*118mm	65mm
5W-R	90lm/w	60*110mm	50mm
7W-R/S	90lm/w	72*110mm	65mm
10W-R	100lm/w	85*102mm	75mm
15W-R/S	100lm/w	103*120mm	90mm
25W-R/S	100lm/w	130*135mm	120mm
35W-R	100lm/w	160*155mm	140mm



RC-M Series




RC-Q Series





LED GRILLE DOWNLIGHT

RC Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE LiFud **EAGLERISE**
 - ▶ **Beam Angle**
15° | 24° | 36° | 60°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|-----------|------------|
| 7Wx2 | 90lm/w | 131*72mm | 120*65mm |
| 7Wx3 | 90lm/w | 192*72mm | 180*65mm |
| 15Wx2 | 100lm/w | 185*100mm | 175*90mm |
| 15Wx3 | 100lm/w | 270*100mm | 260*90mm |
| 25Wx2 | 100lm/w | 240*130mm | 230*120mm |
| 25Wx3 | 100lm/w | 345*130mm | 335*120mm |
| 35Wx2 | 100lm/w | 295*160mm | 280*140mm |



LED GRILLE DOWNLIGHT

RG Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOXE **LIFUD** **EAGLECRISE**
- ▶ **Beam Angle**
15° | 24° | 38° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
25W-R	100lm/w	160*126mm	150mm
35W-R	100lm/w	160*126mm	150mm
25W-S	100lm/w	175*141mm	160mm
35W-S	100lm/w	175*141mm	160mm
25Wx2	100lm/w	330*175mm	315*160mm
35Wx2	100lm/w	330*175mm	315*160mm




LED GRILLE DOWNLIGHT

RH Series



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LIFUD EAGLE RISE
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Power (W)** **Efficiency(mA)** **Size(mm)** **Cutout(mm)**
- 7W-R/S 90lm/w 90*85mm 75mm
- 10W-R/S 100lm/w 112*85mm 100mm
- 20W-R/S 100lm/w 135*100mm 125mm
- 30W-R 100lm/w 155*110mm 145mm
- 30W-S 100lm/w 175*100mm 160*160mm
- 7Wx2 90lm/w 158*90mm 145*75mm
- 10Wx2 100lm/w 210*112mm 195*100mm
- 20Wx2 100lm/w 250*137mm 235*125mm
- 30Wx2 100lm/w 325*175mm 310*160mm
- 7Wx3 90lm/w 227*90mm 215*75mm
- 10Wx3 100lm/w 282*112mm 265*100mm
- 20Wx3 100lm/w 362*137mm 345*125mm
- 30Wx2 100lm/w 475*175mm 455*160mm
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●



LED GRILLE DOWNLIGHT


RK Series

- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLECHISE**
- ▶ **Beam Angle**
24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●


Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
12W-A	90lm/w	170*90mm	160*80mm
24W-A	90lm/w	170*170mm	155*155mm
48W-A	90lm/w	400*170mm	380*185mm
24W-B	90lm/w	160*150mm	/
48W-B	90lm/w	365*150mm	/



A Series





B Series




LED GRILLE DOWNLIGHT

RP Series



- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EIKE LiFud EAGLERISE
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
12W-R/S	100lm/w	88*88mm	75*75mm
12Wx2	100lm/w	168*88mm	160*75mm
12Wx3	100lm/w	250*88mm	240*75mm
12Wx4	100lm/w	168*168mm	160*160mm
20W-R/S	100lm/w	115*115mm	95*95mm
20Wx2	100lm/w	216*116mm	200*95mm
20Wx3	100lm/w	318*115mm	300*95mm
20Wx4	100lm/w	216*216mm	200*200mm






LED GRILLE DOWNLIGHT

RS Series

- ▶ **LED Brand**
CITIZEN CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoXE LIFUD EAGLE CRISE
- ▶ **Beam Angle**
20° | 35° | 50°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
7W	90lm/w	80*35mm	75mm
10W	90lm/w	105*35mm	95mm
15W-A	90lm/w	120*35mm	110mm
15W-B	90lm/w	128*35mm	120mm
20W	90lm/w	173*35mm	165mm
30W	90lm/w	218*35mm	205mm





LED LINEAR DOWNLIGHT

LAC Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLEWISE
 - ▶ **Beam Angle**
15° | 30° | 45°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ●
- | Power (W) | Efficiency(mA) | Size(mm) | Cutout(mm) |
|-----------|----------------|----------|------------|
| 2W | 90lm/w | 45*45mm | 37*37mm |
| 4W | 90lm/w | 75*45mm | 68*37mm |
| 10W | 90lm/w | 147*45mm | 140*37mm |
| 20W | 100lm/w | 280*45mm | 273*37mm |
| 30W | 100lm/w | 413*45mm | 405*37mm |






LED LINEAR DOWNLIGHT

LBC Series


- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LiFUD EAGA CRISE
- ▶ **Beam Angle**
15° | 30° | 45°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
2W	90lm/w	45*45mm	37*37mm
4W	90lm/w	75*45mm	68*37mm
10W	90lm/w	147*45mm	140*37mm
20W	100lm/w	280*45mm	273*37mm
30W	100lm/w	413*45mm	405*37mm



LED LINEAR DOWNLIGHT

LFC Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EIKE LiFud EAGLERISE
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
2W-R	90lm/w	40*32mm	35mm
6W-R	90lm/w	62*40mm	53mm
14W-R	90lm/w	82*40mm	75mm
6W	90lm/w	100*40mm	95*32mm
8W	90lm/w	74*74mm	68*68mm
10W	90lm/w	162*40mm	155*32mm
18W	90lm/w	105*105mm	97*97mm
20W	90lm/w	312*40mm	302*32mm




LED LINEAR DOWNLIGHT

LGC Series

- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoKE LiFud EAGLE CRISE
- ▶ **Beam Angle**
15° | 30° | 45°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)	Cutout(mm)
6W	90lm/w	105*60mm	98*50mm
10W	90lm/w	158*62mm	152*50mm
12W	90lm/w	186*60mm	180*50mm
20W-A	90lm/w	291*60mm	280*50mm
20W-B	90lm/w	168*122mm	155*100mm
30W	90lm/w	426*62mm	420*50mm
40W	90lm/w	301*122mm	285*100mm
60W	90lm/w	434*122mm	420*100mm



LED LINEAR DOWNLIGHT

LHC Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLEWISE
 - ▶ **Beam Angle**
8° | 12° | 15° | 30° | 45°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ○
- | Power (W) | Efficiency(lm/w) | Size(mm) | Cutout(mm) |
|-----------|------------------|----------|------------|
| 6W | 90lm/w | 118*50mm | 108*40mm |
| 12W | 90lm/w | 225*50mm | 215*40mm |
| 12W-B | 90lm/w | 225*50mm | 215*40mm |
| 6W-SM | 100lm/w | 118*42mm | / |
| 12W-SM | 100lm/w | 212*42mm | / |





LED LINEAR DOWNLIGHT

LMC Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LiFiD EAGA CRISE
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
30°
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)
4W	90lm/w	57*35*H66mm
6W	90lm/w	84*35*H66mm
10W	90lm/w	137*35*H66mm
20W	100lm/w	270*35*H66mm
30W	100lm/w	402*35*H66mm



LED SURFACE MOUNTED DOWNLIGHT

SMA Series



- ▶ **LED Brand**
CITIZEN **CREE** EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC **OSRAM**
EOKE **LiFud** **EAGLE RISE**
- ▶ **Beam Angle**
15° | 30° | 45°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○


Power (W)	Efficiency(mA)	Size(mm)
7W	90lm/w	55*110mm
10W	90lm/w	75*130mm
12W	90lm/w	75*150mm
15W	100lm/w	95*150mm
20W	100lm/w	115*160mm
25W	100lm/w	140*160mm
30W	100lm/w	140*170mm
40W	100lm/w	170*180mm
50W	100lm/w	170*200mm
50W-B	100lm/w	205*180mm



LED SURFACE MOUNTED DOWNLIGHT

SMB Series

- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LiFD EAGLE CRISE
- ▶ **Beam Angle**
60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●




Power (W)	Efficiency(mA)	Size(mm)
10W-R	90lm/w	90*H90mm
15W-R	100lm/w	110*H120mm
25W-R	100lm/w	130*H150mm
35W-R	100lm/w	170*H185mm
40W-R	100lm/w	190*H190mm
45W-R	100lm/w	190*H190mm
10W-S	100lm/w	90*90*H150mm
20W-S	100lm/w	110*110*H120mm
30W-S	100lm/w	130*130*H135mm
40W-S	100lm/w	160*160*H165mm




LED SURFACE MOUNTED DOWNLIGHT

SMC Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LiFud EAGLE RISE
 - ▶ **Beam Angle**
20° | 40° | 60°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ○
- | Power (W) | Efficiency(mA) | Size(mm) |
|-----------|----------------|------------|
| 10W-R/S | 90lm/w | 72*H75mm |
| 15W-R/S | 100lm/w | 90*H90mm |
| 25W-R/S | 100lm/w | 110*H110mm |
| 30W-R | 100lm/w | 130*H130mm |
| 40W-R | 100lm/w | 170*H170mm |
| 50W-R | 100lm/w | 195*H190mm |



LED SURFACE MOUNTED DOWNLIGHT

SMD Series(IP65)


- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LiFud EAGLE CRUISE
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
20° | 40°
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)
10W	90lm/w	75*H100mm
15W-A	100lm/w	75*H150mm
15W-B	100lm/w	95*H100mm
20W	100lm/w	95*H150mm
30W	100lm/w	115*H150mm
40W	100lm/w	140*H160mm
50W	100lm/w	170*H180mm
60W	100lm/w	205*H215mm




LED SURFACE MOUNTED DOWNLIGHT

SME Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLE CRUSE
- ▶ **Beam Angle**
15° | 24° | 36° | 45° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○


Power (W)	Efficiency (lm/w)	Size (mm)
10W	100lm/w	70*H75mm
15W	100lm/w	90*H90mm
25W	100lm/w	120*H110mm
30W	100lm/w	145*H130mm




LED SURFACE MOUNTED DOWNLIGHT

SMP Series

- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Driver Brand**
TRIDONIC OSRAM
EoXE LiFud EAGLE CRISE
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Beam Angle**
12° | 24° | 36°
- ▶ **Finish Color**
White ○ Black ● Silver ●





Power (W)	Efficiency(mA)	Size(mm)
5W	90lm/w	65*H70mm
10W	90lm/w	85*H80mm
12W	100lm/w	85*H115mm



LED SURFACE MOUNTED DOWNLIGHT

SMR Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLE ERISE
 - ▶ **Beam Angle**
12° | 24° | 38° | 55°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ○
- | Power (W) | Efficiency (lm/w) | Size (mm) |
|-----------|-------------------|------------|
| 7W | 90lm/w | 75*H90mm |
| 12W | 100lm/w | 75*H90mm |
| 15W | 100lm/w | 90*H112mm |
| 20W | 100lm/w | 128*H137mm |
| 25W | 100lm/w | 128*H137mm |





LED SURFACE MOUNTED DOWNLIGHT

SMS Series

- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LIFUD EAGA CRUSE
- ▶ **Beam Angle**
15° | 30° | 45°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency (lm/w)	Size (mm)
5W	90lm/w	55*55*H80mm
7W	90lm/w	55*55*H120mm
12W	100lm/w	75*75*H95mm
15W	100lm/w	75*75*H140mm
18W	100lm/w	95*95*H105mm
20W	100lm/w	95*95*H150mm
25W	100lm/w	115*115*H110mm
30W	100lm/w	115*115*H160mm




LED SURFACE MOUNTED DOWNLIGHT

SMS Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LIFUD EAGLE CRISE
 - ▶ **Beam Angle**
15° | 30° | 45°
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ○
- | Power (W) | Efficiency(mA) | Size(mm) |
|-----------|----------------|---------------|
| 5Wx2 | 90lm/w | 55*105*H80mm |
| 7Wx2 | 90lm/w | 55*105*H120mm |
| 12Wx2 | 100lm/w | 145*75*H95mm |
| 15Wx2 | 100lm/w | 145*75*H140mm |
| 18Wx2 | 100lm/w | 185*95*H110mm |
| 10Wx3 | 100lm/w | 215*75*H95mm |
| 15Wx3 | 100lm/w | 280*95*H110mm |
| 10Wx4 | 100lm/w | 145*145*H95mm |





LED SURFACE MOUNTED DOWNLIGHT

SMT Series


- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•KE LiFud EAGLE CRISE
- ▶ **Beam Angle**
15° | 24° | 38° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)
7W	90lm/w	75*75*H70mm
7Wx2	90lm/w	145*75*H70mm
12W	100lm/w	100*100*H100mm
12Wx2	100lm/w	195*100*H100mm
12Wx3	100lm/w	290*100*H100mm
12Wx4	100lm/w	195*195*H120mm
25W	100lm/w	160*160*H150mm
30W	100lm/w	160*160*H150mm



LED SURFACE MOUNTED DOWNLIGHT

SMW Series(IP65)



- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EONKE LIFUD EAGLE CRUSE
- ▶ **Beam Angle**
24° | 45° | 60°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)
5W	90lm/w	65*H110mm
7W	90lm/w	90*H130mm
10W	90lm/w	90*H160mm
12W	100lm/w	110*H150mm
15W	100lm/w	110*H200mm
20W	100lm/w	145*H160mm
25W	100lm/w	145*H200mm
30W	100lm/w	160*H160mm
35W	100lm/w	160*H200mm
40W	100lm/w	180*H160mm
50W	100lm/w	180*H200mm
60W	100lm/w	180*H300mm
70W	100lm/w	200*H200mm
80W	100lm/w	200*H300mm



LED SURFACE MOUNTED DOWNLIGHT

SMY Series



- ▶ **LED Brand**
OSRAM CREE EPISTAR
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKE LiFud EAGLE CRISE
- ▶ **Beam Angle**
15° | 24° | 36°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(mA)	Size(mm)
12W-R-RC	100lm/w	85*H62mm
12W	100lm/w	85*H88mm
12Wx2	100lm/w	220*85*H88mm
12Wx3-A	100lm/w	355*85*H88mm
12Wx3-B	100lm/w	220*220*H88mm
12Wx4	100lm/w	220*220*H88mm
12W-S-RC	100lm/w	85*85*H62mm
12W-S	100lm/w	85*85*H88mm
12W-Sx2	100lm/w	210*85*H88mm
12W-Sx3	100lm/w	355*85*H88mm
12W-Sx4	100lm/w	220*220*H88mm



LED SURFACE MOUNTED DOWNLIGHT

SMZ Series



▶ **LED Brand**

OSRAM CREE EPISTAR

▶ **Dimmable**

Triac | 0-10V | DALI

▶ **CRI**

Ra83 | Ra90 | RA97

▶ **Driver Brand**

TRIDONIC OSRAM
EONKE LiFud EAGLE RISE

▶ **Beam Angle**

24° | 45°

▶ **Voltage & Frequency**

AC220-240V | 100-277V | 50/60Hz

▶ **CCT**

2700K | 3000K | 4000K | 5000K

▶ **Certificate**

CB | CE | RoHS | SAA | TUV | GS


▶ **Warranty & Life span**

5 years & 50,000hrs

▶ **Finish Color**

White ○ Black ● Silver ○


Power (W)	Efficiency(lm/w)	Size(mm)
10W	90lm/w	75*H60mm
15W	100lm/w	95*H60mm
20W	100lm/w	112*H60mm
30W	100lm/w	158*H70mm
40W	100lm/w	200*H70mm



LED LINEAR LIGHT

LL-SC Series (Up-Down)

- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EcoLE LiFeD EAGLE CRISE
- ▶ **Beam Angle**
90° | 110°
- ▶ **Different Length and Power** optional
- ▶ **Size (mm)**
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●



W35*H70	W35*H100	W40*H60	W40*H70
W50*H50	W50*H70	W50*H100	W60*H60
W60*H70	W60*H85	W70*H70	W70*H80
W70*H100	W75*H75	W80*H70	W80*H85
W90*H70	W90*H80	W100*H50	W100*H70
W100*H100	W120*H70	W120*H80	W150*H80



LED LINEAR LIGHT

LL-PC Series



▶ LED Brand PHILIPS OSRAM CREE	▶ Voltage & Frequency AC220-240V 100-277V 50/60Hz
▶ Dimmable Triac 0-10V DALI	▶ CCT 2700K 3000K 4000K 5000K
▶ CRI Ra83 Ra90 RA97	▶ Certificate CB CE RoHS SAA TUV GS
▶ Driver Brand TRIDONIC OSRAM EKO LIFUD EAGLEWISE	▶ Warranty & Life span 5 years & 50,000hrs
▶ Beam Angle 15° 30° 45°	▶ Finish Color White ○ Black ● Silver ○
▶ Power (W)	Efficiency (lm/w)
20W	100lm/w
30W	100lm/w
5W	90lm/w
8W	90lm/w
12W	100lm/w
15W	100lm/w
20W	100lm/w
25W	100lm/w
30W	100lm/w
35W	100lm/w
40W	100lm/w
	Size (mm)
	L 976*W27*H28mm
	L 1194*W27*H28mm
	L 140*W35/50*H70mm
	L 270*W35/50*H70mm
	L 405*W35/50*H70mm
	L 540*W35/50*H70mm
	L 670*W35/50*H70mm
	L 805*W35/50*H70mm
	L 940*W35/50*H70mm
	L 1070*W35/50*H70mm
	L 1200*W35/50*H70mm




LED LINEAR LIGHT

LL-KC Series (Up-Down)

- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LiFud EAGLE CRISE
- ▶ **Beam Angle**
80°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)
40W	90lm/w	L1324*W42*H52mm
30W+10W	90lm/w	L1324*W42*H52mm
40W	90lm/w	L1324*W80*H60mm
30W+10W	90lm/w	L1324*W80*H60mm





LED LINEAR LIGHT

LL-WC Series



- ▶ **LED Brand**
PHILIPS OSRAM CREE
 - ▶ **Dimmable**
Triac | 0-10V | DALI
 - ▶ **CRI**
Ra83 | Ra90 | RA97
 - ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LIFUD EAGLE RISE
 - ▶ **Beam Angle**
Wall Washer
 - ▶ **Power (W)**
 - ▶ **Efficiency(lm/w)**
 - ▶ **Size(mm)**
 - ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
 - ▶ **CCT**
2700K | 3000K | 4000K | 5000K
 - ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
 - ▶ **Warranty & Life span**
5 years & 50,000hrs
 - ▶ **Finish Color**
White ○ Black ● Silver ○
- | Power (W) | Efficiency(lm/w) | Size(mm) |
|-----------|------------------|--------------------|
| 5W | 90lm/w | L140*W35/50*H70mm |
| 8W | 90lm/w | L270*W35/50*H70mm |
| 12W | 100lm/w | L405*W35/50*H70mm |
| 15W | 100lm/w | L540*W35/50*H70mm |
| 20W | 100lm/w | L670*W35/50*H70mm |
| 25W | 100lm/w | L805*W35/50*H70mm |
| 30W | 100lm/w | L940*W35/50*H70mm |
| 35W | 100lm/w | L1070*W35/50*H70mm |
| 40W | 100lm/w | L1200*W35/50*H70mm |



LED LINEAR LIGHT

LL-GC Series (Up-Down)


- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LiFeD EAGLE RISE
- ▶ **Beam Angle**
15° | 24° | 38° | 50°
50°x50° | 70°x70° | 35°x70°
90°x90° | Asymmetric
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(lm/w)	Size(mm)
30W+15W	90lm/w	L1193*W37*H77mm
40W+15W	90lm/w	L1160*W45*H79mm
50W+20W	90lm/w	L1540*W37*H77mm
60W+20W	90lm/w	L1540*W45*H79mm



LED LINEAR LIGHT

LL-HC Series (Up-Down)



Diffusion plate



Honeycomb

Prismatic plate

Grille

- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LIFUD EAGLE RISE
- ▶ **Beam Angle**
90° | 120°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Size(mm)
30W	100lm/w	L1160*W38*H80mm
50W	100lm/w	L1540*W38*H80mm
40W	100lm/w	L1160*W50*H80mm
60W	100lm/w	L1540*W50*H80mm
50W	100lm/w	L1160*W68*H90mm
80W	100lm/w	L1540*W68*H90mm







LED LINEAR LIGHT

LL-YC Series ■ (Up-Down)


- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•XE LiFud EAGA CRISE
- ▶ **Beam Angle**
15° | 24° | 38°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(lm/w)	Size(mm)
10W+5W	90lm/w	L1160*W10*H50mm
10W+5W	90lm/w	L1200*W15*H60mm
15W+5W	90lm/w	L1300*W17*H70mm
15W+5W	90lm/w	L1200*W21*H80mm



LED LINEAR LIGHT

LL-FC Series




- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LIFUD EAGLE RISE
- ▶ **Beam Angle**
15° | 30° | 45° | 35x70° |
Wall washer
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○

Power (W)	Efficiency(mA)	Cut Size(mm)
5W	90lm/w	L137*W50*H30mm
8W	90lm/w	L272*W50*H30mm
12W	100lm/w	L402*W50*H30mm
15W	100lm/w	L542*W50*H30mm
20W	100lm/w	L677*W50*H30mm
25W	100lm/w	L812*W50*H30mm
30W	100lm/w	L947*W50*H30mm
35W	100lm/w	L1082*W50*H30mm
40W	100lm/w	L1202*W50*H30mm




LED LINEAR LIGHT


LL-TC Series (IP65)




TC-P50




TC-P55




TC-P80



TC-P90




TC-P88




TC-P128

LED LINEAR LIGHT


LL-TC Series(IP65)




TC-Q60





TC-Q60A




TC-Q90



TC-Q90A



TC-P100





TC-P100A

LED LINEAR LIGHT

LL-JC Series

- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
E•KE LiFud EAGLE RISE
- ▶ **Beam Angle**
15° | 24° | 38° | 50°
50°x50° | 70°x70° | 35°x70°
90°x90° | Asymmetric
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ●

Power (W)	Efficiency(lm/w)	Size(mm)	Cutout(mm)
3W	90lm/w	51*51mm	42*43mm
12W	100lm/w	127*51mm	120*43mm
16W	100lm/w	90*90mm	82*82mm
20W	100lm/w	203*51mm	196*43mm
36W	100lm/w	128*128mm	120*120mm
40W	100lm/w	393*51mm	386*43mm



LED LINEAR LIGHT

LL-RC Series



- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKOX LiFe EASA CHISE
- ▶ **Beam Angle**
90° | 110°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○
- ▶ **Different Length and Power optional**

▶ Size (mm)

W50*H35	W55*H35	W65*H35	W65*H50
W75*H35	W85*H35	W90*H35	W95*H35
W105*H35	W115*H35	W115*H50	W135*H35
W165*H35	W165*H50	W220*H50	W70*H75
W90*H75			



LED LINEAR LIGHT

LL-ZC Series

- ▶ **LED Brand**
PHILIPS OSRAM CREE
- ▶ **Dimmable**
Triac | 0-10V | DALI
- ▶ **CRI**
Ra83 | Ra90 | RA97
- ▶ **Driver Brand**
TRIDONIC OSRAM
EKO LIFUD EAGLE CRISE
- ▶ **Beam Angle**
90° | 110°
- ▶ **Voltage & Frequency**
AC220-240V | 100-277V | 50/60Hz
- ▶ **CCT**
2700K | 3000K | 4000K | 5000K
- ▶ **Certificate**
CB | CE | RoHS | SAA | TUV | GS
- ▶ **Warranty & Life span**
5 years & 50,000hrs
- ▶ **Finish Color**
White ○ Black ● Silver ○
- ▶ **Different Length and Power optional**



▶ Size (mm)

W30*H30	W35*H35	W40*H35	W50*H35
W50*H50	W60*H35	W70*H35	W75*H35
W80*H35	W90*H35	W100*H35	W100*H50
W120*H35	W120*H50	W150*H35	W150*H50
W200*H50			





www.sunshineuae.com | info@sunshineuae.com | sunshine121455@gmail.com

+971 52 799 7331 | +971 56 636 9873 | +971 42 827 850

Add: Office #12, Nakheel Center, Naif, Deira, Dubai, UAE.