

Healthcare
furniture,
enhancing
lives.

Caremed Alrick.

Equipment Catalogue



MAKING CARE EASIER, SAFER AND QUICKER



Here at Caremed our promise to you is that all our healthcare equipment is accurately specified, rapidly deployed and impeccably clean.

We provide the highest quality healthcare equipment all based around our philosophy:

1

Protect the patient
from discomfort and make transfers less disruptive.

2

Protect the care and nursing teams
from manual handling risks.

3

Protect the organisation
by providing safe, fit for purpose and well maintained equipment.

We offer:

Purchase



You can purchase from us via a direct purchase order or the

NHS Supply Chain portal.

- 👍 Own your equipment outright.
- 👍 Buy brand new to the exact spec you want.
- 👍 Use spends from charitable money raised or funds for your department to get exactly the product you need.
- 👍 Peace of mind, no need to renew leases or rental – the product is yours.

Lease



We offer a simple NHS compliant leasing solution, here at Caremed Alrick.

- 👍 Spread the cost of acquiring capital equipment over a period of 3-to-5 year lease, maintenance can be included.
- 👍 Upgrade or invest in additional or extra equipment without needing large capital funds upfront.
- 👍 At the end of the lease, there is the option to own the equipment for a nominal fee.

Rental



Rental is a great option if you have short term patients, or short term needs.

- 👍 Access to the latest equipment without having a large one-off payment.
- 👍 Suitable for patients who are only with you in the short term.
- 👍 No servicing and repair costs.
- 👍 We deliver within 24 hours on most equipment.

CONTENTS

INTRODUCTION	2
CONTENTS	3
INTRODUCTION TO BEDS	4
PROFILING BED ACCESSORIES	8
SOFT PROTECTION	9
OVERBED TABLES	10
INTRODUCTION TO MATTRESSES & PRESSURE CUSHIONS	11
MATTRESS SELECTION GUIDE	14
INTRODUCTION TO FALLS PREVENTION SENSORS	18
SENSOR AND NURSE CALL SPARE PARTS	20
INTRODUCTION TO MANUAL HANDLING	21
SLINGS	24
WALL EXAM COUCH	28
SHOWERING AND TOILETING	29
RENTAL RANGE	35
HOME OF LAYFLAT AND ACUTE CARE SEATING	37
MODSEL ACUTE SEATING AND TROLLIES	44
NHS SUPPLY CHAIN RANGE	51
SAFETY AND COMPLIANCE BED RAILS	57
MATTRESS DECONTAMINATION	58
EQUIPMENT MAINTENANCE AND ACCREDITATIONS	59

INTRODUCTION TO BEDS

Caremed provides a core range of dependable and innovative care beds; some models, like the EN7 series, are manufactured exclusively within our own facilities.

Others are sourced within the UK and Europe and built to our exacting standards, ready for a life of service in your facility.

For guidance on compliance and safety, be sure to look at page 53.

Questions about technical or aftersales service matters?

Email info@care-med.co.uk

Call 0333 242 1250

Don't forget that we offer support via WhatsApp, Zoom & Skype - in many cases, aftersales issues and troubleshooting can be resolved using video technology.

CM4000 Bed



An excellent quality height adjustable bed featuring Trendelenburg and a low height of 40cm.

- ✓ Knee break adjustment
- ✓ Click stop lower leg raising elevation
- ✓ Electrically adjustable backrest
- ✓ Four robust braking 5" castors
- ✓ Optional extra high side rails

Specifications

Overall	Length	2130mm
	Width	1020mm
	Height (Adjustable)	40 to 80cm
SWL		200kg
Code		CM4000-V2

CM2000 Bed



This ultra low profiling bed has a low height of just 20cm from floor.

- ✓ Knee break adjustment
- ✓ Click stop lower leg raising elevation
- ✓ Electrically adjustable backrest
- ✓ Four robust braking 3" castors
- ✓ Four-section mattress support

Specifications

Overall	Length	2130mm
	Width	1020mm
	Height (Adjustable)	20 to 80cm
SWL		250kg
Code		CM2000-V2

CM9500 Bed



An ultra-low bed pioneering safety and care.

- ✓ Auto regression back rest
- ✓ Trendelenburg and reverse
- ✓ Four robust 3" braking castors
- ✓ 10 function lockable handset
- ✓ Available in Oak or Walnut

Specifications

Overall	Length	2130mm
	Width	1020mm
	Height (Adjustable)	9 to 70cm
SWL		200kg
Code		CM9500

CM5000 Bariatric Bed



This transportable bariatric bed is designed for ease of storage and can be dismantled easily if needed.

- ✓ 10 function lockable handset
- ✓ Trendelenburg one-way tilt function
- ✓ Knee break adjustment
- ✓ Click stop lower leg raising elevation
- ✓ Electrically adjustable backrest
- ✓ Four robust braking 3" castors
- ✓ Optional extra high side rails
- ✓ 20cm bed length extension kit available

Specifications

Overall	Length	2130mm
	Width	1320mm
	Height (Adjustable)	200 to 800mm
SWL		250Kg
Code		CM5000



Alrick EN7 Endless Bed Series



The EN7 series bed is a variant of the EN9000 manufactured overseas. It is the first ever universal bed that suits low care, high care and bariatric care, an innovative three-in-one bed. The EN7 uses Link motors, has a low height of 120mm and has no towers!


Features

Electric Hi/Low	Auto regression backrest
Electric Kneebend	75mm Twin wheel castors
Electric forward & reverse Trendelenburg	Standard head and foot boards (Fini Blonde laminate)


Specifications

Height	Low Position	100mm
	High Position	725mm
Overall Dimensions	Single	2080x905mM
	King single	2000x1090mm
SWL	200kg/300kg	
Angles	Back	62°
	Knee	35°
	Trendelenburg	15°
	Reverse	15°
Warranty	Frame	10 yr
	Electric	5 yr
Code	EN7	

Configuration Possibilities



- 01 Electric forward & reverse Trendelenburg
- 02 Electric Kneebend
- 03 Auto regression backrest
- 04 Standard head & foot boards
- 05 10 year frame & 5 year electrical warranty
- 06 Electric Hi-Low
- 07 75mm Twin wheel castors



Secura 3



The Secura 3 is the ultimate safe and secure solution, eliminating access to the bed mechanisms, with the bed surround concealing both. High/low bed positions possible with the lower bed section sitting stationary with the bed.


The sides of the bed are recessed to allow for nurses to kneel on the bed without the obstruction of a bed surround in the shin area.

Features

- ✓ Embedded footboard control
- ✓ Lowered section for kneeling on bed
- ✓ Braided electrical power supply
- ✓ Brake lever access
- ✓ Natural Oak, 13mm compact laminate
- ✓ Head & footboard, lower than mattress height
- ✓ Anti-tamper screws
- ✓ Ironstone powdercoat

Specifications

Overall dimensions (mm)	2030 x 930	
Sleeping surface (mm)	2000 x 900	
SWL	250kg	
Height adjustable (mm)	400-700	
Product code	SEC3-S-010010	
Warranty	Frame	10 years
	Electrics	5 years
	Castors	1 year




PROFILING BED ACCESSORIES

Accessories for Invacare Bed



Platform Extension
Invacare Bed

- ☒ Code: 1560077-7042
- ☒ Extension kit for increasing the length of the bed by 150mm




Extended Rails
Invacare Bed

- ☒ Code: 1560446-0101
- ☒ Wooden extended side rails to support a 150mm extension kit



Grab Handle
Invacare Bed

- ☒ Code: 1417511-0152
- ☒ Support Handle – 40cm x 30cm



Lifting Pole
Invacare Bed

- ☒ Code: MEDERG-LP

Accessories for Harvest Bed



Platform Extension
Harvest Bed

- ☒ Code: CM-HLDW113
- ☒ The Bed Length Extension Platform, is available to extend your profiling bed by an additional 200mm



Extended Rails
Harvest Bed

- ☒ Code: CM-HLDW111
- ☒ Community Bed Rails extended + 200mm



Grab Handle
Harvest Bed

- ☒ Code: CM-HLB685
- ☒ Height (from top of mattress): 610mm



Lifting Pole
Harvest Bed

- ☒ Code: CM-HLDW582
- ☒ SWL: 80kg

Accessories for Days/Casa Bed



Platform Extension
Days/Casa Bed

- ☒ Code: 21804BE
- ☒ The Bed Length Extension Platform, is available to extend your profiling bed by an additional 200mm



Extended Rails
Days/Casa Bed

- ☒ Code: 41622BE
- ☒ Metal length adjustable rails



Grab Handle
Days/Casa Bed

- ☒ Code: 9CGRBE
- ☒ Width 15cm (6")
- ☒ Length 48cm (19")




Lifting Pole
Days/Casa Bed

- ☒ Code: 21873BE
- ☒ Width 80cm (32")
- ☒ Depth 61cm (24")
- ☒ Height 191cm (75")

SOFT PROTECTION

Folding Cotside Bumpers



Folding bumpers with Velcro fastening.

Specifications

Dimensions:	1980 x 380 x 76mm
Code:	CMFLCSB

Safety Wedge Set



The Safety Wedge Set 900mm, provides a safe, firm, sloping barrier to keep the user comfortably positioned.

Specifications

Dimensions:	900mm
Code:	CM-HCS095

Fold Out Crash Mat



Heavy duty dense foam crash mat. Folds easily for storing. Cover is non slip wipe clean material.

Specifications

Dimensions:	193 x 60 x 5cm
Code:	TPC35F

For a wireless sensor crash mat option, please go to page 17.

Mattress Infill Bolster



Ideal for use with existing mattresses, the piece will add a further 200mm and close any gaps between the mattress and bed frame.

Specifications

Dimensions:	900mm x 220mm x 220mm
Code:	CX66BE
Dimensions:	900mm x 150mm x 150mm
Code:	CM-BEXT/ME-150
Dimensions:	900mm x 100mm x 100mm
Code:	CM-BEXT/ME-100

OVERBED TABLES

A6010 Overbed Table



Standard
Colour: Fini
blonde

Specifications

Top	800 x 400mm
High Height	1080mm
Low Height	755mm
Code	A6010

- ☒ Laminate Top
- ☒ Gas Assist Lift
- ☒ Standard Colour Top:
Fini Blonde

More laminate colours are available on request.

ALT6010 Overbed Table



Specifications

Top	800 x 400mm
High Height	1080mm
Low Height	755mm
Code	ALT-A6010

- ☒ Timber Veneer Top
- ☒ Gas Assist Lift

OBTC Overbed Table



Specifications

Height adjustment range	640 – 970mm
Max weight capacity	10kg
Code (without castors)	OBTC-NC
Code (with castors)	OBTC

INTRODUCTION TO MATTRESSES

Caremed Total Flow range of mattresses and surfaces for care are used internationally to alleviate discomfort and pressure care injuries.

Working with leading manufacturers to create our own proven range of static, hybrid and dynamic pressure care surfaces, our goal is to give you swift access to a range of products that can suit a wide spectrum of needs in your organisation.

The Total Flow Hybrid system remains our most popular option as a total system for step-up, step-down care, minimising swapping of mattress surfaces, freeing up storage space and maximising patient comfort and pressure therapy.

**Total
PressureCare**
www.caremed-alrick.com

Did you realise that certain mattress models are available through our Pressure Care 24/7 service and can be ordered and delivered any time of day or night?



Total Flow



Designed to deliver a cost-effective solution for the prevention and management of pressure ulcers in a nursing home or home care environment.

Medium to High Risk category

Specifications

Overall	Length	2000mm
	Width	900mm
	Height	127mm
SWL	160Kg	
Code	CM-M-OL-V2	

Total Flow Plus



Designed to deliver a cost-effective solution for the prevention and management of pressure ulcers in a nursing home or home care environment.

Medium to High Risk category

Specifications

Overall	Length	2000mm
	Width	900mm
	Height	200mm
SWL	200Kg	
Code	CM-M-OLB-V2	


Total Flow Hybrid




Features



Profiling side sections – 8 points



Self adjusting foam filled air cells



Castellated head section for unique comfort



Adaptable heel zone with removable gel-foam pads



Evacuation straps and handles



Pump Specification

- ☒ Operating System: Total Air Technology
- ☒ Pump Dimensions: 34.5 x 24 x 12.5 cm
- ☒ Pump Weight: 2.8kg (6.1lb)
- ☒ Cycle Time: 10, 15, 20, 25 minutes
- ☒ Memory function
- ☒ Fitted with hanging brackets
- ☒ Alternate/Static modes
- ☒ Low pressure, Power failure & Alternate failure, visual & audible alarm

Total Flow Hybrid is a 4 in 1 hybrid mattress. The sophisticated mattress design provides effective comfort, care and pressure redistribution and relief for patients in hospital, nursing and care home environments.

The Total Flow Hybrid can be used just as a high specification foam pressure redistribution mattress, or doubling up with balanced-air self-adjusting foam-filled air cells, and the option to add a choice of pumps to provide alternating pressure.

The air cells are contained within a high density foam perimeter which creates a smooth transition from the side rail to the air cell.

Total Flow Hybrid also boasts a unique adaptable heel zone with gel-foam pads, individually removable to reduce to zero pressure on the heel for unrivalled pressure redistribution and improved circulation.

Specifications

Overall	Length	1980mm
	Width	900mm
	Height	150mm
SWL		250Kg
Min Load Capacity		30Kg
Code (mattress c/w Total Flow-Hybrid Pump)		CM-CMBR-V2

Cover Specification

- ☒ Multi-stretch and vapour permeable PU
- ☒ Water resistant and machine washable BS7177: Crib 5


Total Flow Max



Suitable for high and very high risk patients, the Total Flow Max is a replacement alternating pressure relieving mattress system with triple cell-on-cell air cells. A static base section and an in-use height of 8" for effective prevention and treatment of patients at risk of developing a pressure ulcers in hospital, nursing and care home environments.

Total Flow Max incorporates cutting-edge Total Air Technology - constant auto pressure to provide ultra-low interface pressure and promote an even ambience for natural sleep patterns and stable blood circulation with silent pump operation.

Features



Nylon TPU coated cells



Independently removable cells



Removable heel cells



Pillow function




CPR release



Anchoring straps



Multi-stretch, waterproof & vapour permeable PU cover



Micro-perforated cells

Cover Specification

- ☒ Multi-stretch PU
- ☒ Water resistant
- ☒ Machine washable

Specifications

Overall	Length	2000mm
	Width	900mm
	Height	200mm
SWL		200kg
Mattress Weight		10kg
Min load capacity		30Kg
Code		CM-M-FAS

Pump Specification

- ☒ Operating System: Total Air Technology
- ☒ Pump Dimensions: 34.5 x 24 x 12.5 cm
- ☒ Pump Weight: 2.8kg
- ☒ Cycle Time: 10, 15, 20, 25 minutes
- ☒ Memory function
- ☒ Air Output: 8 litres/minute



Silent pump operation to avoid disturbance

SELECTION GUIDE

Low Risk	Comfort	
Medium Risk	Waterlow 10+	Community Foam Mattress
High Risk	Waterlow 15+	Total Flow Overlay
		Total Flow Overlay
		High Risk Foam Mattress (TPC8WS)
		Bariatric Foam Mattress (TPC18)
		Active Air Cushion
Very High Risk	Very High Risk	Viscoflex Plus Cushion
		Total Flow Hybrid
		Total Flow Max
		Combi-Air Hybrid Cushion

FOAM MATTRESS RANGE

Underlay Mattress



50mm foam underlay with a vapour permeable cover. Designed to fit onto the bed platform and used underneath an overlay mattress.

Specifications

Overall	Length	2000mm
	Width	900mm
	Height	50mm
Code		CM-ULM

Community Foam Mattress




An entry level mattress suitable for residents with a Medium Risk of developing pressure ulcers. Mattress is shaped to allow for easy profiling and enables “turning”.

Comes with a Vapour Permeable Cover.

Specifications

Overall	Length	1980mm
	Width	880mm
	Height	125mm
SWL		133kg
Code		TPC1

High Risk Foam Mattress




High Risk, high specification foam mattress with welded seams, reinforced sidewalls and a comfortable castellated foam surface.

Specifications

Overall	Length	2000mm
	Width	880mm
	Height	152mm
SWL		247 kg
Code		TPC8

Bariatric Foam Mattress




A high risk bariatric mattress built with three layers of foam. Is fitted with a hard-wearing closure cover.

Specifications

Overall	Length	2000mm
	Width	1200mm
	Height	160mm
SWL		294 kg
Code		TPC18

PRESSURE CARE CUSHION RANGE

Duoform Cushion



High resilience foam surrounded by a two part visco-elastic gel.

Specifications		
Overall	Length	420mm
	Width	420mm
	Height	80mm
SWL		110kg
Code		TPCDFC

Viscoflex Plus Cushion



Moulded, viscoelastic foam with an ergonomic foam insert.

Specifications		
Overall	Length	420mm
	Width	420mm
	Height	80mm
SWL		100kg
Code		TPCVFPC

Active Air Cushion



A high risk alternating air seat cushion, supplied complete with pressure adjustable pump.

Specifications		
Overall	Length	450mm
	Width	450mm
	Height	90mm
SWL		98kg
Code		TPCAC

PRESSURE CARE FOR HEELS

Heelpad



The Heelpad is designed to reduce pressure on the vulnerable heel area. The controlled volume of gel in the sacs allows pressure displacement and even weight distribution. Pressure on a patient's heels are kept to a minimum when the heels are in contact with the gel sac.

Code	Single	CM-HP-S
	Double	CM-HP-D

Heel Boot



The Heel Boot provides excellent comfort and pressure reduction for patients with a high risk of developing pressure ulcers to the vulnerable heel area. The Maxxcare Pro Heel Boot can be an effective solution for wound healing, as it allows for heel offloading.

	Code
Small (< 38cm)	CM-HBT-SM
Standard (38-43cm)	CM-HBT-ST
Large (≥ 43cm)	CM-HBT-XL

Odstock Wedge



Clinical research has effectively demonstrated that the degree of knee flexion necessary to achieve substantial levels of pressure relief is relatively small. Odstock Wedge was designed by clinicians to reduce pressure on the heels through repositioning the hip and elevating the knee.

Code	CM-OSW
------	--------

Leg Trough



The Leg Trough has been designed in consultation with clinicians to provide maximum support for the whole leg. The Leg Trough elevates the heels and allows them to be suspended over the edge of the trough. This provides maximum pressure relief for the vulnerable heel area.

Code Small	CM-LGTH-MLT/S
Medium	CM-LGTH-MLT/M
Large	CM-LGTH-MLT/L

Heel Protectors



Padded Heel Protectors with a 'cooling' aperture for aeration & gives complete elevation from bed surface, available in either cotton or wipe clean material.

One size fits all.

Code Cotton	FFHC-A
Wipe clean	FFHC-PU

Heel Protectors FFHC



Hollow fibre inner to reduce the pressure on the heel area, along with high sided bootee wall to protect the ankles for coming in contact with each other. Help patients with drop foot and malposition.

One size fits all.

Code	FFHC
------	------

INTRODUCTION TO FALLS PREVENTION

How does the Caremed system differ?

Based around four core sensors covering floor mat detection, bed exit detection, chair exit detection and motion detection, they are all wireless* (no more trailing cables or limitations such as call point socket positioning) and can be used as standalone alarms or integrate into most nurse call systems. We offer both the Ramblegard and Alerta brands and are happy to advise on the best configuration based on your requirements and nurse call system.

- ✓ Discreet – in many cases, sensor pads can be placed out of sight and away from risk of tampering by residents or families.
- ✓ Accurate - highly sensitive and directional motion sensor is so much more accurate than a PIR which detects any movement in the room.
- ✓ Behaviour based detection – watch our short video here:
www.caremed-alrick.com/pages/wireless-falls-sensors to see how sensors can be placed differently to detect different falls and wandering scenarios.

* Wired mats are still offered for clients who prefer them.

Wireless Deluxe Alertamat



A robust luxury carpet mat, most effective when placed at the bedside or doorway; activating the alarm when a user leaves their safe zone by stepping on the mat.

- ✓ Can be connected to a nurse call system for centralised activation, or used standalone
- ✓ X5 colours to choose from
- ✓ Includes mat and wireless transmitter

Code	CM-DAM-BLUE-C
------	---------------

Wireless Floor+ Alertamat



Most effective when placed by the bedside or at a room doorway, thereby activating the alarm when a user leaves by stepping on the mat. Hard to avoid by over-stepping.

- ✓ Can be connected to a nurse call system for centralised activation, or used on their own
- ✓ Dementia friendly
- ✓ Includes mat and wireless transmitter

Dimensions	60 x 90 cm (23.5 x 35.5")
Code	CM-FS-W

Wireless Bed Alertamat



Can be concealed under the bed mattress, alarm is activated when a user leaves their bed, and resets automatically when the user returns to the bed.

- ✓ Can be connected to a nurse call system for centralised activation, or used standalone
- ✓ Includes mat and wireless transmitter

Dimensions	25 x 76 cm (10 x 30")
Code	CM-BS-W

Wireless Chair Alertamat



Most effective when hidden under the chair cushion; alarm is activated when a user leaves their chair or slowly sinks down in the chair. The alarm is reset automatically when patient returns.

- ✓ Can be connected to a nurse call system for centralised activation, or used standalone
- ✓ Hygienic, antibacterial easy-clean material

Dimensions	25 x 38 cm (10 x 15")
Code	CM-SS-W

Wireless Crash Mat



With sensor pads and a wireless transmitter within the foam, this connects to the Alerta wall point receiver helping prevent a resident remaining on the floor for a period of time.

- ✓ Includes wireless receiver
- ✓ Can be connected to a nurse call system for centralised activation, or used on its own
- ✓ PU wipe clean surface

Code	CM-CMS-T
------	----------

Wireless Wall Point Receiver



Can be connected to a nurse call system for centralised activation, or used standalone. The volume can be changed for silent in-room operation.

- ✓ Can be wirelessly paired with up to 5 Alerta wireless products
- ✓ Wireless range of up to 95 metres
- ✓ High, low and silent volume control

Code	CM-W-WPR-C
------	------------



SENSOR AND NURSE SPARE PARTS

Breakaway Lead



Suits Wired Mats

Length	3 m	8 m
Code	R09-0035	R09-00351

Plug adaptor and lead splitter



Code	NC/MPAL/0.5
------	-------------

Wireless jack wall unit



Suits Wireless Systems

Code	R09-0023W
------	-----------

Wireless Transmitter



Suits Wireless Mats

Code	R09-00211
------	-----------

Call Lead (Intercall Mono)



Comes with right angled jack and clip


Length	2 m
Code	CM-NC/NP2

Nurse Call Wall Plate - Intercall Mono



Code	CM-NC-WP
------	----------

Pendant - Infra-Red Trigger



Code	CM-NC-PDNT
------	------------

Wireless Alerta Nurse Call Button



Lanyard and wall mounted holder included

Code	CM-W-NCB
------	----------

Wireless Alerta Detect



Uses infrared technology to activate the alarm when body movement is detected within the range of the infrared beam

☒ Can be connected to a nurse call system

Code	CM-MS-W
------	---------

INTRODUCTION TO MANUAL HANDLING

Safe patient handling is vital to prevent injury to both resident and carer. We provide a core range of reliable, easy to use and clinically effective manual handling solutions.

We supply simple standing and turning devices, as well as hoists and a large range of high quality slings.

Rota stand



The Rota Stand has been developed to allow an assisted transfer from one seated position to another. The frame, shin pad and turntable combine to give optimum safety to both carer and patient during the transfer. Allows a safe, smooth and controlled swivel transfer.

SWL	160Kg
Code	R09-00211

Move Assist



A high-quality transfer aid that has been designed for users that have the ability to stand up from a seated position. The patient holds on to the crossbar and pulls themselves to their feet. They can then sit on the secure seat and be easily transferred by a nurse or attendant.

SWL	200Kg
Code	CM-ALT-ST200

Orbital Transfer Platform



Designed to assist a person who is weight bearing and has good upper body strength to transfer from one seated position to another.

Pivots between sitting surfaces. Not to be used for transporting user. Reduces physical strains upon carers, providing a correct working position.

SWL	222Kg
Code	800





HST400 Patient Hoist



Specifications

Overall Length of Base		1150mm
Outside	Legs Closed	700mm
Width	Legs Open	1130mm
Lifting Range		610–1060mm
Under Bed Clearance		130mm
SWL		200Kg
Code		HST400

Options

	
Weight Scales	Manual Cradle
	
Standard Spreader Bar	Electric Cradle

HST800 Bariatric Patient Hoist



Specifications

Overall Length of Base		1420mm
Outside Width	Legs Closed	715mm
	Legs Open	1205mm
Lifting Range		810mm
Under Bed Clearance		126mm
SWL		320Kg
Code		HST800


SALSA 200 Compact Active Standing Aid



Base Width Adjustment Electric

Designed as an active standing aid allowing a single carer to raise a patient into a comfortable secure standing position. The Salsa 200 is ideal for transferring from bed to chair, or chair to commode. With a small footprint and low overall weight, the Salsa 200 is highly manoeuvrable. A high capacity safe working load of 200kg means the Salsa is equally at home in an institutional or home environment.

Options



Features



Specifications

Base Length	1010mm	
External Base Width	Closed	665mm
	Open	1030mm
Internal Base Width	Closed	565mm
	Open	930mm
Height Lift Arm	Minimum	880mm
	Maximum	1685mm
Under Base Height	55mm	
Under Bed Clearance	130mm	
Weight	51kg	
SWL	200kg	
Product Code	SAL01	

* The range of patient lifting equipment including lifters, slings and accessories has been designed and tested to comply with:
AS ISO 10535-2002 Hoists for the transfer of disabled persons – Requirements and test methods.

PORTO Bed Carrier Trolley




Specifications

Approx Overall Height		1100mm
Dimensions (without winch extension pole)	Width	1270mm
	Depth	610mm
Weight		32kg
Product Codes	without winch	BCT
	with winch (optional)	BCT-W

Features

- ☒ Bed carrier trolley
- ☒ Push handles
- ☒ Front swivel castors
- ☒ Soft carpet lined base
- ☒ Adjustable stabilising bar

Options



PORTO Mattress Transport Trolley



Specifications


Approx Overall Dimensions (MCT2, MCT3)	Height	Width	1200mm
	Depth - MCT2		1200mm
	Depth - MCT3		506mm
	2 Mattress	3	690mm
Product Codes	Mattress		MCT2
			MCT3

Features


- ☒ 2 or 3 Mattress Capacity Available
- ☒ Height Adjustable
- ☒ Anti Tear Nylon Dividers and Base
- ☒ 4 x 125mm Braking Castors
- ☒ Tie Points

Sling selector chart

Our selection of patient lifting slings range from the very basic through to custom made specialist slings for both adults and children. Most of our standard slings are rated to 250kg capacity with colour coded binding for easy size identification and available off-the-shelf for express delivery.



Clip-Fit Transfer sling. Padded legs and head support.



The Clip-Fit Transfer Sling designed specifically for clip fixing hoists. It has integral head support and is manufactured from fade resistant material, with woven labels which are more resilient to the washing process.

You have a choice of either polyester or

mesh; both are very supportive and can be used for bathing and general transfers.

Benefits

- ✓ Adjustable lifting position
- ✓ Washable at 85° for infection control
- ✓ High weight capacity across all model sizes

- ✓ Transfers
- ✓ Bathing
- ✓ In-Situ

Specifications

Size	XXS to XXL	
SWL	XXS to XL sizes	200kg
	XXL size	300kg
Product Code	Polyester	S1070
	Mesh	S1071

Features

- ✓ Embroidered Sling Information & Serial Number label
- ✓ Colour coded lifting loops
- ✓ Available in Polyester or Mesh fabrics as standard
- ✓ Sling Application pocket
- ✓ Modesty loop to leg paddles

Agile-Fit Dress/Toileting sling



The Agile-Fit is one of our most popular slings, providing excellent access for hygiene procedures including toileting.

It is a well-padded sling which is available in a range of sizes, from XX Small to XXX Large.

This cleverly designed sling

pattern is very easy for the carer to apply, and allows easy clothing removal. All labels are embroidered making them more resilient during washing.

Please note this is an ‘active’ sling and requires upper body/core muscle strength and user participation to work safely – users should be assessed first before using this sling.

- ✓ Transfers
- ✓ Toileting

Specifications

Size	XXS to XXXL.	
SWL	XXS to XL sizes	200kg
	XXL to XXXL sizes	300kg
Product Code	No head support	S1050
	With head support	S1060

Features

- ✓ Embroidered Sling Information & Serial Number label
- ✓ Colour coded lifting loops
- ✓ With or without head support

Benefits

- ✓ Adjustable lifting position
- ✓ Washable at 85° for infection control
- ✓ High weight capacity across all model sizes

Pronto-Fit sling with loop straps



The Pronto-Fit is our most popular sling, which has many applications from general transfers to bathing and toileting. It is a well-padded sling which is available in a range of sizes, from XX Small to XXX Large.

This product is manufactured in

our fade resistant fabric, either polyester or mesh, and has the option of a headsupport.

All labels are embroidered making them more resilient to the washing process, increasing the slings expected useable life.

Benefits

- ☒ Adjustable lifting position
- ☒ Leg straps do not bunch under load
- ☒ Washable at 85° for infection control

- ☒ Transfers
- ☒ Bathing
- ☒ Toileting


Specifications

Size	XXS to XXL	
SWL	XXS to XL sizes	200kg
	XXL to XXXL sizes	300kg
Product Code		Polyester S1000
		Mesh S1001
	With head support	Polyester S1010
		Mesh S1011

Features

- ☒ Embroidered Sling Information & Serial Number label
- ☒ Colour coded lifting loops
- ☒ Padded legs
- ☒ Sling Application pocket
- ☒ Modesty loop to leg paddles

Secure-Fit sling. Universal leg design



The Alto Secure-Fit is shaped to provide separate leg supports, allowing easier application and increase comfort for the user encouraging good hip positioning.

This product is easy to apply from both the lying and

sitting positions and is available in a range of sizes, from XX Small to XXX Large.

Benefits

- ☒ Adjustable lifting position
- ☒ Washable at 85° for infection control

- ☒ Transfers
- ☒ Bathing


Specifications

Size	XXS to XXL	
SWL	XXS to XL sizes	200kg
	XXL to XXXL sizes	300kg
Product Code	Polyester	S1040
	Mesh	S1041

Features

- ☒ Embroidered Sling Information & Serial Number label
- ☒ Colour coded lifting loops
- ☒ Available in Polyester or Mesh fabrics as standard
- ☒ Sling Application pocket
- ☒ Modesty loop to leg paddles
- ☒ Suitable for most amputees

Pro-Fit sling. Deluxe leg design padded leg paddles



The AltoSlings Pro-Fit is a durable, classic universal sling pattern developed for general purpose transfers and bathing. This product is available in sizes between XX Small and XX Large.

This product is manufactured in our fade resistant fabric, either polyester or mesh, and has the option of a headsupport. All labels are embroidered making them more resilient to the washing process.

Benefits

- Adjustable lifting position
- Washable at 85° for infection control
- High weight capacity across all model sizes

- Transfers
- Bathing

Specifications

SWL	XXS to XL sizes	200kg
	XXL size	300kg
Product Code		Polyester S1020
		Mesh S1021
	With head support	Polyester S1030
		Mesh S1031

Features

- Embroidered Sling Information & Serial Number label
- Colour coded lifting loops
- Available in Polyester or Mesh fabrics
- Modesty loop to leg paddles
- Comfortable leg design

Natural-Fit Premium in-situ sling



The Natural-Fit Premium Sling is shaped to provide separate leg supports which allows a much easier application and encourages good hip positioning. Our 3D Techmesh fabric with specific stretch properties

and breathability, allows it be safely left in-situ whilst minimising the risk of pressure points.

Natural-Fit Premium slings can also be used dry or wet – many customers use them in hydrotherapy or bathing.

This product is easy to apply from both the lying & sitting positions.

- Transfers
- Bathing
- In-Situ

Specifications

SWL	XXS to XL sizes	200kg
	XXL size	300kg
Product Code	Loop fixing, no head support	S1100
	Loop fixing, head support	S1150
	Clip fixing, head support	S1200

Features

- Colour coded lifting loops
- Made from 3D Techmesh
- Modesty loop to leg paddles
- Adjustable lifting position
- Washable at 85° for infection control

MONTAR Wall-Mounted Exam Couch



The MONTAR fold-up exam couch will introduce space saving efficiencies and integrate seamlessly into your facilities.

The MONTAR has a 350mm low height and 950mm high height for ergonomic transfer of the patient from couch to stretcher. With medical grade upholstery, the frame is treated with an anti-bacterial polyester powder coating.

Specifications

Overall Width	Closed	350mm
	Open	1030mm
Overall Length	Adult	1880mm
	Paediatric	1400mm
SWL	200kg	
Low Position	350mm	
High Position	950mm	
Product Codes	Adult	Montar-1880
	Paediatric	Montar-1400

Features

- ☒ Electric Hi/Low
- ☒ Standard Charcoal Padded Vinyl Top
- ☒ Battery Backup
- ☒ Wall Mounted
- ☒ Anti-Bacterial Polyester Powder Coating
- ☒ Drop Down Safety Rail

Configuration Possibilities



Montar maintenance

The MONTAR is designed with modular components; if one component fails, maintenance costs are reduced with the replacement of components only, versus the whole unit.

Applications

- ☒ First Aid
- ☒ Disabled Assistance
- ☒ Sports Injuries
- ☒ Medical Assessments
- ☒ Medical Treatment
- ☒ Examinations
- ☒ Training

SHOWERING AND TOILETING

Showering and toileting within the care environment is a demanding aspect of the care programme and it is essential to use equipment that promotes comfort and dignity for residents and patients. The needs of the carer are important too and our carefully selected range of products will assist in reducing manual handling and back care risks, and improving safety.

Caremed supplies a range of shower trolleys, shower chairs and commodes.

ST7700 Manual Shower Trolley



Central locking and steering castors.
Hydraulic height adjustment via a foot pedal.

Specifications

Dimensions	Width	740mm
	Length	1950mm
	Height Range	410–940mm
Height of Legs		120mm
SWL		200Kg
Code		ST7700

ST7800 Electric Shower Trolley



Central locking and steering castors. Electric height adjustment via a hand switch. Supplied with spare battery and charger unit.

Specifications

Dimensions	Width	740mm
	Length	1950mm
	Height Range	410–940mm
SWL		240 Kg
Code		ST7800

CMD 100 Basic Commode



- ✓ Swing-away armrests and swing-away (removable) footrests.
- ✓ Commode seat with integrated toilet pan.

Specifications

Seat	Width	450mm
	Depth	450mm
	Height	480mm
SWL	160Kg	
Code	CMD100	

CMD200 Deluxe Commode




- ✓ Swing-away armrests and swing-away (removable) footrests
- ✓ Commode seat with integrated toilet pan
- ✓ Height Adjustable

Specifications

Seat	Width	460mm
	Depth	430mm
	Height	480-530mm
SWL	160Kg	
Code	CMD200	

Manual Shower Commode



Accessories
- Head/
Neckrest

The CMD400 is a shower commode with a stainless steel frame. The seat tilt can be individually adjusted with a stainless steel gas spring designed to be extremely stable even at maximum tilt angle.

The modularity of the shower chairs makes it an ideal alternative to prescription based shower chairs and a suitable solution for clients with rehabilitative or degenerative neurological conditions.

Accessories



Specifications

Seat	Width	500mm
	Depth	450mm
	Height	510-610mm
SWL	150Kg	
Tilt Angle - Seat	0-35°	
Code	CMD400	

Electric Hi-Lo Shower Commode



With its full powered adjustment, the CMD800 shower chair commode allows carers to carry out personal care in safety and comfort; minimising risk of injury. Adjustment of the height and tilt is done at the push of a button, ensuring an effortless working environment. The modularity of the CMD800 shower chair makes it an ideal and a suitable solution for clients with rehabilitative or degenerative neurological conditions.

Specifications

Seat	Width	500mm
	Depth	450mm
	Height	500–1050mm
SWL		150Kg
Tilt Angle – Seat		0–35°
Code		CMD800

Accessories



Soft seat insert



Soft seat



Universal soft seat



Ergonomic soft seat



Lateral support



Wider XL armrests



Soft backrest cushion



Toilet pan



Safety belts



Safety bar



Calf support with foot support



Shortened leg rests



Ergonomic head rest holder



Front anti tipper



Calf and amputee support

Tilt-in-Space Hi-Lo Shower Commode



The CM-Aqua Shower Commode with tilt Chair is for use in Care Homes, Hospitals and homecare. This chair is designed specifically for assisted hygiene routines, showering and toileting.

The chair has an adjustment controlled by gas spring for the seat angle for active and passive seating and is designed for repeated use.

Specifications

Overall	Width	640mm
	Height (w/o headrest)	925-1025mm
	Height (w/ headrest)	1330-1590mm
Maximum User Weight		160kg
Seat Size		460 x 425mm
Code		CM-TISC-350

RAZ AT600 Bariatric Shower Chair



Specifications

Hip guides	590-790mm
SWL	272kg
Maximum User Weight	605 lbs.
Code	AT600-RAZ

A heavy duty shower commode chair that tilts, ideal for for bariatric patients.

Tilt in space shower commode with recline



Specifications

Weight	23.5 kg
Tilt Angle – Seat	0-35°
SWL	160Kg
Seat Size	106L x 59.5-62.5W
Code	CMD400

A Shower & commode combined with a stainless steel frame.

RAZ-ATP paediatric shower commode chair



The RAZ shower paediatric commode chair (RAZ ATP) is a tilt-in-space stainless steel shower/toilet/commode chair for small adults and paediatrics.

Instead of a solid moulded seat surface, the raz shower chair has a soft memory foam seat along with a flexible backrest, able to shape and accommodate spinal curvature.

Specifications

Overall	Width	550mm
	Height	530-640mm
	Depth	280-410mm
Maximum User Weight		136kg
Tilt Angle - Seat		0-40°
Code		N0001-R

Seahorse paediatric toileting & shower chair



Small Seahorse toileting and shower chair



Specifications

Length	1120mm
Height	680mm
Width	800mm
Safe Working Load	63.5kg
Code	SEAH-N72127

Specifications

Length	1000mm
Height	525mm
Width	705mm
Safe Working Load	63.5kg
Code	CM-N72012-WB

The Seahorse adapts to the child and is suitable for children between the ages of 5 and 10 years old.

Aqua Attendant propelled shower commode



The Aqua Attendant Propelled shower commode chair combines 4 chairs in 1, performing seamlessly as a shower chair, a commode chair, a toileting chair and a transfer chair. While it can be used for showering, transferring and as a mobile commode, the pot can be removed and the chair can also be wheeled to the toilet, making this a very easy to use toileting chair.

Features

- ✓ Five position footrest
- ✓ 4 individually braked wheels
- ✓ Max user weight: 150kg
- ✓ Removable arms

Code	CM-ALT-SC150
------	--------------

Aqua Self-propelled shower commode



The Aqua Self-Propelled shower commode chair combines 4 chairs in 1, performing seamlessly as a shower chair, a commode chair, a toileting chair and a transfer chair. While it can be used for showering, transferring and as a mobile commode, the pot can be removed and the chair can also be wheeled to the toilet, making this a very easy to use toileting chair.

Features

- ✓ Five position footrest
- ✓ 4 individually braked wheels
- ✓ Max user weight: 150kg
- ✓ Removable arms

Specifications

SWL	150 kg
Code	CM-ALT-SC150/SP

RENTAL

Rental or hiring healthcare equipment can be a cost effective way to access equipment where there is a temporary requirement or fluctuating demand.



Accurately specified

We'll ask lots of questions; the size of the patient, transfer method, doorway width? We want to make sure that the equipment we deliver delivers for you too.

Rapidly deployed

Rental usually means quick delivery is required. We aim to deliver within 24 hours of PO – you can count on us to get the healthcare equipment there when you need it.

Impeccably clean

All equipment on the Caremed rental fleet is treated using the Medi9 decontamination system before delivery and upon collection / return.

Arjo Sara Steady



The Arjo Sara Steady provides support for a patient when going from a seated position to a standing position.

Specifications

- ✓ Designed for patients 149-193 cm (4'11"-6'6") tall and weighing up to 182 kg
- ✓ Total width (legs open) 880mm
- ✓ Total width (legs closed) 490mm
- ✓ SWL 182kg

Features

- ✓ Allows the patient more mobility, promoting early mobilisation, whilst also protecting the caregiver from H&S injuries.
- ✓ The pivoting seats can be moved out to enable the patient to stand
- ✓ The pivot provides an angled seated support during the transfer.
- ✓ The knee pad provides support for raising into standing and also to the patient's legs during the transfer

Rea Azalea



The Rea Azalea assist wheelchair is a tilt-in-space assist wheelchair designed to offer exceptional comfort to the user and can be adjusted to a patient's own measurements and specific needs as required.

Deluxe tilt table with divided leg



Designed to serve, a multi-purpose tilt table that can transform into a 2 section examination couch. This model comes with hand grips, patient worktable & a harness set, with central locking castors.

Specifications

- ✓ Easy control and manoeuvrability of the wheelchair
- ✓ Safe working load of 135kg (21 stone)
- ✓ If you send the patients measurements pre-rental we will adjust the rea azalea wheelchair and deliver within 48 hours.

Features

- ✓ The leg rest, backrest and seat are all adjustable
- ✓ Suitable for both passive and active patients.
- ✓ Padded seating and armrests.
- ✓ The seat allows you to tilt, recline and adjust the seat to find the most relaxing sitting position for the patient.

Specifications









- ✓ Safe working load and lifting capacity of 225kg.
- ✓ Adjustable angle dual foot boards +15° to -30° (4 Positions).
- ✓ Height range of 47cm to 101cm. Tilt Table angle ranges from 0° to +90°.

Features

- ✓ Large mobile wheel design, with central locking and steering facility.
- ✓ Electric height and tilting operation with hand switch control.
- ✓ Gas assisted or electric head section facility adjustable from 0° to +75°.
- ✓ Divided leg - allows a pommel to be placed between the patients legs.
- ✓ Lowers to wheelchair height for ease of patient transfer.
- ✓ Tilt angle inclinometer fitted as standard.

CAREMED – THE HOME OF LAYFLAT® SEATING

Layflat® Seating offers a range of benefits for individuals in a hospital environment; whether recovering from a serious illness or injury or simply seeking to improve their well-being. Here are some of the key advantages of layflat seating:

-  **Early Mobilisation:** Restoring functional mobility and independence in patients is crucial in order to accelerate the recovery process.
-  **Facilitated rehabilitation:** Layflat chairs can be used to help patients with rehabilitation exercises.
-  **Improved comfort and positioning:** Layflat chairs are a type of adjustable chair that allows patients to be positioned in a variety of ways.
-  **Reduced pressure sore risk:** Layflat seating can help reduce the risk of pressure sores by distributing weight evenly and reducing pressure on specific areas of the skin.
-  **Mobility:** Layflat Seating enables patients to be moved easily unlike beds – the patient can easily be moved from ward to ward, or outside to a critical care garden ('garden power').
-  **Improved manual handling:** By enabling the Layflat function on a care chair and pairing it up next to a hospital bed, the HCP is able to pat slide the patient from bed to chair, further enabling early mobilisation.
-  **Enhanced circulation:** Layflat seating can improve circulation throughout the body by elevating the legs and feet.
-  **Increased independence and activity:** Layflat seating can promote independence and activity.

Our range of Layflat Seating has been developed and manufactured right here in the UK. Most of its core components are made right here in Britain too – allowing for us to use the Made in Britain logo. By manufacturing locally, over importing, we can demonstrate that we are reducing the CO² emissions per chair sold by almost 1 tonne per chair.



CH5 Mobilise chair® with Layflat®



An innovative, early mobilisation chair that lays 100% flat and has an innovative legrest that encourages sit to standing, this chair is manufactured in the UK, using UK materials.

Features

- ✓ Multi-purpose early mobilisation chair
- ✓ Lays 100% flat
- ✓ Sit to standing option
- ✓ 160kg safe working load
- ✓ Hi-lo range of 490 – 790mm
- ✓ Retractable legrest - fully retracts beneath the seat so easier sit to standing
- ✓ Seat tilt with Trendelenburg
- ✓ Twin wheel 125mm castors with total lock or directional lock
- ✓ Adjustable seat width - 510-560mm
- ✓ Easily remove the seat and back cushions for cleaning
- ✓ Thick cushion base with different seating options - depending on patient
- ✓ Tough, soft touch Fortitude® material, with minimal stitching
- ✓ Strong, padded removable armrests
- ✓ Lay flat dimensions: 1830mm length by 560mm wide

Manual Handling

Layflat® option reduces the need for hoists



Easy to move

Allows patients to be moved outside or to other wards if necessary



Seating options

Depending on the needs of the patient, different seating options are available



Retractable legrest

Fully retracts beneath the seat so easier sit to standing



Versatile

Simple and easy to use handset with icons for ease of use



Made in the UK

The Mobilise chair® is made in the UK and therefore has shorter leadtimes



Bariatric CH5 Mobilise chair® with Layflat®



An innovative bariatric, early mobilisation chair that lays 100% flat and has an innovative legrest that encourages sit to standing, this chair is manufactured in the UK.

Manual Handling
100% Layflat®
reduces the need for hoists

Bariatric version
Seat width to 660mm
and safe working load
of 250kg (39 stone)



Easy to move
Allows patients to be moved outside or to other wards if necessary



Retractable legrest
Fully retracts beneath the seat so easier sit to standing



updates@caremed.healthcare
www.caremed-alrick.com
T 0333 242 1250

Features


- ✓ 250kg safe working load
- ✓ Tilt in space chair
- ✓ Lays 100% flat
- ✓ Sit to standing option
- ✓ Hi-lo range of 490 – 790mm
- ✓ Retractable legrest - fully retracts beneath the seat so easier sit to standing
- ✓ Seat tilt with Trendelenburg
- ✓ Twin wheel 125mm castors with total lock or directional lock
- ✓ Adjustable seat width to 660mm
- ✓ Easily remove the seat and back cushions for cleaning
- ✓ Thick cushion base with different seating options - depending on patient
- ✓ Tough, soft touch Fortitude® material, with minimal stitching
- ✓ Strong, padded removable armrests
- ✓ Lay flat dimensions: 1830mm length by 660mm wide

Made in the UK
The Mobilise chair® is made in the UK



Contact us for a demo, hire or purchase

TX25E multifunctional hospital chair



The TX25 Electric is suitable for a wide range of patients and clinical settings. Height adjustable, this care chair comes with electric independent adjustments of the chair and four 125mm castors.


Specifications

Total	Length	950-1745mm
	Width	750mm
	Height	1230-1560mm
Seat width	540mm	
SWL	135kg	

Features

- ✓ The TX25E is electrically operated with battery backup
- ✓ Height adjustable; 490 – 820mm
- ✓ 160° of backrest recline, and an elevating legrest, giving a near layflat position
- ✓ Drop-down arms for easy side transfers
- ✓ Headrest and armrests manually adjustable

TX25M ward hospital chair



The TX25M chair is equipped with a hydraulic based system offering variable height and dual controls each side of the base. The chair has 4 swivel castors including 2 to the rear with braking and tracking.

Features

- ✓ 160 degree backrest recline and elevating legrest giving near layflat position
- ✓ Gas spring adjustment for independent chair movement
- ✓ Drop down arms for easy side transfers
- ✓ Adjustable seat height 490 – 820mm
- ✓ Over 15 colour options available

Specifications


Total	Length	950-1745mm
	Width	750mm
	Height	1265-1540mm
Seat Width	540mm	
SWL	135kg	

TX26M



Features

- ☑ Hydraulic height adjustment on wheels
- ☑ Independent sections adjustment through gas springs
- ☑ Manually adjustable headrest and armrests
- ☑ Push handle with integrated tilt adjustment



Specifically designed for patients with reduced mobility, the TX26M Chair is equipped with height adjustment through a hydraulic system driven by foot control. The chair can be laid to 160 degrees.

The seat is manufactured with a powder coated steel frame. Viscoelastic thermoformed foam provides extra comfort and protection from ulcer formation for patients who may be at risk.

Specifications

Overall dimensions in seat position	Length	950mm
	Width	750mm
	Height	1265mm
Seat width	540mm	
Trend	0°/-15°	
Seat Height	550mm - 820mm	
Incline	Backrest	90°/162°
	Leg rest	-90°/10°
	SWL 135kg	

TX15 care chair



Features

- ☑ Independent dual lever for backrest adjustment
- ☑ Fixed height with castors
- ☑ Gas-spring independent sections adjustment



The new TX15 Chair improves the recovery of patients who are ambulant or semi-ambulant within general, frail/elderly and high dependency wards. The accessories offer healthcare staff additional functionality.

Specifications

Overall dimensions in seat position	Length	900mm
	Width	720mm
	Height	1230mm
Seat height from floor	520mm	
Incline	Backrest	90°/162°
	Leg rest	-90°/10°
Product Weight	41kg	
SWL	135kg	

TX CARE CHAIR ACCESSORIES

The TX multifunctional care chairs have been designed with the patient and their wellbeing in mind. The ergonomic design is made with sculpted polyurethane foam which encourages even distribution of weight during use.


The hospital chairs deliver reassurance and ease of functionality for patients during their recovery, with the end result being improved mobilisation and the reduction of risk of contact pressures. And they come with a wealth of accessories that make them even more versatile.

Activity / meal tray



- ☒ Made of polycarbonate.
- ☒ Ideal for mealtimes or activities.

IV stand and clamp



- ☒ Made from stainless steel.
- ☒ Adjustable in height.

Colour options available



The TX care chairs can be ordered in any of the colours shown here, to twin with the ward environment.

Oxygen cylinder holder



- ☒ The cylinder holder is made of chromed steel and is suitable for 3 litre bottles.
- ☒ Supplied with hooks to be fitted to the back of the chair or underneath the chair (depending on the TX chair chosen).

Adjustable head support



- ☒ A relaxing ergonomic headrest with adjustable height.
- ☒ Increases comfort for the patient.

Phlebotomy arms



- ☒ Arms can be moved 20cm up and down.
- ☒ The arms move in and out depending on where the arm needs to be positioned.

TX10 Adjustable Ward Chair



For patients with good mobility or the ability to move unaided.

The backrest is fully supporting. Arm rests are fully collapsible, and the height can comfortably be adjusted to 6 different positions.

Specifications

Overall dimensions in seat position	Length	900mm
	Width	720mm
	Height	1230mm
Seat	Height from the floor	540mm
	Width	510mm
	Depth	450mm
Armrest height from the floor		480 - 730mm
Incline	Backrest	90°/162°
	Leg rest	-90°/10°
SWL		135kg

Features

- ☑ Independent bilateral lever for backrest and leg rest synchronized adjustment
- ☑ Fixed height with feet
- ☑ Gas-spring synchronized sections adjustment

Shell Seat



Specifications

Seat (mm)	Width	390 450 510
	Depth	410 440 470
	Height	450 490 430
SWL		120kg
Seat Tilt		-3° to 27°
Code		SHELLINT

Transit Wheelchair



Specifications

Seat	Width	450mm
	Depth	400mm
	Height	500mm
SWL		110Kg
Code		CM-WC-CT

Tilt-In-Space Care Chair



Specifications

Seat	Width	16 to 21 "
	Depth	18 to 22 "
SWL		158Kg
Seat Tilt		35°
Backrest Type		Waterfall / Lateral / Flat
Code		TX30

MODESEL – NURSING MADE EASIER

As part of the NHS recovery plan, day surgeries and elective surgeries are taking on greater importance for the foreseeable future. Our new Modsel range is the ideal solution. The range of convertible chairs and stretchers / trolley's can improve productivity and reduce unnecessary equipment and transfers.

DAY SURGERY - CHAIRS

These items have been developed with day surgery professionals across the global marketplace, whose input has led to innovative features such as ultra-low entry height, a leg rest that retracts fully back on the contour recline chair (for easy access) and simple controls.

Using a contour recline chair has the potential to replace a wheelchair, a stretcher trolley and recovery bed, meaning that the patient journey starts and ends on one piece of equipment.

TRAUMA / ED – TROLLEY'S

In the fast-paced environment of trauma and emergency departments, the Modsel range reduces the load on clinicians and improves patient comfort and safety. From triage to treatment, not only can Modsel be used for the patient when they are first admitted, but then they can be easily moved into radiology, theatre, and then the ward after for recovery.



MODSEL PORTER CHAIR

Take all the human effort out of pushing and manoeuvring chairs with an intuitive and intelligent drive system designed for easy use by any operator.



Ergonomic
Drive effortlessly in any direction by only a light touch.



Intuitive
Perfect positioning of the drive controls for the operator.



Easy access
The large foot plates offer generous support to the patient and lift quickly for clear egress.



Versatile
Use the storage shelf during transport or add accessories such as IV poles, oxygen holders.



Power assisted driving
An electric driven wheel on the floor provides excellent traction and centre steering.



Sideways movement
The rotating design allows the chair to be moved in any direction.

Features

- ✓ Multi-purpose transfer chair with powered drive
- ✓ Intuitive forward, back and sideways drive
- ✓ Powerful electric centre steer wheel with rechargeable battery
- ✓ Twin wheel 150mm castors with total lock
- ✓ Easily remove the seat and back cushions for cleaning
- ✓ Strong padded armrests with no protrusions
- ✓ Accessorise with IV poles, oxy holders or a seat belt

Specifications

Overall size	Length	1300mm
	Width	750mm
	Height	1180mm
SWL	300kg	
Code	MPC-C-ENT-EDU	

MODSEL CONTOUR RECLINE CHAIR

A multi-purpose treatment and transfer chair for ED, Day Surgery, Clinics and Aged Care.

This chair is easy to move in and out of tight areas. Patients can be positioned simply from sitting upright to full recline, or lay completely flat; with the stability of twin columns under the chair making it ideal for CPR or specialised procedures.

A versatile chair to streamline medical procedures and recovery across healthcare facilities.



Features

- ✓ 460 - 840mm height range with lie-flat and forward / reverse tilt
- ✓ Easy egress - forward tilt facilitates easy getting in and out of the chair
- ✓ Glide-away dropsides with no protrusions
- ✓ Steer/brake pedals on both sides
- ✓ 100mm thick premium, removable mattress
- ✓ Twin wheel 150mm castors with double steer
- ✓ Pop-up push handles ensure best operator positioning while preventing transfer movement to the patient
- ✓ Safe working load of 300Kg

Specifications

Overall size	780 x 1150mm (1750mm lying flat)
Seat width	650mm (+100mm wider option available)
Weight	110kg
Sockets on all four corners for accessories	
Code	MPC-C-RET



MODSEL CONTOUR RECLINE VERTEX CHAIR

An exceptional treatment chair which lies flat, allows for accurate head positioning with an infinitely adjustable headrest - suitable for Eye, ENT, Plastics and Dental.

The ultra-low height is combined with dropside armrests that glide down vertically under the chair top to provide safe access with no protrusions to catch on the patient's legs or clothes.



Features

- ✓ Ultra-thin headrest design for best surgeon clearance
- ✓ Scalloped head cushion
- ✓ 460 - 840mm height range with lie-flat and forward/reverse tilt
- ✓ Conveniently stored handles unfold for staff friendly transportation.
- ✓ Glide-away dropsides
- ✓ Steer/brake pedals on both sides
- ✓ 100mm thick premium, removable mattress
- ✓ Twin wheel 150mm castors
- ✓ Safe working load of 300Kg

Specifications

Overall size	780 x 1150mm (1750mm lying flat)
Sockets on all four corners for accessories	
Code	MPC-C-REVE



MODSEL CONTOUR ENDOSURGE ELECTRIC TROLLEY

An electric endoscopy imaging trolley or stretcher with a sliding top for quick and easy patient positioning. Remove the effort of re-positioning a heavy C-Arm X-Ray camera; the aim is to provide more freedom and remove strain off the back.

Endosurge sliding top, can move 140mm towards the head end from the central position.

Release the top lock and easily slide the stretcher top back or forwards to position your patient.



Features

- ✓ 400mm slide; 140mm to head and 260mm to foot from centre
- ✓ Split dropside options available
- ✓ Emergency CPR backrest release
- ✓ 15° head and foot Trendelenburg
- ✓ Electric height ranges: 570 - 940mm
- ✓ 200mm castors and Ezi-Trak 5th wheel steering
- ✓ Made of robust hardwearing material which is easy to clean and wipe down
- ✓ Safe working load of 300Kg

Specifications

Overall size	2135 x 815mm
Weight	110Kg
Sliding top and cut-away base cover	
Code	MPT-C-EE



MODSEL CONTOUR VERTEX TROLLEY

An electric procedure stretcher/ trolley with accurate head positioning and comfortable access.

The rigid locking headrest on this stretcher is designed with excellent leg clearance, allowing you to bring the patient close to help reduce back and neck strain whilst performing surgery.

Quickly and safely position a patient's head to exactly where it needs to be with the fully adjustable headrest locking system.



Features

- ✓ Infinitely adjustable, slimline headrest
- ✓ Emergency CPR backrest release
- ✓ 15° head and foot Trendelenburg
- ✓ Electric height range: 505 - 875mm
- ✓ 200mm castors and Ezi-Trak 5th wheel steering
- ✓ Dropside armrests
- ✓ Standard or scalloped headrest cushion option
- ✓ Safe working load of 300Kg

Specifications

Overall size	2210 x 815mm
Weight	110Kg
Code	MPT-C-VE



MODSEL CONTOUR ENDOSURGE HYDRAULIC TROLLEY

A hydraulic endoscopy imaging trolley or stretcher with a sliding top for quick and easy patient positioning. Remove the effort of re-positioning a heavy C-Arm X-Ray camera; the aim is to provide more freedom and remove strain off the back. Endosurge sliding top, can move 140mm towards the head end from the central position.

Release the top lock and easily slide the stretcher top back or forwards to position your patient.



Features

- ✓ 400mm slide; 140mm to head and 260mm to foot from centre
- ✓ Split dropside options available
- ✓ Emergency CPR backrest release
- ✓ 15° head and foot Trendelenburg
- ✓ Hydraulic height ranges:
530 - 760,
565 - 830 or
630 - 960mm (std)
- ✓ 200mm castors and Ezi-Trak 5th wheel steering
- ✓ Safe working load of 300Kg

Specifications

Overall size	2135 x 815mm
Weight	110Kg
Sliding top and cut-away base cover	
Code	MPT-C-EH



NHS SUPPLY CHAIN APPROVED

NHS Supply Chain is a non-departmental public body of the National Health Service (NHS) in England and Wales. NHS Supply Chain is responsible for the procurement, storage and distribution of clinical consumables, capital medical equipment and products.

Caremed Alrick is an approved NHS supplier, which means some of our range is available through the NHS Supply Chain website. Where possible, we will aim to deliver the product in 48 hours.



Here at Caremed Alrick we work in partnership with the NHS Supply Chain to provide healthcare equipment all based around our philosophy:

1

Protect the patient from discomfort and make transfers less disruptive

2


Protect the care and nursing team from manual handling risks

3

Protect the organisation by providing safe, fit for purpose and well maintained equipment

SPECIALIST CHAIRS FOR EASY TRANSFER

MR1076 highback orthopaedic seat



Features

- ✓ Backrest inclination 95° / 162°
- ✓ Legrest inclination -90° / 10°
- ✓ Four non marking, swivel castors
- ✓ Accessories include - adjustable IV pole, left and right clamp for IV pole and oxygen tank holder

With a safe working load of 135kg, this orthopaedic adjustable specialist seat has a high back, elevating back rest, legrest and adjustable headrest.

Padded armrests are collapsible to facilitate ease of movement and mobility of the patient.



Specifications

Adjust. seat height	55-88cm via a hydraulic system
SWL	135kg (21 stone)
Framework	Sturdy steel
Code	MR1076
Supply Chain code	FAM19818


MR1063 Armchair



Features

- ✓ Backrest has a push handle and lumbar support inside
- ✓ The armrests are collapsible and height-adjustable in six different positions
- ✓ Four swivel castors, 2 front and 2 rear directional with brakes
- ✓ Backrest inclination: 95° / 162°

Ideal for stroke patients, this chair provides numerous sitting positions to suit the patient and to assist transfer, with elevating legrest, fold out footrest and adjustable headrest.



Specifications

Seat size	Width	54cm
	Depth	45cm
	Height	52cm (from the floor)
SWL	150kg (23.5 stone)	
Framework	Steel tubing	
Seat, backrest and legrest covering	Polyurethane foam covered in leatherette	
Code	MR1063	
Supply Chain code	FAM19823	




EXAMINATION COUCHES

SUITABLE FOR A&E, TRAUMA AND TREATMENT ROOMS

The perfect support for patients during medical examinations. These examination couches are all height adjustable, with adjustable headrests, and a safe working load of at least 200Kg.

They can also be used as treatment and therapy couches if necessary. As with all our products, they are easy to clean and are made of robust materials, so can withstand plenty of use.



AT4046 medical examination couch



A highly versatile examination and treatment couch with an adjustable head rest and height it is suitable for all types of medical treatment; from examinations to therapy and massage.



Features

- ✓ The height can be adjusted using the electric handset
- ✓ The head section can be adjusted, allowing for optimal treatment positions
- ✓ The vinyl fabric surface is padded with soft polyurethane; fireproof and easy to disinfect
- ✓ Double seams ensure they are tear resistant

Specifications

Overall size	Length	189cm
	Height	65cm
SWL	200kg (31 stone)	
Framework	Tubular steel, welded and powder coated - resistant to scratches and accidental damage	
Code	AT4046E	
Supply Chain code	FAM19828	



MAKING LIFE EASIER FOR YOU!

Here are a number of pieces of equipment that are all NHS approved products.

As with all our products they are easy to use and manoeuvre, robust and easy to clean. Remember, we are always here to help. Just email, call or LiveChat us on our website if you need help!

Medical stool with foot rest



Padded seat, with foot rest, upholstered with black fabric.

- ☒ Basement with steel insert with plastic covering and nylon feet


Height adjustment	60 - 80cm
-------------------	-----------

Seat width	45 cm
------------	-------

Code	MS5182
------	--------

NHS Supply Chain code	FAM15656
-----------------------	----------

Swivel hospital chair



A simple swivel chair, ideal for HCP when examining a patient or filling in paperwork.

- ☒ With foot ring and glide base
- ☒ Height adjustable

Height minimum	60cm
----------------	------

Colour options available	
--------------------------	--

Code	ZMS11852
------	----------

NHS Supply Chain code	FAM19817
-----------------------	----------

Surgeon foot stool



A sturdy chrome steel step or foot stool.

- ☒ The step is covered in non-slip material with a PVC edge

Height	18cm
--------	------

SWL	135kg (21 stone)
-----	------------------

Code	AH0250
------	--------

NHS Supply Chain code	FAM19830
-----------------------	----------

Medical stool saddle



Metal padded seat, covered with washable fabric.

- ☒ 5 double non-marking castor wheels

Height adjustment	45 - 55cm
-------------------	-----------

Seat size	48 x 48 cm
-----------	------------

Code	MS5010
------	--------

NHS Supply Chain code	FAM15655
-----------------------	----------

MAKING LIFE EASIER FOR YOU!

Stainless steel hospital trolley



- A robust, versatile hospital trolley.
- ✓ Complete with two removable steel tray-shelves
 - ✓ Push handle
 - ✓ 4 castors, 2 with brakes

Dimensions	H 89cm, W 62cm, D 47cm
Framework	Stainless steel
Code	CA9044
NHS Supply Chain code	FAM19822

Linen trolley



- A compact and easily manoeuvrable linen trolley.
- ✓ Shaped lid with hinges and hooks to support the bag
 - ✓ Lower part with pedal to raise the lid
 - ✓ Push handle to move

Framework	Chromed steel
Code	CA9024
NHS Supply Chain code	FAM19829

Hospital storage cabinet



- Storage cabinet with 4 shelves and glass door. Ideal for organising and arranging medicines and surgical devices.
- ✓ Varnished with epoxy powders
 - ✓ Cabinet door is made of tempered glass
 - 4 shelves, easily adjustable

Dimensions	H 170cm, W 65cm, D 45cm
Cabinet legs	Tubular steel with nylon adjustable feet
Code	AA1210
NHS Supply Chain code	FAM19827

Resus / emergency trolley



- All accessories are easily attainable to reduce manoeuvres and intervention time.
- ✓ The trolley has 6 drawers with adjustable partitions, complete with emergency tamperproof lock
 - ✓ With waste bin and oxygen bottle holder

Dimensions	H 92cm, W 55cm, D 100cm
4 non marking castors	
Code	CP2000
NHS Supply Chain code	FAM15648



MAKING LIFE EASIER FOR YOU!

Fresco polypropylene armchair



The Italian-style Fresco polypropylene chairs are both strong and durable; suitable for a range of both indoor and outdoor areas.

- ✓ The chair is available with or without arms
- ✓ Available in a choice of 3 colours

Weight	3.9kg per chair
Seat height	450mm
Code	CM-FRESCO
NHS Supply Chain code	N1224923 / N1224922

Infusion / IV / Drip stand




A variable height Infusion IV, or drip stand with 4 hooks.

- ✓ No-overturning base with 5 spokes and swivelling castors
- ✓ Non marking castor base

Variable Height	142cm maximum
Framework	Chromed steel
Code	AH0396BG
NHS Supply Chain code	FAM19816

Strata polypropylene chair



Designed for strength and durability, the Strata is a light, closed back polypropylene chair which can be easily stacked when not in use.

- ✓ Available in a choice of 9 different colours
- ✓ Stackable up to 8 high for easy storage

Seat height	455mm
Code	CM-STRATA
NHS Supply Chain code	N1224920

Orthopaedic trolley



A robust cast trolley with overbridge shelf.

- ✓ Two lower doors, two drawers in the middle and a large drawer at the top
- ✓ Top is made of glazed stainless steel, thickness 1 mm

Framework	aluminium / composite
Code	CP1035
NHS Supply Chain code	FAM19815

SAFETY AND COMPLIANCE

Stated as one of our values, “Your safest option”, at Caremed Alrick we take safety, compliance and compatibility seriously. We have compiled some background information that should be carefully considered when choosing a partner for equipment supply, repair and maintenance. This information is not exhaustive but highlights common areas of concern to care organisations, their patients, relatives and other stakeholders.


Bed Rail Compliance

While bed rails can potentially prevent many falls, if fitted incorrectly they can cause death by asphyxiation through entrapment.


*A risk assessment that incorporates the bed occupant, proposed equipment, the bed and the mattress is essential to ensure safe use. If any of these circumstances or equipment combinations change, the risk assessment must be carried out again.

MHRA (Medicines and Healthcare products Regulatory Agency (MHRA) investigations have also shown that many serious and fatal incidents with bed rails have been caused by lack of maintenance. Bed rails must be inspected on a regular basis to ensure they are in good condition and that the distances comply with current regulations.

The guidance below was correct at the time of printing (Jan 2024) but we recommend checking for the latest guidance here:

 <https://www.gov.uk/guidance/bed-rails-management-and-safe-use>

As illustrated in the diagram below, the following are key dimensional requirements for use with adults:



Key

- A All gaps between the rail bars must be 120mm or less
- B The height of the top of the side rail above the uncompressed mattress and with the bed board in a flat position must be equal to or greater than 220mm
- C The gap between the bed rail end and headboard must be less than 60mm
- D The deflection of rail should not be greater than 50mm during application of the loads and not greater than 10mm at any point in relation to the bed board after the removal of the loads
- E The gap between the footboard and rail should be greater than 318mm

* Clients must seek their own professional advice.

Mattress Decontamination

Do you know what lies beneath the surfaces of your mattresses?


Let Caremed Alrick assist in keeping your home compliant by utilising our on-site Mattress Audit and Decontamination Service.

Using our unique portable fogging system and following the MHRA Audit Recommendations, this service is cost effective and provides proactive reassurance and a thorough paper trail, freeing up time for nursing and care staff.

Decontamination includes a deep clean of not only the mattress, but the bedframe too, far more comprehensive than achievable by laundering or manual cleaning. The Medi9 fogger penetrates deep inside alternating mattress cores, between the cells and pipework, ensuring the deepest recesses are clean and hygienic.

Once a cover is breached and significant staining has occurred, the mattress is hazardous and even if cleaned, the likelihood is that staining will reoccur. Stained foam mattress cores are particularly hazardous, harbouring a myriad of germs and bacteria.

Call us on 0333 242 1250 to discuss mattress decontamination. Further resources and the current regulatory guidance can be seen here:

 <https://www.gov.uk/government/publications/mattress-decontamination-poster>



This?



Or This?

Equipment Servicing & Maintenance.

Keeping compliant – How can we help you?

Profiling Bed and Chair Service Planned Preventative Maintenance – a proven method of reducing your equipment downtime. This may mean a 6 monthly check or an annual check for your beds and chair where a fully trained technician carries out a thorough service and safety test – recommending parts to be replaced or adjusted. Typically carried out alongside the Air Mattress/ Pump service and Mattress Audit to minimise disruption in your home.

Air Mattress/ Pump Service

- ☒ Air Mattress Repairs & Servicing
- ☒ Pump Repairs & Servicing
- ☒ Air Mattress PIT (Pressure Integrity Testing)
- ☒ Electrical Safety Testing
- ☒ Air Mattress Audits, Decontamination & Laundering

Mattress Audit Caremed technicians are trained in mattress auditing to the MHRA standard and this is a service we provide to many of our customers. Mattresses that look good on the surface, may be hiding hidden dangers if integrity is breached. Even minor abrasions or damage to the mattress surface may allow urine or faecal matter to penetrate the cover or foam beneath; this is hazardous and unpleasant:

- Hidden staining
- Foul odours
- Infection control risks with the presence of bacteria, fungi or spores

As well as an examination of the mattress from a hygiene standpoint, our audit also includes a simple test to ascertain the foam resilience - this is to protect your residents from pressure damage and discomfort from aging foam cores that may have lost their resilience over time.

Our Accreditations



Medical Healthcare Furniture
In partnership with
NHS Supply Chain



Disclosure & Barring Service



Caremed is committed to quality and assurance and we take our obligations to customers seriously.

All of our technicians are DBS checked and we hold:

☒ ISO9001:2015 and ISO13485:2016

accreditation

Manufacturers training is provided to all Caremed Alrick technicians and they are equipped with modern systems to provide end-to-end traceability and accuracy.

UK/EU Office

Unit 4a Carlyon Road,
Carlyon Road Industrial Estate,
Atherstone,
CV9 1JE

Caremed
Alrick.

T (UK) 03332421250
updates@caremed.healthcare
www.caremed-alrick.com