



FLOORPAN



microw4
V-groove



FLOORPAN

SUN



SEE THE DIFFERENCE

FLOORPAN




C53

ULUDAG

SUN

8
mm

AC3 31 CLASS



FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN




C61
TORONTO CAM
SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN



C70

BAROK TIMB

SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN




C74

Garda TMB

SUN

8
mm

AC3 31 CLASS



FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN



A21

ELEGANS MESE TIMB

SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN



N03

JAKARTA MERBEU

SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN



FS001
YEDI TEPE
SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN



FS007
ERCI YES
SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN



FS019
I NEBOLU
SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN



FS020

KARAMEL MESE

SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN



FS023
GRI CVIZ
SUN

8
mm

AC3 31 CLASS

FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN




FS027

ASTANA CEVIZ TIMB

SUN

8
mm

AC3 31 CLASS



FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN




FS028

BUGDAY MESE

SUN

8
mm

AC3 31 CLASS



FLOORPAN SUN...SEE THE DIFFERENCE

FLOORPAN




FS032

GREY OAK

SUN


8
mm

AC3 31 CLASS




FLOORPAN SUN...SEE THE DIFFERENCE


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY



SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH




EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	

FLOORPAN

CLASSIC



COMFORT EVERYWHERE

FLOORPAN



C03
DOGAL MESE
CLASSIC

8
mm

AC4 32 CLASS

FLOORPAN CLASSIC...COMFORT EVERYWHERE

FLOORPAN




C47

OPAK MESE- CORP OAK
CLASSIC

8
mm

AC4 32 CLASS



FLOORPAN CLASSIC...COMFORT EVERYWHERE

FLOORPAN



C51
RUSTIK CAM
CLASSIC

8
mm

AC4 32 CLASS

FLOORPAN CLASSIC...COMFORT EVERYWHERE

FLOORPAN



C55

KUL MESE
CLASSIC

8
mm

AC4 32 CLASS

FLOORPAN CLASSIC...COMFORT EVERYWHERE

FLOORPAN




C62
ATLAS
CLASSIC

8
mm

AC4 32 CLASS

FLOORPAN CLASSIC...COMFORT EVERYWHERE

FLOORPAN



C66

ALASKA MESE

CLASSIC

8
mm

AC4 32 CLASS

FLOORPAN CLASSIC...COMFORT EVERYWHERE

FLOORPAN




C84
JAWA CNY
CLASSIC

8
mm


AC4 32 CLASS

FLOORPAN CLASSIC...COMFORT EVERYWHERE


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	

FLOORPAN

SUNEX



A SUNSHINE IN YOUR HOME

FLOORPAN



FSX01
GRI Ceviz
SUNEX

8
mm

AC3 31 CLASS
V GROOVE



FLOORPAN SUNEX ...A SUNSHINE IN YOUR HOME

FLOORPAN



FSX08
BRONZE
SUNEX

8
mm

AC3 31 CLASS
V GROOVE



FLOORPAN SUNEX ...A SUNSHINE IN YOUR HOME

FLOORPAN



FSX03
KUBA
SUNEX


8
mm

AC3 31 CLASS
V GROOVE




FLOORPAN SUNEX ...A SUNSHINE IN YOUR HOME


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY



SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH




EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)				Min. 5 (group 1,2 and 3)

FLOORPAN

URBAN



THE REFLECTION OF THE CITY

FLOORPAN



FU002
SIDNEY
URBAN

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN URBAN...THE REFLECTION OF THE CITY

FLOORPAN



FU006
TOKYO
URBAN

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN URBAN...THE REFLECTION OF THE CITY

FLOORPAN



FU008
SANGHAY
URBAN

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN URBAN...THE REFLECTION OF THE CITY

FLOORPAN



FU016
NAIROBI
URBAN

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN URBAN...THE REFLECTION OF THE CITY

FLOORPAN



FU017
BOURNEO
URBAN

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN URBAN...THE REFLECTION OF THE CITY

FLOORPAN



FU018
KARTACA
URBAN

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN URBAN...THE REFLECTION OF THE CITY

FLOORPAN



AU015
PRAG
URBAN

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN URBAN...THE REFLECTION OF THE CITY

FLOORPAN



AU016
SAIGON
URBAN


8
mm

AC4 32 CLASS
V GROOVE




FLOORPAN URBAN...THE REFLECTION OF THE CITY


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	

FLOORPAN

PRIME



FEEL THE INNOVATION

FLOORPAN



R08

Bosphorus
PRIME

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN PRIME ... FEEL THE INNOVATION

FLOORPAN



R010
Akashi
PRIME

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN PRIME ... FEEL THE INNOVATION

FLOORPAN



R013
Normandiya
PRIME

8
mm

AC4 32 CLASS
V GROOVE



FLOORPAN PRIME ... FEEL THE INNOVATION

FLOORPAN



R015
Harbour
PRIME


8
mm

AC4 32 CLASS
V GROOVE




FLOORPAN PRIME ... FEEL THE INNOVATION


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY



SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500

FLOORPAN

NATURAL



mikro
derzli



DISCOVER THE NATURALITY

FLOORPAN



N14

Antique white

NATURAL

10
mm

AC4 32 CLASS
V GROOVE



FLOORPAN NATURAL...DISCOVER THE NATURALITY

FLOORPAN



N18

Kum Mese-Sand Oak

NATURAL

10
mm

AC4 32 CLASS
V GROOVE



FLOORPAN NATURAL...DISCOVER THE NATURALITY

FLOORPAN



N20

Dibek Mese

NATURAL

10
mm

AC4 32 CLASS
V GROOVE



FLOORPAN NATURAL...DISCOVER THE NATURALITY

FLOORPAN



N03

Jakarta Merbeu
NATURAL

10
mm

AC4 33 CLASS
V GROOVE



FLOORPAN NATURAL...DISCOVER THE NATURALITY

FLOORPAN



N16

ALtinkum
NATURAL

10
mm

AC4 33 CLASS
V GROOVE



FLOORPAN NATURAL...DISCOVER THE NATURALITY

FLOORPAN



N17

Tutun Mese
NATURAL


10
mm

AC4 33 CLASS
V GROOVE




FLOORPAN NATURAL...DISCOVER THE NATURALITY


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	

