



# FLOORPAN ARTFLOOR





**SUN**

**FLOORPAN**  
Laminat Parke / Laminate Flooring

**ARTFLOOR**  
Laminat Parke / Laminate Flooring




bridging **nature and life**

# FLOORPAN ARTFLOOR



**FS003**  
BLACKSEA OAK  
**SUN**

8 mm AC3 31 CLASS



bridging **nature and life**

# FLOORPAN ARTFLOOR



FS040 \ N03  
JAKARTA MERBEU

8  
mm

AC3 31 CLASS

SUN

bridging nature and life

# FLOORPAN ARTFLOOR




C53  
ULUDAG  
**SUN**

8  
mm

AC3 31 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



C70  
BAROK TIMB  
SUN

8  
mm

AC3 31 CLASS

bridging nature and life

# FLOORPAN ARTFLOOR



**FS007**  
ERCIYES  
**SUN**

8  
mm

AC3 31 CLASS

bridging **nature and life**




# FLOORPAN ARTFLOOR



**C61**  
TORONTO PINE  
**SUN**

8  
mm

AC3 31 CLASS



bridging **nature and life**



# FLOORPAN ARTFLOOR



**C74**  
GARDA TIMB  
**SUN**

8  
mm

AC3 31 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



A21  
ELEGANS OAK  
**SUN**

8 mm AC3 31 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



**FS020**  
CAMEL OAK  
**SUN**

8  
mm

AC3 31 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



FS019  
INEBOLU  
**SUN**

8  
mm

AC3 31 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



FS027  
ASTANA WALNUT  
**SUN**

8  
mm

AC3 31 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



**FS023**  
GREY WALNUT  
**SUN**

8  
mm

AC3 31 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



FS028  
WHEAT OAK  
**SUN**

8  
mm

AC3 31 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



**FS032**  
GREY OAK  
**SUN**


8  
mm

AC3 31 CLASS


bridging **nature and life**




## THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH




EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

## LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	



# CLASSIC

**FLOORPAN**  
Laminat Parke / Laminate Flooring

**ARTFLOOR**  
Laminat Parke / Laminate Flooring



bridging **nature and life**

# FLOORPAN ARTFLOOR



C73


Gokova

CLASSIC

8  
mm

AC4 32 CLASS

bridging **nature and life**



# FLOORPAN ARTFLOOR



C55

ASH OAK

CLASSIC

8  
mm

AC4 32 CLASS

bridging nature and life

# FLOORPAN ARTFLOOR



C03  
NATURAL OAK  
CLASSIC

8  
mm

AC4 32 CLASS

bridging nature and life

# FLOORPAN ARTFLOOR




C47

OPAK MESE- CORP OAK

**CLASSIC**

8  
mm

AC4 32 CLASS



bridging **nature and life**

# FLOORPAN ARTFLOOR



**C66**  
ALASKA OAK  
**CLASSIC**

8  
mm

AC4 32 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



C62

ATLAS

CLASSIC

8  
mm

AC4 32 CLASS

bridging nature and life



# FLOORPAN ARTFLOOR



**C48**

ASSOS OAK

**CLASSIC**

8  
mm

AC4 32 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



C84  
JAWA


CLASSIC

8  
mm


AC4 32 CLASS

bridging **nature and life**


## THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING



FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

## LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1,2 and 3)	



**SUNEX**

**FLOORPAN**  
Laminat Parke / Laminate Flooring

**ARTFLOOR**  
Laminat Parke / Laminate Flooring



bridging **nature and life**

# FLOORPAN ARTFLOOR



**FSX08**  
BRONZE OAK  
**SUNEX**

8  
mm

AC3 31 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



**FSX04**  
ASTANA WALNUT  
**SUNEX**

8  
mm

AC3 31 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



**FSX01**  
GREY WALNUT  
**SUNEX**

8  
mm

AC3 31 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



FSX03  
CUBA OAK  
**SUNEX**

8  
mm


AC3 31 CLASS  
V GROOVE




bridging **nature and life**




# THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY



SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH




EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

## LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1,2 and 3)	



**URBAN**

**FLOORPAN**

Laminat Parke / Laminate Flooring

**ARTFLOOR**

Laminat Parke / Laminate Flooring



**mikro**  
derzli



bridging **nature and life**

# FLOORPAN ARTFLOOR



FU002  
SIDNEY

URBAN

8  
mm

AC4 32 CLASS  
V GROOVE



bridging nature and life

# FLOORPAN ARTFLOOR



FU003  
CHICAGO

URBAN

8  
mm

AC4 32 CLASS  
V GROOVE



bridging nature and life

# FLOORPAN ARTFLOOR



FU016  
NAIROBI

URBAN

8  
mm

AC4 32 CLASS  
V GROOVE



bridging nature and life

# FLOORPAN ARTFLOOR



**FU011**  
Moscow

**URBAN**

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



FU017  
BOURNEO  
**URBAN**

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



FU008

SHANGHAI

URBAN

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**



# FLOORPAN ARTFLOOR



AU016  
SAIGON  
**URBAN**

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



FU018  
KARTACA

URBAN

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



FU005  
New York

URBAN

8  
mm

AC4 32 CLASS  
V GROOVE



bridging nature and life

# FLOORPAN ARTFLOOR



AU015  
PRAG

URBAN

8  
mm

AC4 32 CLASS  
V GROOVE



bridging nature and life

# FLOORPAN ARTFLOOR



FU006  
TOKYO

URBAN

8  
mm

AC4 32 CLASS  
V GROOVE



bridging nature and life

# FLOORPAN ARTFLOOR



FU007  
PEKING

URBAN


8  
mm

AC4 32 CLASS  
V GROOVE




bridging nature and life


## THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS



RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

### LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	



**PRIME**

**FLOORPAN**  
Laminat Parke / Laminate Flooring

**ARTFLOOR**  
Laminat Parke / Laminate Flooring



bridging **nature and life**



# FLOORPAN ARTFLOOR



**R08**  
BOSPHORUS  
**PRIME**

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



R010

AKASHI

PRIME

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



**FR012**  
RIALTO  
**PRIME**

8  
mm

AC4 32 CLASS  
V GROOVE

bridging **nature and life**

# FLOORPAN ARTFLOOR



**R015**  
HARBOUR  
**PRIME**

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



R013  
NORMANDY  
PRIME

8  
mm

AC4 32 CLASS  
V GROOVE



bridging nature and life

# FLOORPAN ARTFLOOR



**FR011**  
GOLDEN GATE  
**PRIME**

8  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



**FR014**  
ERASMUS  
**PRIME**

8  
mm


AC4 32 CLASS  
V GROOVE




bridging **nature and life**




## THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY



SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

## LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500





**NATURAL**

**FLOORPAN**  
Laminat Parke / Laminate Flooring

**ARTFLOOR**  
Laminat Parke / Laminate Flooring



**mikro**  
derzli



bridging **nature and life**

# FLOORPAN ARTFLOOR



**N14**  
ANTIQUE WHITE  
**NATURAL**

10  
mm

AC4 32 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



**FN009**

LEFKAS OAK


**NATURAL**

10  
mm

AC5 33 CLASS  
V GROOVE



bridging **nature and life**



# FLOORPAN ARTFLOOR



**N03**  
JAKARTA MERBEU  
**NATURAL**

10  
mm

AC4 33 CLASS  
V GROOVE



bridging **nature and life**

# FLOORPAN ARTFLOOR



**N18**  
SAND OAK  
**NATURAL**

10 mm AC4 32 CLASS V GROOVE

bridging **nature and life**

# FLOORPAN ARTFLOOR



N17  
TOBACCO OAK  
NATURAL

10  
mm

AC4 33 CLASS  
V GROOVE



bridging nature and life

# FLOORPAN ARTFLOOR



**N20**  
DIBEK OAK

10  
mm

AC4 32 CLASS  
V GROOVE



**NATURAL**

bridging **nature and life**



# FLOORPAN ARTFLOOR



**N16**

ALTINKUM

**NATURAL**

10  
mm


AC4 33 CLASS  
V GROOVE




bridging **nature and life**




## THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

## LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	



# PALACE

## FLOORPAN

Laminat Parke / Laminate Flooring

## ARTFLOOR

Laminat Parke / Laminate Flooring



bridging **nature and life**

# FLOORPAN ARTFLOOR



PL001

VERSAY

**PALACE**

10  
mm

AC4 32 CLASS

bridging **nature and life**

# FLOORPAN ARTFLOOR



PL002

PENA


PALACE

10  
mm


AC4 32 CLASS

bridging **nature and life**


## THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

## LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5	AC6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 ( group1 and 2) Min.4 (group 3)			Min. 5 ( group1,2,3)	

