

ULD[®] BP-100

Contact Insecticide II



For indoor or outdoor application as a direct, space, area or contact spray. Dependent upon the insects and areas to be treated, this product may be applied through mechanical aerosol (non-metered) or ultra-low volume (ULV) generators, as well as thermal and conventional fogging or spraying equipment.

KILLS: Ants (excluding Harvester & Pharaoh), Bed Bugs, Cockroaches, Fleas, Flies, Scorpions, Spiders, Stored Product Pests (Beetles, Mites, Moths) and Ticks

FOR USE IN: Commercial (including Food Handling Establishments, Food Service, Storage, Preparation and Processing Areas), Institutional and Residential Areas

ACTIVE INGREDIENTS:

Pyrethrins*, a botanical insecticide 1.0%
Piperonyl butoxide** 5.0%

OTHER INGREDIENTS: 94.0%

TOTAL: 100.0%

Contains Petroleum Distillate

* 1 gallon contains 0.066 lb of pyrethrins and 0.33 lb piperonyl butoxide

** (butylcarbityl)(6-propylpiperonyl) ether and related compounds.

EPA Reg. No. 499-514

EPA Est. No. 7969-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

ULTRA LOW DOSAGE THROUGH MICRON GENERATION



USE RESTRICTIONS FOR INDOOR MISTING SYSTEMS

- Not for use in outdoor residential misting systems; indoor or outdoor. **DO NOT** apply this product in barns or stables where persons are likely to be present or human consumption will be restricted.
- **DO NOT** apply where food, feed and/or water is present.
- When using this product, installers and service technicians must comply with the license, certification or registration requirements of the State, Federal or local authority where they are installed.
- When applying via a remote activation device, **DO NOT** apply when people and pets are present. If possible, when applying via automatic timer, set the timing for application when people and pets are unlikely to be present.
- Direct nozzles to spray towards the target area and away from areas where people are typically present.
- **DO NOT** use in evaporative cooling systems.
- **DO NOT** use in misting nozzles within 3 ft of air vents, air conditioner units or windows.
- If used in a system with a reservoir tank for the end use solution, the system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement for the system reservoir tank in a weather protected area or plastic, steel or the dilution statement will be printed as follows: This container holds _____ parts (product name)/to _____ parts water.
- If used in a direct injection system, the pesticide container must be locked. Securely attach the end use label to the pesticide container in a weather protected area or plastic sleeve.
- This product must only be used in systems that have been calibrated to apply no more than the maximum application rate of 0.0033 lb/1,000 sq ft of animals present.

STORAGE AND DISPOSAL

- **DO NOT** contaminate water, food or feed by storage or disposal.
- **PESTICIDE STORAGE:** Store in original container in secured dry storage area. **DO NOT** store above 100°F for extended periods of time. Storage below 32°F may cause freezing. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.
- **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, in accordance with the label directions or at an approved waste disposal facility.
- **CONTAINER DISPOSAL:** Recycle where available. **DO NOT** reuse or refill this container. Empty containers by using the product according to the label directions. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a new tank and drain for 10 sec after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 sec. Pour into application equipment or a new tank or store (repeat for later use or disposal). Drain for 10 sec after the flow begins to drip. Repeat this procedure 2 more times. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning, if burned stay out of smoke.

In addition to sites listed previously, this product is acceptable for use in and around the following sites:

- INDOOR:**
- Animal Areas & Quarters
 - Auditoriums
 - Ballrooms
 - Batteries
 - Beef Cattle Farms
 - Boats
 - Boring Plants
 - Locker Rooms
 - Mills
 - Museums
 - Meat Packing Plants
 - Walk Rooms
 - Missions
 - Mobile Homes
 - Motels
 - Multiplex Processing Plants
 - Musical Instruments
 - Offices
 - Corporate Facilities
 - Dairy & Cattle Barns
 - Diesel Fuel Processing Plants
 - Drains & Sewers
 - Dried Fruit Warehouses
 - Dumpsters
 - Dwellings
 - Egg Processing Plants
 - Factories
 - Flour Mills
 - Food Handling Establishments
 - Food Processing Plants
 - Freight Containers
 - Fruit Picking/Decks
 - Garbage Cans
 - Garbage Containers
 - Grain Elevators
 - Grain Milling
 - Grain Handling Equipment
 - Groceries
 - Homes
 - Hotel Stables/Barns
 - Hospitals
 - Industrial Installations
 - Restaurants
 - Jails
 - Laboratories
 - Libraries
 - Livestock Barns
 - Locking Joints
 - Meat Slaughterhouses
 - Trucks
 - Truck Trailers
 - USDA Inspected Facilities
 - Warehouses
 - Utility Rooms
 - Veterinaries, Walk, Cattle
 - Warehouses
 - Wineries
 - Wine Storage Warehouses
 - Zoo
- OUTDOOR:**
- Passenger Rail Cars
 - Neural Processing Plant
 - Peat Storage Warehouse
 - Poultry Houses
 - Poultry Processing Plants
 - Duskers
 - Public Buildings
 - Rabbit Processing Plants
 - Rabbit Houses
 - Railroad Cars
 - Recreational Vehicles
 - Research Animal Facilities
 - Restrooms
 - Rice Mills
 - Shade Houses
 - Sheds
 - Shipyards
 - Stables
 - Stable Sites
 - Sewer
 - Sewer Seed Warehouses
 - USDA Inspected Facilities
 - Zoo
 - Tea and Tobacco Processing
 - Tobacco Warehouses
 - Tennis Courts
 - Trains
 - Transportation Equipment
 - Trucks
 - Truck Trailers
 - USDA Inspected Facilities
 - Warehouses
 - Wineries
 - Wine Storage Warehouses
 - Zoo
 - Office Buildings
 - Passenger Rail Cars
 - Neural Processing Plant
 - Peat Storage Warehouse
 - Poultry Houses
 - Poultry Processing Plants
 - Duskers
 - Public Buildings
 - Rabbit Processing Plants
 - Rabbit Houses
 - Railroad Cars
 - Recreational Vehicles
 - Research Animal Facilities
 - Restrooms
 - Rice Mills
 - Shade Houses
 - Sheds
 - Shipyards
 - Stables
 - Stable Sites
 - Sewer
 - Sewer Seed Warehouses
 - USDA Inspected Facilities
 - Zoo
 - Tea and Tobacco Processing
 - Tobacco Warehouses
 - Tennis Courts
 - Trains
 - Transportation Equipment
 - Trucks
 - Truck Trailers
 - USDA Inspected Facilities
 - Warehouses
 - Wineries
 - Wine Storage Warehouses
 - Zoo

This product is also effective against the following insects when used according to label directions:

- FLYING INSECTS:**
- Blues
 - Beet Flies
 - Bear Flies
 - Cheese Skippers
 - Dier Flies
 - Flies
 - Fungus Gnats
 - House Flies
 - Hornets
 - Musquitoes
 - Stable Flies
 - Vinegar Flies
 - Yellow Flies
 - Yellowjackets
- SPIDERS & MITES:**
- Cheese Mites
 - Crown Mites
 - Giant Mites
 - Mites
 - Spiders
- GRASSHOPPERS:**
- Common Grasshoppers
 - Tree-toad Grasshoppers
 - Treehoppers
 - Winged Grasshoppers
- BEETLES:**
- Black Carpet Beetles
 - Carpenter Beetles
 - Darkling Beetles
 - Dermostid Beetles
 - Dried Fruit Beetles
 - Druggstore Beetles
 - Fat Grain Beetles
 - Foreign Grain Beetles
 - Lungworm Beetles
 - Ground Beetles
 - Hide Beetles
 - Melanchroa Grain Beetles
 - Mexican Grain Beetles
 - Red Flour Beetles
 - Red Humped Grain Beetles
 - Rustic Grain Beetles
 - Sawtoothed Grain Beetles
 - Soldier Beetles
 - Trogoderm Beetles
 - Wheat Marked Spiller Beetles
- WEEVILS:**
- Bean Weevils
 - Granary Weevils
 - Moisture Weevils
 - Rice Weevils
- MOTHS:**
- Juniper Moths
 - Chocolate Moths
 - Dolichs Moths
- COCKROACHES:**
- Blattella
 - Blattella germanica
 - Blattella orientalis
 - Blattella sexguttata
 - Blattella tenebrioides
 - Blattella tridigitata
 - Blattella velutina
 - Blattella germanica
 - Blattella orientalis
 - Blattella sexguttata
 - Blattella tenebrioides
 - Blattella tridigitata
 - Blattella velutina

CONDITIONS OF SALE AND WARRANTY

Follow the Directions for Use. It is impossible to eliminate all risk when only associated with use of this product, and therefore all such risk shall be assumed by the Buyer. BASF warrants that the product conforms to the material description on the label and is reasonably fit for the purposes intended in the Directions for Use, subject to the inherent risks, intended to be known, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. (A) BASF MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY. (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REIMBURSEMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller, after the product, and the Buyer accepts it, subject to these Conditions of Sale and Warranty which shall be deemed fully by the Buyer in writing signed by a duly authorized representative of BASF. PFS2813

Check & Checkmate and ULD are registered trademarks of BASF.

© 2014 BASF Corporation
All rights reserved.
R107/0624 312646144
Based on NNA 2013.01.445-0271
Supersedes 1102/24.72

ULD® BP-100

Contact Insecticide II

For indoor or outdoor application as a direct space spray or contact spray. Dependence upon the insects and areas to be treated. This product may be applied through mechanical aerosol (non-metered) or ultra low volume (ULV) generators as well as thermal and conventional fogging or spraying equipment.

KILLS: Axiis including Hymenoptera & Phasmatid; Bed Bugs; Cockroaches; Fleas; Flies; Scorpions; Spiders; Stored Product Pests (Beetles, Mites, Moths) and Ticks.

FOR USE IN: Commercial (including Food Handling Establishments, Food Service, Storage, Preparation and Processing Areas), Institutional and Residential Areas.

ACTIVE INGREDIENTS:	
Pyrethrin I, a botanical insecticide	1.0%
Piperonyl butoxide**	5.0%
OTHER INGREDIENTS:	94.0%
TOTAL:	100.0%
Contains Petroleum Distillate	
** 1 gallon contains 0.066 lb of pyrethrin and 0.33 lb piperonyl butoxide	
** Pyrethrin I is propylperoxy ethyl and related compounds.	

EPA Reg. No. 499-514 EPA Est. No. J990-MD-1

KEEP OUT OF REACH OF CHILDREN
CAUTION
ULTRA LOW DOSAGE THROUGH MICRON GENERATION



BASF
The Chemical Company

FIRST AID	
If in eyes	<ul style="list-style-type: none"> Hold eyes open and rinse slowly and gently with water for 15 to 20 min. Remove contact lenses, if present, after the first 5 min. then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 min. Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, including health concerns, toxic effects, emergencies, or pesticide incidents, you may call 1-800-852-HELP (24 hr a day, 7 days a week).</p>	
NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspirin pneumonia.	
PRECAUTIONARY STATEMENTS	
HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
<p>CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequent repeated contact may cause allergic reaction in some individuals.</p> <p>Personal Protective Equipment (PPE): Wear gloves, goggles and shoe covers. Goggles must wear the following: Long sleeve shirt, long pants, shoes and socks, and chemical-resistant gloves made of barrier material: nitrile rubber, neoprene, or Viton.</p> <p>• In addition to the above PPE, applicators using a high pressure hand wand in an enclosed area must wear at least a NIOSH approved respirator with a supplied filter with MSHA/NIOSH approval number: P100 or any P2 or P3 filter.</p> <p>• In addition to the above PPE, applicators fogging this product (including as a space spray) in an enclosed area must wear a full-face, full-body, or hood-style NIOSH approved respirator with a supplied filter and cartridge. MSHA/NIOSH approval number: P100/P100 or a cartridge approved for pesticides (MSHA/NIOSH approval number: P100, P100, or a cartridge or canister with any R, P or H filter).</p> <p>USER SAFETY REQUIREMENTS: Follow manufacturer's instructions for cleaning/maintaining PPE. If the such instructions for establishing, use, cleaning and hot water. Keep and wash PPE separate from other laundry.</p> <p>Discard clothing and other absorbent material that have been directed or heavily contaminated with the product concentrate. DO NOT reuse them.</p>	
USER SAFETY RECOMMENDATIONS	
<p>User should:</p> <ul style="list-style-type: none"> Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. 	

2

ENVIRONMENTAL HAZARDS	
TERRESTRIAL APPLICATIONS:	<p>This product is toxic to aquatic organisms, including fish and invertebrates. Do not and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product has a potential for runoff to nearby waters after application. Prolonged spraying and tank with shallow water tables are more prone to produce runoff than other products.</p> <p>This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. DO NOT apply this product or allow it drift to blooming crops or weeds while bees are actively visiting the treatment area. To protect the environment, DO NOT allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hr will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment after the treated area will help avoid runoff to water bodies or drainage systems.</p>
PHYSICAL AND CHEMICAL HAZARDS	<p>DO NOT use in or near heat or open flame. DO NOT apply this product around electrical equipment due to the possibility of shock hazard.</p>
DIRECTIONS FOR USE	
<p>IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.</p> <p>USE RESTRICTIONS</p> <ul style="list-style-type: none"> Apply this product only as specified on this label. DO NOT apply more than 1 time/day. Only pre-treated applications may be in treatment area during application. DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. DO NOT remain in treated area. Exit area immediately and DO NOT enter or allow others to enter treated area until sprays have dried, until sprays, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. Remove pets, birds and cover fish aquariums before spraying. When used as a space or area spray, DO NOT enter or allow others to enter until sprays have dried. For space sprays: <ul style="list-style-type: none"> DO NOT allow adults, children or pets to enter the treated area for at least 15 min. until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated. DO NOT remain in treated area. Exit area immediately and remain outside the treated area until aerosols, mists and vapors and aerosols have dispersed and the treated area has been thoroughly ventilated. Remove or cover exposed food and drinking water, in the treatment area, before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces in the treatment area or wash them before use. DO NOT apply as a space spray in residences. DO NOT make applications when facility is open to the public. Cover or remove food, in the treatment area, prior to space spray applications. Cover food processing surfaces, in the treatment area, or clean after treatment and before use. Except when applying to sewers or drains as specified on this label, DO NOT apply directly to sewers or drains, or to any area that is a gutter where drainage to sewers, storm drains, water bodies, or other public water bodies. When used in dairy areas or facilities, close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking stands before application. Wash heads of animals before milking. DO NOT apply this product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Remove patients from rooms prior to treatment and thoroughly ventilate (2 hr) after application. DO NOT return patients to rooms until after ventilation. 	

3

<ul style="list-style-type: none"> DO NOT use in patient rooms in hospitals and nursing homes for treatment of bed bugs. DO NOT apply to classrooms when in use. DO NOT use in aircraft cabins. DO NOT make outdoor applications during rain. DO NOT apply directly to unpainted horizontal surfaces such as side walls, drawers and panels except at a spot or crack & crevice treatment. During application, DO NOT allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. 	<p>PRODUCT INFORMATION</p> <p>Note: Some furniture finishes, particularly plastics, can be damaged by petroleum based insecticides. To avoid damage, cover those items and DO NOT spray directly. If in doubt, test by applying the material to an inconspicuous area before spraying.</p> <p>USE IN FOOD HANDLING ESTABLISHMENTS</p> <p>Applications are permitted in food-handling areas of food-handling establishments as a contact spray, space spray or crack & crevice treatment, including those operating under the Federal meat, poultry, shell egg grading and egg products inspection program.</p> <p>Food handling establishments are places other than private residences in which food is held, processed, prepared or served.</p> <p>FOOD AREAS: include areas for receiving, serving, storing, dry, cool, frozen, hot, packing, scanning, bottling, wrapping, boxing, preparing, cleaning, strong, cooking, grinding, edible waste disposal and enclosed processing systems, multi-stories, cold-ice, dry-ice.</p> <p>NON-FOOD AREAS: include areas such as garbage rooms, law offices, floor drains (no sewers), entries and vestibules, utility rooms, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after cleaning or bottling).</p> <p>Apply according to specific directions for pests to be treated under the label on the label below. DO NOT make space spray applications to food areas when the facility is in operation. Prior to space spray applications, remove or cover exposed food and drinking water in the treatment area. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, in the treatment area, or wash them before use.</p>
<ul style="list-style-type: none"> All outdoor applications: <ul style="list-style-type: none"> It is critical elsewhere on this label, pesticide must be limited to spot or crack & crevice treatments only except for the following permitted uses. It allowed elsewhere on this label: <ul style="list-style-type: none"> Applications to soil or vegetation, as listed on the label, around structures. Applications to trees, turf and other vegetation, as listed on the label. Applications to the side of a building, up to a maximum height of 3 ft above grade. Applications to underside of eaves, soffits, doors or windows permanently protected from rainfall by a covering, awning, overhang or other structure. Applications around potential pest entry points into buildings, when limited to a surface band not to exceed 1" in width. Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above bare soil, lawn, turf, mulch or other vegetation, as listed on the label, and not over an impervious surface, drainage or other condition that could result in runoff into storm drains, drainage ditches, gutters or surface waters, in order to control occasional invaders or aggregating pests. Not for use in outdoor residential mowing systems. 	<p>INDOOR USE</p> <p>SPACE SPRAY - FLYING INSECTS (Flies, Gnats): Use full strength or dilute as directed on the label (check label). Prior to treatment, open cabinets, doors and equipment to be treated, turn off air conditioning and fans, extinguish all flames and close windows in the area to be treated. Apply using a mechanical aerosol generator (spray) or 300 microns in diameter and 80% to 30 microns. Apply undiluted at a rate of approx. 1.1 to 2.1 OZ/100 ft. of room space, or apply diluted at the rate of 1 to 2 fl. oz./1,000 ft. of room space. In commercial operations, subtract the space occupied by fitted product or equipment from the cubic footage. Disperse toward areas suspected of harboring the greatest infestation of pest(s). Disperse in all locations including around equipment, appliances and pipes. If direct contact as main insects as possible. DO NOT</p>

4

<p>remain in treated areas after application. Keep area closed for at least 1 hr. Open and thoroughly ventilate treated areas before reoccupancy. DO NOT apply as a space spray in residences.</p> <p>DILUTION: Use a white mineral oil conforming to regulation 21 CFR 178.3620(b) or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.880 or 40 CFR 180.910. Inert ingredients used in the product and the end user must meet the requirements of a tolerance of 0.1% of the total weight and 100% of the inert ingredients applied to animals, exemptions from the requirement of a tolerance of 0.1% of the total weight are directed below and may not just be in application.</p>	<table border="1"> <thead> <tr> <th>Pesticide % Diluted</th> <th>Mixture Rate</th> <th>Application Rate per 1,000 ft³</th> </tr> </thead> <tbody> <tr> <td>0.50</td> <td>1 Part Conc. to 1 Part Oil</td> <td>1.1 to 2.1</td> </tr> <tr> <td>0.30</td> <td>3 Parts Conc. to 7 Parts Oil</td> <td>1 to 2 fl. oz.</td> </tr> <tr> <td>0.15</td> <td>9 Parts Conc. to 17 Parts Oil</td> <td>1 to 2 fl. oz.</td> </tr> </tbody> </table>	Pesticide % Diluted	Mixture Rate	Application Rate per 1,000 ft ³	0.50	1 Part Conc. to 1 Part Oil	1.1 to 2.1	0.30	3 Parts Conc. to 7 Parts Oil	1 to 2 fl. oz.	0.15	9 Parts Conc. to 17 Parts Oil	1 to 2 fl. oz.
Pesticide % Diluted	Mixture Rate	Application Rate per 1,000 ft ³											
0.50	1 Part Conc. to 1 Part Oil	1.1 to 2.1											
0.30	3 Parts Conc. to 7 Parts Oil	1 to 2 fl. oz.											
0.15	9 Parts Conc. to 17 Parts Oil	1 to 2 fl. oz.											
<p>SPACE SPRAY - CRAWLING INSECTS (Beet, Bed Bugs, Booklice, Earwigs, Cockroaches, Silverfish, Spiders): Use full strength. Prior to treatment, open cabinets, doors and equipment to be treated, turn off air conditioning and fans, extinguish all flames and close windows in the area to be treated. Apply as a space spray using a mechanical aerosol generator (no droplets > 50 microns in diameter and 80% to 30 microns) at a rate of approx. 1.1 to 2.1 OZ/100 ft. of room space. In commercial operations, subtract the space occupied by stored product or equipment from the cubic footage. Disperse toward areas suspected of harboring the greatest infestation of listed pests. Disperse in all locations including around equipment, appliances and pipes. If direct contact as main insects as possible. DO NOT remain in treated area after application and leave area closed for 1 hr. ventilate thoroughly before occupants are allowed to reenter. DO NOT apply as a space spray in residences.</p> <p>DIRECT SPRAY OR VOID TREATMENTS: Use equipment designed for space or void treatments. Follow the manufacturer's recommendations for proper equipment set up and operation. Place the tip of the applicator at or near the crack or crevice or opening to be treated. Apply in short bursts into any opening to be treated. Apply 1 sec. of product for every 4 ft. of void area. Be Direct Spray: Apply the product in short bursts into the area where insects are to be contacted. Work in corners of the room, behind the under furniture or other equipment. Apply from a distance of 18 to 24" away from the surface and allow the material to flow into areas where bed bugs harbor. DO NOT direct the product at mattresses.</p> <p>HANDHELD OR PNEUMATIC APPLICATION: Direct application into cracks and crevices in elements of construction, walls, floors, under wash pipes, behind pipes and other places where insect habitat for pest treatments use a coarse, low pressure spray. Limit individual spot treatments to an area no larger than 20% of the surface area. An individual spot treatment shall not exceed 2 ft. Contact as many insects as possible. Before making any application, ensure product will not get on surface or leave an unacceptable residue. The amount of product applied is not to exceed 0.33 fl. oz./2 ft.</p>	<p>OUTDOOR USE</p> <p>OUTDOOR GROUND FOREGONE APPLICATION USING HAND HELD EQUIPMENT (Flies, Gnats): Use in open areas near buildings and carparks. Use preferably at a time when temperature is cool (< 75°F) and the wind velocity is approx. < 5 mph. When using L&V equipment, apply at the rate of 1 fl. oz./acre. Allow sprays to penetrate some foliage.</p> <p>FOR USE ON DOMESTIC ANIMALS/LIVESTOCK</p> <p>Use in protected beef cattle, dairy cattle and horses from horn flies, house flies and gnats. Apply a light mist sufficient to wet the legs of the hoar. To kill stable flies on beef cattle, dairy cattle and horses, apply 2 fl. oz./animal. Amount sufficient to wet the hoar but not to soak the hide. To kill the stable flies on blood sucking horse and dairy cattle, apply the spray to thoroughly wet the hair. Use 2 fl. oz./animal and repeat every 2 to 3 weeks as required over 2 to 3 months. DO NOT apply more than 1 time/day. DO NOT use on dogs and cats.</p> <p>Space Treatment Over Animals in Barns and Corrals or in Indoor Milking Systems Used in Commercial Barns, Stables and Animal Quarrels: Select proper climate and treat with L&V equipment over animals or apply through indoor milking systems.</p>												

5