SAFETY DATA SHEET TALSTAR® PROFESSIONAL INSECTICIDE

SDS #: 1349-A Revision date: 2019-03-19 Format: NA

Version 1.09



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name TALSTAR® PROFESSIONAL INSECTICIDE

Other means of identification

Product Code(s) 1349-A

Synonyms BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl

(1R,3R)-rel-3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]-2,2-dimethylcyclopropanecarboxylat

e (CAS name); 2-methyl-3-phenylbenzyl

(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

(IUPAC name)

Active Ingredient(s)

Bifenthrin

Chemical Family

Pyrethroid Pesticide

Recommended use of the chemical and restrictions on use

Recommended Use:

Insecticide

Restrictions on Use:

Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

1 202 / 483-7616 (CHEMTREC - Alternate International)

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

SDS # : 1349-A Revision date: 2019-03-19

Version 1.09

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H351 - Suspected of causing cancer

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P202 - Do not handle until all safety precautions have been read and understood

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

SDS #: 1349-A Revision date: 2019-03-19

Version 1.09

Chemical Family

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Bifenthrin	82657-04-3	7.9
Propylene glycol	57-55-6	= or <20

Synonyms are provided in Section 1.

ST AID	

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove **Eye Contact**

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 Skin Contact

minutes. Call a poison control center or doctor for further treatment advice.

Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial Inhalation

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Call a poison control center or doctor immediately for treatment advice. Have person sip a Ingestion

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed Central nervous system effects.

Indication of immediate medical attention and special treatment

needed, if necessary

Treat symptomatically. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO₂). Dry powder. Water spray.

Unsuitable extinguishing media

Avoid heavy hose streams.

Specific Hazards Arising from the

Chemical

Explosion data

Sensitivity to Mechanical Impact

Sensitivity to Static Discharge

None known

No information available. No information available.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus and full protective gear.

A STATE OF THE STA

Personal Precautions Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face

protection. For personal protection see section 8.

For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 Other

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes.

streams, ponds, and sewer drains.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

SDS #: 1349-A Revision date: 2019-03-19

Version 1.09

Methods for cleaning up

Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior

to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage

Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original

container

Incompatible products

None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION.

Control parameters

Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol (57-55-6)	-	¥	TWA: 10 mg/m³ aerosol only	-
			TWA: 50 ppm aerosol and vapor	
			TWA: 155 mg/m³ aerosol and vapor	

Appropriate engineering controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

This product does not cause significant eye irriation or eye toxicity requiring special protection. Where there is significant potential for eye contact, wear chemical googles and have eye flushing equipment available.

Skin and Body Protection

Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection

Protective gloves

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

SDS #: 1349-A

Revision date: 2019-03-19

Version 1.09

Beige Liquid **Appearance** Liquid **Physical State** Color Beige Mild Odor

No information available Odor threshold

6.7 рΗ

Melting point/freezing point Not applicable

No information available **Boiling Point/Range**

Flash point Does not flash

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available No information available Vapor pressure No information available Vapor density

Relative density 8.53 lb/gal 1.024 @ 20°C Specific gravity Dispersible in water Water solubility Solubility in other solvents No information available Partition coefficient No information available No information available Autoignition temperature Decomposition temperature No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available Oxidizing properties No information available Molecular weight No information available

Bulk density 8.53 lb/gal

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen chloride, Hydrogen fluoride, Chlorine, fluorine.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 632 mg/kg (rat) LD50 Dermai > 2000 mg/kg (rabbit) LC50 Inhalation 1.60 mg/L 4 hr (rat)

Serious eye damage/eye irritation

Practically non-irritating. Skin corrosion/irritation Non-irritating.

Sensitization Non-sensitizing.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Bifenthrin (82657-04-3)	55 mg/kg (rat)	> 2000 mg/kg (rat)	0.8 mg/L (female, rat) 4 h
Propylene glycol (57-55-6)	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	-

Information on toxicological effects

SDS #: 1349-A Revision date: 2019-03-19

Version 1.09

Symptoms

Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including

convulsions, tremors and bloody nasal discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Bifenthrin: Long-term exposure caused neurotoxicity (tremors and impaired gait) in the early Chronic toxicity

exposure in animal studies, but tremors disappeared with continued exposure.

Bifenthrin: Not genotoxic in laboratory studies. Mutagenicity

Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder Carcinogenicity

tumors (lesion) in male mice.

Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive Neurological effects

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

Bifenthrin: No toxicity to reproduction in animal studies. Reproductive toxicity

Bifenthrin: Not teratogenic in animal studies. **Developmental toxicity**

STOT - single exposure Causes damage to organs. See listed target organs below.

Causes damage to organs through prolonged or repeated exposure. See listed target STOT - repeated exposure

organs below.

Target organ effects Bifenthrin: Central Nervous System.

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

Aspiration hazard No information available.

12 ECOLOGICAL INFORMATION

Ecotoxicity

thrin (82657-04-3)		45.000.00		2.20
Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	μg/L
	72 h EC50	Algae	0.822	mg/L
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
0 200	21 d NOEC	Crustacea	0.0013	ua/l

Persistence and degradability

Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation

Bifenthrin: The substance has a potential for bioconcentration.

Mobility

Bifenthrin: Immobile. Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

SDS #: 1349-A Revision date: 2019-03-19

Version 1.09

14. TRANSPORT INFORMATION

DOTThis material is not a hazardous material as defined by U.S. Department of Transportation

at 49 CFR Parts 100 through 185.

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Bifenthrin.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin), 9, III

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin), 9, III

Limited quantity 30 kg G

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Bifenthrin

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin), 9, III

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	7.9	1.0

SARA 311/312 Hazard Categories

THE THE PERSON OF THE PERSON O	
Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Poliutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb			X

CERCLA

SDS #: 1349-A

Revision date: 2019-03-19

Version 1.09

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Sodium Hydroxide 1310-73-2	1000 lb 454 kg	

FIFRA INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, inhaled or absorbed through skin.

This pesticide is extremely toxic to fish and aquatic invertebrates.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin 82657-04-3	Х		
Propylene glycol 57-55-6	X		Х

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Bifenthrin 82657-04-3				X	Х	Х		
Propylene glycol 57-55-6	Х	Х	Х	X	Х	Х	X	X

Mexico - Grade

Serious risk, Grade 3

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities	
Bifenthrin	100 2500 kg/yr	100 kg/yr	

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

D2A - Very toxic materials

SDS #: 1349-A Revision date: 2019-03-19

Version 1.09



NFPA	Health Hazards 2	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 2	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date:

2019-03-19

Reason for revision:

SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet