



FANCY
FASHIONS

A-10 SECTOR 7 , NOIDA,
UTTAR PRADESH, INDIA -
201301

WATER FOOTPRINT
REPORT
YEAR 2025



ABOUT THE REPORT

Introduction

Objective of the Report

Water Footprint
Methodology

Water Footprint Assessment

Conclusion &
Recommendations



INTRODUCTION

This report assesses the water footprint of Fancy Fashions, a garment manufacturing facility, in accordance with ISO 14046, Water Footprint Network (WFN) & WRI methodology.

The water footprint is categorized into:

- **Blue Water Footprint (BWF):** Consumption of surface and groundwater resources.
- **Grey Water Footprint (GWF):** Volume of water required to dilute pollutants to meet water quality standards.
- **Green Water Footprint:** Rainwater stored in soil and used by vegetation (mainly relevant to agriculture).

The assessment is based on the annual water consumption, reuse, and wastewater discharge data provided by the facility.



OBJECTIVE OF THE REPORT

Purpose and Objectives

- Evaluate the overall water footprint of facility operations.
- Identify opportunities to improve water efficiency and enhance water reuse.
- Support sustainable water management practices.
- Align with recognized frameworks including ISO 14046, ISO 46001, GRI 303, and CDP Water.

Scope and Boundaries

The assessment covers all operational activities within the Fancy Fashions facility, including:

- Production and finishing operations
- Utility systems (boilers, RO systems) Domestic water use (drinking, sanitation, and facility cleaning)
- Administrative and support areas

Exclusions

- The following are excluded from the assessment boundary:
- Rainwater and stormwater drainage, unless captured and used as a resource.
- Water consumption from third-party suppliers or outsourced activities.



ABOUT
THE ORGANIZATION



Established in 1970, Fancy Fashions has been a pioneer in exporting ready-made garments to European markets. The company is renowned for its commitment to quality, punctuality, and reliability.

Under the leadership of Managing Partner Mr. Nishith Sadh and the recent involvement of his daughter, Ms. Rhea Sadh, Fancy Fashions continues to uphold its reputation for excellence.

The company emphasizes creating a comfortable work environment with a focus on health, safety, and sustainability.




ABOUT THE REPORT

This Water Footprint Report for Fancy Fashions, provides a detailed assessment of the organization's water consumption, usage patterns, and discharge processes. It follows globally recognized methodologies, including ISO 14046 and the Water Footprint Network (WFN), to categorize water usage into blue, green, and grey water footprints. WRI Aqueduct tool is used to understand the water stress of the area.

The report aims to identify opportunities for water conservation, efficiency improvements, and regulatory compliance. It includes a comprehensive water balance analysis, evaluates the impact of water withdrawals on local resources, and suggests sustainable water management strategies.

By understanding and optimizing water usage, the unit can work towards reducing its environmental footprint, enhancing operational sustainability, and aligning with global sustainability goals.



INTENDED USE & USERS OF THE REPORT

This report is a voluntary communication to various stakeholders of Fancy Fashions, including customers, management, investors, regulatory bodies, and the public. It aims to provide transparency on the company's water footprint and water balance, ensuring responsible water usage and sustainability. The report serves as a tool to monitor water consumption, recycling, and discharge, helping stakeholders track performance over time and establish a foundation for future water conservation and efficiency initiatives.

Management Details:

Mr. Nishith Sadh | Managing Partner
Ms. Rhea Sadh | Managing Partner

Verifier: Mr. Rajiv Chaturvedi

Verifier Certificate: ISO 14064-1, ISO 14064-2 & Water Auditor

Certificate No.: 117874925 / 165946641 / CERT _3669744_ 4

Issued by: SGS India Pvt. Ltd. & Indian Plumbing Association


Accounting & Reporting by:
Green Compliance Services

The background features a close-up of a water droplet falling into a pool of water, creating concentric ripples. A dark, rounded rectangular box is centered over the ripples. Inside this box, the text 'WATER FOOTPRINT' and 'METHODOLOGY' is written in white, bold, sans-serif font, with each line underlined. Light blue circuit-like lines with circular nodes extend from the left and right sides of the dark box. The overall color palette is shades of blue and white.

WATER FOOTPRINT METHODOLOGY

This report evaluates the water footprint of Fancy Fashions, a garment manufacturing unit, using the **ISO 14046 and Water Footprint Network (WFN) methodologies**.

The water footprint is categorized into **Blue Water Footprint (BWF)**, **Grey Water Footprint (GWF)**, and **Green Water Footprint (GWF)**. The assessment is based on the yearly water consumption and discharge data provided by the organization.



1. Standards Used:

- **ISO 14046** – Life Cycle Assessment-based approach
- **Water Footprint Network (WFN)** – Blue, Green, and Grey water assessment



2. Key Components of Water Footprint:

- **Blue Water** – Surface & groundwater consumption
- **Green Water** – Rainwater stored in soil & used by plants
- **Grey Water** – Water needed to dilute pollutants to meet quality standards



3. Data Collection:

- Water intake records (borewell, municipal supply)
- Water usage (industrial, domestic, cooling, washing)
- Discharge data (ETP-treated, RO waste, municipal sewer)
- Pollution concentration limits (BOD, COD, TSS)

4. Calculation Approach:

- Water Balance Analysis: Ensuring $\text{input} = \text{output} + \text{losses}$
- Blue, Green, and Grey Water Quantification
- Impact Assessment & Efficiency Evaluation

5. Objective:

- Optimize water usage & reduce footprint
- Improve water efficiency in operations
- Ensure regulatory compliance & sustainability


WATER FOOTPRINT CALCULATION & ANALYSIS

| Water Footprint Type | Definition | Data Required | Methodology |
|-----------------------|--|---|-----------------|
| Blue Water Footprint | Freshwater consumed from surface water (rivers, lakes) or groundwater sources. | Borewell/ municipal water intake | (ISO 14046/WFN) |
| | | Wastewater discharge | |
| | | RO & ETP treatment data | |
| Green Water Footprint | Rainwater used directly for production or absorbed by soil and plants. | Rainwater harvesting data | (ISO 14046/WFN) |
| | | Crop/land area (for agriculture-related use) | |
| Grey Water Footprint | Freshwater required to dilute pollutants to safe environmental levels. | Effluent water quality data | (ISO 14046/WFN) |
| | | Pollutant concentration limits | |
| | | ETP discharge values | |
| Total Water Footprint | Overall freshwater impact of the organization. | Water intake & consumption records | (ISO 14046/WFN) |
| | | Effluent discharge & treatment data | |

WATER FOOTPRINT CALCULATION & ANALYSIS

Assumptions for Natural Background & Maximum Permissible Limits (As per CPCB/WHO)

| Parameter | Cmax (mg/L) (CPCB Norms) | Cnat (mg/L) (Assumed Natural Level) |
|-----------|-----------------------------|--|
| BOD | 30 mg/L | 3 mg/L |
| COD | 250 mg/L | 30 mg/L |
| TSS | 100 mg/L | 20 mg/L |



KEY FOCUS AREAS

Water Efficiency

Assessing **blue, green, and grey water consumption** to identify areas for reduction and efficiency improvement.

Wastewater Treatment & Reuse

Enhancing **Effluent Treatment Plant (ETP) performance** and optimizing **Reverse Osmosis (RO) wastewater reuse**.

Innovation & Technology

Investing in **water-efficient technologies** and process improvements to reduce wastage.

Data-Driven Decision Making

Utilizing **water balance assessments** and real-time monitoring to make informed decisions.

This Water Footprint Report serves as a guiding document to help Fancy Fashions achieve its **sustainability goals**, minimize its environmental impact, and ensure long-term water security for future generations.


The background features a close-up of a water droplet falling into a pool of water, creating concentric ripples. A dark, rounded rectangular box is centered over the ripples. Inside this box, the title is written in white, bold, sans-serif font. The text is underlined. On either side of the box, there are stylized, light blue circuit board traces with circular nodes.

WATER FOOTPRINT ASSESSMENT - 2025

| | | Jan (Kl) | Feb (Kl) | Mar (Kl) | Apr (Kl) | May (Kl) | Jun (Kl) | Jul (Kl) | Aug (Kl) | Sep (Kl) | Oct (Kl) | Nov (Kl) | Dec (Kl) | Total (Kl) |
|---------------------------------------|---|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|
| Water Intake | Ground Water | 252 | 240 | 198 | 206 | 238 | 236 | 258 | 215 | 225 | 143 | 256 | 269 | 2736 |
| | Municipal Water | 18 | 11 | 33 | 40 | 24 | 15 | 12 | 9 | 22 | 104 | 43 | 51 | 382 |
| | Total Water Intake | 270 | 251 | 231 | 246 | 262 | 251 | 270 | 224 | 247 | 247 | 299 | 320 | 3118 |
| RO Water | RO Intake | 171 | 159 | 133 | 139 | 157 | 163 | 174 | 146 | 151 | 99 | 175 | 184 | 1850 |
| Fire Tank | Fire Tank | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 170 |
| Industrial Use Ground Water | RO Permit Water - Boiler (Steam) | 26 | 25 | 28 | 24 | 26 | 28 | 27 | 26 | 27 | 28 | 29 | 27 | 321 |
| | Washing | 77 | 77 | 60 | 62 | 76 | 69 | 80 | 64 | 69 | 39 | 76 | 80 | 828 |
| | Total Industrial Use | 102.65 | 101.78 | 88.30 | 86.28 | 101.55 | 96.82 | 106.74 | 90.01 | 96.25 | 67.31 | 104.52 | 107.13 | 1149 |
| Domestic Use Ground Water | RO Water Waste (Domestic Toilet/ Flush) | 86 | 74 | 59 | 63 | 78 | 82 | 87 | 70 | 70 | 37 | 86 | 93 | 885 |
| | RO Permit Filtered Fresh (Drinking) | 50.40 | 50.40 | 40.00 | 45.32 | 45.22 | 43.66 | 51.34 | 43.00 | 45.00 | 28.60 | 51.20 | 53.80 | 548 |
| | RO Permit Water Cooler | 8.32 | 9.36 | 6.14 | 7.00 | 7.85 | 9.20 | 8.26 | 7.31 | 8.55 | 4.58 | 9.22 | 9.95 | 96 |
| | Hand Wash - TOP Floor Tank - Raw Ground Water | 3.25 | 2.99 | 3.21 | 3.33 | 3.76 | 3.09 | 3.29 | 3.66 | 3.85 | 3.64 | 3.76 | 3.88 | 42 |
| | Canteen & Utensil | 1.10 | 1.23 | 1.24 | 1.34 | 1.61 | 1.25 | 1.34 | 1.35 | 1.37 | 1.38 | 1.36 | 1.27 | 16 |
| | Total Domestic Use | 149.35 | 138.22 | 109.70 | 119.72 | 136.45 | 139.18 | 151.26 | 124.99 | 128.75 | 75.69 | 151.48 | 161.87 | 1587 |
| Industrial Use Municipal Supply | Washing | 18.00 | 11.00 | 33.00 | 40.00 | 24.00 | 15.00 | 12.00 | 9.00 | 22.00 | 104.00 | 43.00 | 51.00 | 382 |
| | Total Industrial Use | 18.00 | 11.00 | 33.00 | 40.00 | 24.00 | 15.00 | 12.00 | 9.00 | 22.00 | 104.00 | 43.00 | 51.00 | 382 |
| ETP | From Boiler Blow Down | 8.11 | 8.00 | 7.80 | 6.50 | 6.00 | 5.00 | 5.70 | 6.00 | 6.40 | 6.40 | 6.40 | 7.00 | 79.31 |
| | ETP Inlet - Washing | 94.65 | 87.78 | 93.30 | 102.28 | 99.55 | 83.82 | 91.74 | 73.01 | 91.25 | 143.31 | 118.52 | 131.13 | 1210.34 |
| | Total ETP Inlet | 103 | 96 | 101 | 109 | 106 | 89 | 97 | 79 | 98 | 150 | 125 | 138 | 1289.65 |
| | ETP Outlet | 93 | 86 | 91 | 100 | 97 | 81 | 89 | 71 | 88 | 140 | 116 | 128 | 1180.61 |
| Discharge to Municipal Sewer | ETP Outlet (Treated water) | 93 | 86 | 91 | 100 | 97 | 81 | 89 | 71 | 88 | 140 | 116 | 128 | 1181 |
| | Septic Tank - (75% Drinking water + Toilet) | 124 | 112 | 89 | 97 | 112 | 115 | 126 | 102 | 104 | 59 | 124 | 133 | 1296 |
| | Total Discharge in Municipal Sewer | 217 | 198 | 180 | 197 | 209 | 196 | 215 | 173 | 192 | 199 | 240 | 261 | 2477 |


2025 Water Management

 Total Water Withdrawal
3118 KL

 Ground Water
2736 KL

 Municipal Water
382 KL

 RO System Intake
1850 KL

 Drinking Water
548 KL


 Boiler/Steam Press
321 KL

 Fire Tank reserved
125 KL

 Washing / Laundry
1210 KL

 RO Reject Water Reused
885 KL

 Boiler Blowdown
79.31 KL

 Washing ETP Inlet
1210.34 KL

 Wastewater Discharge
2477 KL

ESG Highlights:

- Groundwater is the primary water source.
- RO reject water is reused for flushing and domestic purposes.
- Municipal water is used in washing process.
- Wastewater is discharged to municipal sewage.

| Water Footprint Type | Volume (KL/year) | Remarks |
|-----------------------|------------------|--|
| Blue Water Footprint | 3118 | Freshwater withdrawn from groundwater and municipal sources |
| Grey Water Footprint | Not Applicable | Wastewater discharged to municipal sewer for centralized treatment |
| Green Water Footprint | 0 | No rainwater-based agricultural activity |

Statement:


The facility discharges wastewater into the municipal sewer system, where it undergoes centralized treatment. As there is no direct discharge of untreated wastewater into natural water bodies, the grey water footprint attributable to the facility is considered minimal and not calculated separately in this assessment.

NORMALIZED WATER DISCHARGE

| DISCHARGE | Units | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Domestic (KL) | KL | 226 | 215 | 170 | 182 | 212 | 208 | 231 | 189 | 198 | 115 | 227 | 242 |
| No. of Working Days | Number | 27 | 24 | 24 | 26 | 27 | 25 | 27 | 24 | 26 | 24 | 25 | 27 |
| Discharge Per Day | KL | 8 | 9 | 7 | 7 | 8 | 8 | 9 | 8 | 8 | 5 | 9 | 9 |

| DISCHARGE | Units | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Industrial (KL) | KL | 44 | 36 | 61 | 64 | 50 | 43 | 39 | 35 | 49 | 132 | 72 | 78 |
| No. of Working Days | Number | 27 | 24 | 24 | 26 | 27 | 25 | 27 | 24 | 26 | 24 | 25 | 27 |
| Discharge Per Day | KL | 2 | 2 | 3 | 2 | 2 | 2 | 1 | 1 | 2 | 6 | 3 | 3 |

WATER FLOW CHART -2025



⊗ Meter



CONCLUSION

| Indicator | Value |
|------------------------|---------------|
| Total Water Intake | 31 18 KL/year |
| Groundwater Dependency | 88% |
| Industrial Water Use | 50% |
| Domestic Water Use | 50% |
| Wastewater Discharge | 2477 KL/year |

The water footprint assessment indicates that the facility primarily relies on groundwater resources for its operational requirements. Domestic water consumption represents the largest share of total water use, while industrial water use is mainly associated with boiler operations.

Wastewater generated from the facility is discharged to the municipal sewer system for centralized treatment. Continued monitoring of water consumption and implementation of efficiency measures can further enhance sustainable water management practices.

Water Consumption by Activity

| Category | Annual Volume (KL) | Share (%) |
|---|--------------------|-----------|
| Industrial Use (Boiler/Steam/Washing) (Groundwater) | 1149 | 37% |
| Domestic Use (Groundwater) | 1587 | 50% |
| Industrial Use (Boiler/Steam/Washing) (Municipal Water) | 382 | 13% |
| Total Water Use | 3118 | 100% |

A decorative graphic consisting of blue circuit-like lines with circular nodes, extending horizontally from the left and right sides of the central text box.

WATER RISK ASSESSMENT USING WRI AQUEDUCT

| Input address | Match address | Latitude | Longitude | Major Basin | Minor Basin | Aquifer | Country | Province | Stress |
|--|---------------|-----------|------------|------------------------|-------------|---------|---------|---------------|-----------------------------|
| Sector 7, Noida, Uttar Pradesh, India | - | 28.596026 | 77.3144936 | Ganges - Bramaputra | Yamuna 1 | - | India | Uttar Pradesh | Extremely High (>80%) |

WATER RISK ASSESSMENT USING WRI AQUEDUCT

Statement:

To assess water-related risks at the facility location, the Aqueduct Water Risk Atlas developed by the World Resources Institute (WRI) was used. The Aqueduct tool provides global datasets and maps that evaluate water stress, drought risk, flood risk, and seasonal variability.

Interpretation:

The Aqueduct assessment indicates that the facility is in an Extremely High-Water Stress region, meaning that more than 80% of available water resources are withdrawn annually. This signifies intense competition for water among industrial, agricultural, and domestic users.

Operating in such a region highlights the importance of efficient water management, conservation measures, and responsible water stewardship to minimize pressure on local water resources. In response to the identified water risk, the facility has implemented the following measures:

- Continuous monitoring of water consumption
- Installation of water-efficient fixtures and equipment
- Identification of opportunities for water reuse and recycling
- Awareness programs to promote responsible water use among employees

RECOMMENDATIONS FOR WATER MANAGEMENT



Implement **treated water reuse for industrial processes** to further reduce intake needs.



Rainwater Harvesting – Implement systems to **reduce borewell dependency**.



Evaluate and modify **RO reject water management strategies** to minimize waste.



Implement real-time **water monitoring systems** to track efficiency and identify further optimization opportunities.



Water Treatment Efficiency – Improve ETP efficiency to further **reduce pollutant loads** in discharge.



END OF REPORT