

# FERRIC CHLORIDE-107 Safety Data Sheet

**Section 1: Identification** 

**Product Identifier and Other Means of Identification** 

Product Identifier: 107

Other Means of Identification: Ferric Chloride / Chlorure Ferrique Related Part # 107-500ML, 107-1L, 107-4L, 107-5G

**Recommended Use and Restriction on Use** 

**Use:** Etchant for printed circuit boards and photoengraving processes

Uses Advised Against: Not available

### **Details of Manufacturer or Importer**

Dustronics Inc. 10 Bramhurst Ave., Unit 18 Brampton, ON L6T 5H1 CANADA Tel: 416-880-6772 Email: service@dustronics.com www.dustronics.com

### **Emergency Phone Number**

**For hazardous material incidents ONLY** (leaks, spills, fires, exposures or accidents) USA or CANADA—Call Verisk 3E at **+1-866-519-4752** or **+1-760-476-3962** (Service access code: 335388)

**For emergencies involving the transport of dangerous goods**; 24/7 service CANADA—Call CANUTEC collect at **+1-613-996-6666** or **\*666** on cellular phones



### Section 2: Hazard(s) Identification

### **Classification of Hazardous Chemical**

### **GHS Categories**

Criteria		Category	Signal Word	Pictograms
Eye Damage		1B	Danger	Corrosion
Corrosive to Metals		1	Warning	Corrosion
Skin Irritation		2	Warning	Exclamation
Acute Toxicity	Oral	4	Warning	Exclamation
Hazardous to the Aquatic Environment	Acute	3	none	none

Note: The degree of severity is ranked within each hazard class from 1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

### Label Elements

Signal Word	DANGER
Pictograms	Hazard Statements
$\wedge$	H318: Causes serious eye damage
	H290: May be corrosive to metals
	H315: Causes skin irritation
	H302: Harmful if swallowed
No symbol mandated	H402: Harmful to aquatic life

Section continued on the next page

Page 2 of 15



For Electronic

# FERRIC CHLORIDE-107

Prevention	Precautionary Statements	
P102	Keep out of reach of children.	
P280	Wear eye protection, face protection, and protective gloves.	
P234	Keep only in original packaging.	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P273	Avoid release to the environment.	
Response	Precautionary Statements	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor.	
P390	Absorb spillage to prevent material-damage.	
P302 + P352	IF ON SKIN: Wash with plenty of water.	
P332 + P313	If skin irritation occurs: Get medical advice or attention.	
P362 + P364	Take off all contaminated clothing and wash it before reuse.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.	
P330	Rinse mouth.	
Storage	Precautionary Statements	
P406	Store in corrosion resistant container with a resistant inner lining.	
Disposal	Precautionary Statements	
P501	Dispose of contents in accordance to local, regional, national, and international regulations.	

# Hazards Not Otherwise Classified

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
None	None	None	None



Section 3: Composition/Information on Ingredients		
CAS #	Chemical Name	%(weight)
7705-08-0	iron trichloride (FeCl <sub>3</sub> )	37–42%
7647-01-0	hydrochloric acid	1.0%
7758-94-3	iron dichloride (FeCl <sub>2</sub> )	<1.0%

# Section 4: First-Aid Measures

Exposure Condition	GHS Code/Symptoms/Precautionary Statements P305 + P351 + P338, P310	
Immediate Symptoms	burns, severe irritation, redness, pain	
Response	Rinse cautiously with water for 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor	
IF ON SKIN	P302 + P352, P362 + P364, P332 + 313	
Immediate Symptoms	redness, pain, brown stain on skin	
Response	Wash with plenty of water. If skin irritation occurs. Get medical advice or attention.	
	Take off immediately all contaminated clothing and wash it before reuse.	
IF SWALLOWED	P330, P301 + P312	
Immediate Symptoms	irritation, abdominal pain, nausea, vomiting, diarrhea	
Response	Rinse mouth.	
	If you feel unwell, call a POISON CENTRE or doctor.	
IF INHALED	P304 + P340	
Immediate Symptoms	irritation, cough, sore throat	
Response	Remove person to fresh air and keep comfortable for breathing.	

Page **4** of **15** 



# Section 5: Fire-Fighting Measures

Extinguishing Media	In case of fire: Use extinguishing media suitable for surrounding material.
Specific Hazards	Not flammable or combustible. Produces irritating and toxic fumes in fires or in contact with hot surfaces.
	Prolonged contact with metals in an enclosed space may produce explosive quantities of hydrogen gas.
<b>Combustion Products</b>	Above >200 °C, toxic and corrosive gases including chlorine, hydrogen chloride, and iron oxides may be released.
Fire-Fighter	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

# Section 6: Accidental Release Measures

Personal Protection Precautions for Response	See personal protection recommendations in Section 8. Avoid breathing the mist, spray or fumes.
Environmental Precautions	Avoid releasing to the environment. Prevent spill from entering drains and waterways.
Containment Methods	Contain with inert and non-flammable absorbent (such as soil, sand, vermiculite).
Cleaning Methods	Neutralize with lime (Ca(OH) <sub>2</sub> or CaCO <sub>3</sub> ) or soda ash/sodium carbonate (Na <sub>2</sub> CO <sub>3</sub> ). Collect liquid in a plastic container. Wash spill area with soap and water to remove the last traces of residue.
Disposal Methods	Dispose of spill waste according to Section 13.

Page **5** of **15** 



For Electron

# FERRIC CHLORIDE-107

Prevention	Keep out of reach of children.
	Do not eat, drink or smoke when using this product.
	Take off all contaminated clothing and wash it before reuse.
	Avoid release to the environment.
Handling	Keep only in original packaging. Absorb spillage to prevent material-damage. Collect spillage.
	Wear eye protection, face protection, and protective gloves. Wash thoroughly after handling.
Storage	Store in corrosion resistant container with a resistant inner lining.

# Section 8: Exposure Controls/Personal Protection

# Substances with Occupational Exposure Limit Values

Chemical Name	Country	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
iron trichloride <sup>a)</sup>	ACGIH	1 mg/m <sup>3</sup>	Not established
(soluble iron salt)	U.S.A. OSHA PEL	1 mg/m <sup>3</sup>	Not established
	Canada AB	1 mg/m <sup>3</sup>	Not established
	Canada BC	1 mg/m <sup>3</sup>	Not established
	Canada ON	1 mg/m <sup>3</sup>	Not established
	Canada QC	1 mg/m <sup>3</sup>	Not established
iron dichloride <sup>a)</sup>	ACGIH	1 mg/m <sup>3</sup>	Not established
(soluble iron salt)	U.S.A. OSHA PEL	1 mg/m <sup>3</sup>	Not established
	Canada AB	1 mg/m <sup>3</sup>	Not established
	Canada BC	1 mg/m <sup>3</sup>	Not established
	Canada ON	1 mg/m <sup>3</sup>	Not established
	Canada QC	1 mg/m <sup>3</sup>	Not established
hydrogen chloride	ACGIH	Not established	2 ppm (Ceiling)
	U.S.A. OSHA PEL	Not established	5 ppm (Ceiling)
	Canada AB	Not established	2 ppm (Ceiling)
	Canada BC	Not established	4.7 ppm (Ceiling)
	Canada ON	Not established	4.7 ppm (Ceiling)
	Canada QC	Not established	5 ppm (Ceiling)

Section continued on the next page

Page 6 of 15



#### For Electronics

# FERRIC CHLORIDE-107

#### Continued...

*Note:* Ingredients are listed in descending weight contribution order (from greatest to least). The ACGIH<sup>1</sup>, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from the RTECS<sup>2</sup> database and from suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) Limit for iron salts, soluble as Fe

Engineering Controls		
Ventilation	Keep airborne concentrations below the occupational exposure limits (OEL).	
Personal Protective Equ	uipment	
Eye protection	Wear appropriate protective eyeglasses or chemical safety goggles.	
	<b>RECOMMENDATION:</b> Ensure that glasses have side shields for lateral protection.	
Skin Protection	For likely contacts, use of protective butyl rubber or other chemically resistant gloves.	
	For incidental contacts, use nitrile or other chemically resistant gloves.	
<b>Respiratory Protection</b>	For over-exposures up to 10 x OEL of mist or spray, wear respirator such as a N95 particulate respirator or an AG acid gas respirator.	
	Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.	
	<b>RECOMMENDATION:</b> Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional.	

### **General Hygiene Considerations**

Wash hands thoroughly with water and soap after handling.



For Electroni

# FERRIC CHLORIDE-107

# **Section 9: Physical and Chemical Properties**

Physical State	Liquid	Lower Flammability Limit	Not applicable
Appearance	Dark red-brown	Upper Flammability Limit	Not applicable
Odor	Slight acidic/iron	Vapor Pressure @20 °C	Negligible
Odor Threshold	Not available	Vapor Density	1 (Air = 1)
рН	<2	Relative Density @25 °C	1.38-1.49
Freezing/Melting	-50 °C	Solubility in	Soluble
Point	[-58 °F]	Water	
Initial Boiling	110 °C	Partition Coefficient	Not
Point	[230 °F]	n-octanol/water	available
Flash Point	Not	Auto-ignition	Not
	applicable	Temperature <sup>b)</sup>	available
Evaporation	>1	Decomposition	Not
Rate	(BuAc=1)	Temperature	available
Flammability	Non	Viscosity	Not
	Flammable	@25 °C	available

# Section 10: Stability and Reactivity

Reactivity	Reacts with metals to form flammable hydrogen gas. React with alkalis (bases).	
<b>Chemical Stability</b>	Chemically stable at normal temperatures and pressures	
Conditions to	Avoid extreme heat, open flames, and incompatible substances.	
Avoid	Do not use in a manner that forms fumes, vapors, or mist.	
	Above >200 °C, toxic and corrosive gases including chlorine, hydrogen chloride, and iron oxides may be released.	
Incompatibilities	Alkali metals, allyl chloride, ethylene oxide, nylon, styrene, strong oxidizing agents, strong bases	
Polymerization	Will not occur	
Decomposition	Will not decompose under normal conditions. For thermal decomposition, see combustion products in Section 5.	



## Section 11: Toxicological Information

# Summary of Effects and Symptoms by Routes of Exposure

Eyes	Causes redness, severe irritation, pain, or burns.	
Skin	Causes redness, pain, or brown stains on skin.	
Inhalation	Inhalation of vapors or mist may cause coughing, respiratory tract irritation, or sore throat.	
	Exposure to large doses of hydrogen chloride can cause cough, labored breathing, and shortness of breath.	
Ingestion	May cause severe irritation to the mouth, throat, esophagus, and stomach. In large doses, it may also cause abdominal pain, nausea, vomiting, diarrhea.	
Chronic	No known effects	

### Acute Toxicity (Lethal Exposure Concentrations)

Chemical Name	LD50	LD50	LC50
	oral	dermal	inhalation
iron trichloride	316 mg/kg	Not	Not
	Rat	available	available
iron dichloride	300 mg/kg	2 000 mg/kg	Not
	Rat	Rat	available
hydrochloric acid	238—277 mg/kg	5 010 mg/kg	4.2 mg/L
	Rat	Rabbit <sup>a)</sup>	1 h Rat (gas)

*Note:* Toxicity data from the RTECS<sup>2</sup> and ECHA databases were consulted. The data from supplier SDSs were also consulted.

a) Monsanto reported value

Section continued on the next page



For Electronic

# FERRIC CHLORIDE-107

#### **Other Toxicological Effects**

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Mixture causes severe eye damage.
Sensitization (allergic reactions)	Based on available data, the classification criteria are not met.
Carcinogenicity (risk of cancer)	Not classified or listed as a carcinogen under IARC, ACGIH, CA Prop 65, or NTP.
<b>Mutagenicity</b> (risk of heritable genetic effects)	Based on available data, the classification criteria are not met.
<b>Reproductive Toxicity</b> (risk to sex functions)	Based on available data, the classification criteria are not met.
<b>Teratogenicity</b> (risk of fetus malformation)	Based on available data, the classification criteria are not met.
STOT-single exposure	Does not give rise to classification, because the concentration of hydrochloric acid is below the classification threshold.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

### Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (<u>http://echa.europa.eu</u>), and other reliable sources.

Iron trichloride is a category 3 acute aquatic pollutant with a LC50 48 h of 23 mg/L for Oryzias latipes; EC50 9.6 mg/L Daphnia magna (water flea).

Iron dichloride is a category 3 acute aquatic pollutant with a LC50 96 h of 46.6 mg/L for Oryzias latipes; EC50 19.0 mg/L Daphnia magna (water flea).

Hydrochloric acid is a category 2 acute aquatic pollutant with a LC50 24 h of 4 mg/L for Carassius auratus (goldfish); EC50 48 h of 1.5 mg/L Daphnia magna (water flea).

Section continued on the next page

Page 10 of 15



## **Acute Ecotoxicity**

Category 3 Harmful to aquatic life Avoid release to the environment. Collect spillage.

### **Chronic Ecotoxicity**

Based on available data, the classification criteria are not met.

### Biodegradability

The content is not readily biodegradable.

#### **Bioaccumulation**

Not available

### **Other Effects**

Not available

### **Section 13: Disposal Information**

Dispose of contents in accordance with all local, regional, national, and international regulations.

## Section 14: Transport Information

### Ground

**Refer to TDG regulations** (Canadian Transportation of Dangerous Goods regulations); **USA DOT 49 CFR** (Parts 100 to 185) **Regulations.** 

Sizes 5 L and under 107-500ML, 107-1L, 107-4L Limited Quantity



Sizes greater than 5 L 107-5G UN number: UN2582 Shipping Name: FERRIC CHLORIDE SOLUTION Class: 8 Packing Group: III Marine Pollutant: No



Section continued on the next page

Page 11 of 15



#### Air

Refer to ICAO-IATA Dangerous Goods Regulations.		
Sizes 1 L and under	Sizes up to 5 L (Passenger), 60 L (Cargo)	
107-500ML* Limited Quantity Y841 Combination Pack Net QTY per Inner Container 0.5 L	107-500ML, 107-1L, 107-4 L** UN number: UN2582 Shipping Name: FERRIC CHLORIDE SOLUTION Class: 8 Packing Group: III Marine Pollutant: No	
Total Net Qty/Pkg = 1 L	<b>Special Provision A803</b> : Must use Packing Group II packaging.	

Attention: 107-5G is forbidden by air

\* Must be repackaged in combination pack with 1 L max net quantity.

\*\* Size 107-4L may be transported by cargo aircraft only.

#### Sea

Refer to IMDG regulations.	
Sizes 5 L and under	Sizes greater than 5 L
107-500ML, 107-1L, 107-4L Limited Quantity	107-5G UN number: UN2582 Shipping Name: FERRIC CHLORIDE SOLUTION Class: 8 Packing Group: III Marine Pollutant: No

*Note:* Shipper must be appropriately <u>trained and certified</u> before involvement with the transport of dangerous goods.

Page **12** of **15** 



### **Section 15: Regulatory Information**

#### Canada

#### Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL/NDSL.

#### Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

#### USA

## **Other Classifications**

#### **HMIS® RATING**

HEALTH:	2
FLAMMABILITY:	0
PHYSICAL HAZARD:	1
PERSONAL PROTECTION:	

#### NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain ingredients that are listed as hazardous air pollutants.

Section continued on the next page

Page **13** of **15** Date: June 1, 2022 / Ver. 1.5



For Electronic

# FERRIC CHLORIDE-107

**EPCRA** (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product contains iron dichloride (CAS# 7758-94-3; reportable quantity = 100 lb), iron trichloride (CAS# 7705-08-0; reportable quantity = 1 000 lb), and hydrochloric acid (CAS# 7647-01-0; reportable quantity = 5 000 lb), which can be subject to the CERCLA reporting requirements.

This product does not contain ingredient listed in section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity)

This product does not contain any listed substances in California.

#### Europe

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

**WEEE** (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment and is therefore not governed by this regulation.

### **Section 16: Other Information**

**SDS Prepared by** Dustronics Inc. Regulatory Department

Date of Issue	21 February 2019
---------------	------------------

Supersedes 05 January 2017

**Reason for Changes:** Update to the emergency phone number information.

#### Reference

1) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)

2) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).

Section continued on the next page

Page 14 of 15



For Electro

# FERRIC CHLORIDE-107

#### Abbreviations

- ACGIH American Conference of Governmental Industrial Hygienists (USA)
- BBP Butyl benzyl phthalate
- DBP Dibutyl phthalate
- DEHP Bis(2-ethylhexyl) phthalate
- DIBP Diisobutyl phthalate
- EC50 Half maximal effective concentration
- EL50 Half maximal effective loading
- IARC International Agency for Research on Cancer
- NOELR No observable effect loading ratio
- NTP National Toxicology Program
- GHS Globally Harmonized System of Classification of Labeling of Chemicals
- LC50 Lethal Concentration 50%
- LCLo Lowest published lethal concentration
- LD50 Lethal Dose 50%
- OEL Occupational Exposure Limit
- PEL Permissible Exposure Limit
- SDS Safety Data Sheet
- STEL Short-Term Exposure Limit
- TCLo Lowest published toxic concentration
- TWA Time Weighted Average
- VOC Volatile Organic Content

**Technical Queries** Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at <u>www.dustronics.com</u>

Email: <a href="mailto:service@dustronics.com">service@dustronics.com</a>

### Mailing Addresses Head Office

10 Bramhurst Ave. Unit 18 Brampton, Ontario, Canada L6T 5H1

**Disclaimer** This safety data sheet is provided as an information resource only. *Dustronics Inc.* believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional, national, and international regulations.

Page **15** of **15**