

Moneysworth & Best 120 Midair Court Brampton, ON, L6T 5V1 Canada 905-790-0650

Moneysworth & Best Seam Sealer - 28 g PRODUCT:

SECTION 01: IDENTIFICATION

Moneysworth & Best Seam Sealer - 28 g Product Identity.....

Product Item Numbers..... 4007Ź

Manufacturer..... Moneysworth & Best 120 Midair Court

Brampton, ON Canada L6T-5V1

905-790-0650 24 hour emergency telephone number.....

In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800)

CODE: 40072

424-9300.

Recommended Use..... Multi-purpose sealant.

SECTION 02: HAZARD IDENTIFICATION



Label Elements: Signal Word..... WARNING. Hazard Classification:

Physical Hazards..... Not Classified.

Skin Irritation - Category 2. Eye Irritation - Category 2B. Skin Sensitization - Category 1. H315:Causes skin irritation. H320:Causes eye irritation. H317:May cause an allergic skin Health Hazards..... Hazard Statement.....

reaction

Precautionary Statements:

P264:Wash hand thoroughly after handling. P280:Wear protective gloves. P261:Avoid Prevention..... breathing dust/fume/gas/mist/vapours/spray. P272:Contaminated work clothing must not

be allowed out of the workplace.

P302+P352:IF ON SKIN: Wash with plenty of water. P332+P313:If skin irritation occurs: Get medical advice/attention. P362+P364:Take off contaminated clothing and wash it Response.....

before reuse. P321:For specific treatment see section 4 on this SDS. P333+P313:If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313:If eye irritation persists: Get medical

advice/attention.

Storage..... None.

P501:Dispose of contents/container in accordance with local, regional, national, and/or Disposal.....

international regulations.

Hazard(s) not otherwise classified (HNOC) None Known.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS				
CHEMICAL NAME AND SYNONYMS	CAS#	WT. %		
Silicone rubber	63394-02-5	70		
Silicone dioxide	14808-60-7	25		
Cupling reagent	-	4		
Other Ingredient(s)		1		

SECTION 04: FIRST-AID MEASURES

If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain Inhalation..... immediate medical assistance. Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Get medical attention if irritation persists. Not applicable. Skin Contact..... If swallowed, get medical attention immediately. Do not induce vomiting, get medical Ingestion.....



attention.

PRODUCT: Moneysworth & Best Seam Sealer - 28 g

SECTION 04: FIRST-AID MEASURES

Most important symptoms/effects, acute .. and delayed

Direct eye contact may cause temporary eye irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be

CODE: 40072

SECTION 05: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media..... Unsuitable Extinguishing Media.....

Dry chemical powder. Carbon dioxide. Foam, water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising from the Chemical In case of fire, the following can be released: Carbon Oxides (CO, CO2), Other unidentified

Organic Compounds.

Special Protective Equipment and Precautions for Firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions. Protective **Equipment and Emergency Procedures** Methods and Materials for Containment .. and Cleaning Up

For small quantities wear gloves, wipe up with damp cloth, rinse cloth thoroughly and allow cloth to dry before laundering.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.)

away from spilled material.

Not applicable. Environmental Precautions.....

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling.....

Keep container tightly closed. Avoid contact with eyes. Keep away from heat, sparks, and open flames

Conditions for Safe Storage including any Incompatibilities

Do not handle or store near an open flame, heat or other sources of ignition. Store away

from incompatible materials (see Section 10).

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	CGIH TLV STEL	OSH PEL	IA PEL STEL	NIOSH REL	
Silicone rubber	Not available	Not available	Not available	Not available	Not available	
Silicone dioxide	Not available	Not available	Not available	Not available	Not available	
Cupling reagent	Not available	Not available	Not available	Not available	Not available	
Appropriate Engineering	Controls	Local exhaust ventilation Value if unprotected persuse.	required to maintain to onnel are involved. G	the point of use below the round all equipment and	e Threshold Limit cylinders before	
Individual Protection Measures: Eye/Face ProtectionSkin ProtectionRespiratory Protection		Prevent eye contact, wear safety glasses in the event that eye contact is possible. Not normally required. Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies.				
Thermal HazardsGeneral Hygiene Considerations		None Known. N/A.	Ü			

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Paste.
Physical Appearance	Clear.
Odour	Oxime.
Odour Threshold (ppm)	Not available.
pH	Not applicable.
Vapour Pressure (psig)	Not applicable.
Vapour Density (Air=1) Evaporation Rate (n-Butyl Acetate = 1)	Not available.
Evaporation Rate (n-Butyl Acetate = 1)	Not available.
Boiling Point (°C)	Not available.
Specific Gravity	1.050 g/cm3.
Solubility in water	Not available.

CODE: 40072

PRODUCT: Moneysworth & Best Seam Sealer - 28 g

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Auto Ignition Temperature (°C)..... Not available. Flash Point (°C), Method..... Not available. Lower Explosive Limit (%, vol)...... Upper Explosive Limit (%, vol)..... Not applicable. Not applicable.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Product not reactive under normal conditions of use.

Chemical Stability......Possibility of Hazardous Reactions...... Stable at normal temperatures and pressures.

Will not occur.

Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.

Incompatible Materials..... Avoid contacting with oxidizers.

No hazardous decomposition products when stored and handled correctly. Hazardous Decomposition Products......

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LD50 LC50

Silicone rubber Not available Not available Silicone dioxide Not available Not available Cupling reagent Not available Not available

Information on Likely Routes of Exposure: Routes of entry - Inhalation..... No. Routes of entry - Skin & Eye..... Yes. Routes of entry - Ingestion..... Routes of entry - Skin Absorption..... No.

Symptoms Related to the Physical, Irritant effects.

Chemical and Toxicological Characteristics Acute Toxicity..... No known significant effects. Skin Corrosion/Irritation..... Causes skin irritation. Serious Eye Damage/Eye Irritation..... Causes eye irritation. Respiratory or Skin Sensitization..... Not classified.

Germ Cell Mutagenicity..... No information is available, and no adverse effects are expected. Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP. Carcinogenicity..... Reproductive Toxicity..... No information is available, and no adverse effects are expected.

STOT - Single Exposure.....STOT - Repeated Exposure..... No data available. No data available.

Aspiration Hazard..... Based on available data, the classification criteria are not met.

Chronic Effects..... No long term chronic effects are known or anticipated.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity.....Bioaccumulation Potential..... Not available.

The product itself has not been tested. Mobility in Soil..... The product itself has not been tested.

Other Adverse Effects..... None Known.

Persistence and degradability The product itself has not been tested.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road).....
DOT (US-Road).....
IMDG (International- Marine).... Not currently regulated. Not currently regulated. Not currently regulated. IATA (International- Air)..... Not currently regulated.

SECTION 15: REGULATORY INFORMATION

Canada Regulations:..... Refer to Section 2 for a WHMIS 2015 Classification for this product.

OSHA (29CFR 1910.1200). National Inventory TSCA: Cosmetic products are not US Regulations.....

regulated under TSCA.



CODE: 40072

PRODUCT: Moneysworth & Best Seam Sealer - 28 g

SECTION 16: OTHER INFORMATION

Disclaimer	This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. THIS SDS IS VALID FOR THREE YEARS. The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material. ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.
Prepared by	