SAFETY DATA SHEET



Dustronics Inc. 18-10 Bramhurst Ave. Brampton, ON L6T 5H1 Tel. 416-880-6772

PRODUCT: DUSTRONICS Premium Grade Brake & Parts Cleaner 5 Gallon

SECTION 01: IDENTIFICATION

Product Identity...... Premium Grade Brake & Parts Cleaner 5 Gallon

18-10 Bramhurst Ave. Brampton, ON L6T 5H1 Tel. 416-880-6772

24-hour emergency telephone number.....

Label Elements:

In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800) 424-

CODE: 44200-5G

9300

Recommended Use...... Solvent degreaser.

Hazard(s) not otherwise classified (HNOC) None Known.

SECTION 02: HAZARD IDENTIFICATION



Signal Word..... DANGER. Hazard Classification: Physical Hazards..... Flammable Liquids - Category 2. Aspiration Hazard - Category 1. Environmental Hazards..... Not Classified. Hazard Statement..... H225:Highly flammable liquid and vapour. H315:Causes skin irritation. H336:May cause drowsiness or dizziness. H304:May be fatal if swallowed and enters airways. Precautionary Statements: P210:Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. P233:Keep container tightly closed. P240:Ground and bond container and Prevention..... receiving equipment. P242:Use non-sparking tools. P243:Take action to prevent static discharges. P241:Use explosion-proof electrical/ventilating/lighting. P264:Wash hand thoroughly after handling. P261:Avoid breathing dust/fume/gas/mist/vapours/spray. P271:Use only outdoors or in a well-ventilated area. P280:Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353:IF ON SKIN (or hair): Take off immediately all contaminated clothing. Response..... Rinse skin with water . P370+P378:In case of fire: Use CO2, dry chemicals, or foam to extinguish. P302+P352:IF ON SKIN: Wash with plenty of water. P332+P313:If skin irritation occurs: Get medical help. P362+P364:Take off contaminated clothing and wash it before reuse. P321:For specific treatment see section 4 on this SDS. P304+P340:IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312:Call a POISON CENTER if you feel unwell. P301+P310:IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331:Do NOT induce vomiting. P403+P235:Store in a well-ventilated place. Keep cool. P233:Keep container tightly Storage..... closed. P405: Store locked up. P501:Dispose of contents/container in accordance with local, regional, national, and/or Disposal..... international regulations.

SECTION 03: CO	OMPOSITION / INFORI	MATION ON ING	REDIENTS	
CHEMICAL NAME AND SYNONYMS		CAS#	WT. %	
Heptane (including isomers)		4742-49-0	80-100	
rieptane (including isomers)	SAFETY DA		80-100	
PRODUCT: DUSTRONICS Prem			allon	CODE: 44200-5G
SEC	TION 04: FIRST-AID N	IEASURES		
Inhalation	If inhalad wassaya ta fuash	-i- If		and abtain
	If inhaled, remove to fresh immediate medical assista			
	Do not give adrenaline, ep			
Skin Contact	Wash thoroughly with soar			
Eye Contact	Immediately flush eyes wit upper and lower eyelids. G			isionally lifting the
Ingestion				enter or physician
	IMMEDIATELY.			
Most important symptoms/effects, acute and delayed	Symptoms may include sti contact with eyes may cau			
and delayed	headache, fatigue, dizzine		•	•
Indication of immediate medical attention	Provide general supportive	measures and treat	symptomatically. In case	e of shortness of
and special treatment needed	breath give oxygen. Keep delayed.	victim warm. Keep vic	ctim under observation.	Symptoms may be
SECTI	ON 05: FIRE-FIGHTIN	G MEASURES		
Suitable Extinguishing Media			ater spray or fog	
Unsuitable Extinguishing Media				
Specific Hazards Arising from the Chemica				
Special Protective Equipment and Precautions for Firefighters	Firefighters must use stand with water to prevent vapor			
hose holder or monitor nozzles, if possible			or massive me m cargo a	area, use urimanneu
General Fire Hazards				
SECTION	06: ACCIDENTAL REL	EASE MEASURE	ES	
Personal Precautions, Protective	No action shall be taken in	volving any personal	risk or without suitable t	raining. Evacuate
Equipment and Emergency Procedures	surrounding areas. Keep u	nnecessary and unpr	otected personnel from	entering. Avoid
	walking through spilled ma			
	Wear appropriate respirate protective equipment (see		inadequate. Put on appr	opriate personal
Methods and Materials for Containment	Contain spillage, and then	,	oustible absorbent mate	rial, (e.g. sand,
and Cleaning Up	earth, diatomaceous earth	, vermiculite) and plac	ce in container for dispos	sal according to
	local/national regulations (
	flares, sparks, or flames in away from spilled material.	,	ep combustibles (wood,	paper, oil, etc.)
Environmental Precautions	Keep out of drains, sewers		avs. Minimize use of wa	ater to prevent
	environmental contaminati		,	'
SECTI	ON 07: HANDLING AN	ID STORAGE		
Precautions for Safe Handling				
contact with skin and eyes. Avoid prolonge locked up. Do not handle or store near an				
materials (see Section 10).	open hame, heat, or other st	ources or incompation	illes Igrillion. Store awa	ay ironi incompatible
,	(POSURE CONTROLS	/ PERSONAL PI	ROTECTION	
A	CGIH TLV	OSHA	A PEL	NIOSH



INGREDIENTS	TWA	STEL	PEL	STEL	REL
Heptane (including	1,600 mg/m3	Not available	Not available	Not available	Not available
isomers)	(RCP-TWA)				
Appropriate Engineering (Controls	Local exhaust ventilation r	equired to maintain the	e point of use below the	Threshold Limit
Individual Protection Mea	sures:	Value if unprotected perso	nnel are involved.		
Eye/Face Protection		Do not get in eyes. Wear s	safety glasses with side	e-shields.	
Skin Protection		Chemical resistant gloves chemical resistant clothing		oid contact with the skir	ո. Wear appropriate
Respiratory Protection		Use dust and mist respirat	tor.		
Thermal Hazards		None Known.			
General Hygiene Conside	erations	When using, do not eat, do such as washing after han Routinely wash work cloth	dling the material and	before eating, drinking,	

SAFETY DATA SHEET

PRODUCT: DUSTRONICS Premium Grade Brake & Parts Cleaner 5 Gallon

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

FormPhysical Appearance	Liquid. Clear liquid.
Odor	Hydrocarbons.
Odor Threshold (ppm)	N/A.
Specific Gravity	0.680 - 0.720.
Aerosol Vapour Pressure (psig, 21°C)	Not applicable.
Vapour Density (Air=1)	3.5. at 101 kPa.
pH	N/A.
Boiling Point liquid (°C)	94-99. [ASTM D86] .
Melting/Freezing Point (°C)	Not available.
Flash Point (°C), Method	-9. (ASTM D-56).
Evaporation Rate (n-Butyl Acetate = 1)	>1.
VOC Content	100%.
Solubility in water	Negligible.
Aerosol Flame Projection	Not applicable.
Auto Ignition Temperature (°C)	265. (extrapolated).
Lower Flammable Limit (% Vol)	1.1.
Upper Flammable Limit (% Vol)	7.0.
Coefficient of Water/Oil Distribution	N/A.
Viscosity	0.6 cSt (0.6 mm2/sec) at 20 deg C.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Product not reactive under normal conditions of use.

Chemical Stability..... Material is stable under normal conditions.



CODE: 44200-5G

Possibility of Hazardous Reactions......... Will not occur.

Incompatible Materials...... Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products....... Carbon Oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

|--|

>5,840 mg/kg (Oral - Rat); Heptane (including isomers) >23.3 mg/L (Rat - 4 hrs) >2,920 mg/kg (Dermal - Rat)

Information on Likely Routes of Exposure:

Routes of entry - Inhalation..... Yes. Routes of entry - Skin & Eye..... Yes. Routes of entry - Ingestion...... Yes. Routes of entry - Skin Absorption...... Yes.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics........ Irritant effects, Symptoms may include stinging. tearing, swelling, and blurred vision. Defatting of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea, and vomiting.

Acute Toxicity..... Harmful or fatal if swallowed.

Skin Corrosion/Irritation..... Causes skin irritation. Serious Eye Damage/Eye Irritation...... May irritate eyes.

Respiratory or Skin Sensitization..... Not known to be a sensitizer.

Germ Cell Mutagenicity..... No information is available, and no adverse effects are expected. Carcinogenicity..... Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.

Contains no ingredient listed as toxic to reproduction. Reproductive Toxicity.....

STOT - Single Exposure..... Specific target organ toxicity single exposure Category 3. May cause drowsiness and

dizziness.

No data available. STOT - Repeated Exposure.....

Aspiration Hazard..... May be fatal if swallowed and enters airways.

Chronic Effects..... Prolonged inhalation may be harmful.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity..... May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment. This product contains the following substance which

may also be hazardous for the environment: Heptanes including isomers (CAS#: 64742-49-0): Toxicity to fish: LL50 > 13.4 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: EL50 3 mg/L, 48 hrs; Toxicity to algae: EL50 10-30 mg/L, 72 hrs. Chronic Toxicity Daphnia

magna: NOEC 0.17 mg/L 21 days.

The product itself has not been tested. Persistence and degradability Bioaccumulation Potential..... The product itself has not been tested. The product itself has not been tested. Mobility in Soil.....

Other Adverse Effects..... None Known.

SAFETY DATA SHEET

PRODUCT: DUSTRONICS Premium Grade Brake & Parts Cleaner 5 Gallon

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)...... UN1206, HEPTANES, Class 3, PG II. DOT (US-Road)..... UN1206, HEPTANES, Class 3, PG II.



CODE: 44200-5G

SECTION 15: REGULATORY INFORMATION

Environmental Protection Act ... All ingredients listed appear on the Domestic Substances List (DSL).

(CEPA)

Domestic Substances List (DSL)..... Yes

US Regulations..... Environmental Protection Act: Constituents of this product are included on the TSCA

inventory. OSHA (29CFR 1910.1200).

SECTION 16: OTHER INFORMATION

accordance with the hazard criteria of the CPR and the SDS contains all the information

required by the CPR.

Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous

Materials Information System STOT: Specific Target Organ Toxicity.

Prepared by Regulatory Affairs