








c a r g o





Box Length	12′	14′	15′	
Interior Height	78	84	84	
A) Wheel Base	139	159	176	
B) Overall Height	126	126	126	
C) Overall Length	253	277	289	
D) Exterior Box Length	150	174	186	
E) Usable Load Length	144	168	180	
F) Exterior Box Width	96	96	96	
G) Usable Load Width	92	92	92	
H) Door Opening Width	88	88	88	
I) Door Opening Height	77	77	77	
J) Ground To Bumper	21	21	21	
K) Ground To Floor	40	40	40	
L) Bumper To Floor	13	18	18	

THESE MEASUREMENTS ARE APPROXIMATE AND CAN CHANGE BASED ON CHASSIS FRAME, TIRES, AND OTHER INCIDENTALS IN THE EVENT THAT YOU HAVE A CRITICAL HEIGHT RESTRICTION. PLEASE DISCUSS WITH YOUR SALES PERSON.

## Standard Features

HIGH IMPACT-RESISTANT FRONT CORNER CAPS ICC BUMPER

ALUMINUM I BEAM ON 16" CENTERS ANTI -SNAG ROOF BOWS ON 16" CENTERS

SIDES FULLY LINED WITH 3/8" PLYWOOD DOME LIGHT WITH SWITCH

TWO GRAB HANDLES AT REAR THRESHOLD FLUSH WITH DRAIN THROUGH

2 X 6 SHIPLAP PINE FLOOR FULLY UNDERCOATED

## Additional Standard Features

040 SMOOTH ALUMINUM EXTERIOR 5 INCH HEAVY DUTY ALUMINUM RAIL

LED MARKER LIGHTS ALUMINUM ROOF STANDARD

PREMIUM ROLL-UP DOOR WITH SPRING SILENCER FRP BULKHEAD

STAINLESS STEEL RIVETS ON ROLLUP DOOR DRAIN THROUGH ON REAR THRESHOLD

3 INCH STEEL I-BEAM CROSSMEMBERS ANTI-SAIL MUD FLAPS

GALVANEAL STEEL REAR STRUCTURE

## **Available Options**

SLIDING BULKHEAD DOOR FRP WALLS

TIE DOWN RINGS INSULATION

E-TRACK: GALVNIZED & POWDER COATED GRAY POWER & MANUAL VENTS

HARDWOOD SLATS A/C & HEATING OPTIONS

BACKUP CAMERA WINDOWS

36 & 48 INCH CAB OVER TRANSULCENT ROOF

VARIOUS SIDE AND REAR DOOR OPTIONS FULL WIDTH POOCHED STEP BUMPER

PULL OUT RAMPS VARIOUS SHELVING CONFIGURATIONS

LIFT GATES CUSTOM LENGTHS, WIDTHS, HEIGHTS



Distinguished MVP member 2023-2026









## Learn More:

Scan his QR code with your mobile device to learn more about Midway Specialty Vehicles and American Cargo by Midway

MIDWAY SPECIALTY VEHICLES

2940 Dexter Dr, Elkhart, IN 46514

574-606-7026

574-320-4188

www.midwayspecialtyvehicles.com