





RAINWATER

PVC GUTTER SYSTEMS





QUALITY RAINWATER SYSTEMS

Brett Martin's continued investment in product research, development and customer service has resulted in the achievement of a Rainwater range which satisfies every variety of roof drainage, ranging from the smallest domestic property to much larger agricultural and commercial buildings providing the merchant, installer and the end user with satisfaction, peace of mind and a full guarantee.



QUALITY YOU CANTRUST

Each Rainwater system has been designed to facilitate fast, efficient, economical installation combined with exceptional reliability. All the domestic systems feature fixing arrangements for easy and straight screwdriver access, incorporating the popular Brett Martin clip fixing system, creating a neat and secure installation every time.

No matter which Rainwater system is selected, you are assured of an excellent high performance product offering unbeatable durability and low maintenance whilst ensuring ease of installation and will stay looking good and working well for years to come.

The Rainwater range benefits from the Porcupipe Gutter Protection System. The Porcupipe brush sits within the gutter and is a simple, but extremely effective way of keeping virtually any domestic gutter system clear and free from all kinds of debris including moss and leaves. For an enhanced visual impact of the pipe work, all downpipe fittings feature socketed connections, hiding all end cuts, speeding installation and maintaining the excellent appearance of the system.

Brett Martin's Rainwater systems have been fully tested for accelerated ageing in accordance with BS EN 607:2004 and loading capabilities have been tested to BS EN 1462:2004. The high standard of Brett Martin Rainwater systems is also recognised through the company's achievement of BS EN ISO 9001:2008. You can be confident that, as a BSI Registered Firm, our Quality Assurance programme guarantees that Brett Martin's Rainwater is a first class product.

Following on from our investment in Research, Development, Quality Assurance and our focus on Customer Satisfaction, Brett Martin's Rainwater systems are covered by our extended Warranty and Guarantee package. This Guarantee covers a period of 10 years from date of purchase and covers unusual warping, splitting and discolouration providing the system has been installed following manufacturer's instructions and excludes any coating, paint or other surface treatment applied to the system (with the exception of the Cascade Cast Iron Style range where a specific Brett Martin formulated coating has been applied to components), damage caused by external agents, fair wear and tear from normal ageing and does not apply to consequential losses but to replacement of defective materials. Full warranty details are available on request from Brett Martin Ltd.

Rainwater is just part of Brett Martin's complete Plumbing and Drainage portfolio. The Rainwater range is complemented by the Brett Martin Drainage, Sewer, Surface Water, Soil and Waste systems to provide a complete sustainable solution for all your water cycle requirements.

Full technical and installation instructions are detailed on the company's web site at www.brettmartin.com. The company's sales and technical departments are always available to answer any queries and offer a complete design service.









SOUARESTYLE



DEEPSTYLE



DEEPSTYLE 170





CONTENTS

Prostyle 106mm Profiled Domestic System	Page 3
Roundstyle I I 2mm Classic Domestic System	Page 5
Squarestyle I 14mm Modern Domestic System	Page 7
Deepstyle I I 5mm High Capacity Domestic System	Page 9
Cascade Rainwater & Soil Systems	Page 11
Deepstyle 170 170mm Industrial Rainwater System	Page 13





PROSTYLE 106mm

PROFILED DOMESTIC SYSTEM

Straight forward installation and excellent aesthetics are provided by this visually compact yet highly efficient profiled gutter system. Only 106mm across, the gutter is small enough to be ideally suited to conservatories or bungalows, whilst having sufficient capacity to handle larger houses due to its unique design.

FEATURES INCLUDE:

- High profile front conceals roof edge and helps prevent overspill
- Moulded seals provide high level of fitting integrity
- Outlets, unions and angles feature external fixing lugs for easy access during installation which saves time
- None of the fittings have open fixing holes in the wet part of the system
- Integral flexible clips on fittings ease installation
- Manufactured to the relevant standard



Colour Options

Arctic White

White

* Available in Cascade Cast Iron Style finish.

Black

Brown










Moulded seals and fixing lugs are on all relevant fittings.


Connects to 68mm Roundstyle and 65mm Squarestyle downpipe. The gutter and downpipe systems are available in White, Arctic White, Black, Brown and Cast Iron Style finish.

Like all Brett Martin rainwater products the use of UV stabilised plastic is standard so that systems retain their high quality appearance thus giving excellent durability.


106mm PROSTYLE RAINWATER SYSTEM

	GUTTER FLOW CAPACITY LITRES PER SECOND		MAXIMUM ROOF AREA m²	
	Level	1:600	Level	1:600
Outlet at one end	2.05	2.55	97	121
Outlet at centre	4.1	5.1	195	242











ROUNDSTYLE 112mm

CLASSIC DOMESTIC SYSTEM

The 112mm Roundstyle Rainwater System has been specially designed to facilitate fast, efficient and simple installation whilst retaining a traditional rainwater system design. Ideal for a wide range of single and multi-storey dwellings. The choice of colours available allows this rainwater system to blend discretely into a building, regardless of the finish, or stand out as a feature if desired. Brett Martin's Roundstyle Rainwater System meets all the requirements of the busy installer.

FEATURES INCLUDE:

- · Integral flexible clips on all fittings, for easy fixing
- Power tool friendly
- Outlets and unions feature external fixing lugs for easy access
- Sealed fixing points on outlets and unions for simple rafter bracket installation
- Sealed internal fixing points on 90° angles prevent the necessity of handed versions
- No fittings have open fixing holes in the wet part of the system
- Manufactured to the relevant standard




Colour Options

Arctic White

White

Black

Brown Grey












The 112mm Roundstyle system features distinctive integral flexible clips that allow quick and easy snap together assembly on to the gutter length.

External fixing lugs allow the use of cordless power tools, for fast and efficient installation. All fixings may now be kept out of the 'wet' areas of the system, greatly reducing the risk of problems after installation.

The system has been designed to facilitate the conversion of the running outlet into a stopend outlet. Simply trim off the exposed fixing lug and insert an internal stopend, thus preventing the need for handed stopend outlet components.

112mm ROUNDSTYLE RAINWATER SYSTEM

	GUTTER FLOW CAPACITY LITRES PER SECOND		MAXIMUM ROOF AREA m²	
	Level	1:600	Level	1:600
Outlet at one end	1.00	1.3	48	62
Outlet at centre	1.82	2.43	87	116











ESTYLE 114mm

MODERN DOMESTIC SYSTEM

The shape of the 114mm Squarestyle Rainwater System provides a very clean and simple look, ideal in structures with contemporary styling. The clean lines of the gutter and downpipe systems give a flow capacity up to 20% higher than half round systems which means not only does Squarestyle look good it performs well. Squarestyle has been a hugely popular system for many years and is suitable for refurbishments and extensions as well as new build projects.

FEATURES INCLUDE:

- Modern appearance
- External fixing lugs on fittings for easy installation
- Up to 20% higher flow capacity than half round systems
- Excellent drainage for larger domestic roofs
- Three colour options available
- Manufactured to the relevant standard



Colour Options

Arctic White White

Black

Brown






Squarestyle like Roundstyle, Deepstyle and Prostyle features integral fixing clips that allow quick and easy snap together assembly on the gutter length.

Careful design ensures these are robust enough to provide years of trouble free service yet are flexible enough to allow simple installation.

The outlets and unions feature external fixing lugs, making them power tool friendly for simple installation.

114mm SQUARESTYLE RAINWATER SYSTEM

	GUTTER FLOW CAPACITY LITRES PER SECOND		MAXIMUM ROOF AREA m²	
	Level	1:600	Level	1:600
Outlet at one end	1.20	1.52	57	72
Outlet at centre	2.20	3.03	106	144











DEEPSTYLE 115mm

HIGH CAPACITY DOMESTIC SYSTEM

Deepstyle is a semi elliptical system, specifically produced to offer effective trouble free rainwater drainage on larger roof areas where it can provide significant cost savings. Opportunities to reduce downpipes due to higher capacity can provide substantial cost reductions and appearance improvements. The system is characterised by an easy fix clip system, which facilitates simple installation whilst external fixing lugs allow easy access for cordless power tools. Deepstyle is fully compatible with other leading deep flow systems.

FEATURES INCLUDE:

- Potential to reduce downpipe runs
- Compatible with other semi elliptical systems
- Easy fix clip system
- · Efficient high capacity
- Minimum number of components are required
- Cost saving potential
- External fixing lugs on fittings are power tool friendly
- Five colour options
- External fixing lugs on fittings for easy installation
- Manufactured to the relevant standard



Colour Options







Brown














Deepstyle's high capacity nature provides a very efficient system for the drainage of large roof areas, whilst still providing a discrete unobtrusive rainwater system. In fact Deepstyle offers an increase of 50% in flow capacity when compared to the 112mm Roundstyle system.

The high capacity nature of Deepstyle has the potential to reduce the number of downpipe and drainage runs required. This speeds installation and can reduce overall costs dramatically.

115mm DEEPSTYLE RAINWATER SYSTEM

	GUTTER FLOW CAPACITY LITRES PER SECOND		MAXIMUM ROOF AREA m²	
	Level 1:600		Level	1:600
Outlet at one end	1.88	2.30	90	110
Outlet at centre	3.75	4.58	180	220











CAST IRON STYLE

RAINWATER AND SOIL SYSTEMS

Cast Iron has shaped the architectural landscape of our towns and cities since the industrial revolution. Inspired by this heritage, Brett Martin have applied over 50 years' experience at the forefront of plastics technology to develop Cascade, a range of gutter and downpipe profiles which provide authentic cast iron styling in plastic.

A unique patented manufacturing process combines with original cast iron detailing on pipework, fittings and hoppers to give the full appearance of cast iron with all the benefits of modern plastic products. This allows the architect to achieve their vision without compromising the requirements of today's fast paced construction contracts on time, money or safety.

FEATURES INCLUDE:

- · Authentic cast iron architectural detailing
- Extensive choice of styles
- · An affordable cast iron alternative
- Quick and easy to install
- Ready to fit
- Lightweight, robust materials
- Fully UV stabilised
- Durable and corrosion resistant
- Compatible with existing rainwater systems
- Complementary I I 0mm push-fit soil system





Choice of heritage colours including: Classic Black, Oxford Blue, Olive Green, Graphite Grey, Sandstone and Porcelain White.



Plumbing & Drainage



CAST IRON STYLE RAINWATER AND SOIL SYSTEM







DOMESTIC SYSTEMS

- 106mm Prostyle Gutter
- 112mm Roundstyle Gutter
- 115mm Deepstyle Gutter
- 65mm Square Downpipe
- 68mm Round Downpipe
- Fittings and Hoppers

HIGH CAPACITY SYSTEM


- 160mm Roundstyle Gutter
- 105mm Round Downpipe
- 100mm x 75mm (4" x 3") Rectangular Downpipe
- Fittings and Hoppers


SOIL SYSTEM


- 110mm Soil Pipe
- Soil Stack Shroud
- Access Fittings and Adaptors


CASCADE CAST IRON STYLE SYSTEMS

		GUTTER FLOW CAPACITY LITRES PER SECOND		MAXIMUM ROOF AREA m²	
		Level	1:600	Level	1:600
106mm	Outlet at one end	2.05	2.55	97	121
Prostyle Outlet at	Outlet at centre	4.1	5.1	195	242
112mm Roundstyle	Outlet at one end	1.00	1.30	48	62
	Outlet at centre	1.82	2.43	87	116
115mm Deepstyle	Outlet at one end	1.88	2.30	90	110
	Outlet at centre	3.75	4.58	180	220











DEEPSTYLE 170

170mm INDUSTRIAL RAINWATER SYSTEM

Deepstyle 170 is a high performance industrial rainwater system offering increased drainage capacity for larger commercial projects, factories, warehouses, farm buildings and apartments. The design features innovative CLIP & SEAL technology for ease of installation, superior sealing and exceptional reliability.

Strong and durable, Deepstyle 170 is a heavy duty gutter system, manufactured from UV resistant PVC. The system's robustness has been fully tested to BS EN 1462 Load Class H, whilst its unique formulation provides long-term weatherability for the systems high gloss gutter, fittings and downpipes.

FEATURES INCLUDE:

- 170mm high performance industrial rainwater system with a greater drainage capacity, compatible with the 110mm Industrial Downpipe
- This large scale system enables larger roofs to be drained more efficiently and effectively
- All fittings feature factory fitted CLIP & SEAL technology for ease of installation and completely watertight joints
- The system requires fewer downpipes and drainage connections
- It enables larger roofs to be drained more efficiently and effectively
- High gloss UV protected gutter and downpipes which look better and last longer



Colour Options

Black Grey








The Deepstyle I 70 rainwater system features a new and innovative factory fitted CLIP & SEAL to ease the installation process and provide exceptional long-term sealing reliability.


- The unique CLIP & SEAL fully integrates with the fitting so that the specially designed captive seal is held securely within the fitting whilst the clip locks the seal firmly in place.
- For added convenience the CLIP & SEAL is fully factory fitted to all Deeptyle 170 fittings but can also be easily removed if required.
- When fitting the gutter the CLIP & SEAL provides just enough flex to allow the gutter to locate within the fitting, whilst a reassuring click locks the gutter securely into position compressing the seal for superior sealing.

170mm INDUSTRIAL RAINWATER SYSTEM CAPACITY - 170 DEEPSTYLE


	GUTTER FLOW CAPACITY MAXIMUM ROL LITRES PER SECOND AREA m ²	
	1:600	1:600
Outlet at one end	5.12	244
Outlet at centre	10.24	488
	1:350	1:350
Outlet at one end	5.77	275
Outlet at centre	11.54	550

^{*}Actual test results calculated in site conditions











Plumbing & Drainage

Ireland

24 Roughfort Road Mallusk, Co. Antrim Northern Ireland, BT36 4RB Tel: 028 9084 9999

Fax: 028 9083 6666

Sales Counter: 028 9084 8999 Email: sales@brettmartin.com

England & Wales

Speedwell Ind. Estate Staveley, Derbyshire England S43 3JP Tel: 01246 280000

Fax: 01246 280001

Email: building@brettmartin.com

100 Camford Way Sundon Park Luton, Bedfordshire England, LU3 3AN

Tel: 01246 280000 Fax: 01246 280001

Email: building@brettmartin.com

Scotland

Blairlinn Road Cumbernauld, Glasgow Scotland, G67 2TF Tel: 01236 725536

Fax: 01236 725871

Email: scotland@brettmartin.com

For the latest company information visit the company's website: www.brettmartin.com





