

BAUGH & WEEDON

NDE



MAGNACHECK

TANGENTIAL FIELD STRENGTH METER



bw-nde.com



A Gaussmeter, also known as a Magnetometer, is a device used to measure the strength and direction of a magnetic field. Gaussmeters are simple to use and handheld versions are available which can be carried to monitor magnetic fields on-site. The device may also be referred to as an electromagnetic field detector, or EMF detector for short. Baugh and Weedon offer a unique 3D probe which can measure the strength of a field in 3 dimensions (x, y and z).

	3D Probe	1D Probe
Measurement range	To 2000 Gauss	To 1000 Gauss
Units	Gauss, mTesla, Ka/m	
Measurement modes	DC, AC peak, true RMS	
MPI bench support	True RMS for thyristor switched fields	True RMS and shot time measurement**
Peak hold mode	Off, 1, 2, 5 and 10 seconds	
Measurement sample rate	70 samples/second	500 samples/second
Measurement resolution	0.16 Gauss	0.1 Gauss
Probe types	3D Auto Recognition	1D Transverse
Sensor calibration	Stored digitally in probe	
Measurement accuracy	1%	
Standards compliance	ASTM E1444/1444M-16 and EN ISO 9934-3	
Zeroing	Manual zero with null pot supplied	
Display type	Colour LCD with selectable backlight	
Display size and resolution	2.8" (70mm) 320x240 pixels	
Power	2 x 1.5V AA batteries.	
Typical battery life	In excess of 10 hrs continuous use	
Instrument dimensions	6.4"(163mm)(h) x 3"(80mm)(w) x 1"(25mm)(d) With rubber boot: 6.6"(168mm) (h) x 3.3" (85mm)(w) x 30mm(1.2")(d)	

Document number BR1020: Issue 3



Distributed by:

Tel: +44 (0)1432 267671
 sales@bw-nde.com
 bw-nde.com

