

About Our Company

Our company, which has operations across the globe, focuses on providing complete solutions for EPC, engineering, industrial, and energy sector projects.

We provide top-notch materials for the oil, chemical, petrochemical, and power generation industries, including steel coils, plates, round bars, pipes, fittings, flanges, valves, gaskets, fasteners, plates, round bars. Our professionals have in-depth understanding of supply chains and purchasing. We have a great deal of passion, drive, and determination. Our main objective is to get the outcomes you seek. Unique concept to support clients.

Our service's main goal is to satisfy market demand for innovative technologies and premium goods by streamlining the purchase process, cutting costs, and acting as an extension of your purchasing department.

Business Ethics

Our company upholds anti-bribery and corruption policy and upholds the highest standards of business ethics. Corruption and bribery are not tolerated by us. We conduct business in a sincere, open, and moral manner. In any nation where we conduct business, we abide by all rules and regulations that are in effect.

Quality Assurance

With procedures and processes built around the continual improvement model outlined by the industry standard ISO 9001, quality assurance is a cornerstone of our company. A set of process-based procedures covering the core activities listed in our procedure index have been created by a team with years of experience and knowledge. This well-established, highly advanced quality management system has been implemented to guarantee that we provide customers all over the world with services and products of the utmost quality.

Health & Safety

The health and safety of our personnel and the wider population is at the forefront of our working practices and, whilst risk is a part of life, we do all we can to eliminate or minimize the risks of injury or ill health as a result of our operational practices.

Environment

Our company is committed to the prevention of pollution and the minimization of the impact of its activities on the environment.



PRODUCTS

Pipes

Size : 1/2" to 36" Thickness : S10 to SXXS

High Nickel: Monel, Inconel, Incoloy

Copper : C70600, C71500 SS Grades : A312 304/L, 316/L

CS Grades : API 5L B to X65, A106B to A333 Gr 6

Alloy Steel : A335 P1, P5, P9, P11, P22, P91
Type : SMLS, WELDED, SQUARE, ROUND

Origin : India, China, Japan, Europe



BW Fittings

Size : 1/2" to 36" Thickness : S10 to SXXS

High Nickel: Monel, Inconel, Incoloy

Copper : C70600, C71500 SS Grades : A403 304/L, 316/L

CS Grades : A234 WPB, A420 WPL6, WPHY52, 60, 65

Alloy Steel: A234 WP1, WP5, WP9, WP11, WP22, WP91

Type : Elbow, Tee, Reducer, Cap etc Origin : India, China, Japan, Europe



Flanges

Size : 1/2" to 36" Thickness : S10 to SXXS

Class : Cl150 to CL2500, PN6 to PN25

API Class : 2000PSI to 15000PSI High Nickel : Monel, Inconel, Incoloy

Copper : C70600, C71500 SS Grades : A182 304/L, 316/L

CS Grades : A105N, A350 CL1, A694 F60,F65 Alloy Steel : A182 F1, F5, F9, F11, F22, F91 Origin : India, China, Japan, Europe





PRODUCTS

Forged Fittings

Size : 1/2" to 6"

End : SW, NPT, BSPT

Class : CL3000 to CL9000

High Nickel: Monel, Inconel, Incoloy

Copper : C70600, C71500 SS Grades : A182 304/L, 316/L

CS Grades : A105N, A350 CL1, A694 F60,F65 Alloy Steel : A182 F1, F5, F9, F11, F22, F91 Origin : India, China, Japan, Europe



OLETS(Reinforced Branch connections)

Size : 1/2" to 4"

End : SW, NPT, BSPT

Class : CL3000 to CL9000

High Nickel: Monel, Inconel, Incoloy

Copper : C70600, C71500 SS Grades : A182 304/L, 316/L

CS Grades : A105N, A350 CL1, A694 F60,F65 Alloy Steel : A182 F1, F5, F9, F11, F22, F91

Origin : India, China, Japan, Europe





Round Bars & Plates


Round Bar : 20mm to 350mm
Size : 4' X 8', Custom size
High Nickel : Monel, Inconel, Incoloy

Copper : C70600, C71500

SS Grades : SS304, SS316, S32750, S31803

CS Grades : A36, A516 Gr 70

Alloy Steel: P1, P5, P9, P11, P20, P91
Origin: India, China, Japan, Europe





PIPE CHART

NPS	OD	SCHEDULE			THK		NPS OD			SCHEDULE			THK NPS		OD	SCHEDUL		E	THK	
DN	INCH MM		ASME		K(C/		DN	INCH MM	ASME		MM KG/ METER		DN	INCH MM	ASME		ММ	KG/ METER		
1/8 6	0.405 10.3	10 STD XS 10	40 80	10S 40S 80S 10S	1.24 1.73 2.41 1.65	0.28 0.37 0.47 0.49	6 150	6.625 168.3	5 10 STD	40	5S 10S 40S	2.77 3.40 4.78 7.11	11.31 13.83 19.28 28.26	18 450	18.000 457	10S 10 20 STD		40\$	4.78 6.35 7.92 9.53	53.31 70.57 87.71 105.17
3/8 10	0.675 17.1	STD XS 10 STD	40 80 40	40S 80S 10S 40S	2.24 3.02 1.65 2.31	0.63 0.80 0.63 0.84	_	7.005	XS 120 160 XX	80	80\$	10.97 14.27 18.26 21.95	42.56 54.21 67.57 79.22			30 XS 40 60		80S	11.13 12.70 14.27 19.05	122.38 139.16 155.81 205.75
1/2 15	0.840 21.3	5 10 STD XS	40 80	80S 5S 10S 40S 80S	3.20 1.65 2.11 2.77 3.73	1.10 0.80 1.00 1.27 1.62	7 175 8 200	7.625 193.7 8.625 219.1	STD XS XX	40 80	40S 80S 5S 10S	7.65 12.70 22.23 2.77 3.76	35.10 56.69 94.00 14.78 19.97			80 100 120 140 160			23.83 29.36 34.93 39.67 45.24	254.57 309.64 363.58 408.28 459.39
3/4 20	1.050 26.7	160 XX 5 10		5S 10S	4.78 7.47 1.65 2.11	1.95 2.55 1.03 1.28			20 30 STD 60	40	408	6.35 7.04 8.18 10.31	33.32 36.82 42.55 53.09	20 500	20.000 508	10S 10 STD XS	20 30	40S 80S	5.54 6.35 9.53 12.70	68.61 78.56 117.15 155.13
1	1.315	STD XS 160 XX	40 80	40S 80S	2.87 3.91 5.56 7.82 1.65	1.69 2.20 2.90 3.64 1.29			XS 100 120 140 XX	80	80S	12.70 15.09 18.26 20.62 22.23	64.64 75.92 90.44 100.93 107.93			40 60 80 100 120			15.09 20.62 26.19 32.54 38.10	183.43 247.84 311.19 381.55 441.52
25	33.4	10 STD XS 160 XX	40 80	10S 40S 80S	2.77 3.38 4.55 6.35 9.09	2.09 2.50 3.24 4.24 5.45	9 225	9.625 244.5	160 STD XS XX	40 80	40S 80S	23.01 8.69 12.70 22.23 3.40	111.27 50.54 72.60 121.85	22 550	22.000 559	140 160 10S 10 STD	20	40\$	44.45 50.01 5.54 6.35 9.53	508.15 564.85 75.55 86.55
1-1/4 32	1.660 42.2	5 10 STD XS 160 XX	40 80	5S 10S 40S 80S	1.65 2.77 3.56 4.85 6.35 9.70	1.65 2.69 3.39 4.47 5.61 7.77	250	273.0	20 30 STD XS	40 60	10S 40S 80S	4.19 4.78 6.35 7.80 9.27 12.70	22.61 27.78 31.62 41.76 51.01 60.29 81.53			XS 60 80 100 120	30	80S	9.53 12.70 22.23 28.58 34.93 41.28 47.63	129.14 171.10 294.27 373.85 451.45 527.05 600.67
1-1/2 40	1.900 48.3	5 10 STD XS 160 XX	40 80	5S 10S 40S 80S	1.65 2.77 3.68 5.08 7.14	1.90 3.11 4.05 5.41 7.25	11	11.750	80 100 120 140 160 STD	XX 40	408	15.09 18.26 21.44 25.40 28.58	95.98 114.71 133.01 155.10 172.27 67.91	24 600	24.000 610	160 10 10S STD XS 30 40	20	40S 80S	53.98 6.35 9.53 12.70 14.27	94.53 141.12 187.07 209.65
2 50	2.375 60.3	5 10 STD XS 160	40 80	5S 10S 40S 80S	10.15 1.65 2.77 3.91 5.54 8.74	9.55 2.39 3.93 5.44 7.48 11.11	12 300	298.5 12.750 323.8	XS XX	80	5 \$ 10S	9.53 12.70 22.23 3.96 4.57 4.78	89.51 151.46 31.24 35.98 37.61			60 80 100 120 140			17.48 24.61 30.96 38.89 46.02 52.37	255.43 355.28 442.11 547.74 640.07 720.19
2-1/2 65	2.875 73.0	5 10 STD XS	40 80	5S 10S 40S 80S	11.07 2.11 3.05 5.16 7.01	13.44 3.69 5.26 8.63 11.41			20 30 STD 40 XS		40S 80S	6.35 8.38 9.53 10.31 12.70	49.71 65.19 73.86 79.71 97.44	26 650	26.000 660 28.000	160 10 STD XS 10		40S 80S	59.54 7.92 9.53 12.70 7.92	808.27 127.36 152.88 202.74 137.32
3 80	3.500 88.9	160 XX 5 10 STD	40	5S 10S 40S	9.53 14.02 2.11 3.05 5.49	14.92 20.39 4.52 6.46 11.29			60 80 100 120 140	хх		14.27 17.48 21.44 25.40 28.58	108.93 132.05 159.87 186.92 208.08	700 30 750	711 30.000 762	STD XS 30 10 STD	20	40S 80S	9.53 12.70 15.88 7.92 9.53	164.86 218.71 272.23 147.29 176.85
3-1/2	4.000	XS 160 XX	80	80S 5S	7.62 11.13 15.24 2.11	15.27 21.35 27.68 5.18	14 350	14.000 355.6	160 10 20		108	33.32 4.78 6.35 7.92	238.69 41.36 54.69 67.91	32 800	32.000 813	XS 30 10 STD	20	808	12.70 15.88 7.92 9.53	234.68 292.20 157.25 188.83
90	101.6	10 STD XS XX	40 80	10S 40S 80S	3.05 5.74 8.08 16.15	7.41 13.57 18.64 34.03			STD 40 XS 60	30	40S 80S	9.53 11.13 12.70 15.09	81.33 94.55 107.40 126.72	34	34.000	XS 30 40 10		80\$	12.70 15.88 17.48 7.92	250.65 312.17 342.94 167.21
100	4.500 114.3	5 10 STD	40	5S 10S 40S	2.11 3.05 3.96 4.78 6.02	5.84 8.37 10.78 12.91 16.08			80 100 120 140 160			19.05 23.83 27.79 31.75 35.71	158.11 194.98 224.66 253.58 281.72	850 36	36.000	STD XS 30 40	20		9.53 12.70 15.88 17.48 7.92	200.82 266.63 332.14 364.92 176.97
4410	E 000	XS 120 160 XX	80	808	8.56 11.13 13.49 17.12	22.32 28.32 33.54 41.03	16 400	16.000 406.4	10S 10 20 STD	30	40S	4.78 6.35 7.92 9.53	47.34 62.65 77.83 93.27	900 42 1050	914 42.000 1067	STD XS STD XS			9.53 12.70 9.53 12.70	212.57 282.29 248.53 330.21
4-1 / 2 115 5	5.000 127.0 5.563	STD XS XX	40 80	40S 80S	6.27 9.02 18.03 2.77	18.67 26.24 48.45 9.46			XS 60 80 100	40	80\$	12.70 16.66 21.44 26.19	123.31 160.13 203.54 245.57	48 1200	48.000 1219	STD XS			15.88 19.05 9.53 12.70	411.64 492.33 284.25 377.81
125	141.3	10 STD XS 120 160 XX	40 80	10S 40S 80S	3.40 6.55 9.53 12.70 15.88 19.05	11.56 21.77 30.97 40.28 49.12 57.43			120 140 160			30.96 36.53 40.49	286.66 333.21 365.38							













Building Success Together: Your Project, Our Materials Specialized Stockist & Supplier

Contact Us:-

4/906C, Krishnan Nair Lane, Cochin - 682 002 Kerala, India

Tel: +918848895309

Email: sales@alloy-pro.com, alloypro8@gmail.com

Website: www.alloy-pro.com GST No. 32ACEFA0141L1ZW