

Plan your sauna

Choose materials and tell us what you need quoted.



Customer name

Date

Email

Phone

1 Project details & comments

Project location / requested timing

Questions, preferences or special requests

2 Cladding species & grade

Check the species and available grades you would like quoted.

Species / relative price	Natural	Select
Balsam Fir (\$)	☐	Not available
Spruce (\$)	☐	Not available
Aspen (\$\$)	☐	☐
Basswood (\$\$)	☐	☐
White Cedar (\$\$\$)	☐	☐
CVG Black Ash (\$\$\$\$)	Not available	☐

CVG = Clear Vertical Grain. \$ lowest price; \$\$\$\$ highest price.

Natural: lots of character. Select: minimal character.


Other components will be quoted in coordinating species and suitable grades. We are happy to adjust. Specified-length pieces include overlength for final trimming on site.

Cladding profile guide


All three profiles have the same price per square foot.

Cladding profiles & end matches


V-GROOVE



NICKEL GAP



MICRO-BEVEL



Face widths shown: V-groove 3 inches; nickel gap and micro-bevel 3-1/4 inches.
All profiles are 3/4 inch thick. Other widths available.

Schematic profiles. Use the actual coverage widths listed on page 3.

Cladding selections & quantities

Walls and ceiling / 3/4-inch thickness

3

Profile & nominal size

- ☐ V-groove
- ☐ Nickel gap
- ☐ Micro-bevel
- ☐ 1x4
- ☐ 1x5
- ☐ 1x6
- ☐ Mixed widths

Wider boards are slightly more expensive. Actual coverage per board:

Profile	1x4	1x5	1x6
V-groove	3"	4"	5"
Nickel gap	3-1/4"	4-1/4"	5-1/4"
Micro-bevel	3-1/4"	4-1/4"	5-1/4"

4

Choose a length option

- ☐ Option A: Standard random lengths (\$) - end matched
- 2' to 8' in 1-inch increments. Order by square feet of coverage.

Net area (sq. ft.)

Extra (%)

Total to quote (sq. ft.)

Total = net area x (1 + extra % / 100). We recommend 3-5% extra.

- ☐ Option B: Specified lengths (\$\$) - not end matched

Complete the length-and-piece table on page 4 only if you choose Option B. Standard random lengths (Option A) are ordered by square footage above and do not require a piece list.

OPTION B ONLY: Use the next page to list each specified cladding length and its quantity.

Specified-length cladding

Option B only / Length and piece quantities

Complete this page only for specified-length cladding (not end matched). If you choose standard random end-matched lengths, leave this page blank and use the square-footage fields on page 3.

List lengths in 6-inch increments, up to 12 feet. Lengths over 8 feet cost more. Order 3-5% extra of the longest length.

Width option	Specified length	Number of pieces

Specified lengths include overlength for final trimming on site.

Benches & duck boards

Select-grade boards with two eased upper edges.

Both use 7/8" x 2-1/2" boards. Select grade minimizes knots where skin contacts wood. With 1/2" spacing, allow a 3" module per board.

List lengths in 6-inch increments, up to 12 feet. Lengths over 8 feet cost more.

5

Bench boards

Planning example: a nominal 24-inch-deep bench uses 8 boards.

Species preference / notes

Length	Number of pieces

6

Duck boards

Floor slats - same dimensions, grade and eased edges as bench boards.

Species preference / notes

Length	Number of pieces

Bench framing

List dimensions, lengths and quantities for each component.

7

Framing selections & quantities

Sound grade with knots; four square edges; intended to be mostly unseen.

☐ White Pine (\$)

☐ White Cedar (\$\$)

White Pine is selected for minimal resin/pitch and coordinates with Aspen and Basswood. White Cedar matches cedar benches. Framing is not available in Aspen or Basswood.

2x4 = 1-1/2" x 3-1/2" actual | 2x6 = 1-1/2" x 5-1/2" actual

Size (2x4 / 2x6)	Length	Number of pieces

Specify lengths in 6-inch increments, up to 12 feet. Lengths over 8 feet cost more. Include shorter pieces where possible for the best price.

Specified-length pieces include overlength for final trimming on site.

Simple trim

Choose an approach, then list the pieces you need.

8

Trim selections & quantities

Four square edges; quoted in the same species and grade as cladding.

- ☐ \$
- Make trim from extra cladding
- ☐ \$\$
- Order 1x6 boards and rip to width on site
- ☐ \$\$\$
- Specify individual trim widths and lengths

Actual thickness: 3/4". Nominal sizes and actual widths:
1x2: 1-1/2" | 1x3: 2-1/2" | 1x4: 3-1/2" | 1x5: 4-1/2" | 1x6: 5-1/2"

Size / intended use	Length	Number of pieces

Specify lengths in 6-inch increments, up to 12 feet. Lengths over 8 feet cost more. Include shorter pieces where possible for the best price.

Specified-length pieces include overlength for final trimming on site.

Changing room

General information for cladding and flooring.

Any of our wood species and grades are suitable for the changing room. It does not experience the extreme temperatures or hot-room skin-contact conditions of the sauna hot room.

Room dimensions (length x width x height)

9 Cladding - walls & ceiling

☐ Walls

☐ Ceiling

Species / grade preferences

Profile / width preferences

Wall area (sq. ft.)

Ceiling area (sq. ft.)

Extra allowance (%)

10 Flooring

Species / grade preferences

Board width / finish preferences

Floor area (sq. ft.)

Extra allowance (%)

Notes: lengths, trim, room layout or questions