



Your Ultimate Tool for Learning,
Presenting, and Collaborating.

Available
Sizes;

65"


75"

86"

98"



Built-in
Android 13



8 GB + 128 GB
RAM / ROM



Built-in
Camera and Mic



Zero Bonding



20 W Subwoofer
Realistic Sound Effect



Scratch Resistant
Screen Lvl7 MoHS Std



Our Javiya Elite Pro interactive touch panel with the latest technology and features is a sleek and user-friendly presentation solution for both education and business use.

With the ability to display presentations, share files, and engage in video conferencing, our touch panel provide a seamless platform for remote meetings and virtual collaboration.

Educators can create a rich, immersive learning experience that captures students' attention and enhances their understanding of key concepts. A must have in any meeting or classroom.



Wi-Fi 6



Powered
USB Type-C



Broad
Compatibility



Anti Glare
Screen



Optional OPS
Slot Ready



Your Ultimate Tool for Learning,
Presenting, and Collaborating.

Available
Sizes;

65"

75"

86"

98"



Built-in
Android 13



8GB+128GB
RAM/ROM



Built-in
Camera and Mic




Zero Bonding



20 W Subwoofer
Realistic Sound Effect



Scratch Resistant
Screen Lvl7 MoHS Std



Our Javiya Elite Pro interactive touch panel with the latest technology and features is a sleek and user-friendly presentation solution for both education and business use.

With the ability to display presentations, share files, and engage in video conferencing, our touch panel provide a seamless platform for remote meetings and virtual collaboration.

Educators can create a rich, immersive learning experience that captures students' attention and enhances their understanding of key concepts. A must have in any meeting or classroom.



Wi-Fi 6



Powered
USB Type-C



Broad
Compatibility



Anti Glare
Screen



Optional OPS
Slot Ready

ELITE PRO SPECIFICATION

Product Model Name		JFP65AV13-224	JFP75AV13-224	JFP86AV13-224	JFP98AV13-224
Display	Size Diagonal	65 inch	75 inch	86 inch	98 inch
	LED Glass Display	Zero-Gap Bonding Technology (Higher Accuracy and Real Touch Feeling)			
	Response Time	8ms (typical)			
	Aspect Ratio	16:9			
	Display Area Resolution	1429 x 804 mm	1650 x 928 mm	1896 x 1066 mm	2159 x 1215 mm
	Resolution	3840 x 2160(pixels,RGB)			
	Pixel Pitch	0.124(H) x 0.372(V)	0.429.6(H) x 0.4296(V)	0.1645(H) x 0.4935(V)	0.5622(H) x 0.5622(V)
	Display Color	1.07B (10bit)			
	Contrast Ratio	4000:1			
	Viewing Angle	178°(H) / 178°(V)			
	Back Light LED	Direct LED OD35 (Excellent light uniformity distribution)			
	Brightness with glass	400cd/m2			
	Life Span	50,000 Hrs (min.)			
	Housing Color	Black			
Android System	System Version	Android 13			
	CPU	Amlogic 311D2 2.2GHz A73*4 + A53*4			
	GPU	G52*8 (8 Core)			
	RAM / ROM (internal)	8GB + 128GB			
Touch System	Sensing Type	Infrared technology (IR)			
	Tempered glass	4mm Tempered AG Glass Level 7 MoHS (Anti-Glare & Anti-Scratch)			
	Touch point	Windows system: 40 Touch; Android system: 20 Touch			
	System	Support Windows, Mac, Android , Linux, Chrome			
	Touch Tool	Finger or pen			
	Response Time	≤6ms			
	Writing Height	≤2mm			
Camera & Mic	Touch Resolution	36727 x 36727			
	Camera	Built-in 13MP Camera			
Audio	Microphone	8 Arrays Microphone			
	Sound Channel	2			
Bluetooth	Output Power incl. Subwoofer	20W x 2			
	Version	5			
Wi-Fi	Working Frequency	2.4G			
	Working Distance	< 10M			
Power	Version	WiFi6			
	Working Frequency	2.4G+5G			
Input & Output Port	Working Distance	< 20M			
	Power Requirements	100V~240V AC			
Standard Accessories	Standby Power	≤ 0.5W			
	Rear Side	HDMI IN x 2, HDMI OUT x 1, Android USB2.0 x 2, Android USB3.0 x 2, Earphone out x 1, DP in x 1, Type-C x 1, MIC IN x 1, Touch 2.0 x 2, USB2.0 OTG x 1, Coax x 1, RS232 x 1, RJ45 IN x 1, RJ45 OUT x 1, TF Card x 1, Standard OPS slot x 1			
Environmental Conditions	Front Side	Touch x 1, HDMI IN x 1, Type-C x 1, USB-A 3.0 x 3, Front OSD Button			
	Included in Packaging	Remote Control x 1, Stylus Pen x 2, HDMI cable 3m, USB cable 3m, Power Cord 3m with UK Plug Top x 1, Quick Start Guide			
Packing Parameters	Operation Temperature	0 ~ 45			
	Operation Humidity	10% ~90%			
	Storage Temperature	-20 ~ 60			
	Storage Humidity	10% ~90%			
	Physical Dimension	1485*929*117mm	1708*1054*117mm	1954*1192*117mm	2217*1346*105mm
Packing Parameters	VESA Size	500*400mm	600*400mm	800*400mm	1000*400mm
	Packaging Dimension	1580*1000*200mm	1790*1165*200mm	2044*1280*200mm	2344*1458*240mm
	Net Weight	37±1 kg	49±1 kg	62±1 kg	92±1 kg
	Gross Weight	47±1 kg	61±1 kg	77±1 kg	115±1 kg

The content of this document are subject to change without notice

Authorized Dealer

javiya™

Trademark :

*Microsoft and Windows are trademarks of the Microsoft group of companies
*MAC is trademark of the Apple Inc.

Certifications & Approvals



ELITE PRO SPECIFICATION

Product Model Name		JFP65AV13-224	JFP75AV13-224	JFP86AV13-224	JFP98AV13-224
Display	Size Diagonal	65 inch	75 inch	86 inch	98 inch
	LED Glass Display	Zero-Gap Bonding Technology (Higher Accuracy and Real Touch Feeling)			
	Response Time	8ms (typical)			
	Aspect Ratio	16:9			
	Display Area Resolution	1429 x 804 mm	1650 x 928 mm	1896 x 1066 mm	2159 x 1215 mm
	Resolution	3840 x 2160(pixels,RGB)			
	Pixel Pitch	0.124(H) x 0.372(V)	0.429.6(H) x 0.4296(V)	0.1645(H) x 0.4935(V)	0.5622(H) x 0.5622(V)
	Display Color	1.07B (10bit)			
	Contrast Ratio	4000:1			
	Viewing Angle	178°(H) / 178°(V)			
	Back Light LED	Direct LED OD35 (Excellent light uniformity distribution)			
	Brightness with glass	400cd/m2			
	Life Span	50,000 Hrs (min.)			
	Housing Color	Black			
Android System	System Version	Android 13			
	CPU	Amlogic 311D2 2.2GHz A73*4 + A53*4			
	GPU	G52*8 (8 Core)			
	RAM / ROM (internal)	8GB + 128GB			
Touch System	Sensing Type	Infrared technology (IR)			
	Tempered glass	4mm Tempered AG Glass Level 7 MoHS (Anti-Glare & Anti-Scratch)			
	Touch point	Windows system: 40 Touch; Android system: 20 Touch			
	System	Support Windows, Mac, Android , Linux, Chrome			
	Touch Tool	Finger or pen			
	Response Time	≤6ms			
	Writing Height	≤2mm			
Camera & Mic	Touch Resolution	36727 x 36727			
	Camera	Built-in 13MP Camera			
Audio	Microphone	8 Arrays Microphone			
	Sound Channel	2			
Bluetooth	Output Power incl. Subwoofer	20W x 2			
	Version	5			
Wi-Fi	Working Frequency	2.4G			
	Working Distance	< 10M			
	Version	WiFi6			
Power	Working Frequency	2.4G+5G			
	Working Distance	< 20M			
	Power Requirements	100V~240V AC			
Input & Output Port	Standby Power	≤ 0.5W			
	Rear Side	HDMI IN x 2, HDMI OUT x 1, Android USB2.0 x 2, Android USB3.0 x 2, Earphone out x 1, DP in x 1, Type-C x 1, MIC IN x 1, Touch 2.0 x 2, USB2.0 OTG x 1, Coax x 1, RS232 x 1, RJ45 IN x 1, RJ45 OUT x 1, TF Card x 1, Standard OPS slot x 1			
Standard Accessories	Front Side	Touch x 1, HDMI IN x 1, Type-C x 1, USB-A 3.0 x 3, Front OSD Button			
	Included in Packaging	Remote Control x 1, Stylus Pen x 2, HDMI cable 3m, USB cable 3m, Power Cord 3m with UK Plug Top x 1, Quick Start Guide			
Environmental Conditions	Operation Temperature	0 ~ 45			
	Operation Humidity	10% ~90%			
	Storage Temperature	-20 ~ 60			
	Storage Humidity	10% ~90%			
Packing Parameters	Physical Dimension	1485*929*117mm	1708*1054*117mm	1954*1192*117mm	2217*1346*105mm
	VESA Size	500*400mm	600*400mm	800*400mm	1000*400mm
	Packaging Dimension	1580*1000*200mm	1790*1165*200mm	2044*1280*200mm	2344*1458*240mm
	Net Weight	37±1 kg	49±1 kg	62±1 kg	92±1 kg
	Gross Weight	47±1 kg	61±1 kg	77±1 kg	115±1 kg

The content of this document are subject to change without notice

Authorized Dealer

javiyaTM
Trademark :

Certifications & Approvals

