

## Retail Automotive Focus

High performance doors

Create a customized package of matching doors based on your brand specifications

**HÖRMANN**

# Hörmann High Performance Doors

Retail automotive applications defined by aesthetics, reliability and brand compliance





### **Essential for retail automotive applications**

Fast opening and closing speeds of doors at entrances and exits are essential for optimizing traffic flow, energy control and security. Typical installations include: Service Write-Up Lanes, Service Shop, Detailing Bays, Specialty Service Areas and Car Wash Bays.

Whether rigid or fabric, Hörmann High Performance Doors has a high-speed roll-up door model that will easily fit into new construction or renovation. We have many choices of models and track designs that accommodate building layouts and maintain brand compliance, creating a uniform look around the building without overspending and paying for unnecessary features.

### **Aesthetically pleasing and highly functional**

We understand that looks and functionality are the perfect combination. The Speed-Guardian™ 5000 delivers the WOW factor when customers approach Service Write-Up areas. Available with any combination of vision slats (clear, perforated or tinted) and door colors (any RAL color), the Speed-Guardian™ 5000 is fast, sleek and leaves a memorable first impression. For Shop Service and Detailing Bays, the Steel Ranger™ 9000 L high-speed roll-up door is often specified as a matching counterpart to the Speed-Guardian™ 5000 and at a lower price-point. The Speed-Master® 1600 L high-speed fabric door for Car Wash areas completes the building.

### **Global leader**

As a global leader, Hörmann has 100 locations (factories and distribution) located in more than 40 countries and is dedicated to innovation, quality and customer service. Hörmann doors are installed worldwide in many industries.

# Speed-Guardian™ 5000 and Steel Ranger™ 9000 L

Rigid models maximize aesthetics and functionality at service and shop door openings

## Speed-Guardian™ 5000

The Speed-Guardian™ 5000 is as functional as it is aesthetically pleasing. The high-speed models have fast operating speeds (opening up to 80 IPS), which promote fast entry and exiting of vehicles at Service Lanes and contributes to AC / heat cost savings. Matching low-speed models are an alternative solution for lower cycle openings. Doors with solid slats are constructed with galvanized, double-skinned insulated sections for an especially high level of thermal insulation (U-value = 1.04). The doors are supplied as standard in RAL 9006. Optional RAL paint colors are available to match any building aesthetics.

## Vision and track options

Double-pane vision slats include our exclusive Duratec® window glazing, which guarantees maximum scratch resistance despite heavy use and cleaning. In addition to clear vision slats, all 5000 models have optional tinted / privacy vision slats available. Perforated vision slats are also optional and specified when ventilation is desired. Low profile and low headroom track configurations are available for applications where clearance around the door opening is minimal.


## Steel Ranger™ 9000 L

The Steel Ranger™ 9000 L is a class above traditional rolling steel doors. With direct-drive, springless operation, extremely strong panel and fast operating speeds, this revolutionary high performance rolling steel door is the model to choose as an alternative to traditional rolling steel doors in high cycle applications.

Our springless design has few moving parts, which translates into maintenance free operation. The Steel Ranger's compact footprint fits into even the most confined locations. The low headroom track design is available when applications have limited mounting space above the door opening.

## Looks and functionality

Optional colors are available on both the Speed-Guardian™ and Steel Ranger™ models (Any RAL color). A motion-presence detector is recommended for door activation and is strategically positioned and programmed to detect if a vehicle is parked with the pathway of the door opening. This, in conjunction with the built-in guide track light curtain, provide an invisible barrier of protection for pedestrians and vehicles.



SG 5000 C CV 42 complete view with motion-presence detector

Fast operating speeds reduce heat and air conditioning loss and promote security



Tinted vision options: Obscured White or Smoke Gray



(Left) Our double-pane slat (Right) Their single-pane slat



Fast operating speeds control energy costs and prevent unwanted entry



SR 9000L has sleek Decotherm® panel available in any RAL color (optional)



Light curtain (standard on SG, SR and SM models) built into guide tracks prevents door contact with pedestrians and vehicles

# Speed-Master® 1600 L

## Fabric models perform on car wash openings

### Speed-Master® 1600 L

When security is not required, this high-speed fabric door will deliver the efficiency busy Car Washes require. A sectional panel design constructed of horizontal aluminum hinges and 90 oz. Bulldog XT panel material allow for easy replacement of individual panels if damaged.

### Dependable and low maintenance

Design advantages such as zero moving parts within the guide tracks and direct-drive motor, support walk-away dependability. For exterior mounting doors, options like a roll and motor cover along with motor / gearbox heater make it possible to accommodate high traffic, exterior door applications during cold weather. A standard built-in light curtain monitors the closing zone of the door up to a height of 8'0".

### SmartControl M2M remote support

Using a web browser such as Internet Explorer, Chrome or Firefox as an interface, SmartControl M2M (mobile to mobile) is a remote communication device, built into your Hörmann control box (optional feature) that allows a Hörmann technical service professional to remotely diagnose door issues by accessing activity and codes directly from specific Hörmann high performance doors in the field. In many cases, resolution of an error can be made over the phone, saving an unnecessary service call.

### Remote keypad

More and more installations require that the door control box is installed out of the reach of passersby or completely away from the door in a central location. For these types of applications, our remote keypad is the ideal accessory. It allows for the actual door control box to be remotely installed while still having the ability to operate all control functions through a compact, 3" x 5-1/2" keypad. For Speed-Guardian™ and Steel Ranger™ models, surface mount is available.

See product-specific brochures for additional information on models. Technical specifications are available on model Product Data Sheets.



High-speed efficiency and breakaway at a lower cost point



Options such as roll / motor cover and gearbox heater for exterior mounting



Non-contact protection with built-in light curtain




Remote diagnostics for fast technical support anytime, anywhere



Remote keypad performs control box functions from ground level

# High Performance Doors

Solutions for retail automotive





Everything you've always wanted in a high performance door, and more

**HÖRMANN**

German Engineered, American Made

Our promise to you.

As one of the world's leading manufacturers of doors, we're committed to providing the best quality, value, and selection. Whether industrial or commercial, retail automotive, parking garages, transit, waste management,

fire stations or food processing, we have the door you're looking for. The Hörmann product line has a door for any application, from one manufacturer.



Hörmann High Performance Doors, Burgettstown, PA  
High Performance Doors



Hörmann TNR Doors, Barrie, Ontario, Canada  
High Performance Doors

Connect with us!



Visit our website for more information!

Hörmann High Performance Doors  
Starpointe Business Park • 117 Starpointe Boulevard  
Burgettstown, PA 15021-9506  
Phone: 800.365.3667 • 724.385.9150 • Fax: 724.385.9151  
www.hormann.us • Email: info2@hormann.us



Environmental commitment has been part of our corporate culture for decades. From our manufacturing processes to the products we make.

In everything we do we strive to minimize energy and use of resources through efficient processes, long-lasting quality and innovative engineering.

Hörmann TNR Doors  
200 Fairview Road • Unit # 2  
Barrie, Ontario L4N 8X8  
Phone: 866.792.9968 • Fax: 705.735.9564  
www.TNRdoors.com • Email: info@tnrdoors.com