



**BLACK OAK
LED**

MARINE PRODUCTS CATALOG



NITRON XD



housing color



NITRON XD NIGHT VISION CAMERA

The most advanced marine night vision camera that crushes darkness. See more than just silhouettes, Nitron XD shows details in full HD. Stay out later and always get home safe.

- Connects directly to MFD
- Operates in .0000025 Lux
- 60 frames per second
- IP69K Waterproof Rating

This is the perfect marine light bar for docking, interior, exterior, search, and navigation.

COMPATIBLE WITH

GARMIN

SIMRAD

Raymarine

FURUNO



NITRON XD

EYESIGHT



LIGHT BARS



color options



LOW PRO MARINE LED LIGHT BAR

Designed with a perfect blend of style and functionality, the light bar's sleek contours not only enhance the aesthetics of your boat but also deliver exceptional performance.

SKU	Description	Voltage	Lumens
LP-WS	White Spot	9-36V DC	12,000
LP-WX	White Flood	9-36V DC	12,000
LP-BS	Black Spot	9-36V DC	12,000
LP-BX	Black Flood	9-36V DC	12,000



12VDC
10 Amp

CRI
70+

COLOR OUTPUT
White

VOLTAGE
12-30vDC

CCT
6000k

LUMENS
12,000+ TRUE measured lumens

24VDC
5 Amp

BEAM PATTERN
Flood, Spot


DIMENSIONS
19.125" x 4.25" x 1.5"

LIGHT BARS

PRO SERIES 3 MARINE DOUBLE ROW

This is the perfect marine light bar for docking, interior, exterior, search, and navigation.

SKU	Description	Voltage	Lumens
6CM-D5OS	6" Double Row	9-36V DC	6,600
10CM-D5OS	10" Double Row	9-36V DC	11,000
20CCM-D5OS	20" Curved	9-36V DC	22,000
30CCM-D5OS	30" Curved	9-36V DC	33,000
40CCM-D5OS	40" Curved	9-36V DC	44,000
50CCM-D5OS	50" Curved	9-36V DC	55,000
60CCM-D5OS	60" Curved	9-36V DC	82,500



housing color



PRO SERIES 2 MARINE SINGLE ROW

This slim, 5 Watt Combo Light Bar throws a far beam and gives widespread flood lighting to the sides. Allowing you to see channel markers, traps, and other hazards on the water.

SKU	Description	Voltage	Lumens
10CM-S5OS	10" Single Row	9-36V DC	5,500
20CM-S5OS	20" Single Row	9-36V DC	11,000
30CM-S5OS	30" Single Row	9-36V DC	16,500
40CM-S5OS	40" Single Row	9-36V DC	22,000
50CM-S5OS	50" Single Row	9-36V DC	27,500



housing color



PRO SERIES 2 MARINE DIFFUSED

With its 120 degree throw pattern and the 5 watt Osram LEDs, this diffused bar is perfect for marine lighting, decks, worksites, reverse lights, and even construction.

SKU	Description	Voltage	Lumens
6DM-D5OS	6" Diffused	9-36V DC	6,600
10DM-D5OS	10" Diffused	9-36V DC	11,000



housing color




INFRARED LIGHT


INFRARED MARINE LED DOUBLE ROW LIGHT BAR

Whether it's mounted on a boat tower, a t-top, or even a vehicle, this bar is sure to pack a punch with its invisible light spread.

SKU	Description	Voltage
10MIR-850	10" Double Row 850 IR	9-36V DC
10MIR-940	10" Double Row 940 IR	9-36V DC
20MIR-850	20" Double Row 850 IR	9-36V DC
20MIR-940	20" Double Row 940 IR	9-36V DC



housing color



housing color



2" INFRARED MARINE POD LIGHT

These POD's pair great with the Nitron XD and can be built in 850nm or 940nm wavelength. Infrared Pod lights come in a flood pattern but can be built in spot if you would like a nice concentrated throw.

SKU	Description	Voltage
2FMIR-850	Flood Pod 850nm	9-36V DC
2SMIR-850	Spot Pod 850nm	9-36V DC



housing color



GoPOD

GoPOD UNIVERSAL LED LIGHTING KIT

SKU	Description	Voltage	Lumens
GO-CO-F10CR	White/Flood/Clamp	9-36V DC	3,120
GO-CO-MS10CR.	White/Spot/Clamp	9-36V DC	3,120
GO-SC-MFC10CR	White/Flood/Suction	9-36V DC	3,120
GO-SC-MS10CR	White/Spot/Suction	9-36V DC	3,120
GO-CO-MD10CR	White/Diffused/Clamp	9-36V DC	3,120
GO-SC-MD10CR.	White/Diffused/Suction	9-36V DC	3,120
GPP-12v	GoPod Power Pack	12V DC	NA



housing color



GoPOD LITHIUM POWER PACK




With the build your own GoPod Universal Kit, you can now customize the housing, optics, and the interchangeable base. Our GoPod is great for on the go applications that require a tiny but mighty light. It not only has a 12v Socket Harness, but also the Standard Wiring Harness for additional installation options.

SPREADERS





LOW PRO MARINE SPREADER

Our new Low Pro Spreader delivers broad 120° illumination for large areas, with sleek rim backlighting for added style on any boat.

SKU	Description	Voltage	Lumens
MLPS-F	White Flush Mount	9-36V DC	2000
MLPS	White Surface Mount	9-36V DC	2000
LPS-F	Black Flush Mount	9-36V DC	2000
LPS	Black Surface Mount	9-36V DC	2000



housing color



SPREADERS


PRO SERIES 3 MARINE SPREADER

Perfect for those die hard fishermen who love those late nights and early mornings. Our 4" has a whopping 3,120 raw lumens. You no longer have to worry about rigging your rods in complete darkness.

SKU	Description	Voltage	Lumens
2-MS-S	2" Scene	9-36V DC	1,560
2FSL-SRPOD10CR	2" Scene Flush	9-36V DC	1,560
4MF-S	4" Flood	9-36V DC	2,250
4MS-S	4" Scene	9-36V DC	3,120
4FMSL	4" Scene Flush	9-36V DC	3,120



housing color




ACCENT

PRO SERIES 2 MARINE ACCENT

Light up your console, compartments, under-gunnels, and much more with our IP69K rated marine accent lights!

SKU	Description	Voltage	Lumens
MAL-W	White Light	9-36V DC	495
MAL-B	Blue Light	9-36V DC	220
MAL-R	Red Light	9-36V DC	220
MAL-G	Green Light	9-36V DC	220
MAL-RGB	RGB Light	9-36V DC	220
RGB-C	Controller	12-24V	NA
RGB-Wire	Wire by the foot	12-24V	NA
RGBW-4-50	Accent Light Kit	12-24V	NA

output color



housing color



LITHIUM



12V, 24V, 36V LITHIUM BATTERIES

Black Oak Lithium – the new standard in marine power.
This lineup delivers on the quality and performance you've come to trust from us.

SKU	Voltage/Amp Hours	Group	Function
BL 12-108	12V - 108AH	31	Dual Purpose
BL 24-75	24V - 75AH	31	Trolling
BL 36-60	36V - 60AH	31	Trolling
BOL-10R	14.8	-	10AH



2X POWER
And Half the Weight
of AGM & SLA



**BUILT-IN
BLUETOOTH**
iOS and Android Apps



**4000+
CYCLES**
Lasts 10X as Long



**MARINE
RATED**
Water Proof

- Built-in intelligent Battery Management system (BMS)
- Seamless Bluetooth connectivity to Android & iOS app "BL Series"



UNDERWATER



FATHOM SL UNDERWATER LIGHTS

Our patented ISL technology allows the head unit to be replaced or upgraded in under 10 minutes without drilling or fiberglass repair, offering unmatched convenience and flexibility.

SKU	Description	Voltage	Lumens
UFSL-B	Base Unit	12-24V	-
UFSL-H	Head Unit	12-24V	8000
UFSL-C	Base & Head	12-24V	8000



output color



Designed
for **Easy**
Replacement



CONTACT

 1-800-348-1287

 sales@blackoakled.com

 6824 28th St. Cir E.
Sarasota, FL 34243