

قائمة المنتجات

Product Portfolio

Architectural and Decorative Coatings

Primers and Sealers

| UNICRYL Primer 2010 | UNIMATT Primer 2012 | UNICRYL SIGNATURE Primer 2016 |
|---|--|---|
| ACRYLIC WATERBORNE PRIMER | ACRYLIC WATERBORNE PRIMER | ACRYLIC WATERBORNE PRIMER |
| OMEGA 2010 Unicryl Primer | OMEGA 2012 Unimatt Primer | OMEGA 2016 Unicryl Signature Primer |
| Versatile primer with superior adhesion and sealing properties on interior and exterior walls. | Hardworking primer with good adhesion and sealing properties on walls and ceilings. | Specially formulated to provide outstanding paint adhesion on interior and exterior walls. |
| <ul style="list-style-type: none"> - Resists alkaline and moisture - Minimizes discoloration - Reduces efflorescence on surfaces - Environmentally-friendly | <ul style="list-style-type: none"> - Resists alkali attack - Faster dry, higher coverage - Enhances durability and uniformity - Environmentally-friendly | <ul style="list-style-type: none"> - Anti-efflorescence and anti-discoloration sealing - Strong alkaline resistance - Environmentally-friendly |
| UNIMATT Sealer 2011 | UNICRYL Sealer 2015 | UNICRYL PURE Sealer 2017 |
| ACRYLIC WATERBORNE SEALER | ACRYLIC WATERBORNE SEALER | ACRYLIC WATERBORNE SEALER |
| OMEGA 2011 Unimatt Sealer | OMEGA 2015 Unicryl Sealer | OMEGA 2017 Unicryl Pure Sealer |
| Cures and seals pores with good alkali resistance properties and to strengthen surfaces with flexibility. | Promotes good foundation for subsequent topcoat with strong alkali resistance properties. | Designed to penetrate and seal the surface with strong anti-fungal properties and increased density. |
| <ul style="list-style-type: none"> - Promotes good foundation for subsequent topcoats - Good alkaline resistance - Environmentally-friendly | <ul style="list-style-type: none"> - Seals pores and cures concretes with moisture protection and strong alkali resistance - Environmentally-friendly | <ul style="list-style-type: none"> - Promotes strong surface adhesion with anti-fungal resistance - Controls hairline checking on new concrete |

OMEGA PAINTS AND CHEMICAL INDUSTRIES

Owned and operated by Unitco Group of Companies, officially registered as Unitco Al Bahrain Company WLL, an ISO certified company with commercial reg. no. 1493/2, industrial reg. no. 206/1 and industrial license no. 539/1, North Sitra Industrial Area, Tel no. +973 1773 0015, Fax no. +973 1773 2288, Email: omega@unitcogroup.com, Brand: www.omega-paints.com, Social Media: @omegapaintsbh, Corporate: www.unitcogroup.com, @unitcogroup, PO Box 1018, Manama, Kingdom of Bahrain

Architectural and Decorative Coatings

Primers and Sealers

| OMEGA ECO Primer 2013 | OMEGA WR Primer 2030 | UNIMATT Undercoat 2112 |
|---|--|--|
| ACRYLIC WATERBORNE PRIMER | SILANE-BASED PRIMER | ALKYD-BASED PRIMER |
| OMEGA 2013 Eco Primer | OMEGA 2030 Water-repellant Primer | OMEGA 2112 Unimatt Undercoat |
| Cost-effective primer provides basic priming properties for interior surfaces with standard adhesion. | Formulated to prime absorbent cementitious surfaces for water and chloride-iron impregnation. | Professional grade primer designed with great wetting properties and for mild-to-moderate environments. |
| <ul style="list-style-type: none"> - Reliable performance - Facilitates a smooth and uniform topcoat application - Environmentally-friendly | <ul style="list-style-type: none"> - Silane modified siloxane with acrylic - Forms a hydrophobic layer - Reduces rebar corrosion - Enhances concrete integrity | <ul style="list-style-type: none"> - One component - Great leveling and hiding power - Great sanding and filling properties - Protects against rust and corrosion |
| OMEGA ECO Undercoat 2113 | UNIKYD RO Primer 2116 | UNIKYD AR Primer 2119 |
| ALKYD-BASED PRIMER | ALKYD-BASED PRIMER | ALKYD-BASED PRIMER |
| OMEGA 2113 Eco Undercoat | OMEGA 2116 Unikyd Red-Oxide Primer | OMEGA 2119 Unikyd Alkali-Resistant Primer |
| Cost-effective primer designed with good wetting properties and for mild-to-moderate environments. | Formulated for the protection of steel and metal surfaces with long-term corrosion control and adhesion. | Designed to resist alkali and water while increasing the adhesion of paint with durability and integrity. |
| <ul style="list-style-type: none"> - One component - Good leveling and hiding power - Good sanding and filling properties - Protects against rust and corrosion | <ul style="list-style-type: none"> - One-component - Designed for mild-to-moderate corrosive environments - Good adhesion and leveling properties | <ul style="list-style-type: none"> - One-component - Protects from alkali attacks - Strengthens surfaces and protects the integrity of substrates - Reduces chalkiness |

Architectural and Decorative Coatings

Primers and Sealers

| | | |
|---|---|--|
| UNIKYD Wood Primer 2152 | OMEGA SB Primer 2155 | OMEGA SB Sealer 2600 |
| ALKYD-BASED PRIMER | ACRYLIC-BASED PRIMER | ACRYLIC-BASED SEALER |
| OMEGA 2152 Unikyd Wood Primer | OMEGA 2155 Solvent-borne Primer | OMEGA 2600 Solvent-borne Sealer |
| Provides good-drying stain-blocking properties while penetrates and seals bare wood for good adhesion. | Offers best protection against alkali attack with strong surface adhesion for interior and exterior surfaces. | Helps protect and improve dirt resistance with excellent penetration for a flexible and breathing surface. |
| <ul style="list-style-type: none"> - One-component - Prevents the growth of mildew - Blocks stains from water and knots - Controls hairline checking on new concrete | <ul style="list-style-type: none"> - One-component - Solvent-borne based on acrylic - Alkali resistant - Excellent penetration - Strong surface adhesion | <ul style="list-style-type: none"> - One-component - Thermoplastic modified acrylic - Alkali resistant - Excellent penetration - Enhances surface integrity |
| OMEGA WR Sealer 3020 | OMEGA Penetrating Sealer 7600 | OMEGA Penetrating Primer 7610 |
| SILANE-BASED SEALER | ACRYLIC-BASED SEALER | ACRYLIC-BASED PRIMER |
| OMEGA 3020 Water-repellant Sealer | OMEGA 7600 Penetrating Sealer | OMEGA 7610 Penetrating Primer |
| Formulated to seal absorbent cementitious surfaces for water and chloride-iron impregnation. | Provides a protective barrier on porous surfaces and resists chemical attack while eliminates dusting. | Provides a protective barrier on porous surfaces and resists chemical attack while eliminates dusting. |
| <ul style="list-style-type: none"> - Silane modified siloxane with acrylic - Forms a hydrophobic layer - Reduces rebar corrosion and dirt - Enhances concrete integrity | <ul style="list-style-type: none"> - Penetrates deep into the capillary - Protects against deterioration caused by dampness and weathering - Enhances adhesion | <ul style="list-style-type: none"> - Penetrates deep into the capillary - Protects against deterioration caused by dampness and weathering - Enhances adhesion |

Architectural and Decorative Coatings

Solutions and Waterproofing

| UNICRYL Varnish 2008 | UNIMATT Varnish 2009 | OMEGA PVA Bond 3010 |
|--|--|---|
| ACRYLIC-BASED VARNISH | ACRYLIC-BASED VARNISH | MULTI-PURPOSE ADHESIVE |
| OMEGA 2008 Varnish Gloss | OMEGA 2009 Varnish Matt | OMEGA 3010 PVA Bond |
| Deepens the color of the topcoat and creates an anti-yellowing even gloss sheen with very high washability. | Deepens the color of the topcoat and creates an anti-yellowing even matt sheen with very high washability. | Offers a wide range of solution as a primer, admixture, bonding agent, sealer and dust proofer. |
| <ul style="list-style-type: none"> - One component, acrylic waterborne - Protects surfaces from dust, dirt, moisture, humidity and UV radiation - Environmentally-friendly, easy use | <ul style="list-style-type: none"> - One component, acrylic waterborne - Protects surfaces from dust, dirt, moisture, humidity and UV radiation - Environmentally-friendly, easy use | <ul style="list-style-type: none"> - General purpose bonding agent and admixture for concrete and plasters - Cement render improver - Reduces surface dusting |
| OMEGA Acrylic Crete 3025 | OMEGA Siloxane 3030 | OMEGA SBR 3040 |
| ACRYLIC-BASED CEMENT MODIFIER | SILANE-BASED COATING | STYRENE BUTADIENE RUBBER |
| OMEGA 3025 Acrylic Crete | OMEGA 3030 Siloxane | OMEGA 3040 SBR |
| Provides solution for filling holes, cracks, defects in concrete structures with increased mortar strength. | Offers an integral barrier against the ingress of moisture and water-borne salts in concrete and masonry. | Improves adhesion and water resistance properties when fully soluble in water and added directly. |
| <ul style="list-style-type: none"> - Lightly textured, acrylic-modified cementitious waterproofing coating - Superior adhesion, water resistance - High resistance to carbon dioxide and chloride diffusion | <ul style="list-style-type: none"> - Prolongs service life of structures - Prevents deterioration - Penetrates into porous substrates - Reduces capillary water absorption - Alkali and UV attack resistant | <ul style="list-style-type: none"> - Multipurpose 5 in 1 product - Makes the mortar waterproof - Improves resistance to salt - Improves toughness and flexibility - Also used as bonding agent |

Architectural and Decorative Coatings

Solutions and Waterproofing

| | | |
|--|--|--|
| <p>UNISEAL Elastomeric Coating 4030</p> | <p>UNISEAL Waterproof Bond 4040</p> | <p>OMEGA Rubber Paint 4400</p> |
| ACRYLIC-BASED WATERPROOFING | ACRYLIC-BASED WATERPROOFING | CHLORINATED RUBBER COATING |
| <p>OMEGA 4030 Elastomeric Coating</p> | <p>OMEGA 4040 Waterproof Bond</p> | <p>OMEGA 4400 Chlorinated Rubber Paint</p> |
| Designed as a waterproofing coating and based on acrylic elastomeric with UV curing copolymer dispersion. | Offers an almost impenetrable and highly elastic solution for various waterproofing requirements. | Designed to resist spillages of aqueous alkaline, acid, oils, and aliphatic solvents with adhesion. |
| <ul style="list-style-type: none"> - Excellent flexibility, breathing, sealing and elongation properties - Excellent crack-bridging ability - Resists growth of microbial organism and is self-curing | <ul style="list-style-type: none"> - Acrylic/rubber dispersion in water - Versatile waterproofing solution - Maintains seamless appearance - Superior bonding strength - Hydrolysis-resistant | <ul style="list-style-type: none"> - Single component, physically drying - Chemical resistant - Corrosion protection - Strong adhesion - Can stretch without cracking |
| <p>OMEGA Bituminous Paint 4500</p> | <p>OMEGA Wood Glue 6500</p> | <p>OMEGA Duct Adhesive 6520</p> |
| BITUMEN-BASED COATING | UNIVERSAL WOOD ADHESIVE | UNIVERSAL DUCT ADHESIVE |
| <p>OMEGA 4500 Bituminous Paint</p> | <p>OMEGA 6500 Wood Glue</p> | <p>OMEGA 6520 Duct Adhesive</p> |
| Provides protection in construction for waterproofing, corrosion resistance, and damp proofing. | Ready-to-use PVAC-based wood glue for all kinds of wood with high bond strength and water resistance. | Ready-to-use PVA-based coating for bonding air-conditioning ducts with high bond strength. |
| <ul style="list-style-type: none"> - Single component, physically drying - Excellent water repellence - Resistant to weathering, oxidation, mild acids, and alkali solutions | <ul style="list-style-type: none"> - Suitable for interior and exterior application as wood surface adhesion - Can be painted over, easy to use - Environmentally-friendly | <ul style="list-style-type: none"> - Excellent water resistance - Anti-fungus protection - Fast drying, easy to use - Environmentally-friendly |

Architectural and Decorative Coatings

Topcoats

| UNICRYL EMULSION Gloss 4000 | UNICRYL EMULSION Satin 4004 | UNICRYL EMULSION Silk 4005 |
|---|---|---|
| WATERBORNE INTERIOR EMULSION | WATERBORNE INTERIOR EMULSION | WATERBORNE INTERIOR EMULSION |
| OMEGA 4000 Unicryl Gloss Emulsion | OMEGA 4004 Unicryl Satin Emulsion | OMEGA 4005 Unicryl Silk Emulsion |
| Offers a wide selection of colors with exceptional color retention, flow, hiding power, and leveling properties. | Offers a wide selection of colors with exceptional color retention, flow, hiding power, and leveling properties. | Offers a wide selection of colors with exceptional color retention, flow, hiding power, and leveling properties. |
| <ul style="list-style-type: none"> - Premium quality acrylic-based - Superior film properties - High washability - Environmentally-friendly | <ul style="list-style-type: none"> - Premium quality acrylic-based - Superior film properties - High washability - Environmentally-friendly | <ul style="list-style-type: none"> - Premium quality acrylic-based - Superior film properties - High washability - Environmentally-friendly |

| UNICRYL PURE Silk 4006 | UNICRYL EMULSION Urban 4042 | UNICRYL EMULSION Matt 4050 |
|---|---|---|
| WATERBORNE INTERIOR EMULSION | WATERBORNE INTERIOR EMULSION | WATERBORNE INTERIOR EMULSION |
| OMEGA 4006 Unicryl Pure Topcoat | OMEGA 4042 Unicryl Urban Topcoat | OMEGA 4050 Unicryl Matt Emulsion |
| Promotes bacterial resistance in paint film with exceptional color retention and rich silk finish. | Provides a luxurious metallic finish, carefully curated, and designed for interiors with long-lasting durability. | Offers a wide selection of colors with exceptional color retention, flow, hiding power, and leveling properties. |
| <ul style="list-style-type: none"> - Premium quality acrylic-based - Anti-fungal and anti-bacterial - High washability - Environmentally-friendly | <ul style="list-style-type: none"> - Premium quality acrylic-based - Distinctive metallic aesthetics - Consistent color representation - Environmentally-friendly | <ul style="list-style-type: none"> - Premium quality acrylic-based - Superior film properties - High washability - Environmentally-friendly |

Architectural and Decorative Coatings

Topcoats

| UNIMATT Emulsion 4052 | OMEGA ECO Emulsion 4053 | UNICRYL WEATHERPROOF Smooth 4055 |
|--|--|---|
| WATERBORNE INTERIOR EMULSION | WATERBORNE INTERIOR EMULSION | WATERBORNE EXTERIOR TEXTURE |
| OMEGA 4052 Unimatt Emulsion | OMEGA 4053 Eco Emulsion | OMEGA 4055 Unicryl Weatherproof Smooth |
| Designed to offer faster drying time and superior coverage for efficient job completion for interior use. | Provides an affordable solution for interior repainting works and ideal with pastel and light colors. | Formulated with lasting elasticity and unique UV protected colors for exceptional performances. |
| <ul style="list-style-type: none"> - Professional-grade - Good flow and color retention - Good washability - Environmentally-friendly | <ul style="list-style-type: none"> - Cost-effective interior paint - Good performance - Washable - Environmentally-friendly | <ul style="list-style-type: none"> - Smooth Finish, low dirt pick-up - Highly durable, exceptional hiding - Resistant to fading, cracks, peeling - Environmentally-friendly |
| UNICRYL WEATHERPROOF Mica 4010 | UNICRYL WEATHERPROOF Fine Texture 4012 | OMEGA ECO Fine Texture 4013 |
| WATERBORNE EXTERIOR TEXTURE | WATERBORNE EXTERIOR TEXTURE | WATERBORNE EXTERIOR TEXTURE |
| OMEGA 4010 Unicryl Weatherproof Mica | OMEGA 4012 Unicryl Weatherproof Fine | OMEGA 4013 Eco Fine Texture |
| Formulated with lasting elasticity and unique UV protected colors for exceptional performances. | Formulated with lasting elasticity and unique UV protected colors for exceptional performances. | Provides an affordable solution for exterior repainting works and ideal with pastel and light colors. |
| <ul style="list-style-type: none"> - Mica Texture, low dirt pick-up - Highly durable, exceptional hiding - Resistant to fading, cracks, peeling - Environmentally-friendly | <ul style="list-style-type: none"> - Fine Texture, low dirt pick-up - Highly durable, exceptional hiding - Resistant to fading, cracks, peeling - Environmentally-friendly | <ul style="list-style-type: none"> - Cost-effective exterior paint - Good performance - Washable - Environmentally-friendly |

Architectural and Decorative Coatings

Topcoats

| UNICRYL WEATHERPROOF Gloss 4015 | UNICRYL THERMA Heat-Reflective 4016 | UNICRYL ULTRA Anti-Carbonation 4041 |
|--|---|---|
| WATERBORNE EXTERIOR TEXTURE | WATERBORNE EXTERIOR TEXTURE | WATERBORNE EXTERIOR TEXTURE |
| OMEGA 4015 Unicryl Weatherproof Gloss | OMEGA 4016 Unicryl Therma Topcoat | OMEGA 4041 Unicryl Ultra Topcoat |
| Formulated with lasting elasticity and unique UV protected colors for exceptional performances. | Based on acrylic elastomeric copolymer with breathable heat-reflecting technology. | Designed with exceptional strength against carbon dioxide with high crack-bridging ability and strength. |
| <ul style="list-style-type: none"> - Gloss Texture, low dirt pick-up - Highly durable, exceptional hiding - Resistant to fading, cracks, peeling - Environmentally-friendly | <ul style="list-style-type: none"> - Anti-cracking, anti-blistering - Exceptional color stability - Protects from visible radiation - Lowers surface temperatures | <ul style="list-style-type: none"> - Anti-carbonation coating - Outstanding durability and opacity - Strong color retention - Prevents growth of mold |
| OMEGA Traffic Paint 4425 | UNICRYL Floor & Deck 4600 | UNICRYL Floor & Deck 4620 |
| SOLVENTBORNE TOPCOAT | SOLVENTBORNE TOPCOAT | WATERBORNE TOPCOAT |
| OMEGA 4425 Traffic Paint | OMEGA 4600 Unicryl Floor&Deck (Sb) | OMEGA 4620 Unicryl Floor&Deck (Wb) |
| Designed to mark the color stripes for traffic on roads, highways, zebra crossings and other thresholds. | Based on modified acrylic with excellent weather and alkali resistances and high gloss retention. | Designed for striping and painting sports and recreational surfaces with excellent all-weather resistances. |
| <ul style="list-style-type: none"> - One-component, fast drying - Excellent resistance to water abrasive weathering and traffic - Strong adhesion to cured asphalt - Good hiding power | <ul style="list-style-type: none"> - One-component, fast drying - Ideal for floors, porch and decks - Protects with hard wearing tough and durable finish - Semi-gloss finish | <ul style="list-style-type: none"> - One component, easy to use - Ideal for tennis courts, jogging paths, outdoor play areas - Strong wear and tear - Matt finish |

Architectural and Decorative Coatings

Topcoats

| UNITEX Texture 5000-5025 | UNICRYL Stone 5030 | UNICRYL Brick & Tile 5620 |
|--|--|---|
| WATERBORNE EXTERIOR TEXTURE | DESIGNER TOPCOAT | WATERBORNE TOPCOAT |
| OMEGA 5000-5025 Unitex Topcoat | OMEGA 5030 Unicryl Stone | OMEGA 5620 Unicryl Brick&Tile (Wb) |
| Designed with flexibility to withstand aggressive climates with great flow and leveling properties. | Unique multi-toned stone textured finish designed for visually appealing accent and exterior walls. | Smooth all-weather acrylic-based coating for all types of roof tiles and bricks with strong wear and tear. |
| <ul style="list-style-type: none"> - Range of textures from fine to heavy - Conceals cracks with light-fast pigments reinforced with chips - Ideal for professional application - Superior coverage, faster dry time | <ul style="list-style-type: none"> - Waterborne coating - Built with ceramic aggregates - Excellent color retention, flexible - Various color options | <ul style="list-style-type: none"> - Waterborne coating - Excellent weather resistance - Versatile, for roof tiles and bricks - Environmentally-friendly - Matt finish |
| UNICRYL Brick & Tile 5625 | UNICRYL Stucco 6010 | UNICRYL Lacquer 7620 |
| SOLVENTBORNE TOPCOAT | DESIGNER TOPCOAT | SOLVENTBORNE TOPCOAT |
| OMEGA 5625 Unicryl Brick&Tile (Sb) | OMEGA 6010 Unicryl Stucco | OMEGA 7620 Unicryl Lacquer |
| Smooth all-weather acrylic-based coating for all types of roof tiles and bricks with strong wear and tear. | Designed for creating elegant and antique stucco finishes with a selection of colors available. | Provides a lustrous and durable finish on automotive and metal surfaces with highly flexible and tough acrylic. |
| <ul style="list-style-type: none"> - Solventborne coating - Excellent weather resistance - Versatile, for roof tiles and bricks - High washability - Semi-gloss and Gloss finish | <ul style="list-style-type: none"> - Versatile application methods - Can create a two-tone effect - Enhances aesthetics - Recommended for hotels, villas, restaurants, lobbies, etc. | <ul style="list-style-type: none"> - Solventborne coating - Excellent weathering - Excellent adhesion to bare metal - Fast-drying topcoat - High Gloss retention |

Architectural and Decorative Coatings

Putties and Fillers

| UNICRYL Putty 6000 | UNIMATT Putty 6002 | OMEGA ECO Putty 6003 |
|---|---|---|
| ACRYLIC-BASED PUTTY | ACRYLIC-BASED PUTTY | ACRYLIC-BASED PUTTY |
| OMEGA 6000 Unicryl Putty | OMEGA 6002 Unimatt Putty | OMEGA 6003 Eco Putty |
| Provides an excellent base for subsequent coats with alkali-resistances and strong adhesion. | Designed to fill wall imperfections, cracks and faults and provides a superior base for subsequent coats. | Cost-effective putty designed to smooth surfaces and fill wall imperfections with good results. |
| <ul style="list-style-type: none"> - Fills dents and holes - Smooth and white - Offers rich and flawless look - Butter-like consistency | <ul style="list-style-type: none"> - Fills dents and holes - Ensures great adhesion - Creates ripple-free surfaces - Environmentally-friendly | <ul style="list-style-type: none"> - Fills dents and holes - Provides good adhesion - Reliable solution for concealing - Environmentally-friendly |

| UNICRYL Block Filler 6001 | OMEGA Powder Filler 6004 | UNICRYL SIGNATURE Filler 6006 |
|---|--|--|
| ACRYLIC-BASED FILLER | ACRYLIC-BASED FILLER | ACRYLIC-BASED FILLER |
| OMEGA 6001 Unicryl Block Filler | OMEGA 6004 Powder Filler | OMEGA 6006 Unicryl Signature Filler |
| Cost-effective primer designed with good wetting properties and for mild-to-moderate environments. | Designed to resist alkali and water while increasing the adhesion of paint with durability and integrity. | Provides a smooth surface for special effect finishing coats with special non-drip property. |
| <ul style="list-style-type: none"> - One component - Good leveling and hiding power - Good sanding and filling properties - Protects against rust and corrosion | <ul style="list-style-type: none"> - One-component - Protects from alkali attacks - Strengthens surfaces and protects the integrity of substrates - Reduces chalkiness | <ul style="list-style-type: none"> - Allows for thick coat application - Versatile application methods for creative design and luxury finishes - Use spatula, trowel, brush, roller - Environmentally-friendly |