



1552 Down River Dr.
P.O. Box 907
Woodland, WA 98674
USA

Products for enjoying the journey

Model	Item	Length	Pieces	Line	Lure	Butt Dia	Tip in 64s	Blank wt
Tournament								

Fly

Midgar

Two-handed - Scandinavian spey

M10'6"F-7/8	683	10'6"	3	7/8		575	5.5	3.4
M11'6"F-7/8	674	11'6"	3	7/8		625	5.5	3.8
M12'6"F-7/8	682	12'6"	3	7/8		680	5.5	4.4
M12'6"F-8/9	681	12'6"	3	8/9		685	5.5	4.4
M13'0"F-9/10	677	13'0"	3	9/10		735	6.0	5.3
M13'0"F-10/11	676	13'0"	3	10/11		730	6.0	5.4
M14'0"F-9/10	678	14'0"	3	9/10		730	6.0	6.3
M14'0"F-10/11	465	14'0"	3	10/11		720		6.3
M15'0"F-10/11	680	15'0"	3	10/11				
M15'0"F-11/12	466	15'0"	3	11/12		750	6.0	7.4

Cairnton Light

Light Trout & Panfish

CL7'6"F-4	203	7'6"	2	4		305	4.5	1.1
CL8'0"F-4	206	8'0"	2	4		320	4.5	1.2
CL8'6"F-4	210	8'6"	2	4		325	4.0	1.3
CL9'0"F-4	216	9'0"	2	4		350	4.5	1.4

Medium Trout & Light Steelhead

CL8'0"F-5	207	8'0"	2	5		325	4.0	1.3
CL8'6"F-5	211	8'6"	2	5		340	4.0	1.4
CL9'0"F-5	217	9'0"	2	5		382	4.0	1.5
CL8'0"F-6	208	8'0"	2	6				
CL8'6"F-6	212	8'6"	2	6		350	4.0	1.6
CL9'0"F-6	218	9'0"	2	6		370	4.0	1.7
CL8'6"F-7	214	8'6"	2	7		350	4.5	1.7
CL9'0"F-7	219	9'0"	2	7				

Bass, Salmon & Steelhead

CL9'0"F-8	221	9'0"	2	8		375	5.0	
CL9'6"F-8	281	9'6"	2	8		415	4.5	

Companion

4 piece

Co8'7"F-3T4		8'7"	4	3				
Co9'0"F-5T4	713	9'0"	4	5				
Co9'0"F-6T4	719	9'0"	4	6		430	4.5	1.7
Co9'0"F-7T4	686	9'0"	4	7		445	4.5	1.8

TX4

4 piece

TX411'0"F-5T4	734	11'0"	4	5		440	5.0	1.9
---------------	-----	-------	---	---	--	-----	-----	-----

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
TX411'0"F-6T4	735	11'0"	4	6		445	5.0	2.1
TX411'0"F-7T4	736	11'0"	4	7		450	5.0	2.1
TX411'0"F-8T4	737	11'0"	4	8		480	5.0	2.3
Cairnton								
Light Trout & Panfish								
C7'6"F-2	350	7'6"	2	2		270	4.5	0.9
C8'0"F-4	351	8'0"	2	4				
C8'6"F-4	354	8'6"	2	4				
C9'0"F-4	360	9'0"	2	4		343	4.0	1.2
Medium Trout & Light Steelhead								
C8'0"F-5	352	8'0"	2	5				
C8'6"F-5	355	8'6"	2	5		345	4.0	
C9'0"F-5	361	9'0"	2	5		355	4.5	1.3
C8'0"F-6	353	8'0"	2	6				
C8'6"F-6	356	8'6"	2	6		350	4.0	1.5
C9'0"F-6	362	9'0"	2	6		365	4.5	1.6
C8'6"F-7	358	8'6"	2	7		350	4.0	1.9
C9'0"F-7	363	9'0"	2	7		365	4.5	1.6
C10'0"F-7	616	10'0"	2	7		415	4.0	
C10'6"F-7	373	10'6"	2	7		415		
Bass, Salmon & Steelhead								
C9'0"F-8	365	9'0"	2	8		375	5.0	2.0
C9'6"F-8	368	9'6"	2	8		400	5.0	2.0
C9'0"F-9	366	9'0"	2	9		400	5.0	2.2
C9'6"F-9	369	9'6"	2	9		405	5.0	2.0
C9'0"F-10	367	9'0"	2	10		415	5.0	2.3
C9'6"F-10	370	9'6"	2	10		420	5.0	2.4
Tarpon & Heavy Saltwater								
C9'0"F-12	501	9'0"	2	12		420	5.5	3.0
C9'6"F-12	371	9'6"	2	12		435	5.0	2.6
C9'0"F-13	502	9'0"	2	13		425	6.0	2.5
3 piece								
C8'0"F-2T3	656	8'0"	3	2		335	4.0	1.6
C8'6"F-3T3	647	8'6"	3	3		320	4.0	1.6
C9'0"F-3T3	632	9'0"	3	3		360	4.0	1.4
C9'0"F-4T3	533	9'0"	3	4		370	4.0	1.7
C9'0"F-5T3	578	9'0"	3	5		365	4.0	1.7
C10'6"F-5T3	424	10'6"	3	5		500	4.5	2.3
C9'6"F-4/5/6	626	9'6"	3	4/5/6		390	4.0	1.9
C10'6"F-7T3	646	10'6"	3	7		420	4.0	
C10'6"F-7T3X	655	10'6"	3	7		460	4.5	
C9'6"F-8/9T3	589	9'6"	3	8/9		465	4.5	2.4
Cairnton XF								
C7'6"F-2 XF	473	7'6"	2	2		275	4.0	0.8
C9'0"F-3 XF	448	9'0"	2	3		350	4.0	
C9'0"F-4 XF	432	9'0"	2	4		360	4.0	1.3
C9'0"F-5 XF	433	9'0"	2	5		370	4.5	1.5
C9'0"F-6 XF	587	9'0"	2	6		370	4.5	
C9'0"F-6XXF	449	9'0"	2	6		375	4.5	
C9'0"F-7 XF	474	9'0"	2	7		400	5.0	1.7
C9'6"F-7 XF	629	9'6"	2	7		415	4.5	
C9'0"F-8 XF	450	9'0"	2	8		395	4.5	2.1
C9'6"F-8 XF	451	9'6"	2	8		440	5.0	2.4
C10'0"F-8 XF	480	10'0"	2	8			4.5	

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
C10'6"F-8 XF	568	10'6"	2	8		465	4.5	
C11'0"F-8 XF	536	11'0"	2	8				
C10'0"F-10 XF	481	10'0"	2	10				
C9'0"F-11 XF	478	9'0"	2	11				
C10'0"F-12 XF	482	10'0"	2	12		570	6.0	3.7
C11'0"F-12 XF	539	11'0"	2	12				
Cairnton - Saltwater								
3 piece Saltwater								
C9'0"F-8T3	327	9'0"	3	8		365	4.5	2.2
C9'0"F-9T3	383	9'0"	3	9		395	5.5	2.5
C9'0"F-10T3	388	9'0"	3	10		485	6.0	2.5
C9'0"F-11T3	617	9'0"	3	11		490	6.0	3.1
C9'0"F-12T3	389	9'0"	3	12		510	6.0	3.4
C8'9"F-12/13T3	453	8'9"	3	12/13				
C9'0"F-13T3	618	9'0"	3	13		540	6.0	4.7
C8'9"F-14T3	471	8'9"	3	14		530	7.0	4.7
Cairnton - Saltwater XF								
Saltwater								
C9'0"F-6T3 XF	619	9'0"	3	6		370	4.0	2.0
C9'0"F-7T3 XF	620	9'0"	3	7		365	4.0	2.1
C9'0"F-8T3 XF	621	9'0"	3	8		375	4.5	2.2
C9'0"F-9T3 XF	622	9'0"	3	9		380	4.5	2.5
C9'0"F-10T3 XF	623	9'0"	3	10		465	5.0	2.5
C9'0"F-11T3 XF	624	9'0"	3	11		470	5.0	3.1
Highlander								
Spey								
H11'0"F-8/9	282	11'0"	3	8/9		570	6.0	4.3
H11'0"F-8/9T	283	11'0"	4	8/9		410	6.0	3.6
H11'6"F-7/8	335	11'6"	3	7/8		500	5.5	3.7
H11'6"F-8/9	340	11'6"	3	8/9		520	6.0	4.3
H12'0"F-8/9	470	12'0"	3	8/9		545	6.0	4.8
H12'0"F-9/10	284	12'0"	3	9/10		595	5.5	5.5
H12'0"F-9/10T	285	12'0"	4	9/10		530	6.0	4.7
H13'0"F-9/10	542	13'0"	3	9/10		570	6.0	5.6
H13'0"F-9/10T	286	13'0"	4	9/10				
H14'0"F-7/8T	579	14'0"	4	7/8		495	5.0	4.3
H14'0"F-8/9T	456	14'0"	4	8/9		495	5.0	5.2
H14'0"F-9/10	287	14'0"	3	9/10		685	6.0	6.6
H14'0"F-10S	330	14'0"	3	10		610	6.0	5.9
H14'0"F-10/11T	288	14'0"	4	10/11		585	6.0	6.2
H15'0"F-10S	567	15'0"	3	10		625	6.5	7.1
H15'0"F-10/11	49	15'0"	3	10/11		665	6.5	6.7
H15'0"F-10/11T	46	15'0"	4	10/11		725	6.5	7.8
H16'0"F-10S	279	16'0"	3	10		630	6.5	7.5
H16'0"F-10/11	291	16'0"	3	10/11		825	6.0	7.9
H16'0"F-10/11T	292	16'0"	4	10/11		720	5.5	8.0
Highlander Light								
Light Trout & Panfish								
HL6'7"F-2	486	6'7"	2	2		240	4.0	0.7
HL7'1"F-2/3	488	7'1"	2	2/3		260	4.0	0.7
HL7'7"F-2/3	489	7'7"	2	2/3		280	4.0	0.8
HL8'1"F-2/3	491	8'1"	2	2/3		285	4.0	1.1
HL8'7"F-2/3	493	8'7"	2	2/3		290	4.0	0.9
HL9'0"F-2/3	497	9'0"	2	2/3		325	4.0	1.3

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
HL5'7"F-3-1	612	5'7"	1	3		268	4.5	0.6
HL5'7"F-3	590	5'7"	2	3		210	4.5	
HL6'1"F-3-1	613	6'1"	1	3		282	4.5	0.6
HL6'1"F-3	591	6'1"	2	3		230	4.5	
HL6'7"F-3-1	614	6'7"	1	3		305	4.5	0.8
HL6'7"F-3	487	6'7"	2	3		250	4.0	0.7
HL7'1"F-3-1	615	7'1"	1	3		318	4.5	0.8
HL7'7"F-3/4	490	7'7"	2	3/4		280	4.5	1.0
HL8'1"F-3/4	492	8'1"	2	3/4		280	4.0	1.1
HL8'7"F-3/4	494	8'7"	2	3/4		325	4.0	1.0
HL9'0"F-3/4	498	9'0"	2	3/4		335	4.0	1.4
HL8'7"F-4/5	495	8'7"	2	4/5		335	4.5	1.3
HL9'0"F-4/5	499	9'0"	2	4/5		345	4.0	1.3
Medium Trout								
HL8'7"F-5/6	496	8'7"	2	5/6		350	4.5	1.2
HL9'0"F-5/6	500	9'0"	2	5/6		360	4.5	1.5
Highlander Plus								
Light Trout & Panfish								
H+7'6"F-4T3	665	7'6"	3	4				
Medium Trout & Light Steelhead								
H+8'6"F-5T3	666	8'6"	3	5				
H+9'0"F-5T3	667	9'0"	3	5		365	4.0	2.0
H+9'0"F-6T3	668	9'0"	3	6		390	4.0	2.2
H+9'6"F-6T3	669	9'6"	3	6		420	4.5	2.5
H+9'0"F-7T3	670	9'0"	3	7		400	4.5	2.1
Bass, Salmon & Steelhead								
H+9'0"F-8T3	671	9'0"	3	8		395	5.0	2.3
H+9'6"F-8T3	672	9'6"	3	8		395	5.0	
H+9'0"F-10T3	673	9'0"	3	10		435	5.0	2.5
Highlander								
Light Trout & Panfish								
H6'6"F-2	248	6'6"	2	2		250	4.0	0.7
H8'3"F-3	439	8'3"	2	3		320	4.0	1.2
H9'0"F-3	249	9'0"	2	3		350	4.0	1.4
H8'0"F-4	440	8'0"	2	4		315	4.0	1.4
H8'6"F-4	469	8'6"	2	4		335	4.0	1.4
H9'0"F-4	250	9'0"	2	4		350	4.5	1.4
H9'6"F-4	258	9'6"	2	4		380	4.0	1.7
H10'0"F-4	268	10'0"	2	4		410	4.5	2.2
Medium Trout & Light Steelhead								
H8'6"F-5	441	8'6"	2	5		330	4.5	1.5
H9'0"F-5	253	9'0"	2	5		360	4.0	1.5
H9'6"F-5	259	9'6"	2	5		385	4.5	2.1
H10'0"F-5	262	10'0"	2	5		410	4.5	
H9'0"F-6	254	9'0"	2	6		365	4.5	1.6
H9'6"F-6	269	9'6"	2	6		410	4.5	2.0
H10'0"F-6	267	10'0"	2	6		415	4.5	2.4
H9'0"F-7	255	9'0"	2	7		400	5.0	2.1
H9'6"F-7	260	9'6"	2	7				
H10'0"F-7	264	10'0"	2	7		430	4.0	2.5
Bass, Salmon & Steelhead								
H9'0"F-8	256	9'0"	2	8		405	4.5	2.2
H9'6"F-8	261	9'6"	2	8		400	4.0	2.5
H10'0"F-8	265	10'0"	2	8		430	5.0	1.9
H9'0"F-9	266	9'0"	2	9		410	5.0	2.4

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
H9'0"F-10	257	9'0"	2	10		420	5.0	2.3
Highlander - 3 piece								
Light Trout & Panfish								
H9'0"F-2T3	270	9'0"	3	2		335	4.0	
H9'0"F-3T3	51	9'0"	3	3		345	4.5	1.8
H7'6"F-4T3	333	7'6"	3	4		290	4.5	1.1
H8'0"F-4T3	342	8'0"	3	4		340	4.0	1.5
H8'6"F-4T3	341	8'6"	3	4		325	4.5	1.6
H9'0"F-4T3	193	9'0"	3	4		335	4.0	1.8
H9'6"F-4T3	243	9'6"	3	4		340	4.5	2.1
H10'0"F-4T3	246	10'0"	3	4		340	4.5	2.4
Medium Trout & Light Steelhead								
H7'6"F-5T3	332	7'6"	3	5				
H8'0"F-5T3	344	8'0"	3	5		340	4.0	1.6
H8'6"F-5T3	345	8'6"	3	5		325	4.5	1.7
H9'0"F-5T3	194	9'0"	3	5		345	4.5	1.9
H9'6"F-5T3	198	9'6"	3	5		390	4.0	1.9
H10'0"F-5T3	107	10'0"	3	5		355	4.5	2.3
H8'6"F-6T3	384	8'6"	3	6				
H9'0"F-6T3	195	9'0"	3	6		355	4.5	2.1
H9'6"F-6T3	199	9'6"	3	6		365	4.5	2.2
H10'0"F-6T3	110	10'0"	3	6		395	4.5	2.6
H9'0"F-7T3	196	9'0"	3	7		375	5.0	2.2
H9'6"F-7T3	200	9'6"	3	7		370	4.5	2.5
H10'0"F-7T3	294	10'0"	3	7		385	5.0	2.4
Bass, Salmon & Steelhead								
H9'0"F-8T3	197	9'0"	3	8		360	5.0	2.4
H9'6"F-8T3	201	9'6"	3	8		400	4.5	2.5
H10'0"F-8T3	318	10'0"	3	8		500	4.5	2.5
H9'0"F-9T3	240	9'0"	3	9		370	5.5	2.6
H9'6"F-9T3	245	9'6"	3	9		355	5.0	2.7
H9'0"F-10T3	242	9'0"	3	10		410	6.0	2.7
H9'6"F-10T3	382	9'6"	3	10		410	4.5	2.9
Tarpon & Heavy Saltwater								
H9'0"F-12T3	347	9'0"	3	12		390	4.5	2.4
H8'6"F-14T3	346	8'6"	3	14		390	4.5	2.4
Highlander - 4 piece								
Light Trout & Panfish								
H9'6"F-5T4	272	9'6"	4	5				
Highlander - 3 piece XF								
Light Trout & Panfish								
H8'0"F-4T3 XF	235	8'0"	3	4		350	4.0	1.5
Medium Trout & Light Steelhead								
H8'0"F-5T3 XF	276	8'0"	3	5		360	4.0	
H8'6"F-5T3 XF	397	8'6"	3	5		345	4.5	
H9'0"F-5T3 XF	189	9'0"	3	5		365	4.5	2.0
H9'0"F-6T3 XF	398	9'0"	3	6		375	4.5	2.2
H9'6"F-6T3 XF	399	9'6"	3	6		390	4.5	
ITM Balanced Graphite PLUS								
Light Trout & Panfish								
F6'6"F-2		6'6"	2	2		260	4.0	0.8
F5'7"F-3	503	5'7"	1	3		240	4.0	0.6
F7'0"F-3		7'0"	2	3		265	4.0	0.9
I7'6"F-3	504	7'6"	2	3		320	4.0	0.9

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
17'9"F-3	505	7'9"	2	3		305	4.0	1.0
17'6"F-4	507	7'6"	2	4		275	4.0	0.8
18'0"F-4	512	8'0"	2	4		305	4.0	1.4
18'6"F-4	516	8'6"	2	4		330	4.0	1.1
19'0"F-4	522	9'0"	2	4		345	4.0	1.4
Medium Trout & Light Steelhead								
17'6"F-5	509	7'6"	2	5		315	4.0	0.9
18'0"F-5	513	8'0"	2	5				
18'6"F-5	517	8'6"	2	5		355	4.0	1.3
19'0"F-5	523	9'0"	2	5		375	4.0	1.4
110'0"F-5	582	10'0"	2	5				
18'0"F-6	514	8'0"	2	6		335	4.0	1.7
18'6"F-6	518	8'6"	2	6		365	4.5	1.5
19'0"F-6	524	9'0"	2	6		385	4.5	1.6
19'6"F-6	580	9'6"	2	6		400	4.5	1.8
110'0"F-6	583	10'0"	2	6				
18'6"F-7	520	8'6"	2	7		380	4.5	1.9
19'0"F-7	525	9'0"	2	7		410	4.5	2.1
19'6"F-7	531	9'6"	2	7		410	4.5	2.2
110'0"F-7	584	10'0"	2	7				
Bass, Salmon & Steelhead								
19'0"F-8	527	9'0"	2	8		410	4.5	2.1
19'6"F-8	581	9'6"	2	8				
110'0"F-8	585	10'0"	2	8		440	5.0	2.2
19'0"F-9	528	9'0"	2	9		405	4.5	2.1
19'6"F-9	532	9'6"	2	9		425	4.5	2.3
110'0"F-9	586	10'0"	2	9				
19'0"F-10	529	9'0"	2	10		490	5.0	2.9
Tarpon & Heavy Saltwater								
19'0"F-12	530	9'0"	2	12		505	6.0	3.7
19'9"F-6	740	9'9"	4	6		470	6.0	1.8
19'9"F-7	728	9'9"	4	7		475	5.5	1.9
19'9"F-8	729	9'9"	4	8		480	5.5	2.1
19'9"F-9	722	9'9"	4	9		480	5.5	2.7
Travel-Special purpose								
111'9"F-5	695	11'9"	3	5		465	4.5	2.1
111'9"F-6	696	11'9"	3	6		485	5.0	2.2
111'9"F-7	697	11'9"	3	7		485	5.5	2.3
11'9"F-6	'20M	11'9"	4	6		475	4.5	2.4
11'9"F-7	'18M	11'9"	4	7		490	5.0	2.4
11'9"F-8	'16M	11'9"	4	8		490	5.5	2.5
VI Balanced Graphite PLUS								
Light Trout & Panfish								
6'6"F-2	1	6'6"	2	2		255	4.5	0.7
7'6"F-2	337	7'6"	2	2		310	4.0	1.0
8'0"F-2	334	8'0"	2	2		315		
6'0"F-3	661	6'0"	2	3		235	4.0	
6'6"F-3	338	6'6"	2	3				
7'0"F-3	325	7'0"	2	3		260	4.0	0.8
7'6"F-3	339	7'6"	2	3		320	4.0	
7'9"F-3	7	7'9"	2	3		305	4.0	1.1
8'0"F-3 (S)	280	8'0"	2	3				
8'6"F-3 (S)	336	8'6"	2	3				
9'0"F-3	541	9'0"	2	3		350	4.0	1.4
6'0"F-4/5	343	6'0"	2	4/5		345	4.0	

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
7'0"F-4	2	7'0"	2	4		265	4.0	0.8
7'6"F-4	4	7'6"	2	4		275	4.0	0.9
8'0"F-4	8	8'0"	2	4		315	4.0	1.0
8'6"F-4	11	8'6"	2	4		330	4.0	1.2
9'0"F-4	19	9'0"	2	4		345	4.0	1.5

Medium Trout & Light Steelhead

7'0"F-5	324	7'0"	2	5		275	4.5	
7'6"F-5	6	7'6"	2	5		315	4.0	1.0
8'0"F-5	9	8'0"	2	5		340	4.0	1.2
8'6"F-5	12	8'6"	2	5		355	4.0	1.4
9'0"F-5	20	9'0"	2	5		375	4.0	1.5
9'6"F-5	30	9'6"	2	5		395	4.5	2.1
10'0"F-5	35	10'0"	2	5		490	4.0	2.3
8'0"F-6	47	8'0"	2	6		300	4.0	1.5
8'6"F-6	14	8'6"	2	6		360	4.5	1.5
9'0"F-6	21	9'0"	2	6		385	4.5	1.7
9'6"F-6	31	9'6"	2	6		400	4.5	1.9
10'0"F-6	36	10'0"	2	6		440	4.5	2.3
10'6"F-6	40	10'6"	2	6		445	4.5	2.5
8'6"F-7	16	8'6"	2	7		370	4.0	1.7
9'0"F-7	23	9'0"	2	7		410	4.5	2.2
9'6"F-7	32	9'6"	2	7		410	4.5	2.3
10'0"F-7	37	10'0"	2	7		435	4.5	2.4
10'6"F-7	41	10'6"	2	7		440	4.5	2.4

Bass, Salmon & Steelhead

8'6"F-8	44	8'6"	2	8		385	4.5	2.0
9'0"F-8	25	9'0"	2	8		415	4.5	1.9
9'6"F-8	33	9'6"	2	8		425	4.5	1.9
10'0"F-8	38	10'0"	2	8		440	5.0	2.2
10'6"F-8	42	10'6"	2	8		455	4.5	2.5
9'0"F-9	27	9'0"	2	9		410	4.5	2.0
9'6"F-9	34	9'6"	2	9		450	4.5	2.4
10'0"F-9	39	10'0"	2	9		460	5.0	2.4
10'6"F-9	43	10'6"	2	9		430	5.0	2.4
9'0"F-10	28	9'0"	2	10		490	5.0	2.8

Tarpon & Heavy Saltwater

8'6"F-11	18	8'6"	2	11		480	5.0	2.6
9'0"F-11	572	9'0"	2	11		485	5.5	3.1
9'0"F-12	29	9'0"	2	12		505	5.0	3.3
9'0"F-13	1029	9'0"	2	13		510	5.5	3.6

Bluewater

8'6"F-15	50	8'6"	2	15		625	6.0	4.1
----------	----	------	---	----	--	-----	-----	-----

VI Balanced Graphite PLUS XF

Light Trout & Panfish

7'9"F-3 XF	3	7'9"	2	3		315	4.0	0.8
9'0"F-3 XF	323	9'0"	2	3		350	4.0	1.5
8'0"F-4 XF	648	8'0"	2	4		345	4.0	1.0
8'6"F-4 XF	319	8'6"	2	4		335	4.5	1.4
9'0"F-4 XF	225	9'0"	2	4		355	4.0	1.4
9'6"F-4 XF	326	9'6"	2	4				

Medium Trout & Light Steelhead

9'0"F-5 XF	226	9'0"	2	5		390	4.0	1.8
9'6"F-5 XF	296	9'6"	2	5		410	4.5	2.0
10'0"F-5 XF	238	10'0"	2	5		405	4.5	2.1
9'0"F-6 XF	231	9'0"	2	6		390	4.0	2.0

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
9'6"F-6 XF	227	9'6"	2	6		405	4.5	2.2
10'0"F-6 XF	298	10'0"	2	6		435	4.0	2.1
10'6"F-6 XF	299	10'6"	2	6		440	4.5	2.4
9'0"F-7 XF	232	9'0"	2	7		410	4.5	1.8
9'6"F-7 XF	228	9'6"	2	7		410	4.5	2.2
10'0"F-7 XF	315	10'0"	2	7		455	4.5	2.0
10'6"F-7 XF	316	10'6"	2	7		455	4.5	2.2
Bass, Salmon & Steelhead								
9'0"F-8 XF	239	9'0"	2	8		420	4.5	1.6
9'6"F-8 XF	229	9'6"	2	8		430	4.5	2.3
10'0"F-8 XF	237	10'0"	2	8		445	4.5	2.5
10'6"F-8 XF	317	10'6"	2	8		575	4.0	2.3
9'0"F-9 XF	22	9'0"	2	9		425	4.5	2.0
9'6"F-9 XF	230	9'6"	2	9		455	4.5	1.9
10'0"F-9 XF	274	10'0"	2	9		435	5.0	2.5
9'0"F-10 XF	295	9'0"	2	10		485	4.5	2.8
10'0"F-10 XF	275	10'0"	2	10		485	5.0	3.2
11'0"F-10 XF	537	11'0"	2	10				
Tarpon & Heavy Saltwater								
9'0"F-12 XF	538	9'0"	2	12				
VI Balanced Graphite PLUS - 4 piece								
Light Trout & Panfish								
7'6"F-4T4	5	7'6"	4	4		345	4.5	1.1
9'0"F-4T4	535	9'0"	4	4		380	4.5	1.9
9'0"F-4T4	331	9'0"	4	4		355	4.5	1.8
Medium Trout & Light Steelhead								
7'6"F-5T4	48	7'6"	4	5		275	4.0	1.2
8'6"F-5T4	349	8'6"	4	5		360	4.5	1.6
9'0"F-5T4	247	9'0"	4	5		365	4.5	1.8
8'0"F-6T4	10	8'0"	4	6		360	4.0	1.6
8'6"F-6T4	15	8'6"	4	6		370	4.5	1.6
9'0"F-6T4	273	9'0"	4	6		350	4.5	2.0
8'6"F-7T4	17	8'6"	4	7		350	4.0	1.7
9'0"F-5T4	534	9'0"	4	5		425	4.5	2.0
9'0"F-7T4	24	9'0"	4	7		415	5.0	2.3
9'6"F-7T4	452	9'6"	4	7		415	5.0	2.7
Bass, Salmon & Steelhead								
9'0"F-8T4	45	9'0"	4	8		415	5.0	2.4
9'6"F-8T4	328	9'6"	4	8		425	5.0	
9'0"F-9T4	577	9'0"	4	9		445	5.0	2.4
9'6"F-9T4	659	9'6"	4	9		470	5.0	
9'0"F-5T4	427	9'0"	4	5		380	4.5	1.8
9'0"F-6T4	428	9'0"	4	6		405	4.5	2.1
10'6"F-7T4	447	10'6"	4	7				3.3
9'0"F-8T4	429	9'0"	4	8		420	5.0	2.4
Travel-Special purpose								
10'6"F-5	691	10'6"	3	5		430	5.0	1.9
10'6"F-6	692	10'6"	3	6		475	6.5	2.1
10'6"F-7	693	10'6"	3	7		450	6.0	2.0
11'6"F-5	687	11'6"	3	5		455	5.0	2.2
11'6"F-6	688	11'6"	3	6		465	5.0	2.3
11'6"F-7	689	11'6"	3	7		470	5.0	2.3

Explorer

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
8'6"F-5/6	13	8'6"	2	5/6		350	4.0	1.4
9'0"F-5/6	1021	9'0"	2	5/6		360	4.0	1.7
9'0"F-7/8	26	9'0"	2	7/8		405	5.0	1.9
Baitcast & Spin								
HTM Balanced Graphite								
Carp								
12'0"	390	12'0"	2		2	490	4.5	7.2
12'0"	376	12'0"	2		2 1/2	490	5.0	7.5
12'6"	391	12'6"	2		3	560	5.0	8.4
12'6"	628	12'6"	2		4	635	6.0	9.0
12'6"	698	12'6"	2		4.5	700	6.5	9.3
13'0"	392	13'0"	2		3 1/2	595	5.5	8.8
ITM Balanced Graphite PLUS								
Float								
11'6"	733	11'6"	3			480	5.0	2.2
113'0"	717	13'0"	3			535	4.5	3.1
VI Balanced Graphite PLUS								
Light Spin								
4'6"-US	60	4'6"	1	1-4	1/16-3/16	275	4.0	0.5
5'0"-US	61	5'0"	1	1-4	1/16-3/16	245	4.5	0.6
5'0"-US2	177	5'0"	2	1-4	1/16-3/16	255	5.0	0.7
5'0"-UM	62	5'0"	1	1-4	1/16-1/4	255	4.5	0.7
5'0"-UF	63	5'0"	1	2-4	1/8-1/4	265	4.5	0.8
5'4"-MLF	64	5'4"	1	4-10	1/8-5/16	295	5.0	0.9
5'6"-US	65	5'6"	1	1-4	1/16-1/4	315	4.5	0.7
5'6"-US2	141	5'6"	2	1-4	1/16-1/4	245	4.0	0.7
5'6"-UM2	66	5'6"	2	2-6	1/8-1/4	275	4.5	0.7
5'6"-LM2	67	5'6"	2	4-8	1/8-5/16	295	4.5	0.7
5'9"-MLF	72	5'9"	1	4-10	1/8-5/16	305	5.0	1.2
5'9"-LS	71	5'9"	1	2-8	1/8-3/8	395	5.0	1.7
6'0"-US	74	6'0"	1	1-4	1/16-1/4	335	4.0	1.0
6'0"-UL2	442	6'0"	2			282	4.0	0.8
6'0"-US2	156	6'0"	2	1-4	1/16-1/4	280	4.5	0.8
6'0"-ULFS	154	6'0"	1	2-6	1/16-5/16	405	5.0	1.8
6'0"-UM2	75	6'0"	2	2-6	1/8-1/4	295	4.5	0.9
6'0"-LM	76	6'0"	1	4-8	1/8-5/16	355	4.5	1.1
6'0"-LM2	77	6'0"	2	4-8	1/8-5/16	305	4.5	1.0
6'6"-UM2	83	6'6"	2	2-6	1/8-1/4	300	4.5	1.0
6'6"-LS2	85	6'6"	2	2-8	1/8-3/8	325	4.5	1.2
6'6"-UF	251	6'6"	1	4-8	1/8-5/16	350	4.5	1.4
7'0"-UM2	91	7'0"	2	2-6	1/8-1/4	330	5.0	1.2
7'0"-LM2	92	7'0"	2	4-8	1/8-5/16	350	4.5	1.5
Musky								
5'9"-XHM	73	5'9"	1	15-40	3/4-4	595	12.0	4.1
6'0"-HF	290	6'0"	1					
6'4"-HM	82	6'4"	1	15-30	3/4-2 1/2	555	6.5	2.6
6'6"-XMF	550	6'6"	1	12-25	1/2-2 1/2	585	5.0	2.6
6'6"-XXH	644	6'6"	1	25-40		830		
6'9"-H	277	6'9"	1	15-30				
6'10"-XHM	381	6'10"	1	15-40	3/4-4	635		5.4
Bass & Walleye								
5'6"-LF	241	5'6"	1	6-12	3/16-3/8	485	5.0	1.8
5'6"-LCF	545	5'6"	1	4-8	1/16-1/4	480	4.5	1.7
5'6"-MLF	68	5'6"	1	6-17	1/4-5/8	480	5.0	1.6

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
5'6"-MLFC	547	5'6"	1	6-17	1/4-5/8	455	4.5	1.8
5'6"-MFC	546	5'6"	1	6-17	1/4-5/8	420	5.0	1.7
5'8"-MLF	178	5'8"	1	6-15	3/16-3/8	425	5.0	1.7
5'8"-MF	574	5'8"	1	6-17	1/4-5/8			
6'0"-LF	78	6'0"	1	4-8	1/16-1/4	445	5.5	1.8
6'0"-LFC	144	6'0"	1	4-8	1/16-1/4	420	5.0	1.8
6'0"-LFS	147	6'0"	1	4-8	1/16-1/4	465	5.0	1.9
6'0"-MLF	79	6'0"	1	6-17	1/4-5/8	525	5.5	1.6
6'0"-MLF2	133	6'0"	2	4-10	1/8-5/16	325	4.5	1.3
6'0"MLFC	145	6'0"	1	6-17	1/4-5/8	440	5.0	2.1
6'0"-MLFS	148	6'0"	1	6-17	1/4-5/8	510	5.0	2.1
6'6"-LF	252	6'6"	1	6-12	3/16-3/8	485	5.0	2.3
6'6"-LF2	86	6'6"	2	4-10	1/8-5/16	360	5.0	1.5
6'6"-MLF	87	6'6"	1	6-17	1/4-5/8	555	5.0	1.9
6'6"-MLFS	150	6'6"	1	6-17	1/4-5/8	550	4.5	1.8
6'6"-MLF2	485	6'0"	2			365	5.0	
6'6"-MF2	88	6'6"	2	6-15	1/4-1/2	490	5.0	1.5
Mag Bass								
5'6"-MXF	69	5'6"	1	8-20	3/8-3/4	480	5.0	1.7
5'6"-MHF	244	5'6"	1	12-25	1/2-1	425	6.0	1.9
6'0"-MXF	80	6'0"	1	8-20	3/8-3/4	510	5.0	1.8
6'0"-MXFC	146	6'0"	1	8-20	3/8-3/4	445	5.0	2.0
6'0"-MXFS	149	6'0"	1	8-20	3/8-3/4	510	5.0	2.3
6'0"-MF	55	6'0"	1	8-20	3/8-3/4			
6'0"-MHF	81	6'0"	1	12-25	1/2-1	510	6.5	2.2
6'0"-MHFC	155	6'0"	1	12-25	3/8-1	450	5.0	2.5
6'0"-MHFS	152	6'0"	1	12-25	1/2-1 1/4	500	5.0	2.1
6'6"-MXF	89	6'6"	1	8-20	3/8-3/4	560	5.0	2.2
6'6"-MXFS	153	6'6"	1	8-20	3/8-3/4	545	5.0	2.3
6'6"	588	6'6"	1					
6'6"-MHF	140	6'6"	1	12-25	1/2-1	565	5.0	2.6
6'6"-MHXF	90	6'6"	1	8-25	3/8-1	550	4.5	1.9
6'6"-HF	169	6'6"	1	10-17	3/8-1	565	5.5	2.4
6'6"-XHF	170	6'6"	1	12-20	3/8-2			
6'6"-XXHF	171	6'6"	1	12-30	3/8-4	705	7.0	4.7
6'8"-MXF	551	6'8"	1	8-15	1/2-3/4	520	4.5	2.5
6'8"-MHF	552	6'8"	1	10-17	3/8-1	565	6.0	2.6
6'8"-XHF	553	6'8"	1	12-20	3/8-2	600	6.0	2.6
7'0"-MMF	97	7'0"	1	10-20	1/2-1 1/2	600	5.5	2.7
7'0"-MXF	99	7'0"	1	6-17	1/8-3/4	595	5.0	2.6
7'0"-MHF	100	7'0"	1	15-30	3/4-2 1/4	600	6.5	3.7
7'0"-MHF2	592	7'0"	2	12-25	1/2-1	560	6.0	
7'0"-MHXF	101	7'0"	1	12-25	5/8-2	525	5.5	2.3
7'0"-HMF	157	7'0"	1	12-20	3/8-2	605	5.0	3.0
7'0"-HF	158	7'0"	1	10-17	3/8-1	615	5.5	3.3
7'0"-XHF	172	7'0"	1	15-25	3/8-3	610	6.5	3.6
7'6"-MMF	139	7'6"	1	6-17	5/16-5/8	640	5.5	3.4
Flippin & Extendables								
6'6"-MMF	548	6'6"	1	8-17	1/4-5/8	560	6.0	2.1
6'6"-MMLF	549	6'6"	1	6-12	1/8-3/8	570	5.5	2.2
6'6"-MXF(E)	575	6'6"	1E	8-20	3/8-3/4			
6'10"-MXF(E)	554	6'10"	1E	8-15	1/2-3/4	645	4.5	3.1
6'10"-MHF(E)	555	6'10"	1E	10-17	3/8-1	645	5.0	3.1
7'0"-LF(E)	94	7'0"	1E	6-12	1/4-1/2	600	5.0	3.4
7'0"-MLF(E)	175	7'0"	1E	4-10	1/8-5/16	655	5.5	3.6
7'0"-MF(E)	176	7'0"	1E	8-17	3/8-3/4	620	5.5	3.6

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
7'6"-LF(E)	558	7'6"	1E	6-12	1/4-1/2	625	5.0	3.6
7'6"-MLF(E)	560	7'6"	1E	4-10	1/4-1/2	655	5.0	3.7
7'6"-MXF(E)	573	7'6"	1E	10-20	3/8-3/4	650	5.5	
7'6"-MHMF(E)	106	7'6"	1E	10-25	3/8 1 1/2	655	6.5	3.7
7'6"-MHF(E)	134	7'6"	1E	12-25	1/2-1 3/4	665	7.0	3.5
7'6"-HMF(E)	108	7'6"	1E	15-30	1/2-2	675	6.5	4.0
8'0"-HMF(E)	111	8'0"	1E	12-30	1/2-2	690	7.5	4.0
8'0"-MHMH(E)	52	8'0"	1E					
8'6"-MF(E)	348	8'6"	1E					

Light Saltwater & Special Purpose

7'0"-LF	93	7'0"	1	6-12	1/4-1/2	425	5.0	2.0
7'0"-LF2	556	7'0"	2	4-8	1/4-1/2	420	4.5	1.0
7'0"-MLF	95	7'0"	1	4-10	1/8-5/16	484	5.5	1.6
7'0"-MLF2	96	7'0"	2	4-10	1/8-5/16	385	5.0	2.0
7'0"-MLXF	173	7'0"	1	6-10	1/4-1/2	495	5.0	1.6
7'0"-MF	98	7'0"	1	8-17	3/8-3/4	500	5.5	2.3
7'0"-MF2	557	7'0"	2	8-17	3/8-3/4	530	5.5	2.3
7'6"-LF2	263	7'6"	2	6-12	1/4-3/8	465	5.0	1.8
7'6"-MLF	136	7'6"	1	6-12	5/16-9/16	520	5.5	2.0
7'6"-MF	104	7'6"	1	8-17	3/8-3/4	520	5.5	2.7
7'6"-MF2	559	7'6"	2	8-17	3/8-3/4	480	5.5	2.4

Salmon & Steelhead

6'10"-ML	443	6'10"	1	12-25	3/8-2	750	7.0	2.5
7'6"-MXF	105	7'6"	1	8-20	1/4-3	560	5.5	2.9
7'4"-MXF2	638	7'4"	2	8-20	1/4-3	560	5.5	3.1
7'6"-MXHF	135	7'6"	1	12-25	1/2-3	605	6.5	3.4
7'6"-HF	109	7'6"	1	12-25	3/4-4	640	6.5	4.7
7'6"-MXH	202	7'6"	1	12-25	1/2-4			
7'6"-XHF	271	7'6"	1	15-30	1-6	640	6.5	4.8
7'9"-L	84	7'9"	1	12-25	1/4-1 1/2	825	5.5	
7'9"-ML	293	7'9"	1	12-25	3/8-2	820	6.0	3.0
7'9"-H	53	7'9"	1	15-30	3/4-2 1/2	825	7.0	3.8
7'9"-XH	593	7'9"	1			825	7.0	3.8
8'0"	385	8'0"	2		8-25 a	415	5.5	2.4
8'0"	386	8'0"	2		20-40 a	475	5.5	2.5
8'0"-XHF	112	8'0"	1	15-30	1-6	665	6.5	5.3
8'0"-XHF2	639	8'0"	2	15-30	1-6	650	6.5	5.0
8'3"-MLXF2	113	8'3"	2	6-10	1/4-1/2	480	5.0	2.4
8'6"-MLXF2	54	8'6"	2	6-10	1/4-1/2	500	5.0	2.3
8'6"-ML2	702	8'6"	2	8-17	1/4-3/4	480	5.5	2.9
8'6"-MF2	114	8'6"	2	6-15	3/8-3/4	500	5.5	2.6
8'6"-MXF	115	8'6"	1	8-20	1/4-3	625	5.0	4.3
8'6"-MXF2	116	8'6"	2	8-20	1/4-3	590	5.0	3.3
8'6"-MHF2	117	8'6"	2	10-20	3/8-4	485	5.5	2.8
8'6"-HMF	215	8'6"	1	15-30	1/2-4			
8'6"-HMF2	209	8'6"	2	15-30	1/2-4	525	6.0	3.3
8'6"-HF2	118	8'6"	2	10-25	1-4	620	6.0	3.7
9'0"-LMF2	119	9'0"	2	4-8	1/8-3/8	440	4.5	2.7
9'0"-MLXF2	483	9'0"	2	6-10	1/4-1/2			
9'0"-ML2	747	9'0"	2	8-17	1/4-3/4	510	5.0	3.2
9'0"-MF2	120	9'0"	2	6-15	3/8-3/4	510	5.0	3.0
9'0"-MXF2	143	9'0"	2	8-20	1/4-3	605	4.5	3.4
9'0"-MHXF2	142	9'0"	2	10-20	3/8-4	590	6.0	3.2
9'0"-MHF2	701	9'0"	2	8-20	3/8-1 1/4	590	5.5	3.3
9'0"-HXF2	137	9'0"	2	10-25	1-3	600	6.0	3.6
9'0"-XHF2	121	9'0"	2	15-30	2-6	640	6.0	4.6

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
9'0"-XXHF2	122	9'0"	2	20-30	2-6	640	6.5	5.8
9'6"-LT2	188	9'6"	2	4-8	1/16-3/8	440	4.5	2.2
9'6"-LF2	748	9'6"	2	6-12	1/8-3/8	530	5.5	2.9
9'6"-ML2	749	9'6"	2	8-17	1/4-3/4	540	5.0	3.6
9'6"-MXF2	750	9'6"	2	8-20	1/4-1	625	5.0	4.1
9'6"-M2	58	9'6"	2	8-17	3/4-1	590	6.5	3.7
9'6"-MH2	297	9'6"	2			675	6.5	
9'6"-H2	179	9'6"	2	20-35	1-3	675	7.0	7.1
10'0"-MLXF2	484	10'0"	2	6-10	1/4-1/2	540	4.5	3.2
10'0"-ML2	751	10'0"	2	8-17	1/4-3/4	580	5.0	3.5
10'0"-M2	703	10'0"	2	8-17	1/4-1	690	5.0	3.9
10'0"-MXF2	660	10'0"	2	8-20	1/4-3	660	4.5	
10'0"-MHXF2	664	10'0"	2	10-20	3/8-4	625	4.5	
10'0"-MHF2	700	10'0"	2	8-20	3/8-1 1/4	695	5.0	4.3
10'0"-MF2	123	10'0"	2	6-15	3/8-3/4	560	5.0	3.3
10'6"-LL2	640	10'6"	2	6-10	1/8-3/8	560	5.0	4.3
10'6"-XL2	643	10'6"	2	4-8	1/4-1/2	540	6.0	4.3
10'6"-L2	184	10'6"	2	6-10	1/4-1/2	565	6.0	4.4
10'6"-ML2	752	10'6"	2	8-17	1/4-3/4	605	5.0	4.0
10'6"-MF2	125	10'6"	2	6-15	3/8-3/4	555	5.0	4.4
10'6"-MHM2	126	10'6"	2	8-20	1/2-1 1/2	565	5.5	4.4
10'8"-M2	57	10'8"	2	10-20	2-6	790	9.5	6.8
10'8"-ML2	185	10'8"	2	12-20	1/2-1 1/2	650	6.5	4.6
10'8"-MH2	56	10'8"	2	15-25	8-12	785	10.5	
11'0"-LF2	753	11'0"	2	6-12	1/8-3/8	610	5.5	4.2
11'0"-MLXF2	540	11'0"	2	6-10	1/4-1/2	570	4.0	3.6
11'0"-MHF2	755	11'0"	2	8-20	3/8-1 1/4	750	5.0	5.4
11'0"-HXF2	754	11'0"	2	10-25	9/16-2	685	6.0	5.4
11'2"-LT2	377	11'2"	2	4-8	1/16-3/8	630	6.0	4.4
11'2"-ML2	378	11'2"	2	6-10	3/4-1	605	5.0	4.8
11'2"-M2	186	11'2"	2	10-20	1/2-1 1/2	680	6.5	5.5
11'6"-H2	187	11'6"	2	17-30	3/4-2 1/2	840	7.0	8.4
11'8"-LT2	59	11'8"	2	4-8	1/16-1/4	495	5.5	3.4
11'8"-LM2	544	11'8"	2	8-15	1/16-1/4	540	5.5	
12'0"-LT2	630	12'0"	2	4-8	1/16-3/8	500	5.5	
12'0"	543	12'0"	2			640	5.0	
12'0"-ML2	627	12'0"	2	10-20		640	6.5	5.3
12'0"-M2	633	12'0"	2	12-20		680	6.5	6.5
13'0"-UL2	631	13'0"	2	2-6		495	5.5	4.2
13'0"-UM2	645	13'0"	2	4-10		500	5.0	5.2
13'0"-LT2	430	13'0"	2			490	5.0	5.2
13'0"-LM2	566	13'0"	2			585	4.5	
13'0"-ML2	205	13'0"	2	6-10	1/4-1/2	525	5.0	5.5
13'0"-M2	437	13'0"	2	8-15		515	5.0	5.5
Float								
11'6"-UL3	690	11'6"	3	4-8		475	5.0	2.6
13'0"-UL3	694	13'0"	3	4-8		545	5.5	3.3
13'6"-UL3	641	13'6"	3	2-6	1/8-3/8	440	4.0	3.1
15'0"-UL3	642	15'0"	3	2-6	1/8-3/8	515	4.0	5.1
17'0"-UL3	657	17'0"	3	2-6	1/8-3/8	510	5.0	5.7
Long Light								
14'8"-MLFE	222	14'8"	2	6-12	1/2-2 1/2	855	5.5	
14'8"-MFE	223	14'8"	2	8-17	3/4-3	870	5.0	9.0
14'8"-MHFE	436	14'8"	2	12-20		870	7.0	9.6
14'8"-ML3	679	14'8"	3	6-12	1/2-2 1/2	855	5.5	7.3
Saltwater & Surf								

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
5'8"-XHF	70	5'8"	1	100#		735	10.0	6.3
7'0"-HXF	102	7'0"	1	12-30	1-4	710	7.0	6.3
7'0"-XXHF	103	7'0"	1	20-40	2-6	870	10.0	8.0
7'0"-XH	224	7'0"	1					
7'6"-MHF	393	7'6"	1	30				
8'0"-HXF	289	8'0"	1	12-30	1-4	725	7.0	7.7
9'0"-XHF	138	9'0"	1	15-30	1-6	710	7.0	5.6
9'0"-XXHF	159	9'0"	1	20-30	2-8	720	7.0	6.3
9'0"-XXXHF	561	9'0"	1	25-40	6-12	770	8.5	8.1
10'6"-MHF2	127	10'6"	2	8-20	1/2-1 1/2	655	6.0	4.1
10'6"-HMF2	128	10'6"	2	10-30	1-3	660	6.5	4.7
10'6"-HMXF2	129	10'6"	2	10-25	3/4-2	660	5.5	3.6
11'0"-XXHF	174	11'0"	2	30-60	8-16	925	8.5	11.8
11'6"-MHM2	131	11'6"	2	10-30	1-3	785	8.0	7.4
11'6"-HM2	132	11'6"	2	12-40	4-10	800	9.5	7.5
Travel								
6'0"-MLF3	563	6'0"	3	8-15	1/4-5/8	420	4.5	1.8
6'0"-MF3	506	6'0"	3	10-18	1/4-3/4	410	4.5	1.8
7'0"-ULF3	564	7'0"	3	4-8	1/8-5/16	405	5.0	1.4
7'0"-LF3	190	7'0"	3	6-12	1/4-1/2	335	5.0	1.6
7'0"-MF3	191	7'0"	3	8-17	3/8-3/4	475	6.0	1.7
8'6"-MHF4	192	8'6"	4	8-20	1/2-1 1/2	470	5.0	2.6
9'0"-MF3	445	9'0"	3	6-15	3/8-3/4		5.5	4.7
9'6"-M3	634	9'6"	3	8-17	3/4-1	590	6.5	4.1
9'6"-MH3	635	9'6"	3	8-20	1/4-1 1/2	690	5.0	4.7
10'0"-MF3	637	10'0"	3	6-15	3/8-3/4	560	5.0	3.5
10'0"-MLXF3	636	10'0"	3	6-10	1/4-1/2	555	4.5	3.5
13'0"-ML3	651	13'0"	3	8-17	3/4-1	700	4.5	
13'0"-M3	479	13'0"	3	8-20	1/2-1 1/2	770	5.5	6.7
13'0"-MH3	472	13'0"	3	15-25	1/2-2 1/2	780	6.5	7.6
Crankbait								
7'0"-H	168	7'0"	1					
7'0"-MH(E)	314	7'0"	1(E)					
Explorer								
7'0"-LF	1093	7'0"	1	6-12	1/4-1/2	425	5.0	2.0
7'0"-MLF	1095	7'0"	1	4-10	1/8-5/16	490	5.5	1.8
7'0"-MF	1098	7'0"	1	8-17	3/8-3/4	500	5.5	2.3
7'0"-HF	1158	7'0"	1	12-25	3/4-4	610	6.5	4.1
8'6"-MF2	1114	8'6"	2	6-15	3/8-3/4	490	5.0	2.8
8'6"-MHF2	1117	8'6"	2	8-20	1/2-1 1/2	480	5.0	2.7
VI Balanced Graphite PLUS								
Menpachi								
12'0"-MF	Y035	12'0"	2	6-12	1/2-1	830	6.0	5.3
12'0"-F	Y038	12'0"	2	8-17	3/4-1 1/2	840	6.0	5.5
13'0"-MF	Y028	13'0"	2	6-12	1/2-1	875	5.5	5.7
13'0"-F	Y031	13'0"	2	8-17	3/4-1 1/2	900	6.0	6.2
14'0"-MF	Y044	14'0"	2	6-12	1/2-1	940	6.0	6.3
14'0"-F	Y051	14'0"	2	8-17	3/4-1 1/2	940	6.0	6.9
VI Balanced Graphite PLUS								
Giant Travelle (Ulua) 24 mm								
12'0"-Pluquin	Y058	12'0"	2				12.0	15.0
VI Balanced Graphite PLUS								
Giant Travelle (Ulua) 26 mm								

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>
13'0"-Light	Y015	13'0"	2	50-60	6-8		12.0	20.0
13'0"-Medium	Y017	13'0"	2	60-80	6-8		14.0	22.0
13'0"-Heavv	Y013	13'0"	2	60-80	8-10		15.0	22.0
14'0"-Light	Y040	14'0"	2	25-40	4-6		12.0	20.0
14'0"-Medium	Y029	14'0"	2	30-50	6-8		11.0	21.0

VI Balanced Graphite PLUS

Giant Travelle (Ulua) 28 mm

12'0"-Heavy	Y059	12'0"	2	60-80	8-10	000		
12'6"-Heavy	Y061	12'6"	2	60-80	8-11			
13'0"-Heavy	Y026	13'0"	2	60-80	8-10		16.0	
13'0"-Ex-Heavv	Y048	13'0"	2	60-80	8-11		17.0	
13'6"-Medium	Y047	13'6"	2	60-80	8-10			
13'6"-Heavy	Y050	13'6"	2	60-80	8-11			
14'0"-Medium	Y033	14'0"	2	50-60	8-10		13.0	
14'0"-Med/Hvv	Y039	14'0"	2	60-80	8-10		14.0	

Special Projects