


AMERICAN FIRE GLASS®



WARMING TRENDS®





FIRE TABLE	BURNER PAN	SURFACE AREA	BTUs	FLAME	PRICE
------------	------------	--------------	------	-------	-------

4-foot (48" x 28")	30" x 10"	7 3/4" ends 7 3/4" sides	silver 125K bronze 125K	flame height* 8" - 12" tall	\$0
5-foot (60" x 28")	30" x 10"	13 3/4" ends 7 3/4" sides	silver 125K bronze 125K	flame height* 8" - 12" tall	\$0
6-foot (75" x 28")	60" x 6"	6 1/4" ends 9 3/4" sides	silver 108K bronze 130K	flame height* 8" - 12" tall	\$0
6-foot (68" x 36" wide)	48" x 14"	8 3/4" ends 9 3/4" sides	silver 219K bronze 219K	flame height* 8" - 12" tall	\$0
7-foot (84" x 28")	60" x 6"	10 3/4" ends 9 3/4" sides	silver 108K bronze 130K	flame height* 8" - 12" tall	\$0
7-foot (84" x 28")	72" x 6"	ends sides	silver 175K bronze K	flame height* 8" - 12" tall	\$0
8-foot (96" x 28")	72" x 6"	10 3/4" ends 9 3/4" sides	silver 175K bronze 174K	flame height* 8" - 12" tall	\$0
9-foot (108" x 28")	72" x 6"	16 3/4" ends 9 3/4" sides	silver 175K bronze 174K	flame height* 8" - 12" tall	\$0
10-foot (120" x 28")	72" x 6"	22 3/4" ends 9 3/4" sides	silver 175K bronze 174K	flame height* 8" - 12" tall	\$0

Approximate fire table heights for 4-foot and 5-foot fire tables: 17" (natural gas); 24" (with access door for propane)

Approximate fire table heights for 6 & 7-foot fire tables: 15" (natural gas); 20" (horizontal tank)

Approximate fire table heights for 8-foot fire tables (over 140K BTUs): 15" (natural gas / whole house propane)

*Flame height ultimately depends on gas source - propane ranges 8" - 12", natural gas will provide a taller flame
(note: quick connect for propane is rated for about 140K BTUs or less)

An AFG burner that is 125K BTUs will run approximately 4-6 hours on a 20lb/5-gallon tank at FULL capacity

Natural gas connection is 1/2"

Ignition System options:

- 1) Match Lit \$0
- 2) AWEIS Ignition System \$1,837 (includes safety, timer, indoor switch, keychain remote)

WARMING TRENDS®

FIRE TABLE	BURNER PAN	SURFACE AREA	BTUs	FLAME	BURNER PRICE
4-foot (48" x 28")	30" x 10"	7 3/4" ends 7 3/4" sides	silver 160K	torch flame 24" tall	\$1,170
5-foot (60" x 28")	30" x 10"	13 3/4" ends 7 3/4" sides	silver 160K	torch flame 24" tall	\$1,170
6-foot (75" x 28")	60" x 6"	6 1/4" ends 9 3/4" sides	silver 270K	torch flame 24" tall	\$1,580
6-foot (68" x 36" wide)	48" x 14"	8 3/4" ends 9 3/4" sides	silver 240K	torch flame 24" tall	\$1,680
7-foot (84" x 28")	60" x 6"	10 3/4" ends 9 3/4" sides	silver 270K	torch flame 20" - 24" tall	\$1,580
8-foot* (96" x 28")	72" x 6"	10 3/4" ends 9 3/4" sides	silver 310K*	torch flame 20" - 24" tall	\$1,990
9-foot* (108" x 28")	72" x 6"	16 3/4" ends 9 3/4" sides	silver 310K*	torch flame 20" - 24" tall	\$1,990
10-foot* (120" x 28")	72" x 6"	22 3/4" ends 9 3/4" sides	silver 310K*	torch flame 20" - 24" tall	\$1,990

Warming Trends burners are intended for natural gas or whole house propane

Approximate fire table heights for 4-foot and 5-foot fire tables: 17"

Approximate fire table heights for 6 & 7-foot fire tables: 15" & 20"

Approximate fire table heights for 8-foot fire tables or longer: 15"

Flame height ultimately depends on gas source

Natural gas connection is 1/2" for burner pans with less than 300K BTUs

Natural gas connection is 3/4" for burner pans with 300K BTUs or more

*Ignition System options:

- 1) Match Lit option is for up to 300K BTUs; not safe for units with 300K BTUs or more (\$0)
- 2) Platinum Ignition System (\$1,939)
 - this option is required for 7-foot models or larger (units with over 300K BTUs)
 - best feature is "ease of use" (plug in / flip switch)
 - includes safety, timer, indoor switch, keychain remote
 - order for natural gas or propane specifically
 - this system requires power to the unit