



CONTENTS

ABOUT US	02
SURVEILLANCE	04
SWITCHES & REMOTES	08
SWITCHES & RETROFIT MODULES	10
BREAKERS & MCB	12
SMART PLUGS & POWER STRIPS	13
SMART LIGHTING	14
SENSORS	16
SECURITY	18
SMART GADGETS & HOME APPLIANCES	21



ABOUT US

At **OKOS**, we are a team of individuals who believe if something can be automated to enrich our quality of life, it leaves us with more time for things that truly matter to us. Even if its just to sit back and relax.:)

We believe that automating a home isn't just about keeping your home safe from unwanted visitors or to live a james bond lifestyle eased with smart gadgets, it's also about getting free of the countless remotes and the numerous times you had to get up just to dim the lights a little, or to notch up the fan speed just a bit when it started feeling warmer - at the right times, and always under the homeowner's control.

Our commitment is to design products and services that let everyday people monitor and manage everything right from entry into their homes to getting their air conditioner change the temperature in the middle of the night without them having to move a finger from wherever they are. We've designed a thoughtful system of products and services that equally delight and comfort. We've established partnerships that make it possible for our customers to come home from work and find sparkling clean house, the pantry stocked, the dog walked, the laundry done, and that pesky leak under the kitchen sink finally fixed.

Our goal is to help make life simpler and more secure.



SURVEILLANCE-





Bullet Camera Wi-Fi

Lens: 3.6mm with Night Vision & Motion Detection
Resolution: 2MP 1920*1080 Full HD
Infrared Distance: 8-10m
Weather Proof: IP66
Storage: TF storage (up to 64GB)
Features: Two way talk & App Remote Monitoring



360 PTZ Camera Wi-Fi

Lens: 3.6mm with Night Vision,
Motion Detection & Motion Tracking
Resolution: 1920*1080
Pan & Tilt-Horizontal: 355°; Vertical: 155°
Infrared Distance: 8-10m
Storage: TF storage (up to 64GB)
Features: Two way talk & App Remote Monitoring



Dome Camera WiFi

Lens: 3.6mm with Night Vision & Motion Detection Resolution: 1920*1080 Infrared Distance: 8-10m Viewing angle: 85 degrees Storage: TF storage (up to 64GB) Features: Two way talk & App Remote Monitoring



Fixed Camera WiFi

Lens: 3.6mm with Night Vision & Motion Detection Resolution: 720P Infrared Distance: 8-10m Viewing angle: 85 degrees Storage: TF storage (up to 64GB) Features: Two way talk & App Remote Monitoring



Outdoor 360 PTZ Camera w/ Siren Alarm Wi-Fi

Lens: 3.6mm with Night Vision
Resolution: 1920*1080P (3 MP Camera)
Weatherproof: IP66
Motion Detection & Motion Tracking
Build-In Battery: Lithium LiFePO4 & 35w Solar panel
Storage: TF storage (up to 128GB)



Outdoor 360 PTZ Camera Wi-Fi

Lens: 3.6mm with Night Vision,
Motion Detection & Motion Tracking
Resolution: 1920*1080
Pan & Tilt-Horizontal: 355°; Vertical: 155°
Infrared Distance: 25m
Storage: TF storage (up to 128GB)
Features: Two way talk, App Remote Monitoring,

AI Human Detection



360 PTZ Camera Wi-Fi (E27 Mount)

Lens: 3.6mm with Night Vision Resolution: 1920*1080P (2 MP Camera) IR Distance: 10-15 Meter Motion Detection & Motion Tracking Storage: TF storage (up to 128GB)





Smart Doorbell OKDO01B

Resolution: 1920*1080P
Weather Proof: IP
Lens: 166° Night Vision & Motion Sensor
Live browsing: Okos Smart App
Cloud recording storage: Amazon AWS
Support SD Card and TF Card: yes
Power Mode: 18650 Battery & 18v AC Adapter



Smart Doorbell OKD002BP

Resolution: 1920*1080P
Weather Proof: IP
Lens: 166° Night Vision & Motion Sensor
Live browsing: Okos Smart App
Cloud recording storage: Amazon AWS
Support SD Card and TF Card: yes
Power Mode: 18650 Battery & 18v AC/DC Adapter





Smart Doorbell **OKDO06A**

Resolution: 1920*1080P
Weather Proof: IP 65
Lens: 166° Night Vision & Motion Sensor
Live browsing: Okos Smart APP
Cloud recording storage: Amazon AWS
Storage: TF storage (up to 32GB)
Power Mode: 18v AC/DC Adapter



Smart Doorbell **OKDORM**

Resolution: 1920*1080P
Weather Proof: IP
Lens: 166° Night Vision & Motion Sensor
Live browsing: Okos Smart App
Support SD Card and TF Card: yes
Power Mode: 12V DC Adapter
Features: Support Remote Unlock from App & RFID



Smart Doorbell OKDO023


Resolution: 1920*1080P
Weather Proof: IP 65
Lens: 166° Night Vision & Motion Sensor
Live browsing: Okos Smart APP
Cloud recording storage: Amazon AWS
Storage: TF storage (up to 32GB)
Power Mode: 12V DC Adapter
Extra Features: Support Remote Unlock from App











Resolution: 720P Weather Proof: IP Lens: 166° Night Vision & Motion Sensor Live browsing: Okos Smart APP & Screen

Live browsing: Okos Smart APP & Screen Cloud recording storage: Amazon AWS Storage: TF storage (up to 32GB) Power Mode: 18V AC Adapter











Wired Doorbe ll with Screen

108 0p

(With Fingerprint Lock Integration)

Resolution: 720P Night Vision: IR Night Vision/IR cut Weather Proof: IP 54 Camera: 170° wide angle

Power Supply: DC 15V 1A
Extra Features: Support Remote Unlock from App, FP & RFID







Wired Video Doorbell
Intercom System
108 0p

(Multi Floor)

Resolution: 720P Night Vision: IR Night Vision/IR cut Weather Proof: IP 54 Camera: 170° wide angle

Power Supply: DC 15V 1A

Extra Features: Support Remote Unlock from App, FP & RFID



SWITCHES & REMOTES





IR Controller

Power input: 5V DC 1A (Type C) Protocol: 2.4g IEEE802.11g/b/n Infrared frequency: 38-56Khz Infrared angle: 360 degrees Infrared distance:10M Wireless Range: 45M



IR Controller with Temperature, Humidity & Display

Power input: 5V DC 1A (Mirco USB) Protocol: 2.4g IEEE802.11g/b/n Infrared frequency: 38-56Khz Infrared angle: 360 degrees Infrared distance: 10M Wireless Range: 45M



IR Controller with Temperature & Humidity

Power input: 5V DC 1A (Type C)
Protocol: 2.4g IEEE802.11g/b/n
Infrared frequency: 38-56Khz
Infrared angle: 360 degrees
Infrared distance: 10M
Wireless Range: 45M



IR Controller with Bluetooth & RF Control

Power Mode: Adapter DC 5V/1A IR Frequency: 38-56kHz Infrared Distance: 7M Range Cover: 360 degrees Wireless Standard: Wi-Fi 2.4G Wireless Range: 45M





Smart Curtain Track Set Wi-Fi

Power Mode: Input Voltage: AC85-265V 50/60Hz Wireless: Wi-Fi 2.4G Rated turning speed: 100RPM

Control Mode: App/Alexa/Google/Remote controller/Wi-Fi Remote

Rated Torque: 1.6Nm

Weight Load: Vertical Load: 50kg/Horizontal Pulling: 10kg



Smart Curtain Bot Wi-Fi

Input Voltage: AC85-265V 50/60Hz
Wireless: Wi-Fi 2.4G
Rated Power: 30W
Rated turning speed: 100RPM
Rated Torque: 1.6Nm
Straight Opening Speed: 10cm/s
Vertical Load: 50kg
Horizontal Pulling: 10kg
Protection Level: IP41

Insulation Level: E
Operation Environment: Temperature: -40° ~ 85°; Humidity: ≤80%RH



Smart Blind Controller Wi-Fi

Control Mode: App/Alexa/Google/Remote controller/Wi-Fi Remote Power Mode: Inbuild battery & Adapter 110V-240V Battery Standby: 6-8 months Maximum Size: 8ft (2.5m) *12ft (3.5m) Weight: 22lbs (10kg)





SWITCHES & RETROFIT MODULES



Touch Switch Curtain 1CH

Wireless Type: WiFi 2.4GHz 802.11b/g/n Installation: 2 module area in switch board Operating Voltage: AC100V-240V 50/60HZ Output Current: 10A Wiring method: N&L

Operation Temperature: -0° to 55° Operation Humidity: 93% Dimension:86*86*35mm



Touch Switch Fan 16A

Wireless Type: WiFi 2.4GHz 802.11b/g/n Installation: 2 module area in switch board Operating Voltage: AC100V-240V 50/60HZ Output Current: 10A Wiring method: N&L Operation Temperature: -0° to 55°

Operation Humidity: 93% Dimension:86*86*35mm



Touch Switch Dimmer 2CH

Wireless Type: WiFi 2.4GHz 802.11b/g/n Installation: 2 module area in switch board Operating Voltage: AC100V-240V 50/60HZ Output Current: 10A Wiring method: N&L Operation Temperature: -0° to 55° Operation Humidity: 93% Dimension:86*86*35mm



Touch Switch 32A 1CH

Wireless Type: WiFi 2.4GHz 802.11b/g/n Installation: 2 module area in switch board Operating Voltage: AC100V-240V 50/60HZ Output Current: 10A Wiring method: N&L Operation Temperature: -0° to 55° Operation Humidity: 93%



Touch Switch 10A 4Gang

Wireless Type: WiFi 2.4GHz 802.11b/g/n
Installation: 2 module area in switch board
Operating Voltage: AC100V-240V 50/60HZ
Output Current: 10A
Wiring method: N&L
Operation Temperature: -0° to 55°
Operation Humidity: 93%

Dimension:86*86*35mm





Smart Multi- Function Control Panel Screen Controller Automation Panel 4"

CPU PX30 Quad cortex- A35 Wi-Fi-802.1b/g /n 150mbps 2.4GHz OS Android 8.1 Screen 4in 480*480 multi-touch Supports: Alexa Voice Inbuilt



Smart Multi- Function Control Panel Dual Screen Controller Automation Panel 6" 8" 10"

WIFI:802.11b/g/n ,150Mbps 2.4GHz
Max Voltage 110v-240v
Resolution:640*480
Screen Size: 6 inch
Operating system: Android 8.1
Working temperature: -5°~50°
Working humidity: 5%~90%RH without condensation





1Gang 16A Module

Wireless Type: WiFi 2.4G
Input: 100-240V 50/60Hz 16A Max
Output: 100-240V 50/60Hz 16A Max
Operation Temperature: 10°C + 40°C
Operation Range:<100m
Dim (W*D*H): 39.2*39.2*18mm



3Gang 10A Module

Wireless Type: WIFI2.4G
Input: AC 100-240V 50/60Hz 10A Max
Output: AC 100-240V 50/60Hz-10A Max
Operation Temperature: -10°C + 40 °C
Operation Range:<100m
Dim (W*D*H): 39.2*39.2*18mm
IP Rating: IP20



2Gang 16A Module

Wireless Type: WIFI2.4G
Input: AC 100-240V 50/60Hz 16A Max
Output: AC 100-240V 50/60Hz 16A Max
Wireless standard: 2.4G IEEE802.11b/g/n
Operation Temperature: -10°C + 40 °C
Operation Range:<100m
Dim (W*D*H): 39.2*39.2*18mm



4Gang 5A Module

Wireless Type: WIFI2.4G
Input: AC 100-240V 50/60Hz 16A Max
Output: AC 100-240V 50/60Hz 16A Max
Wireless standard: 2.4G IEEE802.11b/g/n
Operation Temperature: -10°C + 40 °C
Operation Range:<100m
Dim (W*D*H): 39.2*39.2*18mm



1Gang Dimmer Module

Product type:1Gang /2Gang
Wi-Fi Dimmer Module Voltage: 220V -240AC
Max Load: LED (150W)

Operation Frequency: 2.412GHz-2.484GHz (AC120V 80W)
Operation Temp.-10°C + 40°C
Dimension (WxDxH): 46x46.2x18 mm
IP Rating: IP20



Curtain Module Wifi

Rated voltage: 100V-240VAC Standby power consumption: 0.2W Load power: 16A Frequency: RF433MHZ Shell material: ABS Working temperature: -20~55



Fan Controller -16A Module

Wireless Type: Wi-Fi 2.4GHz 802.11b/g/n Wi-Fi Distance: 45M Operating voltage: AC90 - 250V, 50 / 60HZ Load power: ≤3000W / Load 16A Standby power consumption: ≤ 0.5 W Wiring method: N&L Operation Temperature: 0°C to 80 °C Operation Humidity: ≤93%



BREAKERS & MCB



Breaker Switch 10A

Power Adapter: DC 5V
Wireless Type: Wi-Fi 2.4GHz 802.11b/g/n
Wi-Fi Distance: 45M
Operating voltage: AC100 - 240V, 50 / 60HZ
Load power: ≤3000W / Road 10A
Standby power consumption: ≤ 0.5 W
Wiring method:

Operation Temperature: 0°C to 80 °C Operation Humidity: ≤93%



Smart WiFi Switch 30A

Electrical: 85-265VAC
Power Rating: 30A max, 6600W
Product dimensions: 110 x 56 x 35mm
Material: White ABS (Fire-retardant)
Wireless Frequency: 802.11 b/g/n 2.4GHz,
WPA-PSK/WPA2-PSK
Operating Temperature: -10°C – 50°C



WiFi Water Valve Controller

Operating environment: 10°C---50°C
Power voltage: DC12V-1A
Smart Water Valve Power:5W
Power consuming: ≤0.3W
Wi-Fi Water Valve Radio protocol: Wi-Fi 2.4Ghz
Wireless Water Valve pressure: 1.6MP
Smart Valve pressure: 1.6MP

Fingerbot

Product Dimensions: 34.5x34.5x34.5mm
Weight: 38g
Max Movement: 12m
Stall Torque: 2.0kgf-cm
Wireless protocol: BLE4.2
Battery_type: CR2 3.0V





1 Pole Smart MCB Circuit Breaker-16A Wifi

Input Voltage:230V
WiFi: 2.4 GHz
Fuction:Energy monitoring
Rated current: 16A
Number of poles: 1P
Working Environment: -25°C ~ 65°C
Rated short circuit breaking capacity: 6kA
APP: Okos Smart App



2 Pole Smart MCB Circuit Breaker-63A W iFi

Input Voltage:230V
Wifi:2.4GHz
Fuction:Energy monitoring
Rated Current:63A
Number of poles:2P
Working Environment: -25°C ~ 65°C
Rated short circuit breaking capacity: 6kA
APP: Okos Smart App



4 Pole Smart MCB Circuit Breaker 63A -Wi-Fi

Input Voltage:230V Wiff:2.4GHz Fuction:Energy monitoring Rated Current: 63A Number of poles: 4P Working Environment: -25°C ~ 65°C Rated Short-circuit Breaking Capacity: 6KA APP: Okos Smart App




3 Phase Smart Meter

Item Type: Electricity Meter Weight: 628g / 22.15oz Material: ABS Basic Current: 10A Maximum Current: 80A Pulse Constant: 800imp/kWh



SMART PLUGS & POWER STRIPS





Smart Plug 16A

Wireless Type: Wi-Fi 2.4GHz 802.11b/g/n
Operating Voltage: AC100V-240V 50/60HZ
Max Power: 2200W for 220V,1100W for 110V
Max Load:10A
Standby Power: ≤0.3W
Operation Temperature: -20°C to 45°C
Operation Humidity: ≤80%
Dimension: 54*50*50mm



Smart Plug 10A International

Input Voltage: AC 100V~240V Working Temp: 20°C~50°C Maximum Load Current :10A Wi-Fi Frequency : 2.4GHz only Maximum Power: 2300W



Smart Plug 10A Indian

Input Voltage: AC 100V~240V Working Temp: 20°C~50°C Maximum Load Current :10A Wi-Fi Frequency : 2.4GHz only Maximum Power: 2300W



Smart Power Strip 3Gang+3USB

Wireless Type: Wi-Fi 2.4GHz 802.11b/g/n
Output port: 3 AC port & 3 USB port
Operating Voltage: AC110V
Max Power:1650W
Output Current: 15A
USB Output: 5V 2.1A/per port
Power Line length: 1.5m



SMART LIGHTING —





Smart Down Light

Operating Voltage: AC100V-240V 50/60HZ Color Range: 6500k+RGB Interface: 240V Adapter Rated Power: 9W/15W Color: 16 million colors



Smart LED Floor Light

Input Voltage: DC 5V
Input Current: 2A
Colour: Multi
Support Function: RGB/Night/
Dimming/Timing/Dynamic/Music
Square Back Control Mode: App Music Light
Remote Control



Smart LED Home Wall Music Sync Lighting Set

Wireless Connection: Wi-Fi Rated Power:12W Colour Temperature: 3000-6500k,RGB Life Expectancy: 40000 Hours Rated Input:100-264VAC,50/60Hz Luminous Flux 960



Smart Led Bulb 10W B22/E27

Wi-Fi Remote Control C45 Wireless Type: Wi-Fi 2.4GHz Input Voltage:100-260V 50/60Hz 0.3A Max. Color Tempe.: 2800k-6200k +RGB Interface: E26/E27/B22 Rated Power: 9/10W Luminous Flux:1000lm



Smart Table Lamp

Wireless Connection: Wi-Fi Rated Power:12W Colour Temperature: 3000-6500k,RGB Life Expectancy: 40000 Hours Rated Input:100-264VAC,50/60Hz Luminous Flux 960



Okos Smart WiFi Star Night Light Lamp Projector

Classification of Lasers: Class 2
Laser Color: Green, 515-520nm

Nebula color: Colorful, 450M (controllable monochrome)
Control By: Amazon Alexa, Google Home, Mobile app
Applicable environment: Indoor Home Theater
Restaurant Bar Cafe
Power cord length:1.8 M



Led Strip Light 5M

Wireless Type: Wi-Fi 2.4GHz 802.11b/g/n Input Voltage: DC 12V Input Current: 5A Input Power: 36W@DC 12V Input cable: Default DC plug |µ5.5 100mm Output cable: RGB 4pin 100mm (RGB)



Smart TV LED Strip Lights (HDMI Controlled)

Working Lifetime(Hour):50000
Control Mode: APP Control, Remote Control,
Switch Control, Sensor control
Supported maximum resolution: 4096x2160 (4K)
Support color depth: 10Bit/12bit/16i
Supported frame rates: 4096x2160@30hz
4096x2160 YCbCr420 encoding@60Hz
2560x1440@60hz
1920x1080@60hz
Million of color



Led Strip Controller

Wireless Type: Wi-Fi 2.4GHz Input Voltage: 3A DC 12V/24V Input Power: 36W@DC 12V, 72W@DC24V Output cable: RGB 4pin 100mm (RGB) DC plug: |µ2.1 200mm (Single color Optional) Available for Amazon Echo, Google Home, Okos



SENSORS



Temperature & Humidity Sensor Display

Power Mode AA*3 Battery Support - Alexa / Google home Power Mode: AAA*2 Battery Standby time: 1 year Wireless Type: 2.4GHz Wi-Fi distance:45m



Valve Controller

Pipe support: DN15, DN20, DN25, & some DN30
Radio protocol: Wi-Fi 2.4GHz
Wi-Fi distance: 45m
Smart Valve pressure: 1.6MP
Set timers to automatically open or close the valve
Compatible: with Amazon Alexa and Google Assistant
Usage: Can be used on Water & Gas Pipe Valve.



Motion Sensor-USB + Battery

Wi-Fi Distance: 45M
Detection Angle: 110°
Detection Distance: 7M
Power Mode: AAA*2 + USB Input Opt.
Remote APP monitoring



Door Sensor AAA

Wi-Fi Door Sensor/Window Sensor Notification: At the time of Opening & Closing of door Power Mode: AAA*2 Battery Standby time: 1 year Wireless Type: 2.4GHz Wi-Fi distance:45m



Vibration Sensor Alarm

Application: for Home Security Communication: Zigbee Power Mode: AAA*2 Batteries Standby time: 1 year Remote APP monitoring



Motion Sensor-USB+CR123A

Wireless Type: Wi-Fi 2.4GHz 802.11b/g/n Wi-Fi Distance: 45M Detection Angle: 110° Detection Distance: 7M Power Mode: CR123A *1 + USB Input Opt. Remote APP monitoring



Door+Motion Sensor

Wi-Fi Door Sensor/Window Sensor Notification: At the time of Opening & Closing of door Power Mode: AAA*3 Battery Standby time: 1 year Wireless Type: 2.4GHz Sensitivity Distance: 5~7 Meter



Water Leak Detector Sensor

Application: for Home Security Communication: Zigbee or Wi-Fi (Bluetooth is optional) Power Mode: CR2*1 Batteries Remote APP monitoring



Pressure Sensor

Power Mode: DC 3V CR2023 Battery Sensitive angle: 140° Alarm mode: Message to app Hole size: 400/800mm Smart Scenes with Zero Latency







Siren Alarm

Communication Type: Wi-Fi 2.4GHz Wi-Fi Distance: 45M Sound intensity: 90dB Battery Mode: CR123A*2Batteries or Mini USB

Tones: Supports multiple Siren Tones
Pairing Support: Door Sensor, Motion Sensor,
Gas Leak Sensor, Vibration Sensor, Water Leak
Sensor, Smoke Sensor, etc.



Smoke Sensor

Communication Type: Wi-Fi 2.4GHz
Alarm Sound Level: 85db/1m
Wi-Fi Distance: 45M
Battery Mode: AAA*2 Batteries
Temperature To Be Triggered: >50°C.
Operating Temperature: -10°C ~ 65°C(-4°F ~ 149°F).
Operating Humidity: 20%~85%



Gas Leak Sensor Mini

Communication Type: Wi-Fi 2.4GHz Wi-Fi Distance: 45M Notification: On the app if gas leak Build-In Siren Alarm Maximum alarm sound: 90db Power Mode: Micro-USB Input



Radar Occopancy Sensor

Communication Type: Zigbee Power Mode: Micro-USB Input Illuminance Sensor: 0-2000Lux Remote APP monitoring





SECURITY-





Drawer Fingerprint Lock (No App)

Unlock Mode- Fingerprint
Battery Mode: 4x AAA Batteries
Battery Standby: 1 year
Added Features- Micro-USB port for power
in case of drained Comes with master
key (pen drive) for emergency open



Smart Fingerprint Padlock

Battery Mode: Inbuilt Li-ion Standby: 6 months Connection Mode: Bluetooth Unlock Modes- Fingerprint, Okos Smart App Dimension: 91mm*54mm*25mm Added Features- Micro-USB port for power in case of drained battery/recharging



Smart Glass Door Lock

Power Mode: AA*4 Batteries
Unlock Modes: Fingerprint, RFID, PIN, Physical Key, App
Item Type: Glass door fingerprint lock
Fingerprint Recognition Speed: ≤0.3s
Battery Type: 4 x AA
Frameless Door Seam: Approx 12-16mm



Metal Do or Lock (E Series)

Power Options: 12v Adapter & Batteries
Batteries: AA*4 Battery
Unlock Modes- Fingerprint, RFID, Lock Code,
Physical Key, Okos Smart App
Weather proof: IP
Additional Feature: Both Side Fingerprint
& PIN Unlocking (Optional)



Smart Wooden Door Lock O K31B (E Series)

Power Mode: 4x AAA Colour: Black/Golden Unlock Modes: Fingerprint, RFID, PIN, Physical Key, App Added Features- Micro-USB port for power in case of drained & Child lock



Bedroom Door Lock OKHO1

Build for: Wooden Door Authorized Opening Way: Fingerprint + App Colour: Black/Silver Communication: Bluetooth LE on App Fingerprint capacity: 30



Smart Wooden Bolt Door Lock OB1 (E Series)

Unlock Modes: Fingerprint, RFID, PIN, Physical Key, App Colour: Grey Power Mode: AA*2 Batteries Added Features- Micro-USB port for power in case of drained & Child lock





Smart Lever Bedroom Door Lock(FP+Code+Key+App)

Authorized Opening Way: Fingerprint +PIN + App Build For: Wooden Door Power Mode: Inbuild Battery Colour: Black/Gold Keypad: Touch Panel Communication: Bluetooth on App Fingerprint capacity: 30



Smart Wooden Door Lock O S921 (E Series)

O Unlock Modes: Fingerprint, RFID,
PIN, Physical Key, App
Colour: Black
Power Mode: AAA*4 Batteries
Capacity: Fingerprint 200 & 100 PIN users
Added Features - 2 Way Door open support, Micro-USB port
for power in case of drained & Child lock



Smart Wooden Door lock O S818 (S Series)

Unlock Modes: Fingerprint, RFID, PIN, Physical Key, App Colour: Black/Golden Power Mode: AA*4 Batteries Capacity: Fingerprint 200 & 100 PIN users Mortise: Heavy 6068 Added Features- Micro-USB port for power in case of drained & Child lock



Smart Wooden Door Lock OS928 (S Series)

Unlock Modes: Fingerprint, RFID, PIN,
Physical Key, App
Colour: Grey/Black/Bronze
Power Mode: AA*4 Batteries
Capacity: Fingerprint 200 & 100 PIN users
Mortise: Heavy 6068
Added Features- Micro-USB port for power

in case of drained & child lock



Smart Aluminium Door Loc k OS617 (S Series)

Unlock Modes: Fingerprint, RFID, PIN, Physical Key, App Colour: Black/Silver Power Mode: AA*4 Batteries Capacity: Fingerprint 100 & PIN 100 Mortise: Swing Door/Sliding Door Support Added Features- Micro-USB port for power in case of drained & child lock



Smart Door Lock with

Camera Doorbe Il OK1(S Series)

Unlock-Modes: Fingerprint, RFID, PIN, Physical Key, App
User Capacity: Fingerprint: 100/Card: 100/PIN: 100
Power Mode: AA*8 Batteries
Door Viewer: Built-in HD Camera & Doorbell
Added Features- Emergency USB port/child lock/Temporary
& Periodic PIN



Smart Door Lock with
Camera Doorbell OS925 (S Series)
Unlock Modes: Fingerprint, RFID, PIN, Physical Key, App
Colour: Black/Grey
Battery: Inbuilt (Li-ion Rechargeable 4200mAh)
Screen: 3.5inch HD Screen & Doorbell

Screen: 3.5inch HD Screen & Doorbell
Added Features- Emergency USB port/child lock/Temporary
& Periodic PIN



Smart Wooden Door Lock with Face ID & Camera Doorbell

Unlock Modes: Face ID, Fingerprint, RFID, PIN, Physical Key, App Colour: Black/Grey/Bronze Battery: Inbuilt (Li-ion Rechargeable 4200mAh) Screen: 3.5inch HD Screen & Doorbell Added Features- Emergency USB port/child lock/Temporary

& Periodic PIN





SMART GADGETS & HOME APPLIANCES



Smart Weighing Scale

Division:100g
Max weight:180kg
Measure: Weight, Fat, Water, Muscle, Bone,
BMI, Calorie, Visceral & body Age
Power: 4 LR03 1.5 volts (Alkaline preferably)-Included



Panic SOS Button WiFi+RF

Working Voltage:3.6V (LIR2450 Rechargeable Battery)
Backup battery:3.7V, 500mAh
Rechargeable Lithium Battery
Communication Type: Wi-Fi & RF



Smart Automatic Plant Watering/Drip Irrigation System

Directs water to roots, cuts evaporation, saves 70% compared to traditional methods.

Comes with all needed parts, perfect for DIY indoor plant watering.

LCD screen for scheduling, works with Wi-Fi, Zigbee, voice, or manual.

Double pump system keeps plants hydrated even when you're away.

Power: 2600mAh battery lasts 4-5 days,

rechargeable via USB or solar panel



Smart Vacuum Cleaner

Intelligent Route Planning: Vacuum autonomously navigates for efficient cleaning Multifunctional Roller Brush: Versatile brush handles diverse surfaces

Comb Bristles: Tackle tough dirt, prevent hair tangling Powerful Vacuum: Strong suction for effective cleaning Multifunctional Mopping: Cleans and mops for comprehensive floor care



Smart Pet Feeder

Remote Control: Set feeding schedules
via the app from anywhere
Customized Meals: Choose from 1-10 meals
and 1-12 portion sizes per day
Hygienic Design: 6L container keeps food fresh,
with easy cleaning
Voice Reminder: Record messages to
prompt pets to eat
Dual Power: Works with plug-in or
battery power for uninterrupted use

















info@srmhomeautomation.com 🧕



plot-14, Hanuman Nagar, Kondapur,

Hyderabad, Telangana, Pin Code: 500084.