




UNDERBENCH DRAWER

FT-900R-D2 | FT-900F-D2









FEATURES

- Telescoping drawer slide
- Drawer can hold up to 40kg
- Accommodates full-size pan up to 15cm depth
- * Food pans are NOT included

- Digital temperature control & monitor system
- 3" casters (brakes at front)
- Fully stainless steel finished cabinet

TEMPERATURE

- Fridge: 0°C ~ 5°C
- Freezer: -18°C

- Leg model
- 4" or 5" casters

| Model | Capacity (﴿) | Exterior Dimension (mm) | | | Net Gross Weight Weight | Power | Amps | Voltage (V/Hz/Ø) | Watt | НР | Refrig- | No. Drawer | |
|------------|-----------------|-------------------------|-----|-----|----------------------------|-------|--------|---------------------|----------|------------|---------|---------------|--------|
| | | W | D | Н | (kg) | (kg) | Supply | | (V/HZ/W) | | | erant | Diawei |
| FT-900R-D2 | 186 | 900 | 700 | 846 | 61 | 66 | 10A | 2.0 | 240/50/1 | 340 | 1/3 | R-134a | 2 |
| FT-900F-D2 | 186 | 900 | 700 | 846 | 64 | 69 | 10A | 3.0 | 240/50/1 | 380(D:520) | 3/8 | R-134a | 2 |


- * The heights include the caster (104mm) *
- $\ensuremath{\star}$ Design and specifications subject to change without notice
- $\hbox{* Actual shipping weight may differ due to extra packing materials for product protection.}\\$







UNDERBENCH DRAWER

FT-1200R-D4 | FT-1200F-D4









FEATURES

- Telescoping drawer slide
- Drawer can hold up to 40kg
- Accommodates full-size pan up to 15cm depth
- * Food pans are NOT included

- Digital temperature control & monitor system
- 3" casters (brakes at front)
- Fully stainless steel finished cabinet

TEMPERATURE

- Fridge: 0°C ~ 5°C
- Freezer: -18°C

- Leg model
- 4" or 5" casters

| Model | Capacity | Exterior Dimension (mm) | | | Net Gross Weight Weight | Power Amp | Amps | ps Voltage (V/Hz/Ø) | Watt | НР | Refrig- | No. Drawer | |
|-------------|----------|-------------------------|-----|-----|----------------------------|-----------|--------|---------------------|----------|------------|---------|---------------|--------|
| | ({) | W | D | Н | (kg) | (kg) | Supply | | (V/HZ/W) | | | erant | Drawer |
| FT-1200R-D4 | 293 | 1,200 | 700 | 846 | 78 | 86 | 10A | 2.0 | 240/50/1 | 340 | 1/3 | R-134a | 4 |
| FT-1200F-D4 | 293 | 1,200 | 700 | 846 | 81 | 89 | 10A | 3.0 | 240/50/1 | 380(D:520) | 3/8 | R-134a | 4 |


- * The heights include the caster (104mm)
- * Design and specifications subject to change without notice
- $\hbox{* Actual shipping weight may differ due to extra packing materals for product protection.}\\$







UNDERBENCH DRAWER

FT-1500R-D4 | FT-1500F-D4









FEATURES

- Telescoping drawer slide
- Drawer can hold up to 40kg
- Accommodates full-size pan up to 15cm depth
- * Food pans are NOT included

- Digital temperature control & monitor system
- 3" casters (brakes at front)
- Fully stainless steel finished cabinet

TEMPERATURE

- Fridge: 0°C ~ 5°C
- Freezer: -18°C

- Leg model
- 4" or 5" casters

| Model | Capacity (१) | Exterior Dimension (mm) | | | Net Weight | ht Weight | Power Supply | Amps | Voltage (V/Hz/Ø) | Watt | НР | Refrig- | No. Drawer |
|-------------|-----------------|-------------------------|-----|-----|---------------|-----------|-----------------|------|---------------------|------------|-----|---------|---------------|
| | | W | D | Н | (kg) | (kg) | Supply | | (٧/ΠΖ/છ) | | | erant | Diawei |
| FT-1500R-D4 | 402 | 1,500 | 700 | 846 | 84 | 94 | 10A | 2.0 | 240/50/1 | 340 | 1/3 | R-134a | 4 |
| FT-1500F-D4 | 342 | 1,500 | 700 | 846 | 87 | 97 | 10A | 3.0 | 240/50/1 | 380(D:520) | 3/8 | R-134a | 4 |


- * The heights include the caster (104mm)
- * Design and specifications subject to change without notice
- * Actual shipping weight may differ due to extra packing materals for product protection.







UNDERBENCH DRAWER

FT-1800R-D6









FEATURES

- Telescoping drawer slide
- Drawer can hold up to 40kg
- Accommodates full-size pan up to 15cm depth
- * Food pans are NOT included

- Digital temperature control & monitor system
- 3" casters (brakes at front)
- Fully stainless steel finished cabinet

TEMPERATURE

- Fridge: 0°C ~ 5°C
- Freezer: -18°C

- Leg model
- 4" or 5" casters

| | Model | Capacity | Exterior Dimension (mm) | | | Net Gross Weight Weight | Power | Amps | Voltage | Watt | НР | Refrig- | No. | |
|--|-------------|----------|-------------------------|-----|-----|----------------------------|-------|--------|---------|----------|-----|---------|--------|--------|
| | | (1) | W | D | Н | (kg) | (kg) | Supply | | (V/Hz/Ø) | | | erant | Drawer |
| | FT-1800R-D6 | 509 | 1,800 | 700 | 846 | 95 | 108 | 10A | 2.0 | 240/50/1 | 340 | 1/3 | R-134a | 6 |

- * The heights include the caster (104mm)
- $\ensuremath{\star}$ Design and specifications subject to change without notice
- * Actual shipping weight may differ due to extra packing materals for product protection.

