

EVFT75C

This film is used by Digital Printers using HP, Jetrion and others. The adhesive holds up well to the various types of digital inks and recommended by the industry. Also great for laminating snack bags and other flexible packaging applications when no metalized cosmetic web is required.



EVFT6C

Budget friendly option. Economical protection from moisture and abrasion. Ideal for dairy, juice and beverage labels. Provides superior protection to varnish and doesn't require an ink station.

EVFT7M

A great product to use for all applications that require a luxurious "high end" finish at a budget friendly price. Since the film is thinner it can be a great cost reduction lamination. Product used in various industry applications and whenever a non-reflective surface is required.



SG107E

Ideal for those applications requiring a smooth and easy unwind. Great for desktop label printers or anytime noise reduction is a priority. Application use is for base layer multi-layered labels, such as Instant Rebate coupons, Expanded Coupon labels, Point of Purchase and extended content labels. Can also be used for flexible packaging application depending upon barrier film and temperature requirements.

SG111H

Provides high tack and extra adhesion for rough surfaces and difficult, non-porous substrates. This is the overlamine of choice for many automotive and industrial label applications or whenever exposure to high humidity is a requirement.



SG110E

Great for desktop label printers or whenever noise reduction is required. Smooth, consistent and easy unwind. Application use is for base layer multi-layered labels and overlays, such as Instant Rebate coupons, Extended Content labels and Point of Purchase offers.

SG112C

Need to support and strengthen your header bag applications? This is the product for you. The film and adhesive provide strength and durability for tough application that require consistent results.



SG102C

This material is used for reinforcement, multi-page booklets that require more holding power and other such applications.

SG109C

Excellent for reinforcing substrates, hole reinforcement and various other applications requiring a thicker overlamine to meet a total construction specification.



SG103C

Budget friendly option. Economical protection from moisture and abrasion. Ideal for dairy, juice and beverage labels. Provides superior protection to varnish and doesn't require an ink station.

EVFT8C

This can be used for general purpose, booklets and various applications. Great label protection for Health & Beauty and Food & Beverage applications when consistent results are required.



SG104M

Provides your label a softer, frosted aesthetically pleasing look. A favorite for cosmetic and beauty labels as well as other point of purchase products. The non-reflective film is also ideal for bar code canning and can be used for flexible packaging depending on the film and temperature needed for sealing.



SG108C

This product consists of a 1.0 mils film with 0.5 mils of adhesive. Excellent for multi-page booklets or other thicker label applications. Adds durability and dispensability.



SG101C

Need a clear film with extra holding power? Due to a higher coat weight of adhesive, this product is the one to choose. Can be used also for flexible packaging applications, when no metalized cosmetic web is required.

EVFT7C

Low cost option for economical label applications and flexible packaging depending upon type of web used and temperature required for sealing. Great for protecting graphics, enhancing gloss and increasing label strength. Can also be used for Liner Reinforcement when dies are too sharp.



SG106C

Ideal for label and tag applications that require variable information such as lot codes and expiration dates. Please review recommended ribbon list and thoroughly test in actual end use application due to the many variables involved with thermal transfer printing.

SG105C

The durability and UV resistant properties of polyester film make it an ideal overlaminates for outdoor applications and any application requiring greater temperature resistance.



SG113U

Same characteristics as the #916C with the added benefit of meeting the requirement of ANSI/UL 969 the Standard for Safety of Marking and Labeling Systems

SG114C

Ideal for Heavy Duty industrial applications. Highly recommended for outdoor use applications. The thicker film adds rigidity to labels for consistent dispensing.



SG115C

The durability and UV resistant properties of polyester film make it an ideal overlaminates for outdoor applications and any application requiring greater temperature resistance.