



# MEET THE STRAVA SPLINT BATH

A CLEAN, SMART DESIGN

The answer to cross contamination concerns between patients.

The only splint bath on the market designed with two methods of disinfection.

Full customization of presets and rich in additional features, exclusively with Strava.








## INNOVATIVE DESIGN

The state-of-the-art Strava splint bath is the first of its kind, precisely engineered to take the guess work out for the therapist.

The Strava splint bath is made of a thermoset material, known for its insulation, flammability resistance, durability and aesthetic appeal. An easily-accessible, transparent hinged lid along with unique convection heat exchanger technology make for quick and uniform heat distribution of the water.

- Automatic on/off means unit is ready when the clinic opens and energy efficient at night when not in use
- Quick and simple water evacuation with pump/valve system
- Precise water temperature reading at +/-2 F
- Full color, custom LCD display




## A SYSTEMATIC APPROACH TO INFECTION PREVENTION

Unit disinfection and patient cross contamination are common concerns in hospital and clinical environments. Our proprietary cleaning system uses both UV-C sterilization cycling and a high-heat cleaning cycle to effectively sterilize the bath. This dual cleaning system insures the water is 99.99% free of microbes. In addition, the automatic drainage pump makes water evacuation quick and easy for tub cleaning and water replacement. This systematic approach makes the Strava splint bath the most sanitary on the market, without exception.

- **99.9% kill rate** of introduced microbes
- Continuous UV-C light @ 254 nm wavelength emitted over the circulating water.
- Extreme, high heat disinfection of the water is automatically set to run nightly.
- Auto evacuation of the water for quick and easy tub cleaning.

UV-C Light




High Heat Sanitation





## INTERACTIVE USER EXPERIENCE

Traditional splint bath controls are antiquated and imprecise. The user interface on the Strava splint bath has an easy to read timer and temperature always on display. A full menu of features allows for clinician control and customization. Users can select from an array of thermoplastic settings from the top thermoplastic manufacturers or create a menu of their own.



## STRAVA'S THERMOPLASTICS PARTNERS

The preset parameters found in the Strava control panel are based on the thermoplastic sheet manufacturers' recommendation for the best handling and results of their materials.

allard **INT**

MANOSPLINT<sup>®</sup>  
A KINETEC PRODUCT

North Coast  
MEDICAL & REHABILITATION PRODUCTS

orfit

Rolyan<sup>®</sup>



## TECHNICAL SPECIFICATIONS

Strava SPLINT BATH STD	UM	Spec	
REF 100.600			
Operating Temperature Range	F	140° - 180° F	
	C	60° - 82° C	
Sanitation Mode	F	185°	
	C	85°	
Temperature Variability	F/C	2°	
	Seconds	30 - 180	
Over Voltage	W	11	
Frequency	Hz	50/60 Hz	
Mains Voltage (+/- 10% of nominal voltage)	V	100-120 VAC, 200-240 VAC	
AC Current (Max)	A	<13 Amps	
Water Fill Capacity	Gallons	5.2 G	
	Litres	20 L	
Water Fill Height	in	5"	
	cm	12.5 cm	
Unit Weight	lbs	35 lbs	
	kg	15.9 kg	
Unit Dims Outer (LxWxH)	in	22.625" L 19.75" W 10" H	
	cm	60cm L 52cm W 25.5cm H	
Unit Dims Inner (LxWxH)	in	19" L 12" W 6" H	
	cm	48cm L 30cm W 15cm H	
Standard		IEC 61010-1, -2	
		UL 61010-1, -2	
		CSA C22.2#61010-1, -2	
		CB SCHEME	
Environment (Altitude)			
	Operation (Max)	ft	16,732 ft
Storage (Altitude)		m	5100 m
		ft	16,732 ft
		m	5100 m



# STRAVA



**MANUFACTURED BY  
STRAVA SOLUTIONS, LLC**

2733 KANASITA DRIVE SUITE 125  
HIXSON, TN 37343 USA

INFO@KISMET.COM  
+1.423.313.6157

TECHNICALSERVICE@KISMET.COM

WWW.STRAVASOLUTIONS.COM



Copyright © 2020 Strava Solutions.  
All rights reserved.  
Form# 500.100