

A NEW FURLER GENERATION FROM KARVER: THE PATHFINDER!

The KF V3 furler range* sums up 18 years of offshore racing and cruising experience.
Now available and optimized in 4 versions:

Standard

Racing

Classic

Structural



* 3rd generation of Karver furlers.

**A unique combination of Performance,
Reliability, Innovation, Price & Aesthetics.**

Everything is here to ensure that this new furler
quickly becomes the global sailing market benchmark.

 **KARVER**[®]
sailing experience



KarverSailing



karversailing



.com/KarverSailing

WWW.KARVER-SYSTEMS.COM

4 PRE-DEFINED VERSIONS... OR A LA CARTE



| Options included for each version | Standard | Racing | Classic | Structural |
|--|----------|--------|---------|------------|
| Carbon and Kevlar® continuous line wheel | ✓ | ✓ | ✓ | ✓ |
| Anti return drum locking mechanism | ✓ | ✓ | ✓ | ✓ |
| K Krok swivel protection | ✓ | ✓ | ✓ | ✓ |
| K Krok drum protection | ✓ | | ✓ | ✓ |
| K Snap 2-in-1 snap shackle | ✓ | | ✓ | |
| Carbon drum | | ✓ | | |
| Natural wood veneer of the continuous line wheel | | | ✓ | |
| Stainless steel fork | | | ✓ | ✓ |



Karver is a French human size company who has been fitting the vast majority of offshore racing yachts (Imocas, Ultims, Class 40, etc.) for over 18 years, as well as cruising and ocean cruising yachts including Super Yachts.

In addition to furlers, we offer hooks, blocks, jammers, winches, tracks & cars mast which match our DNA: Performance - Innovation - Design - Service.



**REGISTER YOUR FURLER ON OUR WEBSITE
AND ENJOY AN ADDITIONAL YEAR'S WARRANTY**

Imoca, Class 40 and Figaro 3 have been testing this new model for several months with significant success. An extra year of warranty is available to you on registration of your furler with our website.



A range of accessories and options to make your furler the lightest, the most compact, the most beautiful, the most innovative, ...

...The choice is yours to make your furler your best team member.

Patented Carbon & Kevlar® continuous line wheel on all models. Aesthetics and efficiency




New, reliable and ergonomic captive fast pins.

"K Krok"
New anti-shock protection on the swivel and the drum.



New sizes in the range: 1.5 - 3.0 - 4.5 - 6.0 - 8.0 - 10 - 12... and up to 50 T.
The right model for the right use at the right price.

Carbon drum as standard on the Racing version or optional on the other models



Natural wood veneer on the Classic version (or optional). Also available for carbon drum.

New compact and resistant 2-in-1 "K Snap": a snap shackle + 2:1 friction sheave on the Standard and Classic version. Easy orientation.



Large Drum diameter version available on the KF1.5 and KF3.0. For those who prefer comfort and power over speed. KF 1.5 and KF 3.0.

Automatic locking of the standard continuous line wheel. Removable in seconds without tools. Comfort & safety.



New bearings for less friction.

New design: More robust and easier to service.



Aluminum and stainless steel fork depending on the versions (and optional titanium).

FURLER + SWIVEL ASSEMBLIES CHARACTERISTICS & CODES


| | KF0.9 | KF1.5 | KF1.5 Large | KF3.0 | KF3.0 Large | KF4.5 | KF6.0 | KF8.0 | KF10 | KF12 |
|--|--------------------|---------------|----------------|---------------|----------------|---------------|---------------|---------------|----------------|----------------|
| SAILBOAT SIZE RECOMMENDATION* | 20 - 30' | 25 - 35' | 25 - 40' | 30 - 40' | 30 - 45' | 40 - 55' | 50 - 60' | 55 - 65' | 60 - 80' | 70 - 100' |
| WORKING LOAD & BREAKING LOAD | 0.9 - 1.8 T | 1.5 - 3 T | 1.5 - 3 T | 3 - 6 T | 3 - 6 T | 4.5 - 9 T | 6 - 12 T | 8 - 16 T | 10 - 20 T | 12 - 24 T |
| CONTINUOUS LINE WHEEL DIAMETER | 87 | 120 | 160 | 160 | 195 | 195 | 220 | 220 | 220 | 220 |
| FAST PINS DIAMETER | 6 | 8 | 8 | 10 | 10 | 12 | 12 | 14 | 18 | 20 |
| FORK WIDTH | 10,2 | 14,6 | 14,6 | 18 | 18 | 20 | 20 | 24 | 22,2 | 22,2 |
| LINE DIAMETER | 6 | 6 | 8 | 8 | 10 | 10 | 10 | 10 | 10 | 10 |
| KF STANDARD VERSION | PF350 000 | PF300 150 | PF300 150 [L] | PF300 300 | PF300 300 [L] | PF300 450 | PF300 600 | PF300 800 | PF300 1000 | PF300 1200 |
| KF^R RACING VERSION | X | PF300 150 [R] | PF300 150 [RL] | PF300 300 [R] | PF300 300 [RL] | PF300 450 [R] | PF300 600 [R] | PF300 800 [R] | PF300 1000 [R] | PF300 1200 [R] |
| KF^C CLASSIC VERSION | X | PF300 150 [C] | PF300 150 [CL] | PF300 300 [C] | PF300 300 [CL] | PF300 450 [C] | PF300 600 [C] | PF300 800 [C] | PF300 1000 [C] | PF300 1200 [C] |
| KF^X STRUCTURAL VERSION | PF350 000 [STRUCT] | PF300 150 [X] | PF300 150 [XL] | PF300 300 [X] | PF300 300 [XL] | PF300 450 [X] | PF300 600 [X] | PF300 800 [X] | PF300 1000 [X] | PF300 1200 [X] |

* Recommendation for a genaker. Please contact us for other sails.

OPTIONS CODES

| | As standard on... | KF0.9 | KF1.5 | KF1.5 Large | KF3.0 | KF3.0 Large | KF4.5 | KF6.0 | KF8.0 | KF10 | KF12 |
|--|-------------------|-----------------|-----------------|-----------------|------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Standard thimble (black) x 1 | X | PF355 705 | PF350 150 | PF350 150 | PF350 300 | PF350 300 | PF350 450 | PF350 600* | PF350 800 | PF034742[18] | PF034742 |
| Cableless thimble (tack) x1 For the swivel thimble : replace [D] by [T] | X | X | PF106 460 [D] | PF106 460 [D] | PF0996461 [D] | PF0996461 [D] | PF086462 [D] | PF086462 [D] | PF116463 [D] | PF036460 [18D] | PF036460 [20D] |
| KTS (Adaptator for asy spinnaker) | X | X | PF340 150 | PF340 150 | PF340 300 | PF340 300 | PF340 450 | PF340 600 | PF340 800 | PF340 1000 | PF340 1200 |
| Remove the drum locking mechanism continuous line wheel (reduction) | X | X | PF311 150 | PF311 150 | PF311 150 | PF311 150 | PF311 450 | PF311 450 | X | X | X |
| Optional 2:1 block (instead of the lashing eye) | X | X | PF330 150 | PF330 150 | PF330 300 | PF330 300 | PF330 450 | PF330 600 | PF330 800 | PF330 1200 | PF330 1200 |
| Ready-to-use line * | X | PF10123 [D6L12] | PF10123 [D6L16] | PF10123 [D6L16] | PF091232 [D8L20] | PF091232 [D8L20] | PF081233 [D10L26] | PF081233 [D10L26] | PF081233 [D10L32] | PF081233 [D10L42] | PF081233 [D10L50] |
| Karver Open Ring / fairlead | X | PF011 6739 | PF011 6739 | PF011 6739 | PF011 6740 | PF011 6740 | PF011 6740 | PF011 6741 | PF011 6741 | PF011 6741 | PF011 6741 |
| Hook KFH (instead of standard swivel) | X | X | PF320 150 | PF320 150 | PF320 300 | PF320 300 | PF320 450 | PF320 600 | PF320 800 | PF320 1000 | PF320 1200 |
| 3 :1 friction sheave (instead of K Snap or eye) | KFR | X | PF370 150 | PF370 150 | PF370 300 | PF370 300 | PF370 450 | PF370 600 | PF370 800 | PF370 1200 | PF370 1200 |
| Friction sheave only | X | X | PF310 4699 | PF310 4699 | PF310 6917 | PF310 6917 | PF310 6923 | PF310 6922 | PF114226 | PF034787 | PF034787 |
| Carbon drum 11 (instead of ABS) | KFR | X | PF380 150 | PF380 300 | PF380 300 | PF380 450 | PF380 450 | PF380 600 | PF380 800 | PF380 1000 | PF380 1200 |
| ABS drum 12 (instead of carbon) | KF, KFC, KFX | X | PF381 150 | PF381 300 | PF381 300 | PF381 450 | PF381 450 | PF381 800 | PF381 800 | PF381 800 | PF381 800 |
| K Snap (instead of 3:1) | KF, KFC | X | PF390 150 | PF390 150 | PF390 300 | PF390 300 | PF390 450 | PF390 600 | X | X | X |
| Wooden veneer 14 of the continuous line wheel | KFC | X | PF385 150 | PF385 300 | PF385 300 | PF385 450 | PF385 450 | PF385 600 | PF385 800 | PF385 1200 | PF385 1200 |
| Wooden veneer of the carbon drum | X | X | PF383 150 | PF383 300 | PF383 300 | PF383 450 | PF383 450 | PF383 800 | PF383 800 | PF383 800 | PF383 800 |
| Stainless steel fork (instead of aluminium) | KFC, KFX | X | PF315 150 | PF315 150 | PF315 300 | PF315 300 | PF315 450 | PF315 600 | PF315 800 | PF315 1000 | PF315 1200 |

* L12 = 2 x 6 m loop. Other lengths available for each model



More information on our website
www.karver-systems.com
 on our YouTube channel www.youtube.com/karversailing