

Badder

Lab ID: 231025-700-BIOP-3

METRC Batch: ; METRC Sample:

Sample ID: 2503PHS0585.2683

Strain:

Matrix: Concentrates & Extracts

Type: Badder

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 03/25/2025

Batch#:

Producer

Lic. #



Summary

Test
Cannabinoids

Date Tested
03/25/2025

Result
Pass

Cannabinoids

Pass

49.791%		0.263%		52.041%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	%	mg/g	
THCa	0.01	0.01	50.764	507.64	<div></div>
Δ9-THC	0.01	0.01	5.271	52.71	<div></div>
Δ8-THC	0.01	0.01	ND	ND	
THCVa	0.01	0.10	0.249	2.49	<div></div>
THCV	0.01	0.10	ND	ND	
CBDa	0.01	0.01	0.300	3.00	<div></div>
CBD	0.01	0.01	ND	ND	
CBDVa	0.01	0.10	ND	ND	
CBDV	0.01	0.10	ND	ND	
CBN	0.01	0.10	ND	ND	
CBGa	0.01	0.10	2.016	20.16	<div></div>
CBG	0.01	0.10	ND	ND	
CBC	0.01	0.10	ND	ND	
(6aR,9S)-d10-THC	0.01	0.01	ND	ND	
(6aR,9R)-d10-THC	0.01	0.01	ND	ND	
Total THC			49.791	497.910	
Total CBD			0.263	2.630	
Total			58.600	586.00	

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD.
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeledj

Raquel Keledjian
Lab Director
03/25/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian