

Sherman Wildcat Cartridges Load Data

The following loads are a compilation of clients.
There is no SAAMI standard for these cartridges.
All loads should be worked up to with caution.
Any damage or injury resulting from overloads are the sole responsibility of the consumer.

Cartridge	Barrel Length (inches)	Twist (inches)	Bullet/Weight	Powder	Grains	Velocity (FPS)	Length	Brass & Prep	Primer	Notes
6 PRC/SI	27		110 Hornady A-Tip	H1000	58	3250	0.20" BPT loads			Fireforming load, tester said H1000 was not very consistent for accuracy. Pressure round at 65.5 grains H1000 at 3504 fps. H1000 max bullets but no data shown
6SS										
6SS	27"	7.5	87 Hornady V-Max	RL 19	56	3530	2.168" BTO	ADG		*vaporizes bullet over this charge
	27"	7.5	110 Sierra Matchking	H1000	52.5	3169	2.223" BTO	ADG		1-2 moa
	27"	7.5	110 Sierra Matchking	H1000	59.5	3451		ADG		
	27"	7.5	115 Berger Hunting VLD	RL 23	55.1	3422	2.333" BTO	ADG		
6mm Sherman MAX										
	19	7.5	115 DTAC	N570	66.5	3250	2.890 COAL	ADG		CCI 250
25 SWC			N/A							
25 SST										
	26"	7.5	121 Hammer	N565	62	3375		ADG		Fed 215
	26"	7.5	121 Hammer	H1000	59.5	3414	2.180" BTO	ADG		Fed 215GM
	26"	7.5	131 ACE	N565	59.3	3160	2.850" COAL	ADG		CCI BR-2
	26	7.5	131 ACE	RL 25	62	3280	2.90 OAL	ADG		CCI 200
	26"	7.5	131 Blackjack	N565	61.3	3254		ADG		Fed 210GM
	26"	7.5	131 Blackjack	H1000	56.5	3136	2.188" BTO	ADG		Fed 215GM
	24"	7.5	131 Blackjack	N565	60.6	3230	2.850" COAL	ADG		CCI BR-2
	22"	7.5	131 Blackjack	H1000	60.3	3180	2.895" COAL	ADG		
	26"	7.5	133 Berger Elite Hunter	H1000	58	3187	2.178" BTO	ADG		CCI BR-2
	26"	7.5	135 Berger LRHT	H1000	59	3060				CCI 250
	26"	7.5	135 Berger LRHT	48315C	56	3115				CCI250
	25"	7.5	135 Berger LRHT	RL 26	57.5	3205	2.820 OAL	ADG		Fed 210GM
	25"	7.5	135 Berger LRHT	RL 26	55.4	3090	2.820 OAL	ADG		Fed 210GM
	26"	7.5	135 Berger LRHT	RL 23	54.5	3127	2.178" BTO	ADG		CCI BR-2
	26"	7.5	135 Berger LRHT	H1000	59.6	3224	2.125" BTO	ADG		Fed 210GM
6.5 SST										
			130 Hornady ELD-M	H4895	42.2	2900	2.870" COAL	ADG		Fed 210 Low Pressure
			140 Berger Hybrid	N565	60.3	3000		ADG		Fed 215
			140 Berger Elite Hunter	H1000	61	3201	2.150" BTO	ADG		WLRM
			147 Hornady ELD-M	RL 26	53.5	2981	2.210" BTO	ADG		
			147 Hornady ELD-M	RL 26	57	3107	2.870" COAL	ADG		Fed 210
			147 Hornady ELD-M	Retumbo	60	3117	2.870" COAL	ADG		Fed 210
			156 Berger EOL	N565	59	3020	2.150" BTO	ADG		WLRM
25 Sherman LA										
	27"	9	115 Nosler BT	RL 23	59	3470				
25 SS										
	26	7.5	133 Berger Elite Hunter	R23	53.2	2900	2.211 BTO	ADG		Fed 210 Reduced load for first firing
	19.5	8	135 Berger LRHT	N565	60.4	3017	2.271 BTO	ADG		CCI BR2 Shoots great
	26"	7.5	135 Berger LRHT	RL 23	56.1	3115	2.215	ADG		210m
25 MAX										
	26"	7.5	Hornady 138 A-TIP	N570	65	3150	2.920 COAL	ADG		CCI 250
	26"	7.5	Berger 135 LRHT	N570	67	3250	2.940 COAL	ADG		CCI 250
6.5SS										
			123 Hammer Hunter	IMR 4831	59		2.99" COAL			
			124 Hammer Hunter	RL 23	58.5	3330		ADG		Fed 210GM
	7		124 Hammer Hunter	RL 23	57	3265		ADG		Fed 215
			127 Barnes LRX	RL 23	57	3242	2.220" BTO	ADG		Fed 215GM
	20	7.5	129 Nosler Long Range Accubond	RL 23	56.5	3126	2.250" BTO	ADG		
	26	7.5	129 Nosler Long Range Accubond	RL 23	57	3158	2.230" BTO	ADG		CCI BR-2
	26	7.5	129 Absolute Hammer	H4350	57	3307				Fed 215GM
	20	7.5	129 Absolute Hammer	H4350	58.5	3222		ADG		Ran to 60 grains at max pressure at 3463fps
	20	7.5	130 Sierra TMK	RL 23	55.5	3065	2.282" BTO	ADG		Ran to 60.0 grains at 3343 fps max
	20	7.5	130 Sierra TMK	N565	58	3006	2.282" BTO	ADG		Max pressure 57.5 at 3111 fps
	26	7.5	130 Sierra TMK	RL 23	58	3245	2.282" BTO	ADG		Near max 61.5 at 3086 fps
	26	7.5	131 Hammer Hunter	RL 26	58.5	3249	2.293" BTO	ADG		CCI BR-2
	20	7.5	131 Hammer Hunter	RL 26	56	3060	2.293" BTO	ADG		Fed 215GM
			140 Berger Hunting VLD	RL 23	57	3166	2.230" BTO	ADG		58.2 grains 3151 fps
	23"	7.5	140 Berger Hybrid	Retumbo	62.1	3180	2.230" BTO	ADG		Fed 215 GM
			140 Berger Hybrid	RL 26	60.3	3207	2.230" BTO	ADG		Fed 210
			140 Berger Elite Hunter	RL 26	59.7	3226	2.994" BTO	ADG		Fed 210
	26	7.5	140 Berger Hybrid	RL 23	59	3202	2.282" BTO	ADG		Max
	20	7.5	140 Berger Hybrid	RL 23	57.5	3035	2.262" BTO	ADG		50.0 near max 3088 fps
	20	7.5	140 Berger Hybrid	H1000	56.6	2940	2.262" BTO	ADG		59.0 near max at 3031 fps
			143 Hornady ELD-X	H1000	62	3180	2.970" COAL	ADG		Fed 210
	26	7.5	144 Berger LRHT	RL 23	56.5	3114	2.262" BTO	ADG		CCI BR-2
			144 Berger LRHT	N565	58.5	3080	2.262" BTO	ADG		57.5 grains max at 3180 fps
			147 Hornady ELD-M	RL 26	59		2.99" COAL			CCI BR-2
			150 Matrix	H1000	62	3120	2.875" COAL	ADG		60 grains max at 3145 fps
			150 Sierra Matchking	H1000	59.5	3114		ADG		Fed 210
	20	7.5	150 Sierra Matchking	N565	59.5	2954	2.267 BTO	ADG		CCI BR-2
	23"	7.5	156 Berger Elite Hunter	Retumbo	58.8	2920	2.230" BTO	ADG		Fed 215GM
	24		156 Berger Elite Hunter	N560	57	2950	2.140 OAL	ADG		fed 215
	20	7.5	156 Berger Elite Hunter	N565	61.4	3001	2.268" BTO	ADG		CCI 250
	20	7.5	156 Berger Elite Hunter	N570	60	2916	2.268" BTO	ADG		Fed 215 GM
	20	7.5	156 Berger Elite Hunter	H1000	58	2921	2.268" BTO	ADG		Max Load
	26	7.5	156 Berger Elite Hunter	N565	60.5	3068	2.268" BTO	ADG		Moderate load but full case capacity
	26	7.5	156 Berger Elite Hunter	H1000	58	3025	2.268" BTO	ADG		Fed 215GM
	26	7.5	156 Berger Elite Hunter	N570	60	3042	2.268" BTO	ADG		CCI BR-2
	26	7.5	156 Berger Elite Hunter	RL 23	57	3084	2.268" BTO	ADG		CCI BR-2
			160 Matrix	RL 33	63.5	3080	2.880" COAL	ADG		Fed 210

6.5 PRC/SI											
	24"	8	153.5 Berger LRHT	Retumbo	60.9	3030	2.9550	Lapua	Fed 210		
	24"	8	153.5 Berger LRHT	N570	62.5	3060	2.9550	Lapua	Fed 210		
6.5 Sherman											
			123 Sierra Matchking	H4831	60	3340	3.340" COAL		Fed 210		
			123 Sierra Matchking	Hybrid 100V	55	3230	3.340" COAL		CCI BR-2		
			124 Hammer Hunter	RL 26	63	3360	3.4" COAL		CCI BR-2		
			130 Nosler Accubond	IMR 7828	59	3230	3.374" COAL		CCI BR-2		
			130 Nosler Accubond	H 4831	59.5	3244	3.374" COAL		Fed 210		
			140 Berger VLD	RL 26	61.5	3240	3.552" COAL	Norma	Fed 210		
			140 Berger VLD	RL 26	61.4	3180		Norma	CCI BR-2		
			140 Berger VLD	H1000	62	3123					
			140 Berger VLD	Retumbo	63.9	3145		Norma	Fed 210		
			140 Berger VLD	N570	65.5	32350			Fed 210		
			140 Berger Elite Hunter	RL 26	63	3180					
			140 Nosler Custom Competition	H4831	58	3066	3.392" COAL		WLR		
			140 Nosler Custom Competition	Magpro	60	3012	3.392" COAL		Fed 215		
			140 Nosler Custom Competition	IMR 7828	57.5		3.392" COAL		Fed 210		
			140 Nosler Custom Competition	H1000	62	3133	3.392" COAL		CCI BR-2		
			142 Matrix	H4831	56.3	2970	3.421" COAL		CCI BR-2		
	22		142 Nosler Long Range Accubond	H1000	60	2949	3.450" COAL	Norma	CCI BR-2		
			143 Hornady ELD-X	RL 23	57	3297					
			143 Hornady ELD-X	RL 25	65	3148	3.450" COAL		Fed 210		
			143 Hornady ELD-X	RL 26	63	3203	3.450" COAL		Fed 210		
			143 Hornady ELD-X	IMR 7977	62.5	3138	3.450" COAL		Fed 210		
			150 Matrix	RL 26	60	3127	3.517" COAL	Norma	Fed 210		
			150 Matrix	N570	64.3	3086		Norma	Fed 210		
			150 Matrix	RL 33	70	3117	3.4" COAL		Fed 210		
			150 Matrix	Retumbo	65	3115	3.4" COAL		Fed 210		
			150 Sierra Matchking	RL 26	60	3005	3.4" COAL		Fed 210		
			155 Cauterucio	H1000	61	3009	3.470" COAL		Fed 210		
			155 Cauterucio	Retumbo	61.5	3030	3.470" COAL		Fed 210		
			155 Cauterucio	H 4831	59	2985	3.470" COAL		Fed 210		
			160 Matrix	RL 33	65.5	3045	3.480" COAL	RWS	Fed 210		
			160 Matrix	RL 33	68	3120	3.420" COAL		Fed 210		
			160 Matrix	Retumbo	61.5	2913	3.420" COAL		Fed 210		
			160 Matrix	RL 26	63	3073	3.420" COAL		Fed 210		
6.5 Max											
	26"	7.5	85 Hammer Hunter	IMR 4350	68.5	4002	2.714" COAL	ADG	Fed 210		
	26"	7.5	92 Hammer Power Hammer	RL 16	68	3945	2.671"	ADG	Fed 210	2/8T FCD	
	26"	7.5	123 Absolute Hammer	RL 26	64	3143	2.930" COAL	ADG	Fed 210		
			123 Absolute Hammer	RL 26	69.5	3556	2.976" COAL	ADG	Fed 210		
			129 Absolute Hammer	RL 26	68.2	3451	3.020" COAL	ADG	Fed 210		
	28"	7.5	144 LRHT	n570	68.2	3300	3.097" COAL	ADG	Fed 210	6.5-300 WBY? Never heard of her	
			153.5 Berger LRHT	RL 23	58.7	2997	3.097" COAL		Fed 210		
	20"	7.5	156 Berger EOL	N570	66	2904		ADG	Fed 215		
	24"		156 Berger EOL	N 570	65	3080	2.372" BTO	ADG	Fed 215		
270 55											
	21.5"	8.5	130 Nosler Ballistic Tip	IMR 7828	61	3075	2.287" BTO	ADG	CCI 250	Fireforming load, Bullet jammed	
	21.5"	8.5	140 Berger VLD Hunting	H4831sc	54	2929		ADG			
	19.5"	8	145 Hornady ELD-X	RL 26	61.5	3031	2.166" BTO	ADG	CCI 250		
	19.5"	8	145 Hornady ELD-X	RL 23	60.5	3015	2.166" BTO	ADG	CCI 250	extremely accurate	
	19.5"	8	145 Hornady ELD-X	H4831 sc	59.3	2910	2.166" BTO	ADG	CCI 250	extremely accurate	
	19.5"	8	145 Hornady ELD-X	IMR 7977	63.7	2915	2.166" BTO	ADG	CCI 250		
	21.5"	8.5	150 Nosler Long Range Accubond	RL 26	58	3080	2.855" COAL	ADG			
	19.5"	8	165 Matrix	N570	63.6	2853	2.204" BTO	ADG	CCI 250		
	19.5"	8	165 Matrix	RL 26	60	2844	2.204" BTO	ADG	CCI 251		
	19.5"	8	165 Matrix	H1000	63	2827	2.204" BTO	ADG	CCI 252		
	19.5"	8	165 Matrix	N565	62	2812	2.204" BTO	ADG	CCI 253		
	19.5"	8	165 Matrix	RL 23	58	2833	2.204" BTO	ADG	CCI 254	Max Charge	
	19.5"	8	165 Matrix	Retumbo	64	2868	2.204" BTO	ADG	CCI 255	Max Charge	
	24"	8	165 Matrix	RL 23	59.2	2999	2.266" BTO	ADG	CCI 200		
	24"	8	165 Matrix	RL 26	62	2979	2.266" BTO	Norma	Fed 210		
	19.5"	8	170 Nosler Ballistic Tip	RL 23	56.2	2744		ADG	CCI 200		
	19.5"	8	175 Sierra Gamechanger	RL 26	57	2750	2.231" BTO	ADG	CCI 250		
270 Sherman											
			126 Cayuga	RL 26	66.5	3425	3.405" COAL	Norma	Fed 210GM		
	19"		140 Badlands SBII	RL 26	63.5	3103	3.5" COAL	Norma	CCI 200		
	27"	8	165 Matrix	RL 26	62	3017	2.905" BTO	Norma	Fed 210	HBN coated, approach with caution, hot load	
			170 Berger EOL	RL 33	70.3	3033	2.880" BTO	Norma	Fed 210		
			170 Berger EOL	H1000	63.7	2940		Norma	Fed 215		
	27"	8	170 Berger EOL	Retumbo	65.5	3040	2.870" BTO	RWS			
	27"	8	170 Berger EOL	N570	65.5	2984	2.892" BTO	Norma	Fed 210		
	27"	8	170 Berger EOL	RL 23	60	3019	2.880" BTO	Norma	Fed 210		
	24.5"		170 Berger EOL	RL 26	62.7	2972		Norma	CCI BR-2		
	25"	8	170 Berger EOL	N570	64.5	3080	3.580" COAL	Peterson	Fed 210		
27 Sherman Mag											
	26"	8	165 Matrix	Retumbo	81.1	3325		ADG	CCI 250		
	26"	8	170 Berger	N570	82.9	3300		ADG	CCI 250		
280 Sherman											
	26"	9	180 Berger Hybrid	RL 26	62.5	3020	3.580"	RWS			
7 SWC											
	28"	8	190 A-tip	Varget	38		2.92 Coal	ALPHA	CCI 450	Starting Load	
	28"	8	190 A-tip	Varget	41	2700	2.92 COAL	Alpha	CCI 450	MAX LOAD	
	28"	8	190 Berger LRHT	N550	39	2650	2.880 COAL	ALPHA	CCI 450	suppressed load	
	24"	8	180 Berger HYB	N140	41	2600		ALPHA	CCI 450		
	20"	8	180 Berger HYB	N140	41	2520		ALPHA	CCI 250		
7 55											
			155 Hammer Hunter	RL 26	62.5	3170	2.260" BTO	ADG	CCI BR-2		
	26"		155 Hammer Hunter	H4350	57	3058	2.960"	ADG	Fed 210GM		
	21"	8	162 Hornady ELD-M	N555	59.7	3010		ADG			
	24"	8.4	165 Sierra Tipped Gameking	N565	63	2918	2.270" BTO	ADG	CCI BR-2	64 grains at 3003 fps, max case fill, no pressure	
	24"		169 Hammer Hunter	H4831SC	61	2975	2.920" COAL	ADG	CCI 250		
	26"		175 Berger Elite Hunter	Retumbo	63	3000	2.913" COAL	ADG			
	24"	8	175 Berger Elite Hunter	N560	61.5	3000	2.900 Coal	ADG	FED 215		
			175 Berger Elite Hunter	H1000	63	2885	2.260" BTO	ADG	CCI BR-2		
	26"		175 Berger Elite Hunter	RL 26	62.5	3030	2.227" BTO	ADG	Fed 210GM		

		21"		175 Hornady ELD-X	RL 26	60	2895					
				180 Hornady ELD-M	H1000	60.1	2843	2.945" COAL	ADG	Fed 210GM		
				180 Hornady ELD-M	RL 26	62.2	3065					
	24"	8		180 Berger Hybrid	Retumbo	66.5	2979	2.146" BTO	ADG	Fed 215	Compressed Load, no pressure	
	24"	8		180 Berger Hunting VLD	H1000	65	2934	2.127" BTO	ADG	Fed 215	Compressed Load, no pressure	
				180 Berger Hybrid	RL 26	61	3010	2.920"COAL	ADG			
		27"	8.4	180 Berger Hybrid	N565	61	2920		ADG	Fed 215M		
	22	8		180 Berger Hybrid	N560	59.6	2810		ADG	Fed 215		
				180 Berger Hybrid	N565	64	3005		ADG	CCI 250		
	24"	8.4		184 Berger Hybrid	RL 23	57.5	2797	2.210"BTO	ADG	CCI BR-2		
	28"	8.4		184 Berger Hybrid	RL 26	59.5	2900	2.955 OAL	ADG	Fed 215M	4th Hunter division at 2023 Nightforce Steel Challenge	
	26"	8		184 Berger Hybrid	N565	61	2724	2.910 OAL	ADG			
	24"	8.4		184 Berger Hybrid	N565	62.5	2838	2.210"BTO	ADG	CCI BR-2	63.0 at 2862 fps max case fill no pressure	
				185 Nosler RDF	RL 26	58.8	2950	2.860"COAL	ADG			
	28"	8		Berger 190 LR Hybrid	N560	60	2904	2.910 OAL	ADG	REM 9.5		
	28"	8		Berger 190 LR Hybrid	N560	61	2951	2.910 OAL	ADG	REM 9.5		
	28"	8		Berger 190 LR Hybrid	N560	62	2990	2.910 OAL	ADG	REM 9.5	MAX	
				190 Hornady A-Tip	H1000	58.3	2720	2.340" BTO	ADG	Fed 210GM		
				195 Berger EOL	RL 26	58	2865	2.945"COAL	ADG			
7 Max												
				120 Hammer Hunter	H4831 SC	72	3619	2.950" COAL	ADG	Fed 215		
				131 Hammer Hunter	H4831 SC	70.7	3545	2.945"COAL	ADG	Fed 215		
				150 Sierra Matchking	H4831 SC	62.2	2987		ADG	Fed 215		
				160 Nosler Accubond	N565	62.6	2980	2.265"	ADG	Fed 215GM		
				160 Nosler Ballistic Tip	N565	62.6	2990	2.271" BTO	ADG	Fed 215GM		
	24	9		168 Berger VLD Hunter	H1000	65.5	2942	2.380 OAL	ADG	CCI 200		
	26"			175 ABLR	Retumbo	66.3	2860	2.352 BTO	ADG	CCI 250		
				175 Berger Elite Hunter	RL23	62	3008	3.043"COAL	ADG			
				175 Berger Elite Hunter	RL 25	64		3.058"COAL	ADG	CCI BR-2		
				175 Hornady ELD-X	RL 23	62	3008	3.060"COAL	ADG			
	20"			175 Hornady ELD-X	N565	67	2890	3.015"COAL	ADG	Fed 215GM		
				195 Berger EOL	N570	69	2950	3.085" COAL	ADG	CCI BR-2		
				195 Berger EOL	RL 26	63	2910	2.400"BTO	ADG	CCI BR-2		
7 Mega												
	26"			140 Absolute Hammer	N555	70.5	3400	3.142 OAL	ADG	Fed 215		
	26"			175 Berger Elite Hunter	N570	74.5	3180	3.248"COAL	ADG	Fed215		
	24"	8.4		Berger 180 hybrid	N565	71.8	3080	2.522 BTO	ADG	CCI 250		
	26"	8		190 A-tip	N570	72.5	3050	3.296" OAL	ADG	Fed 215		
	24"	8		195 Elite Hunter	Retumbo	73	3160	2.490 BTO	ADG	CCI 250		
28 Sherman Magnum												
				169 Hammer Hunter	78285SC	75	3257	3.626" COAL	ADG			
	26"			175 Nosler Long Range Accubond	H1000	74	3023	2.860"BTO		Fed 215	Fireforming load	
	30"	8.5		184 Berger F-open	RL33	90	3450		Lapua	CCI 250	MAX LOAD	
	26"			195 Berger EOL	Retumbo	73	2810				Fireforming load	
	26"			195 Berger EOL	N570	80	3167	2.910"BTO	ADG	Fed 215GM		
	26"			195 Berger EOL	Retumbo	78.6	3032	2.950" BTO	Lapua	CCI 250		
300 SS												
	28"	10		178 Hornady ELD-M	H4831sc	59	2720		ADG	CCI 250	Fireforming load. Jamming .030" into lands	
	28"	10		178 Hornady ELD-M	N555	60.3	2900	2.223"BTO	ADG	CCI 200		
	28"	10		180 Berger Elite Hunter	Hybrid 100V	62.5	3090	2.197" BTO	ADG	Fed 210GM		
	28"	10		180 Berger Elite Hunter	RL 16	61.5	3098	2.197" BTO	ADG	Fed 210GM		
	28"	10		180 Berger Elite Hunter	N560	68.5	3095	2.197" BTO	ADG	Fed 210GM	Drop Tube used, Max Capacity	
	28"	10		180 Berger Elite Hunter	RL 26	68	3108	2.197" BTO	ADG	Fed 210GM	Drop Tube used, Max Capacity	
	22.75"	9		180 Berger Elite Hunter	RL 16	60.8	2928		ADG	CCI 250		
	28"	10		195 Hornady ELD-M	RL 16	59	2964	2.860" COAL	Norma	Fed 210GM		
	28"	10		195 Hornady ELD-M	IMR 4451	59	2980	2.860" COAL	Norma	Fed 210GM		
	28"	10		195 Hornady ELD-M	RL 22	65	3042	2.860" COAL	Norma	Fed 210GM	Max pressure, Max capacity, Drop tube used	
	28"	10		200 Sierra Matchking	RL 16	61	2980	2.207" BTO	ADG	Fed 210GM		
	28"	10		200 Sierra Matchking	N560	67	2966	2.207" BTO	ADG	Fed 210GM		
	28"	10		200 Sierra Matchking	Hybrid 100V	62.5	3030	2.207" BTO	ADG	Fed 210GM		
	28"	10		200 Sierra Matchking	IMR 4451	60.5	2949	2.207" BTO	ADG	Fed 210GM		
	28"	10		200 Sierra Matchking	RL 26	67	3030	2.207" BTO	ADG	Fed 210GM		
	22.75"	9		205 Berger EOL	RL 26	63.5	2824	2.221"BTO	ADG	CCI 250		
	22.75"	9		208 Hornady ELD-M	RL 26	62.8	2800	2.212"BTO	ADG	CCI 250		
	22.75"	9		208 Hornady ELD-M	RL 23	60.3	2710	2.212"BTO	ADG	CCI 250		
	28"	10		208 Hornady ELD-M	RL 26	64.3	2928	2.255" BTO	ADG	Fed 210GM		
	28"	10		210 Nosler RDF	RL 26	64.5	2953		ADG	Fed 210GM		
	28"	10		225 Hornady ELD-M	RL 26	61.8	2795	2.270" BTO	ADG	Fed 210GM		
300 Max												
	21.5"	9		195 Hornady ELD-M	Hybrid 100V	58	2685		ADG	Fed 210GM	Fire Forming load, .030" into lands	
	21.5"	9		208 Hornady ELD-M	RL 26	68	2893	2.318" BTO	ADG	Fed 210GM	Work up to this, Do not start here	
	22"	9		208 Hornady ELD-M	Hybrid 100V	62.1	2810	3.005" COAL	ADG	Fed 215		
300 Mega												
30 Sherman Magnum												
	27"	9		120 Hammer Lever	H4350	87	4005	3.210" COAL	ADG	CCI 250	.385" group 1/8 T FCD	
				124 Hammer Hunter	N550	84.5	4000	3.259" COAL	ADG	CCI 250	1/8 T FCD	
				124 Hammer Hunter	Varget	81.5	3985	3.259" COAL	ADG	CCI 250	.54" group 1/8 T FCD	
				200 Hornady ELD-X	H1000	78	2948	2.805" BTO	ADG	Fed 215		
	26"	9		208 ELD-M	H1000	82	3105	3.669" OAL	Lapua	WLRM		
	26"	9		208 Berger LRHT	N 570	84.5	3122	2.9" BTO	Lapua	Fed 215	More to go but accuracy best here	
	26"	10		215 Berger Hybrid Target	N 570	86	3085	3.705 OAL	Lapua			
				215 Berger Hybrid Target	RL 23	76	3071	3.715" COAL	Hornady			
				215 Berger Hybrid Target	RL 33	90	3190	3.715" COAL	Hornady		Maximum Load	
				215 Berger Hybrid Target	H1000	82	3050	3.715" COAL	Hornady			
	28	9		225 Hornady ELD-M	Staball	79	2837	3.733 OAL	ADG	CCI 250		
	28"	10		225 Hornady ELD-M	N 570	83.3	3050	3.775" COAL	Hornady	WMR		
				230 Berger OTM	N 570	83	3050	3.650" COAL	Hornady	WMR		
				230 Berger Hybrid Target	N 570	83	3045		Hornady			
				245 Berger EOL	N 570	83	3000		ADG	Fed 215		
	32"	8.5		250 Hornady A-TIP	N570	82	2995	3.790 OAL	ADG	Fed 215M		
338 SS												
	22"	9		205 Power Hammer	Varget	60.5	2910	2.25	ADG	FED 210		
	26"			225 Nosler Accubond	Hybrid 100V	65	2854	2.835" COAL		CCI 250	Compressed load	
				225 Bulldozer	IMR 4064	61	2996		ADG			
	26"	9		225 Bulldozer	W748	63	3003		ADG	Fed 215		
				225 Bulldozer	IMR 8208XB	59	2911		ADG	Fed 215		
				240 Bulldozer	Varget	62	2892	3.215" COAL	ADG	Fed 215		

			240 Bulldozer	Benchmark	59	2858	3.215" COAL	ADG	Fed 215	
			250 Berger Elite Hunter	W760	66	2855	3.070" COAL	ADG	Fed 215	
			250 Berger Elite Hunter	Varget	61.3	2860	3.070" COAL	ADG	Fed 215	
			250 Berger Elite Hunter	Varget	61.7	2816	2.150" BTJ	ADG	Fed 215	
			250 Berger Elite Hunter	RL 17	64	2883	3.070" COAL	ADG	Fed 215GM	
			250 Berger Elite Hunter	H 4350	62	2725	2.950" COAL		CCI 250	
			285 Hornady ELD-M	RL 17	60.5	2652		ADG	Fed 215	
338 Max										
	28"	9.3	285 Hornady ELD-M	Hybrid 100V	66	2724		ADG	Fed 215	work up to this load
	24"	9.3	186 Shok Hammer	N550	60	2900	2.694 OAL	ADG	CCI250	
338 Sherman										
	24"		200 Nosler Accubond	N 550	65.5	3100	3.431" COAL			
			205 Hammer Hunter	N 550	64.5	3021				
			213 Hammer Hunter	Varget	62	2952				
	26"	9.3	230 Hornady ELD-X	RL 17	62.5	2875	3.425" COAL			
	24"		250 Berger Elite Hunter	Hybrid 100V	65	2810	3.560" COAL			
	24"		250 Berger Elite Hunter	RL 17	63.5	2800	3.560" COAL			
	25.25"	10	285 Hornady ELD-M	RL 26	69	2694	3.6" COAL			
			225 Hornady SST	IMR 4064 or IMR 4320	49		Jammed .020" into head.		Any large rifle primer	
338 Mega										
	21.5"	9.35	250 Berger Elite Hunter	N 555			2.440" BTO	ADG	Fed 215	Long reamer, Pressure test, Not enough capacity to pressure out, 72.5gr (2758) 73.5gr (2780) 74.5gr (2810)
	21.5"	9.35	250 Berger Elite Hunter	RL 16			2.440" BTO	ADG	Fed 215	Long reamer, Pressure test, 69.5gr (2791) 70.5gr (2811) 73.5gr (2915), Max pressure
	21.5"	9.35	250 Berger Elite Hunter	Hybrid 100V			2.440" BTO	ADG	Fed 215	Long reamer, Pressure test, 72.0 gr (2922) max pressure too hot, do not shoot
	21.5"	9.35	250 Berger Elite Hunter	IMR 4451			2.440" BTO	ADG	Fed 215	Long reamer, Pressure test, 71gr (2852) 72gr (2860) 73gr (2905) Max pressure don't start here
	21.5"	9.35	250 Berger Elite Hunter	RL 26			2.440" BTO	ADG	Fed 215	Long reamer, Pressure test, Drop tube, Start at 75 grains (DO NOT SHOOT BUT 80 GRAINS 3013 FPS)
	21.5"	9.35	265 Nosler Long Range Accubond	RL 26			2.547" BTO	ADG	Fed 215	Long reamer, Pressure test, Drop tube, 74gr (2741) 75gr (2770) 76gr (2807) 77gr (2845, 2856)Max capacity
	21.5"	9.35	265 Nosler Long Range Accubond	RL 26	75.7	2792	2.547" BTO	ADG	Fed 215	Very accurate!
	21.5"	9.35	285 Hornady ELD-M	RL 26			2.531" BTO	ADG	Fed 215	Long reamer, Pressure test, Drop tube, 72gr (2635) 73gr (2666) 74gr (2706) 75gr (2747,2735) max capacity
	21.5"	9.35	285 Hornady ELD-M	Hybrid 100V	61.1	2565	2.531" BTO	ADG Mega	Fed 215	Accurate and low pressure load
33 Sherman Magnum										
	24"	10	250 Berger Elite Hunter	RL 26	85	3100		ADG	Fed 215	max velocity and pressure
	24"	10	285 Hornady ELD-M	RL 26	83	2829		ADG	Fed 215	max velocity and pressure
	24"	10	285 Hornady ELD-M	Retumbo	83	2660	3.667" COAL	ADG	Fed 215	Accuracy load
	24"	10	285 Hornady ELD-M	N565	85	2757		ADG	Fed 215	compressed
	24"	10	300 Berger Hunter	RL 26	83	2800		ADG	Fed 215	max velocity and pressure
375 Yukon										
	17.5"	12	270 Shock Hammer	AA2230	69	2712	2.960"	ADG	Fed 210	.39 moa, Near Max
	17.5"	12	270 Shock Hammer	N550	78	2836	2.960"	ADG	Fed 210	
	17.5"	12	248 Hammer Hunter	AA2230	71	2867	2.960"	ADG	Fed 210	Near Max
	20"	12	300 Chinchanga	Varget	71	2680	3.220 Coal	ADG	Fed 215	
	20"	12	300 Chinchanga	IMR 8208 XBR	67	2640	3.220 Coal	ADG	Fed 215	Slight ejector mark
	20"	12	300 Chinchanga	N550	76	2724	3.220 Coal	ADG	Fed 215	