



SPAY & NEUTER POST SURGERY HOME CARE INSTRUCTIONS

*For questions or concerns please **first** contact CO Spay/ Neuter Coalition at (719) 294-1864. If you are not able to reach us and feel your pet needs emergency care please call your local veterinarian.*

Having your pet spayed/neutered helps to maintain a healthy pet population in Colorado. You have also increased your pet's chances for a longer, healthier life. We strongly recommend that you establish a regular wellness program for your pet with a local veterinary clinic or hospital.

Post-operative care is simple but important in helping your pet with recovery.

Your pet may be unsteady and sleepy tonight, this is normal. Do not leave your pet unattended as the effects of the anesthesia may alter reflexes. Monitor closely when using stairs or resting on furniture.

Feeding

- All animals can be fed small amounts of food and water the evening of surgery and can eat normally the day after surgery.
- Your pet may have a decreased appetite and/or may vomit and have some diarrhea for 1-3 days after surgery.

Activity

- Please restrict your pet's activities for at least 10 days.
 - Do not allow your pet to play roughly with other animals or children.
 - Cats need to be kept inside for at least 72 hours. To reduce activity/injury cats can be housed in a bathroom or small area with access to food, water, a litter box and bedding for at least the first 24 hours.
 - Dogs must be leash walked and should have NO off-leash activity. To reduce activity/injury, a kennel can be used to keep dogs quiet when left alone.

Behavior

- It is normal for your pet to whine, whimper, meow or moan within the first 24 hours after surgery - this can be due to the anesthetic drugs given and does not necessarily mean your animal is in pain.
- Some drooling, shivering and panting may be seen after surgery due to stress and nausea. This should resolve over the next several hours.
- Your animal may have disorientation or drowsiness for 24 hours after surgery. This may be displayed as staggering walk, a lack of coordination or long periods of rest.

Incision Care

- All dogs and female cats receive a small, green line tattoo on their incision. The mark

signifies that the pet has been sterilized, which prevents unnecessary surgery should the dog become lost or re-homed.

- Keep the incision clean and dry for 10 days.
 - o Do NOT bathe your pet for 10 days.
 - o Please look at the incision at least once daily. There should be no discharge or foul odor coming from the incision. Slight swelling, redness or bruising is normal.
 - o Please refrain from applying any creams or ointments to the incision.
- Do NOT allow your pet to lick or scratch the incision. This can delay healing and cause infection.
 - o If an E-Collar has been provided, it should remain on your pet for a MINIMUM of 7 days, or until you can be certain your pet will not irritate its incision.
- All stitches are absorbable and under the skin, they do not need to be removed. However, as the healing progresses, a firm, painless swelling may develop beneath the skin around the incision. This is normal. The swelling will diminish in two to four weeks. If you note any red blood or other discharge from the incision, please contact us or your family veterinarian.

Pain Management

- Do NOT give your animal any additional pain medication today. Every animal received pain medication after surgery.
 - o Dogs have received 2 days of additional pain medication to be given starting the day after surgery.
 - o Never give your pet over-the-counter pain medications.

If your pet was spayed/neutered today, your pet may go home with medication for pain control. Follow the instructions provided at the time of surgery.

- Applying an ice pack wrapped in a towel to the surgical site may help reduce swelling and decrease pain.

Emergencies

- There may be an emergency if you witness any of the following:
 - o The incision is oozing blood faster than you can blot it up.
 - o Your pet's abdomen is distended and bruised all over.
 - o Your pet cannot move or stand up three hours after surgery (however, it is very normal for a dog to get up, walk around briefly, and then lay down and return to sleeping the day of surgery).
 - o Your pet's gum color, if normally pink (some animals naturally have black, brown or spotted gums), is pale or white.
 - o Your pet appears to have difficulty breathing. Gasping or breathing with large chest movements may indicate your pet is struggling.

Please be aware of your animal's individual needs.

*For questions or concerns please **first** contact CO Spay/ Neuter Coalition at (719) 294-1864. If you are not able to reach us and feel your pet needs emergency care please call your local veterinarian*

INSTRUCCIONES DESPUES DE LA CIRUGIA

Para preguntas o inquietudes post-quirúrgicas, por favor comuníquese con nosotros al (719) 294-1864.

Si cree que su mascota necesita atención de emergencia, llame a su veterinario habitual.

Alimentacion

- Todos los animales pueden ser alimentados con pequenas cantidades de comida y agua la noche de la cirugfa y pueden comer normalmente el dfa despues de la cirugia.
- Su mascota puede tener un apetito disminuido y / o puede vomitar y tener diarrea durante 1-3 dfas despues de la cirugfa.

Actividad

- Por favor, restrinja las actividades de su mascota por al menos 10 dfas. o No permita que su mascota juegue con otros mascotas o ninos.
 - o Los gatos necesitan mantenerse DENTRO. Para reducir la actividad / lesion los gatos pueden ser alojados en un cuarto de bano o una pequena area con acceso a comida, agua, una caja de arena y ropa de cama durante al menos las primeras 24 horas.
 - o Los perros deben ser caminados con correa y no debe tener actividad fuera de la correa por los proximos 10 dias, para reducir la actividad / lesion, una perrera se puede utilizar para mantener a los perros tranquilos cuando se deja solo.

Comportamiento

- Es normal que su mascota queja, gemotte, meow o gemido dentro de las primeras 24 horas despues de la cirugfa - esto puede ser debido a los medicamentos anestesicos dados y no significa necesariamente que su animal esta endolor.
- Algunos babeando, temblores y jadeo puede ser visto despues de la cirugfa debido al estres y nauseas. Esto deberfa resolverse durante las proximas horas.
- Su animal puede tener desorientacion o somnolencia durante las 24 horas despues de la cirugfa. Esto puede ser mostrado como una caminata escalonada, una falta de coordinacion o largos perfodos de descanso.

Cuidado de la incision

- Todas los perros y gatas hembras han recibido un pequeno tatuaje de lfnea verde en la incision. Esto significa que ellos han sido esterilizados, por medio de la presente evitando la cirugfa innecesaria si se pierden o volver a casa desconocida.
- Mantenga la incision limpia y seca durante 10 dfas. o NO bane a su mascota durante 10 dfas.
 - o Por favor, mire la incision una vez al dfa. No debe haber descarga o mal olor proveniente de la incision. Una ligera hinchazon, enrojecimiento o moretones es normal.
 - o Por favor, abstenerse de aplicar cremas o unguentos a la incision.

- NO permita que su mascota lama o rasque la incision. Esto puede retrasar la curacion y causar infeccion.
 - o Sise ha proporcionado un E-Collar, debe permanecer en su mascota por un MINIMO de 7 dfas,
 - o hasta que pueda estar seguro de que su mascota no irritara su incision. Por favor, tenga en cuenta las necesidades individuales de su animal.

Manejo del Dolor

- NO le de a su animal ningun medicamento para el dolor adicional hoy. Cada animal recibio medicacion para el dolor despues de la cirugfa.
 - o Los perros hon recibido 2 dfas de medicamentos adicionales para el dolor que se daran a partir del dfa siguiente a la cirugfa.
 - o Nunca le de a su mascota medicamentos sin receta para el dolor.
- Le aplica un paquete de hielo envuelto en una toalla al sitio quirurgico puede ayudar a reducir la hinchazon y disminuir el dolor.

Emergencias

- Puede haber una emergencia si usted presencio alguna de las siguientes:
 - o La incision esta sangrando sangre mas rapido de lo que puede borrar.
 - o El abdomen de su mascota esta distendido y con moretones por todas partes.
 - o Su mascota no puede moverse ni levantarse tres horas despues de la cirugfa (sin embargo, es muy normal que un perro se levante, camine brevemente y luego se acueste y regrese a dormir el dfa de la cirugfa).
 - o El color de la goma de su mascota, si es normalmente rosado (algunos animales naturalmente tienen gomas negras, marrones o manchadas), es palido o blanco.
 - o Su mascota parece tener dificultad para respirar. Jadeando o la respiracion con grandes movimientos en el pecho puede indicar que su mascota esta luchando.

Para preguntas o inquietudes post-quirúrgicas, por favor comuníquese con nosotros al (719) 294-1864. Si cree que su mascot necesita atención de emergencia, llame a su veterinario habitual.