

Runtz Distillate

Sample ID: BIA251113S0421
Strain: HL-CLTV0239-25
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: 2 units
Lot#:

Produced:
Collected:
Received: 11/13/2025
Completed: 11/25/2025
Batch#:

Client:
Superkind Farms LLC
Lic. #
5 Bradley Ct.
St. Albans, VT 05478



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	11/24/2025	Complete
Terpenes	11/24/2025	Complete

Cannabinoids

Completed

82.19% Total THC						4.60% Total CBD				91.09% Total Cannabinoids							
Analyte	LOQ	Results	Results	Mass	Mass	Analyte	LOQ	Results	Results	Mass	Mass	Analyte	LOQ	Results	Results	Mass	Mass
	%	%	mg/g	mg/mL	mg/container		%	%	mg/g	mg/mL	mg/container		%	%	mg/g	mg/mL	mg/container
CBDVa	0.0000	<LOQ	<LOQ			CBCVa	0.0000	<LOQ	<LOQ			Δ9-THC	0.0001	82.19	821.9		
CBDV	0.0000	<LOQ	<LOQ			CBNa	0.0000	<LOQ	<LOQ			Δ8-THC	0.0000	<LOQ	<LOQ		
CBDa	0.0001	<LOQ	<LOQ			Δ10-THC*	0.0000	<LOQ	<LOQ			CBL	0.0001	<LOQ	<LOQ		
CBGa	0.0001	<LOQ	<LOQ			CBD	0.0001	4.60	46.0			CBC	0.0000	<LOQ	<LOQ		
CBG	0.0001	2.41	24.1			THCa	0.0001	<LOQ	<LOQ			THCa	0.0001	<LOQ	<LOQ		
CBD	0.0001	4.60	46.0			CBCa	0.0001	<LOQ	<LOQ			CBCa	0.0001	<LOQ	<LOQ		
THCV	0.0000	0.89	8.9			CBLa	0.0001	0.28	2.8			Total THC		82.19	821.95		
CBLV	0.0000	<LOQ	<LOQ			Total CBD		4.60	45.96			Total		91.09	910.90	0.00	0.00
CBCV	0.0000	<LOQ	<LOQ														
THCVa	0.0000	<LOQ	<LOQ														
CBN	0.0001	0.72	7.2														

Analyst: 052

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the

particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




Luke Emerson-Mason
 Laboratory Director
 11/25/2025

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Runtz Distillate

Sample ID: BIA251113S0421
Strain: HL-CLTV0239-25
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: 2 units
Lot#:

Produced:
Collected:
Received: 11/13/2025
Completed: 11/25/2025
Batch#:

Client:
Superkind Farms LLC
Lic. #
5 Bradley Ct.
St. Albans, VT 05478

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Limonene	0.010	2.202	0.220
β-Caryophyllene	0.010	1.811	0.181
Ocimene	0.010	1.770	0.177
β-Myrcene	0.010	1.182	0.118
β-Pinene	0.010	0.654	0.065
α-Humulene	0.010	0.620	0.062
α-Pinene	0.010	0.553	0.055
Linalool	0.010	0.385	0.038
Terpinolene	0.010	0.115	0.012
Camphene	0.010	0.071	0.007
3-Carene	0.010	0.042	0.004
Caryophyllene Oxide	0.010	0.035	0.003
Guaiol	0.010	0.032	0.003
α-Bisabolol	0.010	0.030	0.003
α-Terpinene	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Eucalyptol	0.010	<LOQ	<LOQ
γ-Terpinene	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		9.502	0.950

Primary Aromas



Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




Luke Emerson-Mason
 Laboratory Director
 11/25/2025

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com

