THIS SHIPPING ORDER must be legibly filled in, in ink, in Indelible Pencil or in Carbon, and retained by the Agent.

RECEIVED, subject to the classifications and tariffs in effect on the data of issue of this shipping order,

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carriar deliver to another carrier on the route to said destination, it is mutually agreed, as to each carrier of all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in Shippar hareby certifies that he is familiar with all the terms and conditions of the back theraof, set forth in the classification or tartiff it his is a not carrier shipment. - Company Agent's No.

5212 Hwy 90 Ws NEC	J Iberly, L.M. 7056	7560 AL MILKE				12-22 20 1		
From NATIONAL OILWELL SAID HWY 90 W MEC. Consigned to DIA MONG OF	I Share OCEAN Tit	8 A	(Mall or street a	ddress of consign ee	For purpose	as of notification or		
estination				Country				
outing						3 164 Dec 13		
elivering Carrier 6,1/8/1/ACA	MEVehicle or Co	ar Initiai		No)			
No. of Units Conteiner Type HM Identification	Proper Shipping Name, Hazard Class on Number (UN or NA) per 172.101, 172.202, 172	.203	TOTAL QUANTITY (Weight, Voluma, Gailons, atc.)	WEIGHT (Subject to Correction)	RATE	CHARGES (For Carriar Use Only)		
SKIN F- VANCO TID	8-4H TOP Drive TrANSA	h5SION						
	on A Shipping Skid							
with co	C S							
Serial # TU.	SUA28X36 DO	310	62					
PArt #885	84-A1CA							
W.O. # NO	1-526059							
Cust. #15	3-02962860							
DI	AMOND OFFSHORE							
CE	NTRAL WAREHOUSE							
	RECEIVED SUBJECT TO NTERNAL INSPECTION							
RIG	100							
	153-2962XW							
	12 Dec 14							
	TE: 24 VEC-19							
BY	John Ble							
PLACARDS TENDERED: YES	□ NO □	REMIT C.O.D. TO: ADORESS						
	i hareby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packaged, marked and labeled,	C.O.D. FEE PREPAID COLLECT	☐ C.O.D. AM	Т \$	TDTAL CHARG	ES \$		
FOR EMERGENCIES CONCERNING HAZARDOUS MATERIAL CALL 1-800-732-9876 DAY OR NIGHT.	and are in all respects in proper condition for transport by CI Reil CHighway CI Weter (DELETE NDN-APPLICABLE MODE OF TRANS-PORTATION) eccording to applicable internellonal and national governmental regulations.	following state	tion 7 of conditions, if this shipme nout recourse on the consignor, it ment: all not make delivery of this ship other lawful cherges.	the consignor shall sign tha PREPA COLLE		X IF CHARRES ARE		
	Signature	<u> </u>	(SIGNATURE OF CONSIONS	R)		L_,		

Agent must detatch and retain this Shipping Order and must sign the Original Bill of Lading.



MATIONAL OILWELL VARCO

National Oilwell Varco 5212 W. Hwy 90, New Iberia, LA, 70560 Tel. 337.347.1400

CERTIFICATE OF CONFORMANCE

This document certifies that the following equipment has been inspected / repaired in accordance with National Oilwell Varco requirements API Spec 16D and other applicable specifications and procedures.

Exceptions to this certificate are noted in the exclusions section

4		
CUSTOMER NAME	Diamond Offshore	
CUSTOMER PO NUMBER	153-029628W	
N.O.V. JOB NUMBER	526059	
ITEM / EQUIPMENT	TDS-4H Transmission	
PART NUMBER	88584-A1CA	
SERIAL NUMBER	TDS4A28X36	
CUSTOMER I.D. NUMBER		
Evelucione		

Exclusions

All material acceptances, dimensional inspections, NDT inspections, repair operations and functional tests were performed by National Oilwell Varco Quality Control Inspectors and / or National Oilwell Varco approved sources and laboratories and meet National Oilwell Varco specifications and where required by API

All documents submitted in this pack are confidential between National Oilwell Varco and customer.

Any information which is deemed as proprietary is withheld.

For and on behalf of National Oilwell Varco

SIGNED BY:

Toby Webre

CERTIFICATION DATE:

December 18, 2014


NBL Document Number: D5E1004251



PO BOX 930 AMELIA, LA 70340 Phone: (985)-631-2851

Fax: (985)-631-3536

Email: contact@mcelectricinc.com Web: www.mcelectricinc.com



Delivery Ticket

Job No.: 106158

Received Date: 01/02/14

Page: 1

Sold To:

Customer Number: 016513

DIAMOND OFFSHORE COMPANY

ATTN. ACCTS PAYABLE P.O. BOX 4809 HOUSTON, TX 77210 Ship To: Ship To Number: 000099
DIAMOND OFFSHORE

NEW IBERIA WAREHOUSE 6501 FREETOWN ROAD NEW IBERIA, LA 70560

> 33175 Feb 14

106158 01/02/14 CRC 03/28/14 M CTRUCK NET 30 DAYS Customer PO 114-027617A PO Release CHARLEY BREEDLOVE Misc Number LEXINGTON Quantity Description Nameplate Data: MANUF.:GE TOP DRIVE MOTOR, MOD. #:GE752US2, TYPE:HIGH TORQUE SHUNT, SER. #:EE96010058, STYLE:DO# 28407 TAKE & RECORD DIGITAL PICTURES OF UNIT. REMOVE BRAKE HUB & 21 TOOTH PINION FROM SHAFT SEND PIINION TO NOV. FOR TESTING, DISASSEMBLE MOTOR AND INSPECT. REMOVE ALL COILS FROM STATOR HOUSING. SANDBLAST & PRIME BOTH INTERIOR AND EXTERIOR OF STATOR, REINSULATOR REINSULATE COILS WITH NOMEX & INSTALL IN IN STATOR HOUSING, RETEST STATOR WINDING AND RECORD RESULTS. V.P.I. STATOR ASSEMBLY, INSTALL NEW 16' LEADS IN STATOR, REPLACE ARMATURE WITH NEW REASSEMBLE MOTOR REPLACING ALL DEFECTIVE ITEMS AS ITEMIZED BELOW. TEST RUN MOTOR
Quantity Description Nameplate Data: MANUF.:GE TOP DRIVE MOTOR, MOD. #:GE752US2, TYPE:HIGH TORQUE SHUNT, SER. #:EE96010058, STYLE:DO# 28407 TAKE & RECORD DIGITAL PICTURES OF UNIT. REMOVE BRAKE HUB & 21 TOOTH PINION FROM SHAFT SEND PIINION TO NOV. FOR TESTING, DISASSEMBLE MOTOR AND INSPECT. REMOVE ALL COILS FROM STATOR HOUSING. SANDBLAST & PRIME BOTH INTERIOR AND EXTERIOR OF STATOR. REINSULATOR REINSULATE COILS WITH NOMEX & INSTALL IN IN STATOR HOUSING. RETEST STATOR WINDING AND RECORD RESULTS. V.P.I. STATOR ASSEMBLY. INSTALL NEW 16' LEADS IN STATOR. REPLACE ARMATURE WITH NEW REASSEMBLE MOTOR REPLACING ALL DEFECTIVE ITEMS AS ITEMIZED BELOW. TEST RUN MOTOR WINTERNAL WARREHO ISE RECEIVED SUBJECT TO INTERNAL WARREHO ISE RECEIVED SUBJECT TO INTERNAL WARREHO ISE RECEIVED SUBJECT TO INTERNAL WARREHO ISE DATE: 1/4 PO#: 1/4 - 2 76 12 - 1/2 DATE: 3/- M R R IV BY: July - 1/2 BY:
Quantity Description Nameplate Data: MANUF.:GE TOP DRIVE MOTOR, MOD. #:GE752US2, TYPE:HIGH TORQUE SHUNT, SER. #:EE96010058, STYLE:DO# 28407 TAKE & RECORD DIGITAL PICTURES OF UNIT. REMOVE BRAKE HUB & 21 TOOTH PINION FROM SHAFT SEND PIINION TO NOV. FOR TESTING. DISASSEMBLE MOTOR AND INSPECT. REMOVE ALL COILS FROM STATOR HOUSING. SANDBLAST & PRIME BOTH INTERIOR AND EXTERIOR OF STATOR, REINSULATOR REINSULATE COILS WITH NOMEX & INSTALL IN IN STATOR HOUSING. RETEST STATOR WINDING AND RECORD RESULTS. V.P.I. STATOR ASSEMBLY, INSTALL NEW 16* LEADS IN STATOR, REPLACE ARMATURE WITH NEW REASSEMBLE MOTOR REPLACING ALL DEFECTIVE ITEMS AS ITEMIZED BELOW. TEST RUN MOTOR RETIREM DATE: 31- M NR JY BY: JULY DATE: 31- M NR JY BY: JU
Nameplate Data: MANUF.:GE TOP DRIVE MOTOR, MOD. #:GE752U52, TYPE:HIGH TORQUE SHUNT, SER. #:EE96010058, STYLE:DO# 28407 TAKE & RECORD DIGITAL PICTURES OF UNIT. REMOVE BRAKE HUB & 21 TOOTH PINION FROM SHAFT SEND PIINION TO NOV. FOR TESTING, DISASSEMBLE MOTOR AND INSPECT. REMOVE ALL COILS FROM STATOR HOUSING. SANDBLAST & PRIME BOTH INTERIOR AND EXTERIOR OF STATOR. REINSULATOR REINSULATE COILS WITH NOMEX & INSTALL IN IN STATOR HOUSING. RETEST STATOR WINDING AND RECORD RESULTS. V.P.I. STATOR ASSEMBLY. INSTALL NEW 16' LEADS IN STATOR. REPLACE ARMATURE WITH NEW REASSEMBLE MOTOR REPLACING ALL DEFECTIVE ITEMS AS ITEMIZED BELOW. TEST RUN MOTOR
FOR A MINIMUM OF 8 HOURS IN THE VERTICAL TEST RUN MOTOR FOR A MINIMUN OF 8 HOURS IN THE VERTICAL POSITION CHECKING BEARINGS & SHAFT ENDPLAY. INSTALL COVERS AND SAFETY WIRE ALL Sub Total Continued

.	
Received By:	Date:

Discount
Tax
Freight
Total



PO BOX 930 AMELIA, LA 70340

Phone: (985)-631-2851 Fax: (985)-631-3536

Email: contact@mcelectricinc.com Web: www.mcelectricinc.com

Delivery Ticket

Job No.: Received Date:

106158 01/02/14

Page: 2

Sold To: Customer Number: 016513

DIAMOND OFFSHORE COMPANY

ATTN. ACCTS PAYABLE

P.O. BOX 4809

HOUSTON, TX 77210

Ship To: Ship To Number: 000099

PIAMOND OFFSHORE

NEW IBERIA WAREHOUSE 6501 FREETOWN ROAD NEW IBERIA, LA 70560

Job No.	Rec'vd Date	Sales Code	Ship Date	Ship Via	Torre
106158	01/02/14	CRC	03/28/14	M C TRUCK	Terms
		0:10	03/20/17	I I'I C I KUCK I	NET 30 DAYS

Customer PO	114-027617A	PO Release	CHARLEY BREEOLOVE	Misc Number	er lif	XINGTON
Quantity	Description			Unit P		
	REQUIRED BOLTS.		·	Unit P	псе	Extension
	PAINT EXXTERIOR AND INSTAI	LL STAINLESS				
	STEEL ID TAG. CLEAN AND INS	TALL BRAKE				
	HUB DN SHAFT. INSTALL 21 TO					
	NEEDED. TAKE & RECORD DIG	ITAL PICTURES	-			
	OF UNIT.					
	AS PER ESTIMATE					E0 003 77
,	(3) CD'S REC'D BY:					59,982.77
	<u> </u>					
]
						1
	1] [
						[[
						[[

Sub Total	59,982.77
Discount	,00,
Tax	.00.
Freight	.00.
Total	59,982.77

Received By:	Date:
--------------	-------



M.C. ELECTRIC, L.L.C. 326 DEGRAVELLE ROAD AMELIA, LA. 70340



QUALITY ASSURANCE REPORT

DIAMOND OFFSHORE

P.O. # 114-027617A D.O. # 28407 MOTOR S/N EE96010058

M.C. ELECTRIC JOB # 106158



PO BOX 930 AMELIA, LA 70340 Phone: (985)-631-2851 Fax: (985)-631-3536

Email: contact@mcelectricinc.com Web: www.mcelectricinc.com

Job Estimate

02/24/14

Job No.: 106158 Recv'd Date: Page:

01/02/14 1

Continued ...

Sold To:

Customer Number: 016513

DIAMOND OFFSHORE COMPANY

ATTN. ACCTS PAYABLE P.O. BOX 4809 HOUSTON, TX 77210

Contact: CHARLEY BREEDLOVE

Ship To Number: 000099 DIAMOND OFFSHORE **NEW IBERIA WAREHOUSE** 6501 FREETOWN ROAD NEW IBERIA, LA 70560

Fax: - -

Job Number	Recv'd Date	Sales Code	Location	Ship Via	Terms
106158	01/02/14	CRC	Will also and project of the project	errip via	
	VA, VA, 17	UNU			NET 30 DAYS

Ship

To:

Customer	PO FR114-027617	PO Release CHARLEY BREEDLOVE		:1 30 DAYS
Units	Item #		Misc Number	LEXINGTON
omes	The state of the s	Description	Unit Pric	e Extension
	114-027617A	Nameplate Data:		
		MANUF.:GE TOP DRIVE MOTOR, MOD.		
1		#:GE752US2, TYPE:HIGH TORQUE SHUNT,		1
		SER. #:EE96010058, STYLE:DO # 28407		
		PLEASE NOTE THE COMMUTATOR IS SEVERELY		
		PITTED AND DAMAGED, DUE TO THE SEVERTY	1	
		OF DAMAGE, THE QUOTE BELOW INCLUDES		
		REPLACING THE ARMATURE WITH NEW.		
		TAVE & DECADO DICITAL DICTURES OF ANY		
		TAKE & RECORD DIGITAL PICTURES OF UNIT.		
		REMOVE BRAKE HUB & 21 TOOTH PINION FROM SHAFT, SEND PINION TO NOV FOR TESTING.	1	
		DISASSEMBLE MOTOR AND INSPECT.		
		REMOVE ALL COILS FROM STATOR HOUSING.	İ	
		SANDBLAST AND PRIME BOTH INTERIOR AND	ļ	
		EXTERIOR OF STATOR,]
		REINSULATE COILS WITH NOMEX & INSTALL		
		IN STATOR HOUSING.		
		RETEST STATOR WINDINGS & RECORD RESULTS.		1
		V. P. I. STATOR ASSEMBLY.		
		INSTALL NEW 16' LEADS IN STATOR.		
Danalu sutiu u	L Pit on the second	REPLACE ARMATURE WITH NEW.		

Repair estimate valid for 30 calendar days

from the above date. Total is plus sales tax if applicable.

Based Upon Our Standard Terms And Conditions.

Total

Customer



PO BOX 930 AMELIA, LA 70340 Phone: (985)-631-2851 Fax: (985)-631-3536

Email: contact@mcelectricinc.com Web: www.mcelectricinc.com

Job Estimate

Job No.: Recv'd Date: Page:

185.63

742.52

Continued ...

106158 01/02/14 2

Sold To:

Customer Number: 016513

DIAMOND OFFSHORE COMPANY

ATTN. ACCTS PAYABLE P.O. BOX 4809 HOUSTON, TX 77210

CHARLEY BREEDLOVE

Telephone: 800-848-1980 Fav. 713-547-2100

Ship Ship To Number: 000099 To: **DIAMOND OFFSHORE**

NEW IBERIA WAREHOUSE 6501 FREETOWN ROAO NEW IBERIA, LA 70560

Fax: -

the second second second		Oue: 000-040-12	00 Fax: /13-	547-2100	1 1					
Job Nur 1061		Recv'd Date	Sales Code	L	ocation	Ship Via			Terms	
*****		01/02/14	CRC				***************************************		30 DAYS	
Custome		114-027617	P() Release	CHARLEY BREED	OVE	Mis	c Number	LEXINGTON	
Units	Item	#	Descript	ion			Т	Unit Price		
			ITEMS A TEST RUN IN EACH CHECKIN TEST RUN IN THE N BEARING INSTALL H INSTALL C REQUIRE PAINT EXT STEEL ID CLEAN AND INSTALL 21 TAKE & REG	IS ITEMIZE(MOTOR FO I DIRECTION NG BEARING MOTOR FO /ERTICAL PI SS & SHAFT EATER COR OVERS AND ED BOLTS. ERIOR AND TAGS. INSTALL B TOOTH PICTORD DIGITALY	R A MINIMUM O N SEATING BRUS SS. R A MINIMUN OF OSITION CHECKS ENDPLAY. D & PLUG ASSEN SAFETY WIRE A INSTALL STAINL RAKE HUB ON SI VIDN AS NEEDEL TAL PICTURES OF	F 12 HOURS HES AND F 8 HOURS ING MBLY. LL LESS HAFT.			LAUGH	
			ES11	MATE FOR T	HE ABOVE				17,7	70.00
1.0 1.0 4.0	2135 2136 7300		NU330 BEA 6326M/C4 E GE 41C6326	ALL BEARIN	8864951P167 IG GE # 8864950 HHOLDER	OP195SP		840.00 900.00	90	10.00 10.00

GE 41C632667G6 BRUSHHOLDER

Total

Repair estimate valid for 30 calendar days

from the above date.

Total is plus sales tax if applicable.

Based Upon Our Standard Terms And Conditions.

•	•	

TRACTION MOTOR NAMEPLATE INFORMATION

DATE January 02, 2014	
M.C. ELECTRIC JOB # 106158	
MANUEL GE 752 US2	SERIAL# <u>EE96010058</u> STYLE
TYPE High Torque Shunt FRAME	
VOLTS	
AMPS	
	VES OR NO (CIRCLE ONE)
customer Name Diamond Offsh. contact person Charley Breed low rec'd VIA MC Truck (Clyde)	
POINT OF ORIGIN	
COMMENTS Ocean Lexington FR114-027617	DO# 28407
Old MCE # 96516	



Diamond Offshore Drilling, Inc.

CM:

417-071865

Description

Proforma Invoice / Packing List

Issued:

02-JAN-14

New Iberia Central Warehouse

Rev#:

Rev

Date:

Ship Via:

THEIR TRUCK

Last

Updated By:

HULINR

Cargo Manifest

Ocean Lexington

Ultimate Dest: M. C. ELECTRIC, L.L.C.

326 DEGRAVELE STREET

Intermediate Dest:

Ref.Document

AMELIA, LA 70340

Quan

Item

ROBERT CARDINAL 985-631-2851

U-O-M

PINION OR HUB FITTED SERIAL NUMBER - 50109-5482 - FROM UNION SUPPLIES ABZ Model: TDS-4S S/N: TDS4SF12X03 DODI P/N: 720-02422 MFG P/N: GE752US2				Tromp opening it	Omtende	Tot.weight
	1	1	PINION OF HUB FITTED SERIA NUMBER - 50109-5482 - FROM UNION SUPPLIES ABZ Model: TDS-4S S/A TDS4SF12X03 DODI P/N: 720-0242	-	500.00	0.00
Rig Comments: *** CM 632-0111 ***				Manifest Totals:	500.00	0.00
	Rig Comment	ts:	*** CM 632-0111 ***			

Whse Comments

NF#/RT#:

I certify that the above material was accepted this date from New Iberia Central Warehouse for delivery to M. C. ELECTRIC, L.L.C.

Received material described above at M. C. ELECTRIC, L.L.C.,

Date:

By:

Unit Drice

Original Copy Page 1 of 1

Destination Copy

Transportation Copy

Cody Cardinale

From:

"Breedlove, Charley" < CBREEDLOVE@DODI.com> "Cody Cardinale" <ccardinale@mcelectricinc.com> Tuesday, January 07, 2014 8:12 AM

To: Sent:

Subject:

RE: FR114-027617 Top Drive Motor Initial Inspection Request

Cody,

Please proceed with tear down, evaluation and quote. No one will be present for tear down.

Thanks, Charley

From: Cody Cardinale [mailto:ccardinale@mcelectricinc.com]

Sent: Thursday, January 02, 2014 2:16 PM

To: Breedlove, Charley

Subject: FR114-027617 Top Drive Motor Initial Inspection Request

Good Afternoon Charley,

The GE752 top drive motor for the Ocean Lexington is ready for tear down and evaluation. Please advise if a DODI representative need be present. If you have any questions please advise.

Thank You, Cody Cardinale ccardinale@mcelectricinc.com M.C. Electric L.L.C. Phone: (985)-631-2851 Fax:(985)-631-3536 www.mcelectricinc.com



DIAMOND OFFSHORE COMPANY P.O. Box 4809, Houston, Texas 77210-4809 Phone: 281-492-5300 Fax: 281-647-2202

	Page 1 Of 1
P.O. NUMBER	114-027617A
DATE REVISION	10-MAR-2014
AFE NUMBER	1411408

PURCHASE ORDER

W Z D O R

M. G. ELECTRIC, L.L.C. P O BOX 930 AMELIA, LA 70340-0930

New Iberia Warehouse Attn: Receiving 6501 Freetown Road New Iberia, LA 70560 337-365-5180

Well:

Lease:					Rig: Ocean L	exington		
TERI NET		DELPRON 21-APR-20			SHIP VIA MOTOR FREIGHT	ULTIMATE DEST TRINIDAD	PRICE FIRM	TAX STATUS EXEMPT
	Water Street,	****	PHONE NUMBE	R		NOTE TO VEND	DR	
CODY C. 985-631-		re	-		JOB# 106158.			
ITEM	QTY.	UNIT			DESCRIPTION		UNIT PRICE	EXTENSION
1	1	1 6	88585-HTR - M WOUND, WITH REPAIR AS PE 4S "Country of Original Project for material Displayers of Material Displayers and Page 2015 and Page	count Reference: 5411000 85-HTR - MOTOR, TRACTION HIGH TORQUE DC, SHUNT UND, WITH 21 TOOTH PINION AND BRAKE HUB, DO# 28407. PAIR AS PER MSR-09 & OEM SPECIFICATIONS, MODEL: TDS-PAIR AS PER MSR-09 & OEM SPECIFICATIONS, MODEL: TD			59,982.7	
DIAMON	Ramit invo ID OFFSH P.O. Box uston, To	ORE COMPANY 4809	First Use Of	ming Equipa Ishora Fyan	n sales and use fax per the fol ionf Exemption — Louislanna ption — Louislanna R.S. 47:30 islanna R.S. 47:305.1	D D M.AGEM	US Total	59,982.77

Charlie Breedlove

CCEPTANCE OF THIS ORDER BY THE SELLER'S COMMENCEMENT OF PERFORMANCE OR OTHERWISE SHALL CONSTITUTE FULL ACCEPTANCE BY THE SELLER IF DIAMOND OFFSHORE'S STANDARD TERMS AND CONDITIONS OF PURCHASE AND ALL TERMS AND CONTINONS CONTAINED HEREIN OR ATTACHED HERETO, HE P.O. NUMBER MUST LEGIBLY APPEAR ON ALL INVOICES, PACKAGES AND CORRESPONDENCE RELATED TO THIS ORDER. HIS ORDER, BY THE ORDER OF THE ORDE

Cody Cardinale

From: To:

"Breedlove, Charley" < CBREEDLOVE@DODI.com> "Cody Cardinale" <ccardinale@mcelectricinc.com> Monday, March 24, 2014 9:53 AM

Sent:

RE: Ocean Lexington GE752 Top Drive Motor Final Inspection Request Subject: No inspection by DODI required. Please proceed with testing and deliver when ready.

Thanks, Charley

From: Cody Cardinale [mailto:ccardinale@mcelectricinc.com]

Sent: Monday, March 24, 2014 8:16 AM

To: Breedlove, Charley

Subject: Ocean Lexington GE752 Top Drive Motor Final Inspection Request

Good Morning Charley,

The GE752US2 Top Drive Motor for the Ocean Lexington on PO#114-027617A is currently running and is ready for final inspection. Please advise if a DODI representative need be present.

Thank You, Cody Cardinale ccardinale@mcelectricinc.com M.C. Electric L.L.C. Phone:(985)-631-2851 Fax:(985)-631-3536 www.mcelectricinc.com

 \mathbb{Q}_{3}

JOB CARD - QUALITY ASSURANCE

Job: 106158 Department: SH SHOP Customer: 016513 S DIAMOND OFFSHORE COMPANY O ATTN. ACCTS PAYABLE L P.O. BOX 4809 D HOUSTON, TX 77210	Job Desc: GE TOP DRIVE MOTOR Type: TM TRACTION MTR./GEN. Ship To #: 000099 S DIAMOND OFFSHORE H NEW IBERIA WAREHOUSE I 6501 FREETOWN ROAD P NEW IBERIA, LA 70560
Nameplate Data:	E752US2, TYPE:HIGH TORQUE SHUNT, SER
00 INITIAL MEGGER READINGS 01 ARMATURE 02 FIELDS 03 INTERPOLES 04 05 FINAL VOLTAGE DROP READINGS 06 FIELDS 07 INTERPOLES 08 09 FINAL MEGGER READINGS 10 ARMATURE CIRCUIT 11 FIELD CIRCUIT 12 13 FINAL HIGH POT, READINGS 14 ARMATURE CIRCUIT 15 FIELD CIRCUIT 16	[] [GROUNDED
18 19 INITIAL D.E. BALANCE READING 20 INITIAL O.D.E. BALANCE READING 21 22 FINAL D.E. BALANCE READING 23 FINAL O.D.E. BALANCE READING 24 25 SHUNT FIELD RESISTANCE: 26 DRIVE END BEARING TEMPERATURE 27 COMMUTATOR END BEARING TEMP. 28 29 COMPASS CHECK TESTED BY 30 COMPASS CHECK WITNESSED BY 31 32 HEATER VOLTAGE & AMPERAGE TEST 33 34 M.C. ELECTRIC REPRESENTATIVE	[] [NEW

JOB CARD - QUALITY ASSURANCE

Custo S DIA O ATT L P.O D HOU	mer: 016513 MOND OFFSHO N. ACCTS PA . BOX 4809 STON, TX 77	RE COMPANY YABLE	Type: TM TRACTION MTR./ Ship To #: 000099 S DIAMOND OFFSHORE H NEW IBERIA WAREHOUSE I 6501 FREETOWN ROAD P NEW IBERIA, LA	
MANUF	late Data: .:GE TOP DR 6010058, ST	IVE MOTOR, MOD. #:	GE752US2, TYPE:HIGH TORQUE SHU	NT, SER.
(SW)	SPECIAL WOR	к		
01 ME. 02 ME. 03 ME.	E. JOURNAL ASUREMENT 1 ASUREMENT 2 ASUREMENT 3	DIMENSIONS	[] [NEW [NEW []]
05 O.1 06 ME 07 ME 08 ME		L DÎMENSIONS	[] [NEW [NEW []	
11 MEZ 12 MEZ 13 MEZ	E. HOUSING I ASUREMENT 1 ASUREMENT 2 ASUREMENT 3	DIMENSIONS	[] [5,119" [5,119" [5,119"	
15 O.I 16 MEZ 17 MEZ 18 MEZ	D.E. HOUSING ASUREMENT 1 ASUREMENT 2 ASUREMENT 3	DIMENSIONS	[] [NEW_ [NEW_ []]]
20 FIN 21 MEA 22 MEA 23 MEA		OR DIAMETER	[] [new [new]]]
25 FIN 26 27 130 28 DRI	O RPM VIBRA	TION READINGS READING	[] [.000"] [] [] [0.0 MILS @ 1300 RPM	1
29 DRI 30 DRI 31 COM 32 COM 33 COM	VE END # 2 VE END # 3 MUTATOR END MUTATOR END MUTATOR END	READING	[0.0 MILS @ 1300 RPM [0.4 MILS @ 1300 RPM [0.0 MILS @ 1300 RPM [0.0 MILS @ 1300 RPM [0.2 MILS @ 1300 RPM	
35 D.E	. BEARING F .E. BEARING	ACE RUNOUT FACE RUNOUT	[] [.000"_] [.000"_]	7

JOB CARD - QUALITY ASSURANCE

O ATTN. ACCTS PAYABLE L P.O. BOX 4809	Job Desc: GE TOP DRIVE MOTOR Type: TM TRACTION MTR./GEN. Ship To #: 000099 S DIAMOND OFFSHORE H NEW IBERIA WAREHOUSE I 6501 FREETOWN ROAD P NEW IBERIA, LA 70560
Nameplate Data: MANUF.:GE TOP DRIVE MOTOR, MOD. #:G #:EE96010058, STYLE:DO# 28407	E752US2, TYPE:HIGH TORQUE SHUNT, SER.
37	
38 D.E. BEARING MANUFACTURER-OLD	
39 D.E. BEARING PART NUMBER-OLD	[559300]
40 O.D.E. BEARING MANUF OLD	[55830C]
41 O.D.E. BEARING PART NUMBER-OLD	[F.A.G. [6326M.C4
42 ***-*********************************	
43 D.E. BEARING MANUFACTURER-NEW	
44 D.E. BEARING FART NUMBER-NEW	[558830C]
45 O.D.E. BEARING MANUF, - NEW	[F.A.G. 1
46 O.D.E. BEARING PART NUMBER-NEW	[558320C 1
49 DRIVE COUPLING DATA	[1]
50 COUPLING TYPE	[21 TOOTH PINION
51 COUPLING FIT ON SHAFT (COLD)	[.072"
52 COUPLING FIT ON SHAFT (HOT)	[.014"
53 COUPLING ADVANCE	[.086"
57 O.D.E. COUPLING DATA	
58 COUPLING TYPE	[BRAKE HUB]
59 COUPLING FIT ON SHAFT (COLD)	[3.637"]
60 COUPLING FIT ON SHAFT (HOT)	[3.509"
61 COUPLING ADVANCE	[0.1284

TRACTION MOTOR FINAL QA CHECKLIST


THIS INSPECTION TO BE INITIATED JUST PRIOR TO INSTALLING COVERS & COMPLETED JUST BEFORE SHIPMENT, (ALL ITEMS TO BE INITIALED BY PERSON PERFORMING TASK)

1)	CHECK ALL BRUSHES TO INSURE NONE ARE STUCK IN HOLDER AND THAT ALL ARE PROPERLY SEATED.	
2)	CHECK COMMUTATOR FOR PROPER MACHINING.	(42)
3)	CHECK COMMUTATOR FOR ANY CONTAMINANTS.	(ge)
4)	INSPECT OVERALL PAINT JOB. MAKE CERTAIN GREASE FITTINGS, NAMEPLATES, ETC. ARE NOT PAINTED.	(Fo)
5)	TURN SHAFT AND CHECK FOR PROPER END PLAY, BINDING OR UNDUE NOISES.	(D)
6)	CHECK TO INSURE LEADS ARE PROPERLY TAGGED AND THE PROPER TERMINALS ARE INSTALLED.	(P)
7)	CHECK TO INSURE THE PROPER NAMEPLATES, STAINLESS STEEL ID TAG, D.O. #, OR ANY APPLICABLE TAGS ARE INSTALLED.	(22)
8)	VERIFY THAT ALL THE PROPER ACCESSORIES HAVE BEEN INSTALLED (COUPLINGS, J-BOX, ETC.)	<u></u>
9)	VERIFY THAT ALL REQUIRED BOLT HOLES ARE PROPERLY TAPPED AND MACHINED SURFACES PROPERLY COATED WITH A RUST INHIBITER.	(A)
10)	VERIFY UNIT IS PROPERLY SECURED ON A HEAVY DUTY PALLET (IF APPLICABLE) AND MARKED WITH ALL THE PERTINENT DATA.	(A)
11)	VERIFY THAT UNIT HAS A HEATER CORD & PLUG ASSEMBLY (IF APPLICABLE).	
12)	VERIFY SHAFT HAS PASSED M.P.I. & U.T. TESTING FOR CRACKS.	New Armoture
	REVIEW MECHANICS FINAL TEST RESULTS AND Q/A TEST RESULTS TO INSURE ALL REQUIRED DATA IS PROPERLY DOCUMENTED.	(Je)
14)	INSURE GREASE TUBES ARE PURGED	
	VERIFY THAT SHAFT TURNS AT LOAD OUT TIME FOR DELIVERY. (TO BE PERFORMED BY M.C.E. TRUCK DRIVER OR M.C.E. LOAD OUT PERSON).	620


JOB#_/06/58

DATE 03/28/14


JOB # 106158 - INITIAL PICTURES



JOB # 106158 - DISASSEMBLY PICTURES



JOB # 106158 - ASSEMBLY PICTURES



JOB # 106158 - FINAL PICTURES

