



# SAFETY DATA SHEET

**SONASPRAY FC, K-13**

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

## 1. PRODUCT IDENTIFICATION

**1.1 TRADE NAME (AS LABELED):**

**SONASPRAY FC, K-13**

**SYNONYMS:**

Cellulose Fiber Treated with Fire Retardants

**CAS#:**

Mixture

**1.2 PRODUCT USE:**

Insulation

**1.3 MANUFACTURER'S NAME (North America):**

**International Cellulose Corporation**

**ADDRESS:**

12315 Robin Boulevard, Houston, TX 77045

**BUSINESS PHONE#:**

1-713-433-6701

1-800-444-1252 (U.S./Canada Only)

1-713-433-6701 7 AM-6 PM (CST)

**EMERGENCY PHONE#:**

www.spray-on.com

**WEBSITE:**

icc@spray-on.com

**EMAIL:**

**1.4 PREPARATION INFORMATION:**

**DATE OF CURRENT REVISION:**

September 19, 2018

**DATE OF LAST REVISION:**

December 8, 2015

## 2. HAZARD IDENTIFICATION

**EMERGENCY OVERVIEW:**

**Product Description:** These products are odorless, fibrous solids that come in a variety of colors. Fire retardants are blended with cellulose fiber.

**Health Hazards:** This product may cause eye irritation.

**Flammability Hazards:** These products have fire retardants in them to prevent or delay combustion. If involved in a fire for a prolonged period of time, these products may combust.

**Reactivity Hazards:** Negligible.

**Environmental Hazards:** Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

US DOT SYMBOLS  
Non-Regulated Material

CANADA (WHMIS) SYMBOLS  
Complies with WHMIS 2015

EUROPEAN and (GHS) Hazard Symbols



Signal Word: **Warning!**

**2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:**

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC, 2015/830/EU and subsequent Directives.

**Classification of the substance or mixture according to Regulation (EC) No 1272/2008 Annex VI**

EC# 265-158-7 Index: 694-468-00-3 (Severely Hydrotreated with less than 3 % DMSO extract as measured by IP 346)

EC# 233-139-2 Index: 005-007-00-2

EC# 232-674-9 This substance is not classified in the Annex VI

EC# 215-540-4 Index: 005-011-00-4

Substances not listed either individually or in group entries must be self classified.

**Component(s) Contributing to Classification(s)**

Sodium Borate



# SAFETY DATA SHEET

SONASPRAY FC, K-13

## 2.2 LABEL ELEMENTS:

### GHS Hazard Classification(s):

Eye Irritant Category 2A

### Hazard Statement(s):

H319 Causes serious eye irritation

### Prevention Statement(s):

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Response Statement(s):

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

### Storage Statement(s):

None Applicable

### Disposal Statement(s):

None Applicable

## 2.3 OTHER HAZARDS:

Mixture does not meet the criteria for PBT or vPvB in accordance with Annex XIII.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	GHS Hazard Classification(s)
Mineral Oil, Petroleum Distillates, Hydroreated light Paraffinic	0.1 – 0.9	64742-55-8	265-158-7.	H350 Carc Cat 1B See Note in Section 2
Sodium Borate	1.0 – 5.0	1303-96-4	215-540-4	H319 Eye Irritant Cat.2
Boric Acid	10.0 – 15.0	10043-35-3	233-139-2	Not Classified
Cellulose Fiber	Balance	9004-34-6	232-674-9	Not Classified
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).				

\* NOTE: The actual concentration is being withheld per WHMIS 2015 and OSHA HazCom 2012.

## 4. FIRST-AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES:

**EYE CONTACT:** If this product enters the eyes, open contaminated individual's eyes while under gently running water. Use sufficient force to open eyelids. Have contaminated individual "roll" eyes. Minimum flushing is for 15 minutes. Contaminated individual should seek medical if irritation occurs.

**SKIN CONTACT:** If this product contaminates the skin, wash with soap and water after use or before eating or smoking. Remove exposed or contaminated clothing, taking care not to contaminate eyes. The contaminated individual should seek medical attention if any adverse effect occurs.

**INHALATION:** If breathing becomes difficult remove contaminated individual to fresh air. Seek immediate medical attention if breathing difficulties continue.

**INGESTION:** Routine use of this product is not expected to cause any situation which could lead to ingestion. If this product is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or unable to swallow.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Skin and respiratory disorders, as well as conditions involving the "Target Organs" (see Section 3, Hazard Identification) may be aggravated by prolonged overexposures to this product.

### 4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Exposure to this product may cause eye irritation.

### 4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.



# SAFETY DATA SHEET

SONASPRAY FC, K-13

## 5. FIRE-FIGHTING MEASURES

### 5.1 FIRE EXTINGUISHING MATERIALS:

Use fire extinguishing methods below:

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Other: Any "C" Class

### 5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

This product has fire retardants in it to prevent or delay combustion.


Explosion Sensitivity to Mechanical Impact: Not Sensitive

Explosion Sensitivity to Static Discharge: Not Sensitive

### 5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

#### NFPA RATING SYSTEM



#### HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			1
FLAMMABILITY HAZARD (RED)			0
PHYSICAL HAZARD (YELLOW)			0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

See section 8.2 for Exposure Controls.

### 6.2 ENVIRONMENTAL PRECAUTIONS:

None known

### 6.3 SPILL AND LEAK RESPONSE:

Proper protective equipment should be used. Personnel should be trained for spill response operations.

**Small Spills:** Wear rubber gloves, safety glasses, and appropriate body protection. Sweep up spilled material. Avoid generating airborne dusts.

**Large Spills:** Trained personnel following pre-planned procedures should handle non-incident releases. Minimum Personal Protective Equipment should be gloves, boots, safety glasses, and Tyvek suit. Sweep up or vacuum spilled material. Avoid generating airborne dusts. Prevent material from entering sewer or confined spaces, waterways, soil or public waters. Monitor area and confirm levels are below exposure limits given in Section 8 (Exposure Controls-Personal Protection), if applicable, before non-response personnel are allowed into the spill area.

Place all spill residue in an appropriate container and seal. Decontaminate the area thoroughly. Do not mix with wastes from other materials. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations). For spills on water, contain, minimize dispersion and collect. Dispose of recovered material and report spill per regulatory requirements.



# SAFETY DATA SHEET

SONASPRAY FC, K-13

## 7. HANDLING and STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

Read instructions before use.

### 7.2 STORAGE AND HANDLING PRACTICES:

All employees who handle this material should be trained to handle it safely. Store containers in a cool, dry location, away from direct sunlight, sources of intense heat, or where freezing is possible. Store containers away from incompatible chemicals (see Section 10, Stability and Reactivity). Do not incinerate empty or partially filled containers.

### 7.3 SPECIFIC USES:

Insulation.

## 8. EXPOSURE CONTROLS - PERSONAL PROTECTION

### 8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Mineral Oil, Petroleum Distillates	64742-55-8	Not applicable	Not applicable
Sodium Borate	1303-96-4	2 mg/m <sup>3</sup> as aerosol	Not applicable
Boric Acid	10043-35-3	2 mg/m <sup>3</sup> as aerosol	Not applicable
Cellulose Fiber	9004-34-6	10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>

### 8.2 EXPOSURE CONTROLS:

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation, and process enclosure if necessary, to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

**RESPIRATORY PROTECTION:** Respiratory protection is generally not needed for normal conditions of use. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states. Oxygen levels below 19.5% are considered IDLH by OSHA. In such atmospheres, use of a full-facepiece pressure/demand SCBA or a full facepiece, supplied air respirator with auxiliary self-contained air supply is required under U.S. Federal OSHA's Respiratory Protection Standard (1910.134-1998) or the regulations of various U.S. States, Canada, EU Member States, or those of Japan. Air-purifying respirators with dust/mist/fume filters are recommended if operations may produce mists or sprays from this product.

**EYE PROTECTION:** Not needed during normal use. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**HAND PROTECTION:** Not needed during normal use. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Not needed during normal use. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

## 9. PHYSICAL and CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

**APPEARANCE (Physical State) and COLOR:** These products are fibrous solids that come in a variety of colors.

**ODOR:** None

**ODOR THRESHOLD:** Not Applicable

**pH:** Not Applicable

**MELTING/FREEZING POINT:** Not Applicable

**BOILING POINT:** Not Applicable

**FLASH POINT:** Not Applicable

**EVAPORATION RATE (n-BuAc=1):** Not Applicable

**FLAMMABILITY (SOLID, GAS):** Not Applicable

**UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS:** Not Applicable

**VAPOR PRESSURE (mm Hg @ 20°C (68°F):** 0

**VAPOR DENSITY:** Not Applicable



# SAFETY DATA SHEET

SONASPRAY FC, K-13

**RELATIVE DENSITY:** Not Applicable  
**DENSITY:** Not Applicable  
**SPECIFIC GRAVITY:** 0.86 (water=1)  
**SOLUBILITY IN WATER:** Slightly soluble  
**WEIGHT PER GALLON:** Not Applicable  
**PARTITION COEFFICIENT (n-octanol/water):** Not Applicable  
**AUTO-IGNITION TEMPERATURE:** Not Applicable  
**DECOMPOSITION TEMPERATURE:** Not Available  
**VISCOSITY:** Not Applicable  
**VOC g/l / Lb/gal:** Not Applicable

## **9.2 OTHER INFORMATION:**

No additional information available.

## 10. STABILITY and REACTIVITY

### **10.1 REACTIVITY:**

This product is not reactive.

### **10.2 STABILITY:**

Stable under conditions of normal storage and use.

### **10.3 POSSIBILITY OF HAZARDOUS REACTIONS:**

Will not occur

### **10.4 CONDITIONS TO AVOID:**

Extreme temperatures, incompatible materials.

### **10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:**

This product is incompatible with Bromine pentafluoride, sodium nitrate, fluorine, strong oxidizers, alkali carbonates, alkali hydroxides, potassium and acetic anhydride.

### **10.6 HAZARDOUS DECOMPOSITION PRODUCTS:**

Combustion: This product has fire retardants in it to prevent or delay combustion.

## 11. TOXICOLOGICAL INFORMATION

### **11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:**

**TOXICITY DATA:** The specific toxicology data available for components greater than 1% in concentration are as follows.

#### **HYDROTREATED PARAFFINIC DISTILLATE OIL:**

Oral LD<sub>50</sub> (rat): >5,000 mg/kg of body weight  
Dermal LD<sub>50</sub> (rabbit): >5,000 mg/kg of body weight  
Inhalation LC<sub>50</sub> (rat): No information found.  
Dermal irritation/corrosivity: Mildly irritating.  
Eye irritation: Mildly irritating.

#### **SODIUM BORATE:**

LDLo (oral, infant) = 1 g/kg  
LDLo (oral, man) = 709 mg/kg; Behavioral: convulsions or effect on seizure threshold; Cardiac: change in rate; Gastrointestinal: nausea or vomiting  
LD<sub>50</sub> (oral, rat) = 2660 mg/kg  
LD<sub>50</sub> (oral, mouse) = 2 g/kg

#### **BORIC ACID:**

Skin Irritancy (human) = 15 mg/3 days/intermittent; Mild irritation effects  
LDLo (oral, man) = 429 mg/kg; Cardiovascular effects, Systemic effects  
LDLo (oral, woman) = 200 mg/kg  
LDLo (oral, infant) = 934 mg/kg  
LDLo (skin, infant) = 1200 mg/kg

#### **MICROCRYSTALLINE CELULOSE:**

LC<sub>50</sub> (Inhalation-Rat) > 5800 mg/m<sup>3</sup>/4 hours  
LD<sub>50</sub> (Oral-Rat) > 5 g/kg  
LD<sub>50</sub> (Skin-Rabbit) > 2 g/kg  
LD<sub>50</sub> (Intraperitoneal-Rat) > 31,600 mg/kg



# SAFETY DATA SHEET

SONASPRAY FC, K-13

Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion / irritation	Based on available data, the classification criteria are not met
Serious eye damage / irritation	Eye Irritation Category 2a
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Reproductive Toxin Category 1B
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

**CARCINOGENIC CATEGORIES:** Cellulose, boric acid, sodium borate, or mineral oil are not listed as a known or suspected carcinogen by OSHA, ACGIH, NTP, or IARC.

**IRRITANCY OF PRODUCT:** Airborne dusts of this product can irritate eyes.

**SENSITIZATION TO THE PRODUCT:** This product is not considered a sensitizer.

**REPRODUCTIVE TOXICITY INFORMATION:** Listed below is information concerning the effects of this product and its components on the human reproductive system.

**Mutagenicity:** The components of this product are not reported to produce mutagenic effects in humans.

**Embryotoxicity:** The components of this product are not reported to produce embryotoxic effects in humans.

**Teratogenicity:** The components of this product are not reported to cause teratogenic effects in humans.

**Reproductive Toxicity:** Borate-treated cellulose insulation consists of cellulose fiber treated with boric acid ( $H_3BO_3$ ), sodium tetraborate pentahydrate ( $Na_2B_4O_7 \cdot 5H_2O$ ), sodium tetraborate decahydrate ( $Na_2B_4O_7 \cdot 10H_2O$ ), or a combination thereof.

Borate-treated cellulose insulation was tested for purposes of hazard classification under the Occupational Safety and Health Administration's 2012 Hazard Communication Standard. In a study conducted under OECD Guideline 414, there were no developmental effects in rats exposed to up to 270 mg/m<sup>3</sup> (the highest exposure tested). In workers chronically exposed to high levels of borates for several years by way of inhalation, food, and drinking water, there was a clear absence of any reproductive effects.

For boric acid and substantially similar mixtures (specifically, sodium tetraborate pentahydrate and sodium tetraborate decahydrate), the reproductive toxicity is substantially equivalent; therefore, the same hazard category (i.e., no classification for reproductive toxicity) may be applied.

Classification: No classification.

**SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** None known

**SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** None known

**ASPIRATION HAZARD:** None

## 12. ECOLOGICAL INFORMATION

### **12.1 TOXICITY:**

No toxicity data available.

### **12.2 PERSISTENCE AND DEGRADABILITY:**

No specific data available on this product.

### **12.3 BIOACCUMULATIVE POTENTIAL:**

No specific data available on this product.

### **12.4 MOBILITY IN SOIL:**

These products have not been tested for mobility in soil. Additional data for components of these products are available as follows:

#### **BORIC ACID:**

Some boron (in boron compounds, such as Boric Acid) is adsorbed by iron and aluminum hydroxy compounds and clay minerals. Finer textured soils retain added boron longer than do coarse, sandy soils. Boron sorption by clay minerals



# SAFETY DATA SHEET

SONASPRAY FC, K-13

and iron and aluminum oxides is pH dependent, with maximum sorption in the range 7-9. The amount of boron adsorbed depends on the surface area of the clay or oxide and this sorption is only partially reversible.

## **12.5 RESULTS OF PBT AND vPvB ASSESSMENT:**

No specific data available on this product.

## **12.6 OTHER ADVERSE EFFECTS:**

No specific data available on this product.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

## **12.7 WATER ENDANGERMENT CLASS:**

Water endangering in accordance with EU Guideline 91/155-EWG. Not determined

## 13. DISPOSAL CONSIDERATIONS

### **13.1 WASTE TREATMENT METHODS:**

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

### **13.2 EU Waste Code:**

Not determined

## 14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

**U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:** This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

**14.1 PROPER SHIPPING NAME:** Non-Regulated Material

**14.2 HAZARD CLASS NUMBER and DESCRIPTION:** None

**14.3 UN IDENTIFICATION NUMBER:** None

**14.4 PACKING GROUP:** None

**14.5 DOT LABEL(S) REQUIRED:** None

**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER:** None

**RQ QUANTITY:** None

**14.6 MARINE POLLUTANT:** None of the components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

### **14.7 SPECIAL PRECAUTIONS FOR USER:**

None known

### **14.8 INTERNATIONAL TRANSPORTION:**

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is not considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is not considered as dangerous goods.

### **14.9 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:**

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

## 15. REGULATORY INFORMATION

### **15.1 UNITED STATES REGULATIONS:**

**U.S. SARA REPORTING REQUIREMENTS:** The components of this article are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**U.S. TSCA INVENTORY STATUS:** The components of this product are listed on the TSCA Inventory or are exempted from listing.



# SAFETY DATA SHEET

SONASPRAY FC, K-13

**OTHER U.S. FEDERAL REGULATIONS:** None

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** Ingredients within this article are not on the Proposition 65 Lists.

## **15.2 CANADIAN REGULATIONS:**

**CANADIAN DSL/NDL INVENTORY STATUS:** The raw materials used in this article are on the DSL Inventory, or are exempted from listing.

**OTHER CANADIAN REGULATIONS:** Not applicable.

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** Complies with WHMIS 2015.

## **15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:**

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC, 2015/830/EU and subsequent Directives.

See Section 2 for full Details.

## **15.4 AUSTRALIAN INFORMATION FOR PRODUCT:**

The raw materials used in this article are listed on the International Chemical Inventory list.

## **15.5 JAPANESE INFORMATION FOR PRODUCT:**

**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:**

The components of this article are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

**JAPANESE ENCS INVENTORY:**

The raw materials used in this article are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

**POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW:**

No component of this article is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

## **15.6 INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the raw materials used in producing this article on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

Swiss Giftliste List of Toxic Substances: Listed

U.S. TSCA: Listed

## 16. OTHER INFORMATION

**PREPARED BY:** Chris Eigbrett – (**MSDS to GHS Compliance**)

**DATE OF PRINTING:** September 19, 2018

Although the information set forth herein is presented in good faith and believed to be correct as of the date of issuance, it has been furnished by our suppliers; consequently, International Cellulose Corporation makes no representations or warranties, express or implied, with respect to information herein presented. The information set forth herein is supplied upon the condition that the persons receiving same will make their own determination as to suitability for their purposes prior to use and relates only to the specific product described and not to such product in combination with any other product. In no event will International Cellulose Corporation be responsible for damages of any nature resulting from the use of or reliance upon this information

## REVISION LOG

December 8, 2015 - Document creation  
September 19, 2018 - Updated with latest GHS information / template

**END OF SDS SHEET**