

Differences in Inspection Levels

Travel Trailers or 5th Wheels

To assist you in making the most appropriate decision on which inspection level is right for you, please review the below information. This will help you identify all the points of inspection that come with each inspection level.

- **Basic Inspection** this inspection includes only the inspection points highlight in yellow.
- **Premiere Inspection** this inspection includes all the inspection points listed below, highlighted and non-highlighted

<u>Roof</u>
☐ Inspect and rate the overall Roof Condition.
☐ Evaluate the condition of the various sealant and joints around the roofing components.
□ Rate the condition of the roof vents, air conditioners, antenna, other components that are mounted on the roof.
☐ Identify areas of concern and potential water intrusion points.
☐ Identify the Roof material type and the sealants that have been applied to the roof.
Sidewall and End Caps
☐ Inspect and evaluate the appearance and functional condition of the sidewalls, entrance doors, windows, and cargo
access doors.
☐ Inspect and evaluate any damage, discoloration and delamination of the side wall and end cap components.
☐ Inspect and identify the material type of the front and rear caps.
☐ Evaluate the aging and general overall condition of the front and rear caps.
Slide Out Rooms
☐ Inspect and rate the roof condition.
☐ Inspect and evaluate the condition of the seals, sweeps and gaskets for possible damage.
□ Evaluate the attached wiring and utility harness that feed underneath the slideout room.
☐ Identify the types of slideout room drive systems.
☐ Identify the type of roof material for the slideout room.
Awnings and Slide Out Toppers
☐ Operate and rate condition of the awning frames and latching mechanisms.
☐ Evaluate and rate the condition of fabric material of the awnings.
☐ Inspect and identify operational type (manual vs electric) of the awnings, slideout toppers and window awnings.
Chassis Turn Signal and Running Lights (12-volt DC)
☐ Operate and evaluate the emergency break away switch.
☐ Activate and evaluate the operation of the DOT lights mounted on the RV.
☐ Inspect the condition of the 7-pin connector cord.
120 Volt AC Electrical System (house type power)

☐ Remove cover panel of 120-volt circuit breaker box to visually inspect the condition of the wiring, circuit breakers

☐ Test and verify the output operation of the 120 VAC to 12 VDC converter for charging of the deep cycle batteries.

☐ Inspect and rate the condition of the power cord and its connection ends.

and grounding connections.



 ☐ Identify any damage or repair of the power cord. ☐ List any heat discoloration to the wiring and connections. ☐ Verify the separation of all the wiring types.
Generator — if installed *strongly recommend performing oil analysis to determine internal combustion engine component condition. ☐ Identify and note the model, serial number and run hours of the generator. ☐ Check oil level. ☐ Start, operate, and test the onboard generator under load. ☐ Test the voltage output and frequency (60 cycles).
 Inverter – if installed ☐ Identify and note the model and serial number of the inverter. ☐ Visually inspect the wiring and electrical connections and fuses/circuit breakers. ☐ Place electrical load on inverter to verify proper operation. ☐ Test voltage and frequency output of the inverter under fifty percent load.
Coach Battery System — (12-volt DC deep cycle Battery Electrical System) ☐ Locate and note the location of the battery stack. ☐ Evaluate the condition, age, and matched sizing of the battery stack. ☐ Access and visually inspect the wiring, fuse panel and fuses of the 12-volt DC electrical system. ☐ Evaluate the operation of the freshwater/wastewater monitor panel for incorrect tank readings. ☐ Evaluate and determine if positive and negative cables are correctly matched for balanced load.
Freshwater System ☐ Verify the freshwater connections for the City Water hookup are operational. ☐ Verify the onboard freshwater tank and pressure pump system will operate and maintain pressure. ☐ Operationally test all freshwater fixtures inside and outside of the RV. ☐ Visually inspect the water filtration system (<i>if installed</i>) for leaks and filter placement.
Wastewater Systems – (Gray and Black Water)
☐ Operationally test and inspect both waste (gray and black) plumbing systems for leaks under the sinks, shower,
around the toilet and discharge lines. ☐ Operate both drain valves and test for ease of operation. ☐ Verify the drain cap is in place and will hold wastewater. ☐ Identify the type of drain valve controls.
☐ Verify the drain valves for both systems will maintain water in their tanks.
Life Safety Items
Perform and document LP gas timed leak test at cook top burner spud for 5 minutes at 8 inches of water column gas
pressure.
☐ Test the Ground Fault Circuit Interrupter (GFCI) circuits in the 6-foot range of the water areas of the bathroom,
kitchen, and exterior receptacles. Test all wall receptacles for correct polarity and ground fault.
☐ Test the exterior skin for Hot Skin that would cause electrical shock.
☐ Emergency Exit Windows – Verify all safety windows are operational.



Fire Extinguisher – Verify unit is secure in bracket and dial indicates extinguisher is fully charged.
☐ Smoke/Fire Detector —Test and verify operation of units.
☐ Carbon Monoxide Detector—Test and verify operation of unit. (<i>if applicable</i>)
☐ LP Gas Detector – Verify gas detection and audio alarm.
□ Document expiration date of detector.
□ Verify the rubber grommet is properly sealed around LP gas line of water heater.
LP Gas System
☐ Visually inspect all hoses and pressure regulators for damage and age deterioration.
☐ Verify plastic cover has been installed over regulator.
☐ On Split tank system verify the red colored single stage regulator is installed.
DOT Cylinders - if equipped
□ Document the manufacturer dates of DOT cylinders.
☐ List the tank sizes that have been installed.
☐ Conduct visual inspection of exterior of cylinder for rust and other damage.
☐ List the location(s) of the DOT cylinders.
ASME tank - if equipped
☐ If tank is visible, conduct a visual inspection of tank for rust or physical damage.
□ Document the manufacture date of the ASME tank if accessible.
☐ List the gallon capacity of the tank.
List the location of the tank.
Refrigerator
☐ Identify the brand, model, and type of refrigerator.
☐ Operate on all heat sources – 120-volt AC, LP gas and for 3-way refrigerators, 12-volt DC.
☐ Collect serial and model number and verify with manufacturer if recall notice has been issued and completed for thi
unit.
☐ Test for interior temperature of upper and lower refrigerator compartments and ice maker (<i>if installed</i>)
*if refrigerator has been operating for minimum of 12 hours.
□ Note the location of the vent panels used by refrigerator.
☐ Visually verify if baffle system on back of refrigerator area is correct and directing heat away from gas coils.
☐ Check condition of door frame, shelving, crisper drawers, door shelves and interior light.
☐ Evaluate and rate the door gasket seals of freezer and refrigerator box areas.
Water Heater
☐ Identify the brand, model, and type of water heater.
☐ Visually inspect burner assembly and gas exhaust system for blockages and insect infestation.
☐ Fill tank with water (<i>if necessary</i>) and verify operation on all heat sources – LP gas and 120-volt AC if equipped
with heating element.
☐ If installed, operate, and verify positioning of bypass valves on back of water heater.
☐ Determine if proper drain plug has been installed in water heater tank.
☐ If installed, inspect, and evaluate if the correct type of dauber screen has been used.



Furnace

☐ Visually inspect air intake and exhaust assemblies for blockages and insect infestation.
☐ Operate and verify warm air discharge out of vents and proper return air flow to unit.
☐ Monitor for unusual noise or vibration of blower motor.
☐ If installed, inspect, and evaluate if the correct type of dauber screen is being used.
☐ Identify the type of thermostat controls being used to operate furnace(s).
Cook Top/Stove
☐ Evaluate and rate the condition of the cook top or stove.
□ Verify the ignition and operation of all top burners and the oven flame (<i>if equipped</i>).
☐ Inspect and rate the condition of the metal grill top and rubber grommets of top burner area.
☐ List presence and condition of stove top covers.
☐ Evaluate the presence of the control knobs, door handles and oven racks of the unit.
<u>Air Conditioner(s)</u>
☐ Identify and list the type of cooling unit/heat pump.
☐ Perform cooling efficiency test (Delta T) on each unit.
☐ Inspect the air filter(s) debris and cleanliness.
Washer/ Dryer
☐ Visually inspect and verify a wash and rinse cycle of the washer and dryer.
☐ Evaluate and rate the exterior condition of the dryer exhaust vent.
☐ Visually inspect for leaks or damaged hoses.
Microwave/Convection Oven
☐ Identify and list the brand, model, type, and output wattage of the unit.
Operate unit for 60 seconds utilizing cup of water and then list water temperature.
☐ Verify the rack and turn tables are installed.
Dishwasher - if installed
☐ Identify and list the brand, model, and type of unit.
☐ Verify operation of unit and inspect for leaks and non-functioning rotating racks and wash bars.
Tring operation of this that hispect for loaks that non-functioning folding facks that wash ours.
In House Vacuum System – if installed
☐ Identify and list the brand, model, and type of unit.
☐ Verify the operation and visually inspect the various components of the hose assembly, access doors and dirt bag
Electric Fireplace – if installed
☐ Identify and list the brand, model, and type of unit.

Cook Top Exhaust Fan

☐ Operate and verify condition of the exhaust function and fan speeds.

☐ Operate and verify the various heat settings, fan speed levels and the back lighting.

- ☐ Evaluate and rate the exterior condition of the exhaust vent.
- ☐ Visually inspect the filter and lighting.



Ceiling Mounted Fans and Ceiling Exhaust Vents
☐ Visually inspect the condition of the blades and motor.
☐ Operate and verify condition of the blade direction and fan speeds.
☐ Verify lighting if equipped.
Interior Conditions and Appearance
☐ Visually inspect all ceilings, walls, interior doors, and flooring for signs of water intrusion, surface damage and/or
<mark>staining.</mark>
☐ Operate all windows and doors noting any deficiencies or missing components.
☐ Operate all interior, exterior and décor lighting - 12-volt and 120-volts.
☐ Evaluate the window coverings.
Cabinets and Closet Condition
☐ Inspect and evaluate all cabinet doors, drawers, and pull-out operation.
☐ Visually inspect all counter tops and flat surface areas of the kitchen, living room, bathroom, bedroom, and storage
□ areas for scratches and damage.
☐ Identify and list all broken and loose cabinet and closet hardware.
☐ Note if appearance of previous damage repairs have been performed.
Furniture
☐ Visually inspect the condition of the dinette table/booth, chairs, recliners, and sofa.
☐ Inspect and note furniture fabric tears, discoloration, and signs of excessive wear.
☐ Visually inspect and note signs of mattress damage or staining.
— Tabling map we are note signs of many on summing.
Entertainment System
☐ Visually inspect and operate all TV and stereo equipment.
☐ Verify DVD/disc players and radios are operational.
☐ Raise and lower roof mounted antenna if equipped.
☐ Verify local channels antenna and 12-volt DC power signal booster is operational.
☐ Verify remotes are operational.
Shower/Tub Enclosure
☐ Visually inspect the glass panels, curtains, and soap dish areas.
Evaluate and rate the seals around the framework and doors for water leaks.
Operate the door and latch system to verify its operation.
☐ Inspect and evaluate the stains and chemical/mineral buildup.
Running Gear (Towables)
☐ Type and number of axles.
☐ Inspect the frame, axles, springs, rims and other components for rust, oil stains and visible damage.
□ Document the information on the tires as to their age and weight capacities.
☐ Check tire pressure.
☐ Inspect and rate tire tread condition.
□ Note any valve extensions and pressure monitors.
₹



Hitch System/Hook Up

- ☐ Inspect and identify the type of system used to tow vehicle.
- ☐ Evaluate and list modifications to hitch system.

Leveling System

- ☐ Identify and note the brand and type of system.
- ☐ Check for hydraulic leaks or mechanical issues.
- ☐ Operate by extending and retracting leveling system.

Weight Labels and Data Plates

- ☐ Identify and document the Vehicle Identification Number (VIN).
- ☐ Document the License plate info.
- \square List the Inspection sticker information *if applicable*.
- ☐ List the RVIA inspection seal number.
- ☐ List the Gross Vehicle Weight Rating.
- ☐ List date of manufacturer.
- ☐ List the Manufacturer's Build Sheet, *if available*.
- ☐ List Owner Stated Comments, *if present*.

Exterior Kitchen

Refrigerator

- ☐ Determine the location of the control board.
- ☐ Check condition of the door racks, shelves, and ice maker.
- ☐ Check the backside of the cooling coils for proper venting.
- ☐ Inspect the door panels, seals, frame, and walls.
- ☐ Inspect crisper tray and drawers.

Cooktop

- ☐ Evaluate and rate the condition of the cook top or stove.
- ☐ Inspect and rate the condition of the metal grill top and burner area.
- ☐ Verify the ignition and operation of all the burners and the flame.
- ☐ Evaluate the condition of the knobs and/or controls.

Exterior Sink

- Determine if the faucet is operational and has hot and cold water available.
- ☐ Inspect for water damage under sink and that sink holds water.
- ☐ Inspect that P-Trap holds water.
- ☐ Inspect for leaks at the faucet stem and for water damage under the sink.

Cabinets

- ☐ Inspect and evaluate all cabinet doors, drawers, and pull-out operation.
- □ Visually inspect all counter tops and flat surface areas of the exterior kitchen for scratches and damage.
- ☐ Inspect for previous repairs performed.

Compartment Door

☐ Inspect and evaluate the compartment door operation, seals, and that it closes flush to frame.



Toy Hauler Items

☐ Inspect the condition and operation of the interior and exterior of the cargo door/ramp.
☐ Inspect cargo door/ramp for water damage/delamination.
☐ Record the weight capacity of the cargo door/ramp.
☐ Inspect the condition of the seals, hinges, latches, tension springs, cable of the cargo door/ramp.
☐ Inspect the condition of the exterior screen door.
Patio (Add to Exterior – Side Walls)
☐ Inspect the condition and operation of the interior and exterior of the patio.
☐ Inspect patio for water damage/delamination.
☐ Inspect the condition of the flooring/decking on the patio.
☐ Record the weight capacity of the patio.
☐ Inspect the condition of the seals, hinges, latches, tension springs, and cables.
☐ Inspect the condition of the flooring/decking, railing, and steps.
Garage Interior
Char Voc if a minut
Shop Vac if equipped ☐ Brand/Model/Serial #.
☐ Inspect the operational condition. ☐ Rate the general condition of the unit.
Rate the general condition of the unit.
Fuel Station/Cargo Hooks
☐ Inspect the general condition and operation of the fuel station.
☐ Inspect the condition of the cargo hooks.
☐ Fuel level monitor.
☐ Check if static strap is available.
Beds
☐ Verify the operation and condition of the bed lift system.
☐ Identify the type of bed lift system – Hydraulic/Electric/Chain/Other/NA.
□ Number of Beds.
Seating In Garage Area
☐ Inspect the general condition.
☐ Convert into beds.
Removable Tables in Garage Area
☐ Inspect the general condition.
☐ Identify the number of tables.
Cabinets/Storage in Garage Area
☐ Inspect the general condition and operation of the cabinet doors and drawers.
☐ Inspect the general condition and operation of the cabinet doors and drawers. ☐ Inspect the operation and condition of the door hinges and drawer slides.
☐ Inspect the operation and condition of the door images and drawer sides. ☐ Inspect for damage or previous repairs.
inspect for damage of previous repairs.

Cargo Door/Ramp (Rear End Cap)



Patio Doors

- ☐ Inspect the general condition and operation of the patio doors.
- ☐ Inspect the condition and operation of the latches and locks.
- ☐ Inspect the condition and operation of the screen or glass door(s).

Bunk Beds

- ☐ Inspect the condition of the bunk beds and the condition of the mattress.
- ☐ Evaluate if the bed covers match the interior.
- ☐ Inspect the condition of the bunk bed ladder.

Loft/Storage Area

- ☐ Inspect the condition of the loft/storage area.
- ☐ Evaluate the condition of the floor material, railing, ladder, and curtains.