GRAHAM WHOLESALE

Family owned est. 2024



CATALOG
916-897-0143
GRAHAMWHOLESALE.COM

GRAHAMWHOLESALE.COM



Graham Wholesale LLC was founded in 2024 and is a family business. Tom Graham, his daughter Natalie Graham, and his protege Eduardo Calderon are the heart and soul of this business. We carry a complete supply of lawn & garden tools, orchard tools, vineyard tools, hand tools, pest control products, specialty clothing, fencing, livestock supplies and many more items. Our goal is to provide you with outstanding services and products that allow you to make excellent margins when reselling our products. Your business requires quick response without unnecessary delays. We are confident that our company has the ability to satisfy your needs. Please feel free to reach out with any questions or concerns.

Please feel free to visit us at grahamwholesale.com or contact us via phone or email.

Tom Graham - tom@grahamwholesale.com - 916-897-0143 Eduardo Calderon - eduardo@grahamwholesale.com - 707-272-1822 Natalie Graham - sales@grahamwholesale.com - 916-753-3931

Corona® Bypass Pruner

- Forged tool cuts up to 1"
- · Metal handle with comfort grip
- · Internal spring
- Dual cut blade action

Unit: Each



O.	Co	RO	NP
----	----	----	----

GW No.	Description
83192	BP7100D

Corona® Bypass Pruner - Heavy Duty

- 1" diameter cutting capacity
- Replaceable and resharpenable Radial Arc™ bypass blade
- · Heat treated, forged Coronium steel alloy construction
- · Precision ground, self-aligning pivot bolt
- · Wire cutting notch
- · Molded non-slip cushioned grips
- Slant-ground, narrow profile hook
 Length: 8-3/4"

OW No December

Unit: Each



GW NO.	Description
62808	BP3180D, #80
Renlacement Parts	

Replacement Parts	
GW No.	Description
61899	Bolt/Nut
62602	Blade
62849	Spring

Corona® Bypass Pruner

- 3/4" diameter cutting capacity
- Designed for general-purpose pruning
 Drop-forged Radial Arc™ bypass blade
- Heat treated forged Coronium steel alloy construction
- · Molded vinyl non-slip grips
- · Ideal for professional or homeowner
- Length: 8-1/4"

Unit: Each



GW No.	Description
62805	BP3160, #60

Replacement Parts	
GW No.	Description
62603	Bolt & Nut
62604	Spring



Corona® Ergonomic Bypass Pruner

- · General purpose pruner with ergonomic nylon reinforced handles
- · Carbon steel blades are resharpenable
- · Cuts up to 3/4" diameter

Unit: Each



GW No.	Description
62532	BP4180

Corona® Bypass Pruner - Small Hands

- 1/2" cutting capacity and specialty designed for smaller hands
- · Heat treated Coronium steel alloy
- · Cushioned non-slip grips

Unit: Each

GW No.	Description
62640	BP3130

CORONA.

Corona® Bypass Pruner

- · Forged aluminum bypass pruner
- 1" diameter cutting capacity
- · Ergonomic design for less bending of the wrist
- · Bypass design allows for closer, cleaner and healthier cuts
- · Lightweight, forged aluminum handles

Unit: Each



GW No.	Description
62625	BP4250

Corona® Ergo-Action Pruner

- · Forged high-carbon steel forms a stronger, more durable tool cutting up to 3/4" diameter
- Resharpenable, forged steel blade for long service life
- · Ergonomic angled pruning head for added comfort and reduced hand stress
- · Contoured handles with comfortable nonslip grips



GW No.	Description
62533	BP3640





GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Corona® Harvest & Utility Snip

- Corrosion resistant short curved stainless steel blades
- · Poly-coated handles and leather tie



CORONA.

GW No.	Description
73237	Short, Curved Stainless Steel Blade

Wiss Floral Snips

- 4-3/4" clipper with stainless steel sharp
- point blades
 Positive spring-action re-opens blades for fast cutting
- Heavy duty contour designIndustrial PVC
- plastic handle.



GW No.		Description
	93316	Floral Snip

Corona® Floral Scissors

- Stainless steel blades are resharpenable
- · Serrated blade for easy clean cuts
- Ergonomic, co-molded grips for comfort
 • Great for cutting flowers
- and plants



GW No.	Description	
62591	Floral Scissors	

Corona® Grape Snips

- Designed for picking and field dressing of grape bunches
- Red poly-coated handles

Unit: Each








ORONA.

GW No. Description		Blade
62528	AG4940, Steel	Curved
62529	AG4930, Steel	Straight
73235	AG4940, Stainless Steel	Curved

GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Corona® Lemon Shear

- · Designed for rapid, high-volume lemon and lime harvesting
- · Drop-forged steel alloy





GW No.	Description
62888	AG5010

Corona® Orange Clipper

- · Designed for rapid, high-volume harvesting
- · Drop-forged steel alloy
- Resharpenable, fully heat-treated blades

Unit: Each

62531

ORONA



Corona® Orange Clipper

- · Designed for rapid, high-volume orange, grapefruit and apple harvesting
- Drop-forged steel alloy
- Resharpenable, fully heat-treated blades
 Specially designed to sever fruit cleanly from fruiting spur

 Custom-ground cutting edges and balanced spring design for fast,



GW No.	Description	
62887	AG5050	

Corona® Fruit Avocado Shears

• Designed for rapid, high-volume harvesting of avocados, mangos, persimmons, tomatoes and other delicate fruits

· Drop-forged steel alloy · Resharpenable, fully heat-treated blades

 Rounded tips help prevent damaged fruit

Cushioned non-slip grips

Unit: Each

GW No.

62906



Corona® Citrus Shear

- Designed for rapid, high-volume lemon and citrus harvesting
- Angled head and low profile blades to easily access and sever fruit cleanly from spur
- · Drop-forged steel alloy construction with resharpenable blades
- Custom-ground cutting edges and balanced spring design for fast, precise action

Unit: Each

CORONA.



GW No.	Description
62539	AG 5020

Citrus Clipper

· Competitive Grade

· Import orange style citrus clipper



GW No.	Description
91546	CL5

Leather Scabbard with 2 Pockets for Sharpening Stone and File

- · Made from fine top grain tanned cowhide leather, securely stitched with heavy waxed thread
- · Slotted end to fasten on belt

Unit: Fach



Leather Scabbard with Sharpening Stone Pouch

- · Top grain leather & riveted
- Belt clip and loops includedUniversal design fits most pruners
- Included pouch for 3" x 7/8" sharpening stone

GW No. Description

Unit: Each



Leather Scabbard w/

92385 Scabbard - Leather

GW No. Description

- Top grain leather-stitched and riveted
- · Belt clip and loops included
- · Universal design fits most pruners
- Model #: 418X

Metal Clip

Unit: Each



Leather Scabbard for Hand Shears

· Made from fine top grain tanned cowhide leather, securely stitched with heavy waxed thread

Scabbard - Leather

Scabbard - Leather

- · Slotted end to fasten on belt
- Model #: 418

Unit: Each

62846



GW No.	Description
91542	Scabbard - Leather

Hammer Holder -**Steel Loop**

- · Steel cradle design holds hammer snugly in place
- · Mounted on strong top grain leather
- · Hammer not included

Unit: Each



Corona® Scabbard Tool Pouch

- · Durable Cordura nylon construction
- Universal design fits hand pruners and folding saws
- Easy to carry using metal clip or belt loops
 Front pocket for sharpener
- storage to keep tools sharp in the field

Unit: Each



GW No. Description

GW No.	Description
63331	Scabbard - Nylon

GW No. Description 75072 Hammer Holder

CHOLSON

GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION & PRICING!

Mill Bastard Files

- · Features a Red Tang tip
- · Ideal for sharpening tools, knives and pruners

Unit: Each



18)				
	至 2	£ 5.		

GW No.	Description
91825	4" File - 12 pk
91826	6" File - 12 pk
91827	8" File - 12 pk

Oregon® Chain Saw File

- Consistent tooth height removes metal faster & more smoothly
- Double-cut design resists clogging and has long stay sharp
- For chain saw sharpening
- Spiral teeth
- Length 8"

Unit: Each



GW No.	Description	
90672	5/32" Round	
90674	7/32" Round	
90675	3/16" Round	

Nicholson® Mill Bastard File

· Carded files without handles

Unit: Each | Pack: 6



GW No.	Description
43315	6"
43317	10" File
43318	12" File
43328	1/2 Round, 10"
43330	Round, 6"
43331	Round, 8"
43332	Round, 10"
43334	Slim Taper, 6"

Combination Sharpening Stone - Sportsmen

· Ideal for sportsmen and all those needing a small sharpening stone



Unit: Each

GW No.	Description
60044	4" x 1-1/2" x 1/2"

Pocket Sharpening Stone

 Highest Grade at **Economy Price**



Unit: Each | Box: 200

GW No.	Description	
60048	3" x 7/8" x 5/16"	

Scythe Stone

- Fast, clean-cutting and durableMade of a grit suitable for general purpose sharpening of scythes, sickles and mowing machines
- Aluminum Oxide
- 10" x 1-1/4" x 1/2"



Unit: Each

GW No.	Description
60045	Scythe Stone

Combination Sharpening Stone

- One Side Coarse Other Side Fine Grit Silicon Carbide
- The coarse side is used for sharpening very dull tools; the fine side for giving the required keen, smooth edge

Unit: Each



GW No.	Description
60042	5" x 2" x 1"
60043	4-1/2" x 1-3/4" x 5/8"
60037	8" x 2" x 1"

Corona® Sharpening Tool

- 5" super carbide file, ideal for
- sharpening all blades
 Fits easily in pocket
- · Non-slip grip

Unit: Each | Pack: 6





GW No.	Description
62599	5"

Vine & Light Tree Lopper

- · Precision Japanese steel blades
- · Blade is specially designed to prevent the branch or vine from slipping out during pruning
- Designed for close-in pruning
 Ideal for vine pruning
 1-1/4" cutting capacity

- Strong, lightweight powder coated steel handles
- Lightweight
- Extremely comfortable to use, with soft rubber bumpers between handles to prevent fatigue

Unit: Each

GW No.	Description		
89120	Vine & Light Tree Loppers - 20"		



Corona® Professional Vine Lopper, Classic Cut®

- 1-1/4" cutting capacity
- Resharpenable, replaceable Radial Arc™ bypass blade
- Fully heat-treated forged steel alloyForged slant-ground hook with
- self-cleaning sap groove
- Precision-made, self-aligning pivot bolt
- Lightweight, high-strength, elliptical aluminum handles
- · Shock Stop® bumper

Unit: Each



CORONA

GW No.	Description
84156	AL8350 - 20"

Replacement Parts			
GW No. Description			
84157	Blade		
84158	Hook		
84159	Aluminum Handle		



Corona® Professional Tree Lopper, Classic Cut®

- Drop forged head, old style bumper with bushing, pin and washers
 • Exactly the same as the old model,
- but with new design center bolt
- Cutting capacity: 2-1/4"

GW No.	Description
74717	WL6420 - 26"
74718	WL6450 - 32"
74719	WL6470 - 36"

Replacement Parts				
GW No.	Description			
74743	6400-1 Blade			
74744	6400-2 Hook			
74745	WL6420 Wood Handle			
74746	WL6450 Wood Handle			
74747	WL6470 Wood Handle			
83146	Bolt and Nut			
83150	Handle Bolt and Nut			
62873	Bumper			







GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Corona ClassicCut® Bypass Lopper

- 2 1/4" cutting capacity
- Resharpenable forged Radial Arc™ bypass blade
- Fully heat-treated steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning bolt
- Lightweight, high-strength elliptical aluminum handles
- Shock Stop® bumper

Unit: Each



-	_					
	c	o	D	o	N	D

GW No.	Description
84174	AL15147 - 26"
84175	AL15148 - 32"
84176	AL15149 - 36"

Replacer	nent Parts
GW No.	Description
84178	Blade
84179	Hook
84180	Handle w/Grip for 84174
84181	Handle w/Grip for 84175
84182	Handle w/Grip for 84176
62873	Bumper



Corona® Professional Vine/Tree Lopper, Classic Cut®

- · Drop forged head, old style bumper with bushing, pin and washers
- Exactly the same as the old model, but with new design center bolt
- · Cutting capacity: 74710 - 1-1/4" 74714 - 1-1/2"

GW No. Description 74710 WL6310 - 20" 74714 WL6350 - 26"

Unit: Each



© CORONA.

	© CORONA.
Replace	ment Parts
GW No.	Description
74722	6310-1 Blade
74723	6310-2 Hook
74724	6310-4 Wood Handle
74731	6300-1 Blade for 74713, 74714, 74715
74732	6300-1 Hook for 74713, 74714, 74715
74733	WL6330 Wood Handle
74734	WL6350 Wood Handle
74735	WL6370 Wood Handle
83133	Pivot Bolt and Nut
83136	Handle Bolt and Nut

Corona® Bypass Lopper - Consumer Grade

- DIY Consumer Grade Lopper
- Stainless steel resharpenable high carbon steel blade
- Tubular steel handles and shock stop bumper
- Non-slip handle grips
- 24" overall length
- Cuts up to 1-1/2" diameter

Unit: Each



 Forged-in bumper cups
with Alcryn bumpers

self-cleaning, deep

Corona® Hi-Torque Lopper

· Maximum high-torque

strength elliptical 26"

aluminum handles

to 2" diameter

Lightweight, high-

cutting action, cutting up

Resharpenable Radial Arc

bypass blade of fully heat-

treated forged steel alloy
• Deeply curved, forged,

slant-ground hook with

Unit: Each

sap groove



62873 Bumper



Corona® Compound **Action Anvil Lopper**

- DIY Consumer Grade • 2" cutting capacity with replaceable blade and anvil
- · Teflon coated high carbon steel blade
- 24" fiberglass handles12" non-slip foam grips
- Four bar compound linkage triples your cutting power



GW No.	Description
62643	FL3420 - Fiberglass Handle

GW No.	Description
63308	SL3310 - Steel Handle

GW No).	Description	
62831	1	AL6512 - Aluminum Handle	

Corona® Bypass Lopper - Super Duty

- Forged resharpenable bypass blade of heat treated steel alloy
- Consumer grade
- Heavy duty, spring loaded shock stop bumper
- Steel handles with grips
- 32" overall length
- · Cuts up to 3" diameter

GW No. Description

Unit: Each



Corona® Two Handed Lopper

- 15" lopper/pruner
- Lightweight consumer grade, two-handed lopper with forged resharpenable blades
- Oval steel handles
- No bumper
- Cuts ups to 3/4" diameter
- Cushioned handles

Unit: Each



	E CORONIA
GW No.	Description
63306	BP3225D- Steel Handle

Corona® Compound Action Bypass Lopper

- DIY Consumer Grade Lopper
- 4 bar compound linkage triples your cutting power
 Non-stick coated high
- Non-stick coated high carbon steel bypass blade is resharpenable
- Slant-ground hook with sap groove
- Lightweight, strong fiberglass handles extend 21" to 33"
- Non-slip foam grips
- Cuts up to 1-5/8"

Unit: Each



	© CORONI
GW No.	Description
63304	FL3470 - Extendable Handle

Corona® Bypass Lopper

SL6500 - Steel Handle

- DIY Consumer Grade Lopper
- Forged resharpenable bypass blade
- Precision-made, slant-ground hook with sap groove
- · Quality hickory handles
- No bumper
- Cuts up to 1-1/2" diameter
- 26" overall length

Unit: Each



Corona® Hedge Shear

- Fully heat treated 8" steel alloy blades, serrated top blade improves cutting action
- Features neoprene bumper and hardwood handles with non-slip grips
- Hardwood handles

Unit: Each



GW No.	Description
62813	HS6920 Serrated Blade

Corona® Hedge Shear

- Homeowner grade hedge shears
- High carbon steel blades
- 8-1/4" forged blades
- Hardwood handles
- Model #: HS3911

Unit: Each



GW No.	Description
62644	HS3911 Homeowner

GW No. Description 63311 WL3351- Hickory Handle

Corona® Hedge Shear

- Professional grade hedge shears with 21" hardwood handles
- Heat treated 8" alloy steel blades with serrated top blade
- Features neoprene bumper and non-slip handle grips

Unit: Each



GW No.	Description
62815	HS6930 Long Handle
The state of the last of the l	
	Str Contain
	do Contain

Corona® Hedge Shear

- Professional grade hedge shears with light weight, high strength, aluminum handles
- Features 8-1/2 in. resharpenable, narrow profile, forged steel blades
- Serrated tooth blade with limb notch in bottom blade
- Forged-in bumper cups with neoprene bumper; non-slip handle grips

Unit: Each



Corona® Hedge Shear

- Features 10-1/2" narrow profile, forged resharpenable steel blades
- · Limb notch in bottom blade
- Forged-in bumper cups with neoprene bumper
- Lightweight, strong, 12-1/2" aluminum handles with non-slip grips



GW No.	Description
62548	AH6970



GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Razorback Shovel

• Razorbacks feature a two-rivet, 11" tab socket, providing superior strength

- Professional Quality
 #2 size 9-1/2" X 12" blade
- · Heavy duty top quality shovel
- Closed back for ultimate strength
- 48" Ash handle
- · Forward turned step

Unit: Each



• 48" Solid-core fiberglass handle with thick, molded poly jacket for maximum strength and long service life

• Extra-thick, 14-gauge tempered steel blade for maximum toughness

· Extended widow's peak socket adds strength for a secure connection

Baked finish protects against rust

Corona® Professional Shovels

- Large, forward-turned steps for firmer footing

Unit: Each



GW No.	Description
51545	Round Point
51546	Square Point



RAZORBACK

GW No.	Description
	Square Point
50262	Round Point

Truper Shovel

· Rolled step blade for secure foot placement with single rivet

• 45" Wood Handle

Unit: Each



GW No.	Description
99435	Round Point
99437	Square Point



Corona® Dirt Shovels

- Strong, 16-gauge tempered steel blade
- Large, forward-turned steps for firmer footing
- · Long wood handle

Unit: Each



GW No.	Description
51540	#SS26000, Round Point
51541	#SS27000, Square Point
50276	#SS10000, Round Point

socket, providing superior strength



Union Tools Shovel

- · Quality steel blade with clear coat and white ash handle

 • 47" handle
- Blade is 9-1/4" x 11-1/2"

Unit: Each



 Forward turned step • 48" premium Ash handle

with open-back design

Razorback Shovel

Professional Quality

Unit: Each



GW No.	Description
	Round Point
50285	Square Point



UnionTools.

GW No.	Description
50151	Round Point
50152	Square Point

Floral Shovel

• Blade Size 6" x 8-1/2"

• 42" long Ash handle

Unit: Each




GW No.	Description
50196	Round Point

Irrigation Shovel, Clip Point Pony

- · Caprock pattern
- 47" long handle
- Deep bowl Lift 2-1/2"

• Size #2 Blade is 8-7/8" x 10"

Unit: Each



Corona® Contractor Trenching Shovel

- 13 gauge steel blade gives maximum strength
- · V-angled head for efficient digging and cleaning trenches
- Color-coded for quick identification of proper tool for trench width

Unit: Each



GW No.	Description	Handle
73215	5" Blade	Ash
73214	4" Blade	Ash
73213	3" Blade	Ash
73225	5" Blade	Fiberglass
73224	4" Blade	Fiberglass
73223	3" Blade	Fiberglass



Corona® Contractor Trenching Shovel

- 12 gauge steel blades with 28° angle
- Best suited for digging and foot can be placed against back of shovel for downward pressure
- 48" Ash handle



GW No.	Description
51550	3" x 12" Blade
51551	4" x 12" Blade
51555	5" x 12" Blade
51552	6" x 12" Blade

ABS Poly Grain Scoop

- Size #12 ABS Poly Blade Scoop
- Light gray Top quality

GW No.

92670

92680

Unit: Each | Pack: 6



Aluminum Scoop Shovel

- Size: #12
- Blade: 15" x 19"
- 14 gauge
- Handle: 29" Fiberglass "D" Handle
- Overall length 47"

Unit: Each



GW No.	Description
99344	Aluminum Scoop Shovel

Poly/Abs Scoop Shovel

• Overall length 47"

Steel & Wood D Handle

- #12 scoop shovel
- Fiberglass D Handle

Unit: Each

Description

48" Ash Handle



GW No.	Description
99368	Poly/Abs Scoop Shovel

Shovel and Scoop Handle

Eye slotted

• 4' length

· No shoulder, fits razorback, razorlite, and most open back shovels



GW No.	Description
52331	Straight
52332	Bent

Corona® FK 42000 Digging Fork - 4 Tine

- Tempered steel tines for maximum strength and long service life
 • 29" Wood D handle grip
- makes it easier to use in tight spaces
- 10" Tapered tines for easier soil penetration

Unit: Each



4-Tine Hook

- · Forged heavy duty diamond shaped tines
- 54". Flame
- Toughened handle
- 7-1/2" tines
- 7" head width

Unit: Each



ORONA.

GW No.	Description
51560	4 Tine



GW No.	Description
50391	Heavy Duty

Dura Pitch® Plastic Stable Fork

- Design prevents manure from falling off fork during bedding shake out
 Easy to use in confined areas such as
- horse trailers and small stalls
- Complete with 42" wood handle
- Head made of top quality polycarbonate


Unit: Each

GW No.	Description
52528	11" Head, #DP1
52538	16" Head, #DP2



Durafork Manure Rake - Plastic

- · Fork head is molded from an
- Fork nead is molded from an engineered grade polycarbonate
 Fork head has 18 diamond shaped tines and single cross bar for strength
 Complete with 52-1/2" heavy duty
- wood handle





Ditch Hook Cleaner

- · Many uses including: cleaning irrigation ditches and ware ponds, Search and Rescue, logging, retrieval, sorting, etc.
- Fiberglass handle is lightweight and strong and can be safely used near
- power lines

 Drop forged hook has 4 tines, each 9" long, width at point is 8-1/2"

Unit: Each

GW No.	Description
80352A	8 ft.
50214A	10 ft.
80353A	12 ft.
80354A	14 ft.
80355A	16 ft.
80356A	18 ft.
80357A	20 ft.



Fork Handle, D Grip

- 1-1/2" Diameter 5/8" Bore For Heavy Fork (Coke, cotton seed, beet, spading, ensilage, potato, manure, vegetable)

 • Metal ferrule
- D Handle

Unit: Each



Spading Fork Handle

- 1/2" Diameter, Bored
- 5/8" Diameter 4" deep
- Spading, vegetable, manure, potato, ensilage, coke, cotton seed, beet, cob & barley

Unit: Each

GW No.	Description
52341	48"

Bent Hay Fork Handle

- 1-3/8" Diameter
- 7/16" Bore
- Metal Ferrule and end is bored
- 4-1/2' length

Unit: Each

GW No.	Description
52330	54"

Livestock Sorting Pole

- 1-1/8" diameter, smooth sandedStandard taper end
- Fir

GW No.	Description
50562	4-1/2'
50581	5'
50532	6'

GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Bow Rake, 14-Tine

• 14 tines, chrome ferrule

• 4 ft. handle

· Very sturdy welded construction

• 14-3/8" wide

Unit: Each

GW No.

99236A

99237A



Bow Rake, 15-Tine

- · Forged head with wide end tines for maximum strength and durability
- 15 teeth, extra thick end teeth
- 16" x 3-1/4" forged head
- · Steel ferrule
- 60" handle

Unit: Each UnionTools

GW No.	Description	
50342	15 Tine	



Landscape Rake

· Lightweight strength and versatility

Description

- Aluminum head with heavy duty teeth
- · Ideal for garden or landscape work
- 60" vinyl-coated aluminum handle
- Assembly required

Unit: Each



Bow Rake,	14-Tine
- Wolded bee	٨

- Welded head
- Poly ferrule
- · Wood handle is 4-1/2' long
- 14 teeth, teeth are 2-5/8" long

Unit: Each UnionTools.

GW No.	Description
50381	Union Welded



GW No.	Description
91557	18" Wide

Landscape Rake

- · All aluminum landscape rake
- · 37 sturdy teeth for raking
- Heavy straight edge for leveling
 66" lightweight aluminum
- ribbed handle with cap
- 36" x 3-7/8" wide head for more efficient raking

Unit: Each



GW No.	Description
50347	36" Wide

Nut Rake with Handle

- 5 ft. wood handle
- · Rigid, durable hi-impact head

34886 5 ft. Wood Handle

- 22 in. wide, 19 tines, with 5 ft. wood handle
- Head easily attaches to handle without tools



Bow Rake, 14-Tine

- · A competitive grade utility tool
- Attractive enamel finish
- · Flame Toughened handle is 60" long with cushion grip
 • Teeth are 2-3/4" long
- 14" wide, 14 tines

Unit: Each UnionTools.

GW No.	Description
50343	14 Tine

Rake Handle

- Model number OH50
- 1-1/4" DiameterBored 3/8" Diameter, 3-1/2" deep3-3/4" Plain Ferruled
- · Shank Pattern with Metal Ferrule
- · Additional Handling & Oversize Fees Apply To This Item

GW No.	Description
52338	60"



Fan Lawn Rakes

· Light weight, sturdy and efficient

• 25 teeth

• 18" wide

• 48" handle

Unit: Each

GW No.	Description
99234	Wood Handle
99235	Metal Handle



Corona® Leaf Rake

• 19" leaf rake with 25 tempered steel tines for durability

 Aluminum handle with non-slip vinyl sleeve

Unit: Each

CORONA

GW No.	Description
73230	Flex Tine

Replacement Parts		
GW No.	Description	
73233	Rake Head	



Corona® Poly Rake

• 18" poly head allows for light raking of leaves of debris

48" wood handle

Unit: Each



ORONA.

GW No.	Description
73240	20 Tines

Poly Lawn and Nut Rake

· These tough, extremely lightweight rakes have springy uniform tines

 1-piece construction no metal parts to loosen or rust

· Popular for raking nuts

Unit: Each

UnionTools.

GW No.	Description
50304	30" Wide

Corona® Poly Rake

· Heavy duty rake with 24 tines

Corona® Shrub Rakes, 8"

• Tempered spring steel

Bi-curved bow and

• 4 ft. wood handle

Unit: Each



ORONA.

GW No.	Description
73280	24" Wide

Phoenix Tools Pro-Plastic Leaf Rake

• 18" leaf rake made of durable molded plastic and metal tines


• Complete with 54'



GW No.	Description
92476	18"

Steel Spring Rake

· Heavy duty reinforced spring maintains proper tension on tines



Unit: Each		
	GW No.	Description
	99282A	Steel Handle
	99335A	Wood Handle

Lawn Spring Rake

- · Flat, stress relieved, oil tempered tines won't twist, turn; last longer
- Heavy duty reinforced spring maintains proper tension on tines
- · Stress distributor bar maintains factory set positioning of tines, allows each tine to float independently
- · Positive bolt-through-the handle construction locks head tightly for carefree use
- Replaceable wood handle
- 24 tines
- · Handle is 54" long

Unit: Each

UnionTools

GW No.	Description
50334	23-1/2" Wide

GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Corona® ExtendaHandle Garden Tools

- · Lightweight steel handles extend from 18 in. to 34 in. for extra reach
- · Heads are fully heat-treated for enhanced durability
- Protective coatings resist chipping and rust
- Comfortable non-slip grips
- Convenient hanging rings for easy storage



GW No.	Description	GW No.	Description
63320	Rake	63323	Trowel
63321	Hoe/Cultivator	63324	3-Tine Hoe
63322	Cultivator		

62645 62646 51561 62647 CORONA.

GW No.	Description
62645	Trowel, 3"
62646	Transplanter
62647	Cultivator
51561	3-Tine Fork

Garden Hand Trowel

- The hand trowel is used for planting, transplanting, weeding, moving, and smoothing soil

 The trowel is a versatile
- tool for general gardening and planting
 Height: 13.07"
 Width: 3.5"

- Depth: 1.3"

Unit: Each



GW No.	Description
50317	Wooden Handle

Corona® Comfort Hand Tools

- Lightweight, one-piece, aluminum alloy structures won't bend, break or rust
- Comfortable cushion grip handles
 Designed for a lifetime of use

Green Vinyl Tie Tape


- 100% Virgin Vinyl
- Stretches with plant growth
- No constricting wire
- "Tie-It" is the modern way to tie young plants to supports
- Tough, durable, impervious to sunlight and moisture, yet safe for plant growth because it stretches up to twice its original length
- Tränsparent green color
- · Can be loaded into Max Tapener for machine tying or carried on "Tie-It" handlers in the field for hand tying

Unit: Each

GW No.	Description
60268	1/2" x 300', 4 Mil.
60269	1/2" x 200', 6 Mil.
60270	1/2" x 150', 8 Mil.
60271	1" x 150', 8 Mil.







Nurserymen's Tape

- · Budding and grafting tape
- Used in bandaging free wounds, in top working trees by the whipgraft method and in shield budding
- Light cloth backing decomposes before the danger of girdling

Unit: Each

GW No.	Description
10601	3/4" x 60 Yards

Mono Twine

· White twine

Tying Twine

white synthetic twine

Approximately 9,450 ft.

Unit: Each

GW No.	Description
14142	9 lbs.


· Rot and abrasion resistant split-film

Comes in 10 lb. dispenser cartons



White Grafting "Tie-It" Tape

· Stretchy vinyl tape similar to plant tie tape with many applications for budding and



"T" budding
• Approximately 4 mil.

Unit: Each



 Stretchy vinyl tape similar to plant tie tape with many applications for budding and grafting including chip budding and "T" budding

Approximately 4 mil.



Unit: Each

GW No.	Description		
10099	#1050, 110 lbs. Strength		



Unit: Each

GW No.	Description	GW No.	Description
71046	1/2" x 300'	71044	1/2" x 300'
71047	1" x 300'	71045	1" x 300'

Tape Tying Twine

· White twine

Unit: Each

GW No.	Description
14140	5 lbs.
14141	9 lbs.



Green Treedoc Brush on Tree Coating Grafting Wax

· Brush on green coating for Tree Surgery and Grafting

Unit: Case | 12

Per Case



 Used in gluing and sealing the wounds

of newly grafted trees or shrubs to protect them from infection

 Grafting wax seals in moisture and remains flexible after application

Won't wash away in rain



Unit: Each

Tree Kote Wound Dressing

· Asphalt based emulsion, formulated to protect trees after pruning

 Protects against decay, insects and fungi



10618



GW No.	Description	GW
63105	12 Quarts	60
63106	4 Gallons	60

GW No.	Description
60124	1 lbs.
60128	1/2 lbs.

	GW No.	Description
	10617	Aerosol,12 oz.
	10618	Brush Top, 32 oz.

Loctite Poly Tree Rope

- Uniquely constructed in that the individual monofilaments are bonded together by
- a tough spiral wrap This special construction makes possible a strong
- single ply tree rope with bulk to better hold knots Has excellent abrasion resistance. *It is flexible to quickly and easily secure and reinforce fruit laden branches and it can be retied as conditions warrant
- Since Loctite tree rope is a synthetic product, it is virtually unaffected by climate conditions and will not rot or mildew
- · Saves the grower money on tree rope requirements because its use is amortized for more than one season as opposed to conventional natural fiber tree ropes
- Average tensile strength 620 lbs.
- · Black in color to better withstand sunlight
- 950' per roll, 8 rolls in a bale

Unit: Bale

GW No.	Description
60255	Single Ply, 620 lbs. Strength

Binder & Baler Twine

- A first grade synthetic baler twine of polypropylene
- Orange in color to better withstand direct sunlight
- Approximately 474 ft. per lb, 9,000 ft.

Unit: Each



Handy™ Twine Finger Knives

- A handy knife for fast and easy cutting of twine
- For right handed users, ring knife is worn on small finger of left hand, or vice versa



Handy Safety Knife

GW No.	Description
60007	Size 7
60008	Size 8
60009	Size 9
60010	Size 10
60011	Size 11
60012	Size 12
60013	Size 13
60014	Size 14
60015	Size 15
60016	Size 16
61217	Size 17
61218	Size 18

Handy Twine Finger Knives -Vinyl Covered

- · The original Handy Twine ring knife, but with vinyl cover on ring portion and removable vinyl blade cover
- · Colors vary



Handy Safety Knife

GW No.	Description	Color
73109	Size 9	Yellow
73110	Size 10	Black
73111	Size 11	Blue
73112	Size 12	Red
73113	Size 13	Green
73114	Size 14	Orange
73115	Size 15	White
73116	Size 16	Grey

Grafting Knife

- · Fixed straight blade grafting knife with 2-1/2" blade
- 6-1/2" overall
- · Wood handle



GW No.	Description
73262	Straight Blade
73263	Curved Blade

90402

90399

GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Grape & Vegetable Harvest Knife

- 3" stainless steel blade for strength and durability
- Molded poly safety grip handle
 Hole in handle for tie string

Unit: Each

GW No.	Description
90399	Smooth Blade
90402	Serrated Blade

Fruit/Trim Knife

· Stainless steel blade



GW No.	Description
90530	2-1/4" Blade
90531	3-3/4" Blade

Stainless Steel Sickle · Stainless steel

razor-sharp blade with serrated edge

- · Ideal for many applications including harvest, thinning, weeding, sod
 • Blade is securely mounted on
- plastic handle
- Color: Orange/Red

Unit: Each

GW No.	Description
93128	4-1/2" Blade
93129	6-1/2" Blade



Machete with Sheath

· Steel blade with non-slip handle Includes canvas sheath

Unit: Each

GW No.	Description	
99250	22" Blade	99250
99251	18" Blade	

Organic Lettuce/Field Knife

· Stainless steel blade

• Butcher/field/lettuce knives with molded poly handle

Unit: 12/Box

GW No.	Description
93101	8" Blade
93102	10" Blade
93103	12" Blade



Japanese Sickle

- Razor sharp, serrated

U

6-1/2" bia 7-1/2" wa	ood handle	//
nit: Each)
		· 服务
NA/ NI -	Dtt	lend
W No.	Description	- Art
52158	6-1/2" Blade	

Asparagus Knife

- Blade 1-1/2" wide x 5-1/2" long, with edges sharpened
- 23" overall length
- · Wood handle grip

GW No.	Description
60533	23"



GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Tri-Edge Pruning Saw

· Tri-Edge saw blade securely mounted on laminated wood handle

Unit: Each

GW No.	Description
92471	13" Blade
92474	13" Hooked Blade



Tri-Edge Pruning Saw

- 13" Tri-Edge saw blade securely mounted on poly handle
- · Includes plastic sheath



Corona® Razor Tooth Saw

- 3 sided razor teeth for efficient cutting, curved blade
- design for faster cutting

 Ergonomically designed, comfortable, co-molded handle
- Commercial handle



Corona® Pruning Saw

- · Popular size with expertly designed curved blade to work in congested places
- · Blade of foreign steel
- Hardwood handle
- · Blade folds into handle
- Teeth



ORONA.

GW No. Description	
62843	10"

Fanno® Folding Pruning Saw

- Rugged professional quality saws from 19 ga.
 Special formula saw steel, 6 points per inch, lance teeth
- Hardwood folding handles



GW No.		Description
	60804	#0, 14" Blade
	60805	#1, 10-1/2" Blade

Nicholson Hacksaws, Adjustable

- · Adjustable Hacksaw, 10" to 12" blades



GW No.	Description
35080	Premium
35081	Adjustable Hacksaw



Pole Saw Blades

 Tri-Edge super sharp pole saw blade with universal hole pattern to fit many types of poles

Unit: Each

GW No.	Description
92458	13" Triple Cut
92468	13" Triple Cut w/ Tip Hook
92469	15" Triple Cut, Heavy Duty



Saw Hook Mount and Adapter

- Mount: Aluminum mount for attaching saw blade and mounting on fiberglass, wood or aluminum handles
- Adapter: One foot sliding saw adapter for mounting saw blade and easily connecting to female ferrule



0	1	
5	92455	92478

GW No.	Description
92455	Saw Hook Mount
92478	Adapter, 1 FT.

FannoFiberglass Pole Saw

- Fiberglass pole completely assembled with high quality #5 Fanno saw blade
- 16-1/2" length blade, 5-1/2 pts per inch
- · Poles are slotted and drilled at end to accommodate saw blade

Unit: Each

GW No.	Description
60859A	2'
60901A	6'
60902A	8'
60903A	10'
60904A	12'
60909A	14'
60906A	16'

Aluminum Pruning Saw Mount with Blade

· Saw Mount complete with bolts and nuts

60090A Mount Only

Aluminum pole coupler to join

Bolts and nuts secure sections

together sections of Type I fiberglass pole or sections of

Pole Coupler

aluminum poles

at joint Unit: Each

 Includes 60825 Fanno blade

Unit: Each



Fanno® Pole Saw Blade

- · Top quality Japanese made razor sharp blade
- · Extra smooth cutting action that is remarkably clean and fast
- Cutting Edge: 16 1/2"
- Points per Inch: 5.5
- 18 Gauge Special formula bright polished saw steel


Unit: Each

	2
	1,78
	2
	:
_	

Fiberglass Pole - Type 1, Slotted

- · Durable fiberglass pole Slotted and drilled to accommodate Fanno #5 Saw Blade (Not Included)
- Pole Diameter 1-1/4'

Unit: Each





	GW No.	Description
	60092A	Aluminum
П		

Nut Knocking Fiberglass Pole -Type 2, No slots

- · Durable Yellow Fiberglass
- Use for knocking nuts and thinning fruits
- Plain pole-no slots or holes

Unit: Each

GW No.	Description
60956	6'
60957	8'
60958	10'
60959	12'
60960	14'
60961	16'
60962	18'
60963	20'

GW No. Description 60825 #5

Corona® Arborist Pruner Set

- · Corona Professional Arborist Pole Pruner Razor Tooth Saw Mounted
- Drop-forged
- steel construction
- · Dual pulley, compound action cuts up to 1-3/4" branches
- · Modular fiberglass pole with special adapter fits into pruner mounting
- · Multiple modular fiberglass poles may be snapped together to obtain 12 or 18 lengths



GW No.	Description
62526	#AC7672

GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION & PRICING!

Pole Saw

- 7-14' sliding pole saw with 16" Tri-cut saw blade



Replacement Parts	
GW No.	Description
92469	Blade
92488	7-14 ft. Fiberglass Pole

Corona® Tree Pruner

- Heavy duty compound action chain drive cutting head
- Bypass blade with 1-1/4" cutting capacity
- Fiberglass pole telescoping to 14 ft. • Replaceable 13"
- razor tooth saw blade Poweralide rope

 Modular fiberglass pole with special adapter fits

into pruner mounting Multiple modular

fiberglass poles may be snapped together to obtain 12' or 18' lengths

Unit: Each

A.
4 ft.
_

GW No.	Description
62612	6 FT Professional , #6881-11

Pole Pruner

- · Die-cast alloy pruning head with 1-1/4" diameter
- cutting capacity
 7-14 ft. adjustable sliding fiberglass pole with 13" tri-cut saw blade
- Compound-action pulley system for ease in cutting · Weather-resistant

GW No. Description

pull rope

Unit: Each



92485	Dual Compound Action	
Replacement Parts		
GW No.	Description	
92531	12 ft. Rope	
92532	Pruner Head	
92533	Cutting Blade	
92535	16" Tri-Cut Saw Blade	
92540	Spring	
92536	Pulley w/Rivet	
92537	7-14 ft. Adjustable Pole	
92538	Twist Lock Adapter	

Corona® Long Reach Pruner

- · Reaches up to 62"
- Cutting head rotates 360 degrees and has unlimited cutting positions, ideal for pruning roses, shrubs and trees
- 1-1/4" cut
- · Lightweight and easy to use
- TP3206

Unit: Each



Tree Pruner Pole Adapter

· High strength aluminum ferrule with zinc plated clasp

• Fits 1-1/4" fiberglass pole

Unit: Each

92496

92498



Corona® Tree Pruner

- · Heavy duty zinc-alloy pruning head with high carbon Teflon™ coated steel blade -1-1/4" capacity
- Durable rope drive, compound action triples your cutting power
 • Curved 13" razor
- tooth saw
- 12 ft. fiberglass telescoping pole with twistlock adjustment
- Comfortablé 24" foam grip
- TP6830

Unit: Each

ORONA.

GW No.	Description
62527	Compound Action - 12 ft.

Corona® Telescoping Tree Pruner

- Homeowner grade telescoping fiberglass pole pruner extends to 10 ft. with twist-lock action
- · Die cast zinc alloy pruning head with heat treated steel blade
- 1" capacity
- Replaceable 13" curved saw blade
- · Cutter blade activated with pull of rope
- TP3841

Unit: Each

ORONA.

GW No.	Description
62924	Homeowner

Replacement Parts		
GW No.	Description	
62845	Blade	
62606	Spring	

V No.	Description		GW No.	Description
2612	6 FT Professional , #6881-11		62530	62" Long Reach Pruner
	- · · · · · · · · · · · · · · · · · · ·	Į		

ORONA

CORONA


Marvin-Style Pole Pruner

- 7-14' fiberglass adjustable pole complete with "Marvin-style" alloy pruner head
- · Weather-resistant pull rope
- · Designed for the professional
- A superior quality product
- 1-3/4" cutting capacity

Unit: Each

GW No.	Description
92487	Marvin-Style
	•

Replacement Parts		
GW No.	Description	
92548	Pruner Head	
92547	Spring	
92536	Pulley w/Rivet	
92549	Blade	
92531	12 ft. Rope	



Arborist Pole Saw Set

- Includes 3 8' fiberglass poles that connect together for 8', 16' or 24' length options
- 13" triple cut saw blade
- saw hook mount
- · Grip, adapter and all hardware included



Unit: Each

GW No. Description		Description
ĺ	92525A	Arborist Pole Saw Set

Marvin Pruner Head

- Marvin pruner head for use with Mahaney Type I fiberglass pole or 1-1/4" O.D. round wood pole
- · This model is standard equipment used by professional tree service men, power and light companies, cemetery and city park tree surgeons
- It is designed for rough usage in line clearance and tree trimming 1-1/4" cut capacity
- Cutting blade is made of high-quality steel to permit several resharpenings

Unit: Each

GW No.	Description
60103	Marvin Pruner Head

Replacement Parts		
GW No.	Description	
61251	Z104 Spring	
61252	Z105 Pivot Bolt, Washer & Nut	

Avocado Pole Picker

Heavy duty avocado picker head with cordura bag and 16 ft. rope
 Mounted on 7 ft.–14 ft.

telescoping fiberglass pole or on fixed length fiberglass poles, various lengths

Unit: Each

GW No.	Description
60284	7-14 ft.

Replacement Parts	
GW No.	Description
60290	Head
60285	Telescoping Fiberglass Pole
60291	Blade
60292	Cordura Bag
60293	Spring

Arborist Pole Pruner Set

- · Long Pole System with "Marvin-like" head
- 1-3/4" cutting capacityKit Includes: 1 Saw & Pole, 1 Extension Pole,1 Pruner Head & Pole with Rope
- Top quality fiberglass poles with heavy duty clip locking system
- Extension Poles have both male & female ferrules

Unit: Each

GW No.	Description
92490	6-12 ft.
92492	8-16 ft.

Replacement Parts		
GW No.	Description	
92494	6 ft. Extension Pole	
92495	8 ft. Extension Pole	
92458	13" Saw Blade	

Corona® Arborist Pole Pruner Head

- · Drop-forged steel construction
- Dual pulley, compound action cuts up to 1-3/4" branches
- · Modular fiberglass pole with special adapter fits into pruner mounting
- Multiple modular fiberglass poles may be snapped together to obtain 12' or 18' lengths

Unit: Each



	Description
62611	Professional #6880-8

Almond Knocker

- Molded head, 36" wood handle
- · Weight 5 lbs.

Unit: Each

GW No.	Description
60390A	36"

Replacement Parts GW No. Description 52350 Wood Handle



61250

GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION!

Padded Fruit Picking Harness

- · Soft foam rubber pad covered with durable cordura
- Adjustable nylon straps with secure snaps
- · Pad relieves strain, distributes weight for comfort
- · Color of harness varies
- · Our most popular harness! (Picking pail sold separately)

Unit: Each



n
ty

Fruit Picking Bucket

- Lightweight, yet virtually indestructible
- One-piece molded construction
- Impervious to acids, stains, caustics
- Kidney shaped to fit against stomach
- Popular pail used in picking a variety of tree fruit
- Has two ears for use with shoulder harness
 18 qt. Dimensions: 8-1/2" x 12" x 15-5/8" Deep
- 28 qt. Dimensions: 11-1/2" x 14" x 19-1/2" Deep

Unit: Each



60436

GW No.	Description
60436	18 Quart
60437	28 Quart

Galvanized Picking Tub with Wire Handle

- · Heavy-duty galvanized construction prevents rust and corrosion
- Strong wire handle
- 4-1/4 gallon capacity
- Dimensions: Top diam .: 13.13", Height: 13.5"

Unit: Each

GW No.	Description
60465	4-1/4 Gallon

Tally Counter

- Tally meter counts from 0-9,999 without resetting
- · Rugged metal body with metal clicker type number advancing mechanism
- With ring

Unit: Each

GW No.	Description
13185	Tally Counter
92125	Premium

Doublet Loupe

- · Nickel plated frame
- Magnification: 16X

Unit: Each



Harvest Tote - Stack and Nest

- · Yellow injection molded, food grade
- Outside dimensions: 23-1/2" x 15-3/4" x 7" H

Unit: Each

GW No.	Description
61249	Solid
61250	Vented



Olive Rake Head

- · Plastic rake head with 9 soft plastic fingers
- Drag the rake through the tree to harvest ripe olives
- · Can be used hand-held or hollow mounting socket will accommodate handle
- Rake is 5-1/2" wide and tines are approx. 1-1/2" long


Unit: Each

GW No.	Description
93195	5-1/2" Wide, 1-1/2" Tines



Fruit Sizing Ring

- Made of zin
- Stamped with siz
- · Small ring slips over middle finger
- · Used for sizing pears and other tree fruit









GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION & PRICING!

Taylor Orchard Grove Thermometer

- · Indicates present temperature and minimum temperature reached
- Stainless steel back, 13-1/4" long • Range 10° to 100°F in
- 1º increments
- #5499

Unit: Each



		III LOIC	
	GW No.	Description	
	60170	10° to 100°F	

Clear-Vu Rain Gauge

- Tapered spear end can also be post mounted
- Measures 5" or 127 mm of rainfall • 12-1/2" length
- Collector opening 2-1/4" x 1-1/4"

Clear-Vu Rain Gauge · Taper end for ground or can be

60159

#2702

Unit: Each



GW No.	Description
60174	Tapered Spear



E-Z Read® Jumbo Rain Gauge

- · Accurately measures rainfall up to 5" and can be read from a distance of up to 50 ft.
- The "E-Z Read" jumbo rain gauge is 24" tall and its 1-3/4" tube has brilliant yellow markings with a colored float
- The tube is calibrated so that one inch of rain raises the float over 4 inches for easy reading
- · The entry funnel is constructed to prevent leaves and large debris from entering the plastic tube
- · Comes completely assembled with instructions for easy mounting

Unit: Each

GW No.	Description
90524	5" Capacity

Clear-Vu Rain Gauge

- · Precision gauge 5" capacity, clear tough Tenite
- · Bracket, instructions and chart
- 11-7/8" length
- Collector opening diameter 2"
- #2700

Unit: Each

TAYLOR.

GW No.	Description
60173	5" Capacity





5" Capacity

GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION & PRICING!

PVC Sleeves

- Heavy duty 8 mil PVC sleeves made from high quality virgin vinyl
 • 18" PVC length
- sleeves with Elastic at both ends
- · Ideal for work with roses, citrus and food processing
- One size fits most



PVC Apron

- · Made from high quality virgin vinyl .012 ga
- · Heavy vinyl provides excellent protection against oil, grease, water, acids, most chemicals and animal fats
- · Edges are hemmed with grommets on bib and sides for ties
- Size: 36" x 45"

· Attached respirator-fit hood

opening, designed to cover

neck and chin and fit around

with elastic around face

respirator face mask

dirt and splash

Reinforced crotch · Front zipper closure with

one micron

Provides complete body

protection against dust,

Stops particles down to

attached hood and serged seams, elastic wrists, elastic ankles and elastic waist

Unit: Each

GW No.	Description	
10763	Translucent, 12 mil thick	

Tyvek® Disposable Coveralls with Hood



Protective Apron

- Size: 33" x 44"
- 18 mils thickVirgin PVC provides extra-long service, and protection against oils, fats, chemicals, and punctures
- Plain edges eliminate bacteria and dirt traps
- · Entire apron is easily wiped clean
- · Ideal for metal fabricating, foundry work and food processing

Unit: Each

GW No.	Description
10525	Liquid Proof



Tyvek® Disposable Coveralls


18"

- · Disposable White Coveralls Tyvek Material
- · Provides complete body protection against dust, dirt, or splash
- Reinforced crotch

10762

- Non-sparking aluminum zipper
- Mandarin-style collar

Unit: Each



· Boot cover only for use

Serged seams, elastic

· Sold by EACH not PAIR

GW No. Description

23335 One Size

Unit: Each | Carton: 100 pcs

opening, 18" length,

Tyvek fabric

Óne size fits all

with Tyvek coverall

Tyvek® Disposable Boot Cover




Unit: Each

GW No.	Description
23326	Medium
23327	Large
23328	XL
23329	2XL
23330	3XL


Tyvek® Disposable Hood

- Tyvek coverall
- Serged seams, pullover, elastic face, shoulder length
- · Extends over shoulders to provide full head protection

Unit: Each







• One size fits all





Harvest Leather Glove

- Features stiff split leather cuff, allowing sleeve to fit inside
- Heavy duty
- · All leather, quality construction
- · Ideal for roses and citrus

Unit: Pair

GW No.	Description
99308	Size 8
99309	Size 9
99310	Size 10
99311	Size 11
99312	Size 12



Red Steer® Driver Glove - Unlined

- · Made of extra thick cowhide
- · Ergonomic keystone thumb
- Shirred elastic wrist band
- Self hemmed cuff
- #1512

Unit: Pair



GW No.	Description
12211K	Small
12211M	Medium
12211L	Large
12211XL	X-Large



Pigskin Driver Glove - Unlined

 Red Steer Gloves are quality made gloves produced both domestically and off-shore

 Red Steer Gloves are competitively priced, offering the user a quality product with great value

 All Red Steer Gloves are tagged for hanging on peg hooks or display racks

 Durable top grain, Red Boar™ pigskin, popular keystone thumb

• #1660


Unit: Pair

GW No.	Description
12215K	Small
12215M	Medium
12215L	Large
12215XL	X-Large

Black Stallion Glove, Short Cuff

- The original thick-cut durable synthetic leather
- Reinforced palm and fingertips
- Snug-fit for comfort and dexterity

Unit: Pair



Leather Palm Work Glove

- Standard grade pearl suede patch palm
- One-piece fabric back 2-1/2" safety cuff
- Natural movement wing thumb, knuckle strap, full index finger, fingertips
- Soft cotton lining
- #13163

Unit: Pair

GW No.	Description
12208	Large

Cowhide Leather Palm Glove

- Save money by buying
- untagged bulk gloves
 Pearl suede cowhide
- leather palmWing thumb, bound
- hem, safety cuff
 Gunn cut
- Cotton back with leather knuckle strap
- Overall length about 10" which includes the 2-1/2" cuff

Unit: Pair | Pack: 12




GW No. Description Pearl Suede, Large

Leather Palm Work Glove - Premium

- Premium grade pearl suede cowhide leather palm
- Full leather forefinger and fingertips
 Leather knuckle
- Leather knuckle strap protector
 2-1/2" rubberized cuff
- Soft cotton lining
- Tagged for hanging
- #13150

Unit: Pair



Red Steer® Power Grip Glove

- Grip enhancing, abrasion resistant, comfortable and tough
- Machine knitted for design consistency
- Pure-form long-wearing
- Clear PVC lattice coating on both sides
- Ambidextrous
- Non-binding fit
- Gold, mid-weight blended synthetic yarn

Unit: Pair



GW No.	Description
12203M	Medium
12203L	Large

Lobo Leather Harvest Glove

 Extra heavy duty smooth cowhide with 5" suede cowhide heavy cuff

Unit: Pair | Pack: 25 Pair





GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION & PRICING!

Red Steer® Deerskin Driver Glove

- · Protects hands from rough surfaces and harsh conditions
- Made of Golden Grain Deerskin
- Ergonomic keystone thumb
- Shirred elastic wrist band
- · Self hemmed cuff

• #T1505

Unit: Pair

GW No.	Description
12403K	Small
12403M	Medium
12403L	Large
12403XL	X-Large



Powertex Deerskin Glove

· Premium grain deerskin for comfort & durability combined with high grade nylon back for comfort & breathability

 Velcro strap adjusts wrist closure and snugness to fit

• #1521



GW No.	Description
12422K	Small
12422M	Medium
12422L	Large
12422XL	X-Large

Cinch-Tite Drive Glove - Premium

· Unlined premiumgrade gold grain cowhide

Keystone thumb, natural leather hem

#1504

Unit: Pair



GW No.	Description
12520K	Small
12520M	Medium
12520L	Large
12520XL	X-Large

Powertex Goatskin Glove Goatskin Driver Glove

 Premium grain goatskin for comfort & durability combined with high-grade nylon back for comfort & breathability

 Velcro strap adjusts wrist closure & snugness of fit

 Light colored goatskin & black elastic back

#1523 Unit: Pair



	Description
12513M	Medium
12513L	Large
12513XL	X-Large

Cowhide Driver Glove - Lined


 Black fleece thermal lined grain cowhide drive

 Keystone thumb, premium grade

Golden color

• #5555

Unit: Pair






· Premium grade silver goatskin, protects against punctures and abrasion

Natural movement keystone thumb

 Elasticized wrist for snugger fit

#1765



Heavy Pile Leather Palm Gloves


Heavy pile lined for cold weather comfort

 Premium grade pearl suede cowhide, leather palm, full leather forefinger, fingertips, knuckle strap, 2-1/2' safety cuff

Black/yellow

#53164

Unit: Pair



Cowhide Driver Glove - Unlined

OUR BEST SELLER

 Red Steer Gloves are quality made gloves produced both domestically and off-shore
• Red Steer Gloves are

competitively priced, offering the user a quality product with great value

 All Red Steer Gloves are tagged for hanging on peg hooks or display racks

#1557

Unit: Pair

GW No.	Description
10968K	Small
10968M	Medium
10968L	Large
10968XL	X-Large

Winter Lined Driver Glove

· Heavy pile lining

- Select suede cow-hide
- Keystone thumb
- Shirred wrist
- Dark camel color
- #55190

Unit: Each

GW No.	Description
12224M	Medium
12224L	Large
12224XL	X-Large

TopTan Premium Driver Glove - Unlined

· Red Steer Gloves are quality made gloves produced both domestically and off-shore

 Red Steer Gloves are competitively priced, offering the user a quality product with

great value

• All Red Steer Gloves are tagged for hanging on peg hooks or display racks • TopTan™, premium grade

• #1561

Unit: Pair

GW No.	Description
12213M	Medium
12213L	Large
12213XL	X-Large

Winter Lined Pigskin Driver Glove


· Unlined premium-grade

gold grain cowhide • Keystone thumb,

natural leather hem

• #5670

Unit: Pair





Atlas Therma Fit Gripper Glove

- · Tough natural rubber coating on a thicker, warmer knit liner makes the ThermaFit popular for cold weather chores and
- gardening
 The breathable knit liner is napped and brushed to keep hands warm
- · Machine washable
- #451



Unit: Pair



GW No.	Description
14150K	Small
14150M	Medium
14150L	Large
14150XL	X-Large

Atlas Nitrile Tough Assembly Glove

- · Tough and durable lightweight gloves
- The flexible nitrile coating is tougher than rubber, protecting palms and fingertips from the rigors of
- every day work

 Ideal for jobs requiring maximum dexterity and freedom of hand movement without the fatigue associated with heavier, bulkier gloves
- Model 370B



Unit: Pair



GW No.	Description
12426K	Small
12426M	Medium
12426L	Large
12426XL	X-Large

Jersey Glove, Brown

- · Brown cotton jersey, stretches for comfort
- · Clute back, straight thumb, snug-fit wrist
- Full weight



Unit: Pair

GW No.	Description
10942	Large - No Hang Tag

Power Grip Rubber Palm Glove

- · Power Grip blue textured rubber palm over heavyweight gray poly/cotton knit liner
- Superior gripping
 #A-300, Similar

to Atlas #300

Unit: Pair



GW No.	Description
12548K	Small
12548M	Medium
12548L	Large
12548XL	X-Large

Economy Rubber Palm - Blue-Flex

- Natural latex blue rubber palm, coated over white poly/cotton knit liner
- Snug fit, washable
- #A377

Unit: Pair



GW No.	Description
12546K	Small
12546L	Large
12546M	Medium
12546XL	X-Large

Atlas Gripper Glove

- · High quality breathable seamless cotton/ polyester knit glove with solid coating of Latex on palm and fingers to provide superior gripping & excellent dexterity
- Gray colored cotton/ polyester knit with blue coating
- Model 300




Unit: Pair

GW No.	Description
12248K	Small
12248M	Medium
12248L	Large
12248XL	X-Large

Nylon Knit Gloves

- · White, lightweight,
- stretchy and cool
 Ideal for multiple Ag applications
- Each pair packed in a clear poly bag



GW No.	Description
99430	Small
99431	Medium
99432	Large

"Black Knight" PVC Coated **Jersey Liner**

- · Color: Black
- · PVC coated for abrasion with 12" gauntlet for protection & durability
- · Rough-grip finish
- Two-piece
- fleeced-jersey liner
- · Ideal for chemicals, oil, and grease
- #7712R

Unit: Pair



GW No.	Description
10594	Large

Neoprene Coated Glove

- · Color: Black
- Heavyweight elbow length neoprene coated glove with 17" gauntlet
- Knit lining
- Non-slip rough finish
- #6797R

Unit: Pair



GW No.	Description
10596	Large

Red Steer® Reversible Knit Gloves

- SureKnit[™] seamless, continuous white knit
- · Full weight polypropylene nylon blend
- Ambidextrous reversible for added wear
- #1120

Unit: Pair



	GLOVE COMPANY
GW No.	Description
12201K	Small
12201M	Medium
12201L	Large
12201XL	X-Large



GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION & PRICING!

Knit Gloves - Bulk

- BULK PACK **GLOVES**
- · Save money by buying untagged bulk gloves
- · Seamless white knit, synthetic blend fiber yarn
- · Consistent machine knit construction
- · Hand to hand reversible for added wear
- #1120

Unit: Pair

	/1115b
	A STATE OF THE PARTY OF THE PAR
	7,171 (1971)
	100 100 100 100 100
	14.05 - 17.00 - 10.00 - 10.00
	7 X 33 X
	A 11/2/2014 12/2018 12/2018 12/2018
	COUNTY 15 15 15 15 15 15 15 15 15 15 15 15 15
1100	CONTRACTOR CONTRACTOR CONTRACTOR
	TO THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
	3 77777 32578 386
	10 / 000 / 000 CO
	1,01,60,101,000,000
	CONTRACTOR OF THE PARTY OF THE
	CHARLO POST REGISTRA
	CORPLETE PROBLEM
	STATE OF THE PARTY
	The Park of the Pa
	The second second second
	SECONDA DE PROPERTO
	AND REAL PROPERTY.
	回路 いうとと 4 名 元 元 元 高 田田子
	30株 117 0 7 2 1 3 5 6 6 6
	NO.
	100 C1
	128
	ロイリングとの中間
	1217 C C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	May 1777 A 17 (2 2) (2 2)
	THE RESERVE OF THE PARTY OF THE
	10
	\$10 march 2 d 2 d 2 d 2 d 2 d 2 d 2 d 2 d 2 d 2
	THE REAL PROPERTY AND ADDRESS OF THE PARTY AND
One.	A PROPERTY OF
THE PERSON NAMED IN	
1000	
	-

GW No.	Description
10581K	Small
10581M	Medium
10581L	Large
10581XL	X-Large

Economy Knit Glove / Glove Liners

- · Economy grade knit/ string gloves, seamless knit, cotton/synthetic blended fiber yarn
- Consistent machine knit construction
- Hand to hand reversible for added wear
- · Bleach white color, full weight
- #1107

Unit: Pair



	Description
10963K	Small
10963L	Large

Big Brim Straw Hat

 Big brim straw hat with adjustable chin cord Quality hat for sun protection Perfect for landscapers, nursery & construction





GW No.	Description
13313M	Medium
13313L	Large
13313XL	X-Large

Atlas Nitrile Touch Garden Glove

· Brightly colored garden gloves, these nitrile-coated, abrasion-resistant gloves mold to the hand like a second skin

· Assorted colors: red, lime, purple, pink • 370W

Unit: Pair



GW No.	Description
12525K	Small
12525M	Medium
12525L	Large

Leather Palm Work Glove. Women's

- · Women's soft pearl suede leather palm
- Protective leather knuckle strap, full leather index finger, leather fingertips 2-1/2" safety cuff
- Attractive **ASSORTED** solid color fabric back
- · Colors will vary

Unit: Pair



•	siove, monitori
V	

GW No. Description	
12232 One Size	

Safari Style Hat, Khaki

- · Brushed twill safari style hat
- Features mesh crown for cool circulation and adjustable chin cord

Unit: Each



GW No.		Description
	13314K	Small
	13314M	Medium
	13314L	Large
	13314XL	X-Large

Flower Touch Rubber Palm Glove - Ladies

- · Super-stretch, heavy-gauge spandex back, black latex rubbercoated palm
- · Textured grip,
- machine washable Purple color spandex back and black latex palm
- Size: Women's sizing

Unit: Pair



GW No.	Description			
12531	X-Small/Small			
12532	Medium/Large			

Deerskin Glove, Ladies

- · Premium golden deerskin, shirred elastic back, keystone thumb
- #6918

Unit: Pair



GW No.	Description
12508	Small
12509	Medium
12510	Large

Green Nitrile Gloves. 15 Mil

- Unsupported nitrile glove provides superior chemical resistance plus resistance to many solvents and animal fats
- High abrasion to cuts, snags and punctures
 13" length
- U.S.D.Ă. accepted
- Unlined
- 15 Mil

Unit: 12 Pair per Bag

GW No.	Description	
91584	Small, 8	
91585	Medium, 9	
91586	Large, 10	
91587	X-Large, 11	



Green Nitrile Gloves, 11 Mil

- · Unsupported nitrile glove provides superior chemical resistance plus resistance to many solvents and animal fats
- High abrasion to cuts, snags and punctures
- 13" length
- U.S.D.A. accepted
- Unlined
- 11 Mil

Unit: 12 Pair per Bag

GW No.	Description
91580	Small, 8
91581	Medium, 9
91582	Large, 10
91583	X-Large, 11



Natural Rubber Latex Glove - Heavy Duty

- · Color: Black over Red
- Unlined Natural Rubber
- Heavy Duty
 40 mil, 15" long
 Rolled Cuff
 Liquid Proof

- Bisque Grip
- · Resists against detergents, animal fats, acids, chemicals
- #2844

Unit: Pair

GW No	Description
GW No. Description	
10964	X-Large





Nitty Gritty Rubber Coated Glove

- Wrinkle-finished, palm coated
- 14" gauntlet natural rubber-coated gloves provide superior cut, abrasion, snag and puncture resistance and extended wear
- An excellent cost-effective replacement for leather and ordinary rubber-coated gloves
- Excellent for handling sharp edged objects
- #67NFW

Unit: Pair

GW No.	Description	
10777	Large, 14"	



Nitty Gritty Rubber Palm Coated Glove

- · Wrinkle-finished, palm coated, natural rubber-coated gloves provide superior cut, abrasion, snag and puncture resistance and extended wear
- · An excellent cost-effective replacement for leather and ordinary rubber-coated gloves
 • Excellent for handling sharp
- edged objects #66NFW

Unit: Pair



GW No.	Description		
10776	Large		


Nitty Gritty Fully Rubber Coated Glove

- · Wrinkle-finished, fully coated, natural rubber-coated gloves provide superior cut, abrasion, snag and puncture resistance and extended wear
- · An excellent cost-effective replacement for leather and ordinary rubber-coated gloves
- #65NFW

Unit: Pair



12 gaariiot	
 Excellent for handling sharp 	
edged objects	



Best N-Dex Nitrile

- · Resists oils, chemicals and fats, yet is only 4 mil. thick
- · Extremely flexible and durable
- Blue colored, lightly powdered
 9-1/2" long ambidextrous
- Much stronger and more durable than latex
- · Latex-free 100% nitrile
- Made in U.S.A

Unit: 100 gloves per Box

GW No.	Description
10333	Small
10334	Medium
10335	Large
10336	X-Large



PVC Knee High Boots

- Color: Black

 14" Fitwell over-the-sock knee boots

 A high quality boot made from flexible, non-cracking PVC compound, yet is low in cost

 Boot is highly resistant to animal wastes, acids, chemicals, industrial oils and greases

 Excellent boot for farming construction and general outdoor use

- and general outdoor use

 Tough, one-piece injection
 molded construction

GW No.	Description
18203	Size 3
18204	Size 4
18205	Size 5
18206	Size 6
18207	Size 7
18208	Size 8
18209	Size 9
18210	Size 10
18211	Size 11
18212	Size 12
18213	Size 13
18214	Size 14
18215	Size 15



GO TO GRAHAMWHOLESALE.COM FOR PRODUCT INFORMATION & PRICING!

Climb Right™ Wire Core Lanyard

· Lanyard complete with Swivel Locking Snap
• Load tested to 650 lbs.







Climb Right™ Carabiner

· Triple auto lock, features smooth roller bearing gate action Rated at 6,069 lbs.

Unit: Each





Climb Right™ Carabiner

- · Triple auto lock. features smooth roler bearing gate action
- Rated at 5,170 lbs.

Unit: Each





GW No.	Description	GW No.	Description	G	W No.	Description
91891	5/8" x 10'	91977	'D' Shape Aluminum Carabiner	ΙГ	91978	HMS Shape Aluminum Carabiner
			·			

Climb Right™ Pole Climber Set

- Calf adjustment 15-3/4" to 18-3/4
- Machine Grade
 Aircraft Quality Aluminum h
- treated to T Spike length
 1-5/8" and i 4340 steel is quenched and temper
- Break stren 40,000 lbs
- · Manufactured to ASTMF-887-97 standards

Unit: Each

neat F6 th is is that d red ngth	



GLIND RIGHT	

10343

Climb	Right™ St	tandard	
Doubl	e-Locking	Climbing	Snap

- Forged
- Model number 85329

Unit: Each





 Model number 85330

Unit: Each






GW No.	Description	
91982	Climbing Snap with Swivel	

GW No.	Description
91996	Aluminum Complete Set

Derby Lead Rope

- · Excellent for halters and lead ropes
- Derby Rope is a strong & durable rope that handles exceptionally well
- Constructed of multifilament polypropylene which is resistant

to rot, abrasion, and grease



Unit: Each

GW No.	Description
10341	Blue
10342	Blue/White
10343	Red/White

Rope Grab

GW No. 91980

- Aluminum rope grab accommodates 1/2" to 5/8" lifeline
- · Made from highquality aircraft
- grade aluminum The internal coil spring is much stronger and more

extra secure design

reliable than traditional springs The Nyloc nut design provides double thread locking security--the pin threads into the rope grab body, and then the Nyloc nut is fastened, making for an

Description

Forged Climbing Snap

Unit: Each

OW N.	D!tl
GW NO.	Description
91782	Aluminum

Rope Clamp

- Fits rope up to 5/8"
 Eye size 7/8" x
- Length 1-7/8"



Spring Bolt Snaps

• Unit: Each

GW No.	Size	Туре	Eye	Finish
34011	3/4"	Swivel		
34112	3/4" x 3"	Swivel	Round	Nickle
34113	1/4" x 3"	Swivel	Round	Nickle
91229	3/8" x 3"	Swivel	Round	Bronze
91230	1/2" x 3"	Swivel	Round	Bronze
34006	1-1/4" x 5-1/4"	Swivel	Round	Cadmium
34078	1/2" x 3-1/4"	Swivel	Round	Cadmium
34079	5/8" x 4"	Swivel	Round	Cadmium
34080	3/4" x 4-1/16"	Swivel	Round	Cadmium
34081	1" x 4 1/4"	Swivel	Round	Cadmium
91208	5/8" x 3-1/8"	Swivel	Round	Bronze
91209	3/4" x 3-1/8"	Swivel	Round	Bronze
91210	1" x 3-5/8"	Swivel	Round	Bronze
91211	1 1/4" x 4-7/16"	Swivel	Round	Bronze
34028	3/4" x 3-1/4"	Swivel	Square	Cadmium
34029	1" x 3-1/4"	Swivel	Square	Cadmium
34055	1/2" x 3-1/2"	Rigid	Round	Cadmium
34056	5/8" x 3-5/8"	Rigid	Round	Cadmium
34041	3/4" x 3"	Rigid	Strap	Cadmium
91201	3/4" x 3-1/16"	Rigid	Square	Bronze
91212	3/8" x 3-1/2"	Rigid	Open	Bronze











Double Ended Snap

- Double Snap Ends
- Patented tongue encloses spring
- Cast malleable iron
- · Cadmium plated

Unit: Each



GW No.	Description	
34103	5/16" x 3-3/4"	
34104	7/16" x 5-1/2"	

Cattle Round Eye Snap

- · Cast malleable iron
- Cadmium plated
- Opening: 9/16"

Unit: Each



GW No.	Description	Туре
34106	3/4" x 3-3/4"	Rigid
34120	7/8" x 4"	Swivel
34090	7/8" x 5"	Swivel

Boat Snap Hook

• Bronze

Unit: Each



GW No.	Description	Туре
34034	5/8" x 2-7/8"	Rigid
34035	3/4" x 3-1/4"	Rigid
91217	5/8" x 3-1/4"	Swivel
91218	3/4" x 3-5/8"	Swivel
01210	7/8" v 4-1/2"	Swivel

Panic Snap Rings

 Permits quick release in emergency



Unit: Each

GW N	No.	Description	Туре
341	21	1/2"	Rigid
340)39	1"	Swivel

Quick Release Round Swivel Eye Snap

• 1" x 3 1/2" Long

Unit: Each



GW No.	Description
91225	1" x 3-1/2"

Halter Square

- Malleable iron
- Cadmium finish

Unit: Each



GW No.	Description
34014	3/4"

Conway Buckle

Cadmium finish

Unit: Each



GW No.	Description
34016	5/8" Strap
34017	3/4" Strap

Trigger Swivel Snaps

Unit: Each



GW No.	Size	Finish	Eye
34110	3/8" x 2-1/2"	Zinc	Round
34111	1/2" x 2-3/8"	Zinc	Round
34012	3/8" x 3"	Nickle	Round
34038	1/2" x 2-1/2"	Bronze	Round
91227	5/8" x 2-3/4"	Iron	Round
91228	3/4" x 2-3/4"	Iron	Round
91234	5/8" x 2-3/4"	Chrome	Square
91235	3/4" x 2-3/4"	Chrome	Square

Spring Tongue Snap

· Round or square eye

Unit: Each



GW No.	Description	Eye
34127	3/4" x 1-7/8"	Square
34128	3/8" x 2"	Round

Double End Bolt Snap

Cast malleable iron
 Spring operated
 bolt on each end

Unit: Each



GW No.	Description	Finish
34057	1/4" x 3-1/4"	Iron
34058	3/8" x 4"	Iron
34059	3/8" x 4-3/4"	Iron
91204	3/8" x 3-1/3"	Bronze
91205	7/16" x 4-1/2"	Bronze

Double Round Swivel

- · Bright finish
- For 3/4" Rope

Unit: Each



GW No.	Description
34027	2-1/2" Length

Anchor Open Eye Bolt Snap

· Cadmium plated steel



GW No.	Description
34082	1/4" x 2-3/8"
34083	3/8" x 3-1/4"
34084	3/8" x 3-1/2"
34085	1/2" x 4"
34087	1/2" x 4-1/4"
34088	1/2" x 5"
34089	5/8" x 5-1/2"

Wire Rope Clip

· Galvanized Malleable Iron

 Steel U-bolt and double chamfered finished nuts

Unit: Each



34515

GW No.	Description
34515	1/8"
34516	3/16"
34517	1/4"
34518	5/16"
34519	3/8"
34521	1/2"
34522	5/8"
34523	3/4"

Rope Binding Hook, Standard

- Rope Binding Hook
- Standard Steel; for trucks
- Zinc chromate finish
- · Hole diameter: 1/4"

Unit: Each



GW No.	Description
34570	3/16" x 3 3/8"

Welded Steel D-Ring

- Welded Steel D-RingMaterial: Cadmium

Unit: Each







33980

GW No. Description 33980 3/4" 1" 33982 33984 1-1/4" 33986 1-3/4"

Welded Steel Ring

2"

Nickel Plated

Unit: Each

33987



GW No.	Description
34046	3 Gauge, 1-1/2" Inside Diameter
34047	2 Gauge, 2" Inside Diameter
34048	2 Gauge, 2-1/2" Inside Diameter

Chain Quick Link

· Blu-Krome Finish

Unit: Each

GW No.	Description
34296	1/8"
34297	3/16"
34298	1/4"
34299	5/16"
34300	3/8"
34301	1/2"



Safety Spring Snap

• Multiple Sizes Available



GW No.	Description
34132	5/16" x 2-1/2"
34133	3/8" x 2-3/4"
34134	1/2" x 3-5/8"
34140	1/4" x 2-1/8"
34143	7/16" x 3-1/8"
34144	5/8" x 4"
34145	3/4" x 4 3/4"
34146	1" x 5-1/2"

Marking Paint, Aerosol

- Seymour Marking Paint is a heavy duty, industrial paint with a water base formula that is fast drying, durable and non-clogging
- The paint is not soluble in water and will not wash away.
- Safe for use on lawns- will not
- damage grass.
 Cans come with "Converta-Cap", a specially designed protective cover that prevents
- accidental spraying.
 APPLICATIONS: Excellent for use in marking construction and excavation sites, underground utility lines, irrigation systems, landscape projects, golf courses, traffic safety, survey markings.
- This long lasting paint will mark most surfaces including pavement, gravel, grass, concrete and soil.
- Can is activated either by hand or by marking stick.
- 20 oz. Cans AMERICAN PUBLIC WORKS ASSOCIATION UTILITY COLORS

Unit: Each | Case: 12 cans



PAINT

	·	
GW No.	Description	
72036	Fluorescent Blue	
72054	Fluorescent Red	
72046	Fluorescent Pink	
72055	Fluorescent Orange	
72065	Alert Orange	
72056	Fluorescent Green	
72059	Hi Viz Yellow	
72062	Red	
72064	Green	
72063	Blue	
72053	White	
72060	Flat Black	
73046	Safety Purple	
	72036 72054 72046 72055 72065 72056 72059 72062 72064 72063 72053 72060	72036 Fluorescent Blue 72054 Fluorescent Red 72046 Fluorescent Pink 72055 Fluorescent Orange 72055 Alert Orange 72056 Fluorescent Green 72059 Hi Viz Yellow 72062 Red 72064 Green 72063 Blue 72063 White 72060 Flat Black

Temporary Spray Marker

- · Heavy duty, industrial paint with a water base formula that is fast drying, durable and non-clogging
- This long lasting paint will mark most surfaces including pavement, gravel, grass, concrete and soil
- · The paint is not soluble in water and will not wash away
- Safe for use on lawns-will not damage grass
- Cans come with "Converta-Cap", a specially designed protective cover that prevents
- accidental spraying

 Can is activated either by hand
- Applications: Excellent for use in marking construction and excavation sites, underground utility lines, irrigation systems, landscape projects, golf courses, traffic safety, survey markings

Unit: Each



GW No.	Description
72069	White, 20 oz.

Traffic Marker Paint

- Stripe Marking Paint is heavily pigmented for long lasting, onecoat coverage yielding a clean, crisp line up to 4" wide when applied with Seymour's Stripe Marking Machine
- It's the easy way to stripe parking lots, plants, warehouses, athletic fields and other sites where traffic control is required
- Designed for use on all surfaces including concrete, blacktop, gravel, dirt and grass
 The non-clogging formula is formulated with water for greater
- safety, but the paint is not soluble in water and will not wash away
- The universal spray head is designed for use in most marking machines including the stripe marking machine
- · This easy to use applicator lets you make sharp accurate striping lines
- Formulated to apply with the Stripe Marking Machine
- 20 oz. V.O.C. Compliant
- California P65 warning

Unit: Each



GW No.	Description
72082	White

Spray Paint, Aerosol

- 16 OZ. CAN-FILLED BY VOLUME, NOT WEIGHT
- A FULL PINT OF PAINT IN EVERY CAN!
- · Spruce Enamel Spray Paint gives you high quality at a low price
- An ideal paint for all wood and metal surfaces indoors and out

Unit: Each | Case: 12 cans



GW No.	Description
72021	White Gloss
72022	Black Gloss
72023	Dark Blue Gloss
72024	Red Gloss
72028	Dark Green Gloss
72029	Flat Black

Red Insulating Varnish

- · A flexible coating specially formulated for use on
- electrical equipment Protects against moisture and corrosion
- · High arc-resistant
- 20 oz. spray can
- NOT for sale in California

Unit: Each



GW No.	Description
73032	20 oz.

MRO Spray Paint

- · Provides extra-tough coatings for reliability and performance needed for protection against weather, rust, oil, gasoline, corrosive chemicals and rough service
- Does not contain lead, CFC's, chromates or chlorinated solvents
- Unique high solids, low solvent formulation to hide, cover and protect better than any other aerosol on the market
- Full 20 oz. can filled by volume, not weight

 • High Solids Formulation
- V.Ö.C. Compliant

Unit: Each



MRC

GW No.	Description
72088	Safety Red
72092	New Cat Yellow
72094	Gloss Black
72095	Gloss White
72096	Red Iron Oxide

Stainless Steel Rust Protective Spray Paint

- At Last! Rust protection with real stainless steel
- This unique spray paint is formulated with 100% type 316L stainless steel pigment
- Use whenever you want maximum corrosion resistance
- Stainless steel protects metal from weather, sunlight, oil, and water
- Dries fast to a satin sheen finish
- Total weight: 16 oz., Net weight: 13 oz.
- NOT for sale in California

Unit: Each



GW No.	Description
73040	16 oz.

Graffiti Paint Remover

- Removes most unwanted markings-Lipstick, crayon, paint, pencil, make-up, etc.
- Works on almost any surface including brick and concrete
- Total weight: 20 oz., Net weight: 13 oz.

Unit: Each



16-054

-	_	 -
- 20	ET	ᇌ

GW No.	Description
73026	20 oz.



Paint Applicators

- Paint Applicators
 SPOT MARKER Hand Held Operation
 MARKING STICK APPLICATOR -No Stooping
- · Both applicators feature one hand operation with easy trigger operation
- · Both units designed for use with inverted tip paint only

Plastic Flagging Tape

and ball point pen

• 1-1/4" wide

Unit: Each

GW No.

13138

13139 13146

13167

13140

13141

13142

13143

13144

· Regular colors: 100 yards, Fluorescent colors: 50 yards

· Made of tough, embossed vinyl plastic, surface will take both pencil

· Resists weather and wind ravel

Description

Red

Blue

White

Orange

Yellow

Fluorescent Orange

Fluorescent Lime Green

Fluorescent Red

Fluorescent Pink

• Ideal for quick and easy identification

of boundaries, stakes, landmarks, etc.

Unit: Each

GW No.	Description
72057	Spot Marker
72058	Marker on Wheels

72057

Wire Marking Flags

• 2-1/2" x 3-1/2" flag attached to 21" stiff 15-1/2 ga. wire

 Many landscape and survey applications

Unit: 100 Flags



GW No.	Description
14126	Blue
14127	Orange
14128	Red
14129	Yellow
14130	White
14131	Fluorescent Red

Flag with Handle

- Fluorescent red 18" x 18" with wood handle
- 32" long

Unit: Each



GW No.	Description
13161	Fluorescent Red

Mesh Flag with Handle

- · Made from nylon mesh in bright fluorescent
- orange-red
 18" x 18" with
 30" wood staff

Unit: Each



GW No.	Description
13163	Fluorescent Orange/Red

• Red, 18" x 18" • Attach to long loads or other places to draw attention

Danger Flags

· Heavy fabric with wire rib

Unit: Each

GW No.	Description
13165	Solid Fabric
14119	Mesh Fabric




13165



14119

Traffic Cone

- Weight base
- 28" height 7 lbs.
- Reflective





WD-40® Rust Preventative

- For cleaning, lubricating, penetrating stuck metal parts, displacing moisture and protecting against rust and corrosion
- WD-40® helps clean oil stains from cement floors, dissolves most tapes decals and adhesives
- Cleans grease and grime
- Removes road tar, tree sap, plus many other applications

Unit: Each

GW No.	Description
43551	3 oz.
43552	8 oz.
43554	11 oz.







Multi-Purpose Oil - 3 in 1

- Perfect for applications that require precise control for lubrication and rust prevention
- Squeeze can
- Unique spout helps pinpoint each application
- Use on power or hand tools, small motors, sports equipment, casters, rollers, drills, bits and more

Unit: Each

GW No.	Description
43557	3 oz.



Twisted Polypro Truck Rope

- Twisted CHP Approved Economical, strong, lightweight, and ideally suited as truck tie down
- Black & Orange
- Resistant to abrasion and damage by rot, oil, grease, gasoline and many chemicals

Unit: Each

10088

GW No.	Description
10088	3/8" x 600'
10089	7/16" x 600'
10090	1/2" x 600'
10096	5/8" x 600'
10094	3/4" x 600'
10095	1" x 600'

Adjustable Rope Hooks

- Adjustable Rope Hooks
- Heavy gauge wire for use with 7/16" rope
- Hooks allow rope to be lengthened or shortened, so one piece can do several jobs

Unit: Each | 100 Per Pack

GW No.	Description
22136	Rope Hooks

Bar and Chain Saw Chain Oil

- A superior lubricant for cold or hot weather cutting
- Reduces friction, extends chain life
- Comes in one gallon plastic bottle

Unit: Each

GW No.	Description
13096	1 Gallon



Rubber Rope

- Size: 7/16" x 150'
- Rubber Rope
- Tensile strength of 350 lbs.
- Elongation factor 300%



The Perfect Bungee® Adjust-A-Strap, 36"

- 2 Integrated Nylon Hooks that are Glass Reinforced and won't scratch or gouge paint or finished surfaces and 6 reinforced holes evenly spaced down the bungee strap to accommodate any size load or cargo
- · Secure multiple Adjust-A-Straps together for even longer coverage
- UV, Fuel and Chemical resistant
- The Perfect Bungee® is suitable for all weather all year round
- All of The Perfect Bungee's® products can safely stretch up to 2x their original length. This product requires 34ft lbs of force to reach 2x stretch

Unit: Each





GW No.	Description
22190	Black Adjust-A-Strap
22191	Blue Adjust-A-Strap
22192	Red Adjust-A-Strap
22193	Orange Adjust-A-Strap







Trash Tarp

- Rugged duty mesh "Trash Tarps"
- Made with 12 oz. poly mesh material
 Edges are sealed and brass grommets on all sides
- Very tough material

Unit: Each

GW No.	Description
92360	8' x 10'
92361	9' x 12'
92362	10'x 14'
92363	12' x 20'





Rubber Tarp Straps

· Multiple sizes available



GW No.	Description	
22160	9"	
22161	15"	
22162	21"	
22163	31"	

Polyethylene Sheeting

 Poly Sheeting Construction Film Landscape Weed Barrier

Black

Unit: Each



GW No.	Description
22343	10' x 100', 4 Mil, 19 lbs.
22344	12' x 100', 4 Mil, 23 lbs.
22367	10' x 100', 6 Mil., 29 lbs.
22368	12' x 100', 6 Mil, 35 lbs.
22370	20' x 100', 6 Mil, 57 lbs.
22371	24' x 100', 6 Mil, 69 lbs.
22373	32' x 100', 6 Mil, 93 lbs.
22374	40' x 100', 6 Mil, 116 lbs.
22392	20' x 100', 10 Mil, 96 lbs.

Burlap Sand Bag

 New Calcutta burlap sand bags

Unit: Each



GW No. 22679 22805 14" x 26"

Poly Sand Bag

Poly woven sand bags

Description

14" x 26"

Color: White

Unit: Each

GW No.

22801



Lawn Sheet

• 80" x 80" Square sheets of material used by gardeners, landscapers, and homeowners for bundling and transporting lawn and yard debris

Unit: Each

GW N

227

227



22793

lo.	Description
93	Burlap
94	Polypropylene
-	, p,

Jute Erosion Control Mat

· The natural, completely biodegradable way to stop erosion damage

· Coarse, open mesh fabric keeps soil in place until plant material takes hold, even on steep slopes

· Excellent coverage for all terrain, meets most DOT specification

Unit: Each

GW No.	Description
22807	48" x 225'

Silt Fencina

 Designed specifically to reduce sediment run-off from or to protected areas
• Provides a unique

combination of soil filtering and water flow • Meets the demands

of clay soils

 Used to stop erosion on construction sites, hillsides and along roadways

High density, 2.8 oz. woven polyethylene

• 3' x 100' material is fastened to 4 ft. high hardwood stakes at 10 ft. intervals

• Flow rate - 10 gallons per minute

Unit: Each

GW No.	Description
22812	3' x 100'

Jute U-Pin Anchors

· Secure Jute netting in place with "Jute U-Pins"

Unit: Box





Field King® Deluxe Backpack Sprayer

- Internal No-Leak pump
 Delivers up to 150 psi ideal
- for spraying high into trees
 Includes free "Low Pressure
 Regulator" that delivers continuous 25 psi - ideal for spraying herbicides such as Roundup
- Brass adjustable nozzle
- 21" poly spray wand

GW No. Description 90519 4 Gallon

- Pump handle mounts right or left
- Wide fill opening with basket screen
- Secure screw-on top with rubberized seal Most comfortable back pack with thick padded straps, padded waist belt, chest belt and built-in lumbar support
- Filter in handle to prevent clogging
- #190328

Unit: Each



Field King® Backpack Sprayer - Battery Powered

- Protected Battery Compartment keeps battery unexposed and safe!
- Up to 4.0 hours continuous spray per battery charge - 2x longer than leading competitors
- Sprays up to 50 gallons per charge.
 Triple Filtration Easy to access, clean and keep your sprayer running strong!
 • Pro shutoff has filter within , and uses
- stainless steel, not plastic, poppet to last longer and prevent leaks
- Battery: Lithium-lon
- · Recharger included. Fully recharges in 3 hours
- · Premium comfort harness full back padding for ultimate comfort
- #190515

Unit: Each

GW No.	Description	
90520	4 Gallon	
90518	Lithium-Ion Battery Pack, 18V	



Field King® Replacement Parts			
GW No.	Description	GW No.	Description
91480	Cap Assembly	91488	Parts Kit
91485	Repair Kit	91490	Sprayer Wand, 21"
91486	Filter Basket Assembly	91491	Sprayer Shut-Off
91487	Parts Kit		

Chapin® Poly Tank Sprayer

- · Home and garden economy sprayers with poly tank for multiple uses
- Easy to fill or clean 3" funnel-top opening
- Translucent bottle for checking fluid level
- Anti-clog filter and adjustable poly cone nozzle
- · Easy to find on board measure cup locks onto bottle for storage

Unit: Each



GW No.	Description
51023	1 Gallon
51024	2 Gallon

Chapin® Hand Sprayer

- · Hand-held style unit
- Designed for safe applications of the harshest chemicals For household and
- cleaning use, features adjustable poly cone spray nozzle for varying applications
- Translucent lightweight poly tank, easy grip handle with trigger, and easy pump on sprayer handle



CHAPIN

GW No.	Description
51020	48 oz.

Chapin® Premier Plus Poly Tank Sprayer

- · Lightweight polyethylene tank resists chemicals
- · 42" reinforced braided hose with brass-plated zinc shut-off and brass wand
- Valves for maximum chemical resistance
- · Built-in pressure relief valve
- Filter in handle helps eliminate clogging
- Brass nozzle adjusts from fine mist to 30 ft. stream

Unit: Each


CHAPIN

GW No.	Description
50979	2 Gallon
50980	3 Gallon

Stainless Steel Tank Sprayer

- · Exceptionally high quality and low price
- Lightweight, highstrength stainless steel resists wear, abuse, and corrosive chemicals
- · Funnel top for easy, nonspill filling. 42 in. braided hose and metal shut-off
- Brass wand swivels 360° for hard to reach places
- · Polypropylene pump and adjustable nozzle

Unit: Each



Chapin® Poly Sprayer Complete Pump Assembly

· Parts for Chapin Premier Polyethylene Sprayers, Models 12332124, 2125, 2675, 3060, 2500, 2503, 2511, 2553, 2560 and Industrial Poly Sprayers, Model 2009 & 2209.

Unit: Each




escription
epair Part

Chapin® Poly Sprayer Brass Fan Nozzle

 Parts for Chapin Premier Polyethylene Sprayers, Models 1233,2124,2125,2675,3060,25 00,2503,2511,2553,2560 and Industrial Poly Sprayers, Model 2009 & 2209

Unit: Fach





Nutra-Sol® Spray Rig Flushing Compound

- 2 Lb. Plastic Bottle
- Neutralizes and cleans spray rigs after use

Unit: Each

PREMIER





Poly Measuring Pitcher

- · Top quality measuring and calibration pitchers specifically for agricultural use
- Designed to measure both liquid and dry chemicals
- Made from high-density polypropylene
- · Wide tapered spout for accurate pouring, and open-ended handle allowing easy grip while wearing protective gloves

Unit: Each

GW No.	Description
91940	1 Pint
91941	1 Quart
91942	2 Quart
91943	1 Gallon









CHAPIN

Chapin® Hand Held Crank Spreader

- · 1.6 Liter/.3-Gallon capacity scoop spreader
- · Compatible with fertilizer, seeds and salt/ice-melt
- Easy-crank design with enclosed gears to protect from debris

 Great for small areas
- · Lightweight and easy to maintain

Unit: Fach

Offit. Lacif		
GW No.	Description	



CHAPIN

Dustin Mizer Duster with Deflector

- · One pound hopper capacity
- Corrosion resistant plastic & stainless parts
- · Lightweight Venturi Action dust applicator gives even, total dust dispersion

Unit: Each

GW No.	Description
90538	Duster with Deflector

PlantMates Powder Mill Dust Applicator

- · Made of tough polypropylene & polyethylene
- Deflection nozzle included
- · Balanced to minimize hand and wrist fatigue
- · Features large blower wheel and four air induction louvers generating a powerful flow of air
- Extra large hopper, approximately 1-1/2 lbs.
- Applies dust to top and bottom of the leaves as well as stems

Unit: Each

GW No.	Description
90542	1-1/2 lbs.

Scatter Box™ Spreader

- All-purpose spreader spreads seeds, fertilizer, ice melters, and granular insecticides
- Built to last
- Made of polypropylene

Unit: Each

GW No.	Description
50999	Polypropylene



Chapin® Shoulder Bag Seeder

- · 25 lb. capacity, heavy-duty, waterproof, zipper-top bag
- · Compatible with a variety of seeds and granular fertilizers
- Enclosed gear box for protection from the elements
- · Calibrated flow rate adjuster and easy on/off control
- · Adjustable should strap and convenient application chart (on bottom of spreader)
- Great for smaller areas of odd-shaped spaces where a traditional spreader can't reach

Unit: Each

GW No.	Description
51029	25 lbs.



Broadcast Spreader

- Sturdy zip top canvas bagCalibrated flow rate adjuster
- Adjustable shoulder strap
- Stainless steel rate gate
- 25 lb. capacity (approx.) Handy calibration chart
- · Sturdy man made fiber base

Unit: Each

GW No.	Description
50715	Canvas Bag, 25 lb. Capacity



Chapin® Drop Spreader

- · 65 lb. capacity hopper with enclosed gear system
- Powder coated steel frame
- · Adjustable gate with 30 gate settings
- 9" Poly wheels



GW No.	Description
51026	65 lb. Capacity



WHEEL BARROWS, UTILITY JUGS & TORCH KITS

BUY MORE & SAVE MORE — CALL YOUR SALES REP TODAY!

5 Gallon Utility Jugs

- · Heavy duty utility jugs ideal for recycling fluids
- Use for storage and/or transport for recycling and proper disposal of common fluids such as: antifreeze, brake fluid, engine oil, gear oil, transmission fluid, thinners, solvents and hydraulic fluids
- Not to be sold or used as a "portable fuel container"

Unit: Each





GW No.	Description
35770	5 Gallon Utility Jug, Black
35771	5 Gallon Utility Jug, White
35772	Spout for Utility Jug

Corona® Heavy Duty Steel Wheelbarrow

- · Extra heavy duty wrinkle free steel tray with solid bottom
- Heavy duty steel handles
- · Resists corrosion and leaking
- · 6 cu. ft. capacity
- Pneumatic Tire

Unit: Each



Description
6 Cubic ft.

Corona® Wheelbarrow, Poly

- Heavy-duty corrosion-proof poly tray with UV protection
- Reinforced steel-front tray braces
- 16" Dual-wheel assembly with knobby, 4-ply tire provide added control and stability when carrying heavy loads
- · Ball bearings for years of smooth performance

Unit: Each



GW No.	Description
92615	10 Cubic ft.

Corona® Wheelbarrow, Poly

- Corrosion-proof, poly tray with UV protection
- · Reinforced steel-front tray braces for added support and stability
- · Ball bearings for years of smooth performance
- 60" Hardwood handles











McLeod Fire Tool

• Excellent quality fire tool identical in design to the original "McLeod"

Meets U.S. Forest Service specs
Blade size 11" x 8-7/8"

• Teeth are 3-1/2" long

Unit: Each

GW No.	Description
91374	48" American Ash Handle

Replacement Parts	
GW No.	Description
52378	48" Ash Handle



MEETS U.S. **FOREST SERVICE SPECIFICATIONS**

Pulaski Clearing Axe

- •Two tools in one—an axe blade for chopping and a grub hole or mattock for clearing
- Red second growth hickory handle; Permabond
 36" Straight Handle
- 3.75 lb. Head

Unit: Each



1	Replacen	nent Parts
	GW No.	Description
	52313	36" Handle

Corona® SH65000 Mcleod Fire Tool

- · Tempered steel tines for maximum strength and long service life
- 48" Long Northern Ash wood handle allows working in upright position, reduces back strain
- · Very versatile, used for raking, scraping, grubbing and tamping

Unit: Each

014/11	B	Replacement Parts	
GW No.	Description	GW No	Description
62150	Clearing Axe		<u> </u>
		02010	100 Handi



- · Forged from high quality steel
- · Bits tempered to hold sharp edge
- Black forged head, polished bit
 Red select hickory handles; permabond
- Double Bit Michigan Type Pattern Straight Handle
- 3.5 lb. Head

Unit: Each



		Replacen	nent Parts
GW No.	Description	GW No.	Description
52145	Double Bit, 36" Handle	52316	36" Oval Double Bit Handle
52148	Single Bit, 36" Handle	52317	36" Oval Single Bit Handle



GW No.	Description
91399	48"

Camp Axe

• 1-1/4 lb. forged head with 14" hickory handle

GW No. Description

· Heat treated blade, wood and steel wedge assembly

П		
	52168	1-1/4"
	Replacer	ment Parts
	GW No.	Description
	52355	28" Handle



Smith Indian® Galvanized Indian Fire Pump - Backpack

- · A one-man fire department for fighting grass, brush and forest fires; spot, chimney and roof fires
- Indispensable for homes, farms, industrial plants, Civil Defense Units, etc.
- Form-fitting galvanized steel tank, ventilated to give constant circulation of air between tank and carrier's back
- Solid brass pump throws a powerful 30 to 40 ft. stream of water
- Pump has no leather packing to wear out
 Easy to operate; quickly filled through its 4" filler opening
- Twin nozzle gives long, solid stream or long distance, broad, coarse spray
- 27" hose
- 5 Gallon capacity
- Weight: 11 lbs. when empty

Unit: Fach





•	Jilli. Luo	''	Secretary to come of
	GW No.	Description	
	10118	5 Gallon	

Smith Indian® Poly Tank Indian Fire Pump - Backpack

- UV resistant poly tank will last for years of heavy use. Rust-free and sturdy
- Our brass pump will give years of bind free use. A pump you can count on in an emergency
- Comfort features such as padded straps and lumbar support come on the 5 gallon version
- Carry handle also functions as storage for the pump
- Dual Nozzle changes quickly from stream to spray without tools

 With all brass Smith Pump
- Made in U.S.A.

Unit: Each





Fedco Smokechaser® Poly Tank Fire Pump - Backpack

- UV resistant, poly tank that will not rust
- · Heavy duty base, absorbs shocks and protects tank
- · All brass constructed pumps for years of dependable service

 • Ventilated cap, with watertight
- gasket, will not leak
- Large 4" tank opening for easy filling
 Combination nozzle allows operator
- to switch from straight stream to fan spray quickly, with no special tools

 Comfortable, padded, shoulder straps
- include clip-on strap to secure pump and leave hands free

Unit: Each

GW No.	Description
10129	5 Gallon

GW No. Description 10126 5 Gallon

Smokechaser® Indian Fire Pump - Backpack

- · Features 5-gallon heavy-duty vinyl bag that is extremely puncture and abrasion resistant
- Premium padded shoulder harness straps and center cinch strap distributes weight, provides comfort and keeps straps from slipping off shoulders
- · Bag is collapsible and rolls up to fit in small areas when not in use
- Equipped with the same brass fire pump as the #90G

Unit: Each



GW No.	Description
10120	5 Gallon

Galvanized Indian® Fire Pump Carrying Rack

- Model number 179092-0
- F14 Carry Rack for Indian Galvanized Fire Pump



Smith Indian® Fire Pump Mounting Rack

 Universal Bracket Mounting Rack

Unit: Each



GW No.	Description
10128	Universal

& FEDCO @

Galvanized Indian® Fire Pump

• Model Number 5160



GW No.	Description
10124	Brass

Smith Indian® Replacement Parts			
GW No.	Description	GW No.	Description
10116	Galvanized Indian® Fire Pump Carrying Strap	10125	Galvanized Indian® Fire Pump Nozzle
10117	Galvanized Indian® Fire Pump Hose, 30"		



Pick/Mattock Handle - Hickory

- Ace Seal Brand Premium Heavy weight second growth white hickory; clear, all white
- · Free of all defects
- The finest available
- For use with 5-9 lb. tools
- 36" Ace Seal Brand Handle 2" x 3" oval tool end
- · Length of handle as well as size of tool head for which handle was designed imprinted thereon

Unit: Each

GW No.	Description
52322	Premium, 36"

Pick/Mattock Handle - Hickory

- Standard Quality Seal Brand Medium weight all white hickory; some contain a few streaks, small tight knots or red tips
- All Handles Have kind and length of handle as well as size of tool head for which handle was designed imprinted thereon
- Metal and wood wedges (where used) are attached

GW No.	Description
52314	Standard, 36"

Sprayer, Polymer Plastic Water Nozzle | Polymer Sweeper Nozzle

- Durable construction and consistent quality
- Non-corroding high impact polymer body and valve assembly with fixed nut
- · Hold open clip
- Lifetime duck packing seal
- Male hose threaded front for attaching accessories



GW No.	Description
50654	#474, Polymer

Sprayer Pistol Grip Water Nozzle

- · Heavy-duty all-zinc metallized body · Clip locks any
- spray pattern All brass valve stem

and adju	isting nut s steel spring ime packing	
Unit: Each	1	
GW No.	Description	
50674		

Poly Head Water Nozzle

- · Hot or Cold Water
- · Insulated molded grip for spraying hot or cold water
- · Male hose threaded front for attaching accessories
- · Rubber head guard to protect threads
- Solid brass valve stem with permanent adjusting nut

Unit: Each

GW No.	Description
51340	Water Nozzle

Dial Spray Nozzle

- Impact resistant polymer body
- 5 position dial with 7 spray patterns
- Full Action: Cone, sharp stream, full flow, gentle shower,

51447



5 Position Dial

- · Sprays a concentrated jet stream
- Ideal for cleaning driveways and walks
- Attaches to threaded front nozzles or hose end
- Shut-off Valve

Unit: Each



GW No.	Description
51445	Polymer Sweeper Nozzle

Water Jet Snub Nose Nozzle

- · Sprays a concentrated jet stream
- Ideal for cleaning driveways and walks
- Attaches to threaded front nozzles or hose end
- Heavy-duty solid brass construction




GW No.	Description
50609	Brass

Hose Shut-Off Valves

- · Shut-off valve controls water flow; saves water and time
- Cap type valve handle resists breakage · Rugged, die cast zinc or
- premium nylon construction Zinc withstands hot water
- temperatures up to 160°F (50688 Metal) #07V not recommended
- for hot water use (50689 Plastic)

Unit: Fach



"Y", Plastic 50610

Hose Goose Neck Swivel

- Angles hose or accessories away from hose bib
- Swivel nut for easy connection
- Rugged, die cast zinc construction


Unit: Each





- Brass Pipe and Hose Fitting7MH7MP5P Thread size 3/4" NH Male x 3/4" NPT Male x 1/2" NPT Female
- 7MH7MH Thread size 3/4" NH Male x 3/4" NH Male

Unit: Each



Nelson Pipe to Hose Fitting

- Rod Brass, Zip Bag
- Use to connect threaded pipe and hose
- Premium construction for maximum strength & durability
- Double Female, 1/2 NPT x 3/4 NH

Unit: Each



Pipe to Hose Fitting

· Rod Brass, Zip Bag

Unit: Each



GW No.	Description
90274	Brass

Hose Mender

Garden Hose Menders

Unit: Each | Pack: 12

GW No.	Description
50677	5/8" and 3/4"
50679	7/16", 1/2", 9/16"

Hose Female Replacement Coupling

 Hose Female Replacement Coupling


Unit: Each | Pack: 12



GW No.	Description
50678	5/8" and 3/4"
50672	7/16", 1/2", 9/16"

Hose Male Replacement Coupling

- Unique nylon construction is stronger than most original hose ends
- Easy to attach, durable, and reusable
- Individually carded





50688

50610





Garden Hose

- Heavy Duty
- · 400 PSI Burst Strength

Unit: Fach

GW No.	Description
70245	5/8" x 50'
70246	5/8" x 75'
70247	5/8" x 100'
70248	3/4" x 50'
70249	3/4" x 75'



Soaker/ Weeper Hose

- With pores that slowly release water directly to plants' roots, for more efficient watering
- · Weeps water at a rate of 0.5 gallon-1 gallon per foot per hour on ground level

 Patented blue water
- restricter in female coupling controls water pressure/flow, reducing water consumption
- Made of 65% recycled rubber & uses up to 70% less water than a conventional sprinkler

Unit: Fach

GW No.	Description
70235	3/8" x 25'
70236	3/8" x 50'

Lawn Sprinkler, Circular Shower

- · Works well in low water pressure areas
- · Heavy-duty metal construction
- Coverage up to 30 ft. diameter, circular pattern



GW No.		Description	
	50653	30' Coverage	

Corona® Pipe and Tile Probe

- · All steel construction for rugged use and long life.
- Steel model uses high quality welded construction for superior strength.
- 14" wide T-handle with rubber grips for best gripping comfort and easy twisting.
- 48" long probe is perfect combination of strength, weight and comfort.

Unit: Fach



GW No.	Description
90416	4 ft.

Rubber Hose, Contractor Grade

- · 400+ PSI burst strength
- · Premium rubber garden hose that's powerful and strong yet easy to handle
- Ideal for commercial and home use in all weather conditions
- Exclusive rubber formula makes it 2X stronger and 40%
- lighter than standard rubber hoses Flexible to -40 degrees Fahrenheit
- Patented Hose Armour® prevents kinking at the water source
- Extra-large, crush-proof aluminum couplings
- withstands being run over by heavy machinery
 Extra-large 3/4" diameter version helps move up to 20% more water than standard 5/8" hoses
- · Meets lead-free standards under the Federal Safe Drinking Water Act

Unit: Each

GW No.	Description
70215	3/4" x 50'

Garden Hose

- · Medium Duty
- Lawn & Garden All Weather, 300+ PSI Burst Strength

Unit: Each

GW No.	Description
70205	5/8" x 25'
70206	5/8" x 50'
70207	5/8" x 75'

Water Timer

- Durable, rustproof polymer construction
- Continuous watering up to 120 minutes Full flow outlet for
- more sprinkler performance Works with water pressure
- ranging from 15 to 120 psi
- Manual on-off
- · Works with My Design Sprinkler Kits
- · Not for use with hot water

Unit: Each

GW No.	Description
50665	Mechanical, Single Outlet

Garden Hose, Sprinkler/Soaker

- 3 Tube Sprinkler/ Soaker
- Sprinkler hose and soaker hose combined
- Ideal for watering lawns, vegetable gardens, flowerbeds
- and narrow areas Six holes per foot create either a sprinkler/wall of mist or soaker hose
- · Long-lasting couplings with capped male end for easy draining, storage

 • Easy to unroll and roll for storage
- Meets lead-free standards under Federal Safe Drinking Water Act
- Approximation is 1.2 Gallons of water per hour

Unit: Each

GW No.	Description
70225	25'
70226	50'

Garden Hose Remnants

- Nylon reinforced hose remnants
- Hose color varies

Unit: Each | Pack: 20



GW No.	Description
50489	5/8" x 15'

Corona® EZ Out Tool

- Unique design with serrated gripping surface for superior gripping power
 • 2 tapered sizes cover
- full range or applications
- All-steel body construction and zinc head for rugged use and long life
- Knurled, press-fit heads will not pull out or twist
- Comfortable T-loop handle for ultimate gripping power, good for all size hands
- · Handle loop can be used to insert lever bar, pipe or wrench handle for extra leverage

GW No.	Description
91948	1" and 1-1/4" Size
91949	1/2" and 3/4" Size



Post Hole Digger

- Super heavy duty digger with high carbon steel blades
 Blades are 6-1/4" apart at tips
 High quality 48" ash handles

- Equal in quality to Seymour DG-11

Unit: Each

GW No.	Description
99318A	Heavy Duty



Seymour® Post Hole Digger

- · Heavy-duty digger
- Super tough high carbon steel blades are riveted to high tensile strength steel yokes
 • No. 1 grade. 48" Ash or
- Maple lacquered handles

Unit: Each



T-Post Puller

- Heavy duty lever
- type T-post puller
 30" high puller with
 30" powder coated
 handle and heavy steel plate works on either side of the post
- Color: Red

Unit: Each



- Heavy steel plate and chain with cut-outs to fit steel "T" Post
 Plate slips over post and post can be pulled from ground by using jack, tractor, leverage by the steel of the post of the steel of the pulled from ground by using jack, tractor, leverage by the steel of the pulled from ground by the steel of the pulled from ground by the steel of the pulled from ground by the pulled from ground from ground by the pulled from ground from leverage bar, etc.






GW N	lo.	Description
913	75	T-Post Puller, Rigger

GW No.	Description
50428	DG-11, Blades are 6-1/4" apart
50427	DG-100, Blades are 5" apart

Seymour® Post Hole Digger





GW No.	Description
50437	DG-11FG, Blades are 6-1/4" apart

Fence Plier

GW No. Description 99293 Lever Type

- Drop forged high carbon steel, hardened and tempered
- Features milled hammer head, nail puller, staple remover, wire stretcher and wire cutter
- · Cushioned vinyl grips

Unit: Each



Crescent Fence Plier

- · Heavy duty fence pliers, same design as Diamond, but slightly longer and
- heavier duty Non-slip cushion
- grip handles • #1936-10CV

Unit: Each



Tie Wire


- 16 gauge
- Plain annealed
- 4 lbs. in a coil
- Approx 350' per roll
- Sold by coil

Unit: Each | 20 per Case



GW No.	Description
43451	16 Gauge

GW No.	Description
90702	10-1/2"



Goldenrod® Wire Fence Stretcher

- Goldenrod® 400 Fence Tool
- Ideal tool for gripping, stretching and tightening any type of wire
 Makes repairing or splicing barbed, high tensile or smooth wire an easy task
- · Heavy duty design with strong "hooks" securely holds wire in place while splicing or repairing wire

 Large round tube handle with rubber grip for easy and
- comfortable use



GW No.	Description
34791	Wire Fence Stretcher

Goldenrod® Fence Wire Stretcher with Ratchet Control

- Goldenrod® 405 Fence Tool

- Goldenrod® 405 Fence Tool
 I deal tool for gripping, stretching and tightening any type of wire
 Makes repairing or splicing barbed, high tensile or smooth wire an easy task
 Heavy duty design with strong "hooks" securely holds wire in place while splicing or repairing wire
 Large round tube handle with rubber grip for easy & comfortable use
 With ratchet control for easy release of wire tension
 Packaged in attractive colored carton to stimulate



GW No.	Description
34799	Wire Fence Stretcher - 405

Master Lock® Medium Duty Padlock

- 1-1/8" wide laminated case
- · 4-Pin tumbler security
- Nickel-plated locking lever
- Steel shackle dia. 3/16"
- Clearances: Vertical 9/16", Horizontal 1/2"
- · 2 brass keys, wide range of changes

Unit: Each

Master

	GW No.	Description
ſ	35148	7KA, Keyed Alike

Master Lock® 3D Padlock

- · Medium Duty Applications
- 1-1/2" wide laminated case
- 4-Pin tumbler security
- · Exclusive dual steel levers lock both sides of case-hardened, 9/32" diameter steel shackle
- Clearances: Vertical 3/4", Horizontal 5/8"
- · 2 brass keys

Unit: Each

Master

GW No.	Description
35145	3D, Keyed Different
35188	3KA, Keyed Alike

Master Lock® Medium Duty Padlock

- 1-1/8" wide laminated case
- 4-Pin tumbler security
- Nickel-plated locking lever
- Steel shackle for cut resistance
- Steel shackle, diameter 3/16"
- Clearances: Vertical 9/16", Horizontal 1/2"
- · Dual ball bearing locking for maximum pry resistance
- · 2 brass keys, wide range of changes

Unit: Each

Master

GW No.	Description
35160	7D

Master Lock® Heavy Duty Padlock

- 1-3/4" wide laminated case
- · 4-Pin tumbler security
- 5/16" diameter steel shackle Clearances: Vertical 7/8", Horizontal 3/4"
- · 2 keys included

Unit: Each



Master.

GW No.	Description
35142	1D, Keyed Different
35143A	1KA, Key #2001
35143B	1KA, Key #2168
35143C	1KA, Key #2359





Master

COMMERCIAL

Master

Master Lock® Heavy Duty Padlock

- · Heavy Duty Applications
- 2" wide laminated case
- 4-Pin tumbler security
- Exclusive dual steel levers lock both sides of case-hardened. 3/8"diameter steel shackle
- Clearances: Vertical 1" Horizontal 15/16"
- · 2 brass keys

Unit: Fach

Master.


	GW No.	Description
	35147	5KA, Keyed Alike
	35187	5D

Master Lock® Long Shackle Padlock

- 1-1/2" wide laminated case
- · 4-Pin tumbler security
- Exclusive dual steel levers lock both sides of case-hardened, 9/32" diameter steel shackle
- Clearances: Horizontal 5/8", Vertical 1-1/2"
- · 2 brass keys

Unit: Each





Master Lock® Long Shackle Padlock

- 1-3/4" wide laminated case
- · 4-Pin tumbler security
- Exclusive dual steel levers lock both sides of casehardened, 5/16" diameter 2-1/2" steel shackle
- Clearances: Vertical 7/8" Horizontal 3/4"
- · 2 brass keys

Unit: Each

Master



GW No.	No. Description	
36111	1DLJ, Keyed Different	
36112	1KALJ, Keyed Alike	

Master Lock® Combination Padlock

- Strong double-wall construction - stainless steel outer case over heavy wrought steel inner case 3-number locking mechanism
- Double-acting, solid steel
- locking lever
- Self-locking, automatically disarranging tumblers
- Inner parts rust-proofed
- Practically unlimited combinations
 Case width 1-7/8"
- Brass dial, finished in black enamel with white numerals, Nickel-plated dialing knob
- Built-in "sound effect" to prevent picking
- Nickel-plated steel swivel shackle, dia. 9/32"
 Clearances: Vertical 3/4", Horizontal 13/16"

Master Unit: Each

GW No.	Description
35161	1500D

Master Lock® Combination Padlock

- · Instantly resettable to open at any personally programmed
- 4-digit combination 10,000 possible settings!
- Exclusive positive action change key permits quick, easy resetting whenever owner chooses
- Once shackle is closed automatic tamper guard of hardened steel blocks key

Unit: Each Master

GW No.	Description	
36121	5/16" Clearance: 1"	
36122	Clearance: 1" x 2-1/4"	



Livestock Hay Feeder

- This top quality lightweight molded poly livestock feeder has been designed to hold one or two flakes of hay in the zinc plated rack, and/or grain in the built in trough

 The forder are beliefed to
- The feeder can be bolted to a fence or barn wall (hardware not included), and can also be adapted to tubular coral panels
- · A molded hood (sold separately) can be added
- Feeders measure

27" H x 23-1/2" W x 19-1/2" D

Unit: Each

GW No.	Description	
92426	Blue Feeder	
92427	Green Feeder	
92428	Blue Hood	
92429	Green Hood	
92430	Fence Hooks for Livestock Feeders - Set of 2	



Little Giant® Galvanized Feed Pan

- 3-1/4 gallon size (13 quarts)
- Used for hogs. poultry and general feeding & watering.

 • Also for draining oil and as a parts pan

 • Stamped seamless

- from heavy galvanized sheets
 Smooth, rolled edge; nestable
 16.25" in diameter by 3.75" high

Unit: Each



Seymour® Hog Rings

GW No. Description

50702 1-4/16" Hog Rings

- RN-H3
- 100 per Box

Unit: Box



Seymour® Hog Ringer Pliers

- Hill ringer pliersMalleable iron casting with chrome finish

Unit: Each



GW No.	Description
50703	Hog Ringer Pliers

GW No.	Description
60532	3-1/4 Gallon

Galvanized Container/Trash Can

- · Great for holding pet food or bird seed
- · Lid included

GW No.	Description
60506	6 Gallon
60515	10 Gallon



Hay Hook with Leather Guard

- Deluxe hay hooks formed from 7/16" round or 1/4" x 1/2" flat steel
 Available in 12", 13-1/2" or 15" lengths
 All hooks complete with leather guards
- and hardwood handles

Unit: Pair


GW No.	Description		
51330	12" Flat Steel		
51331	13-1/2" Flat Steel		
51332	15" Flat Steel		



Hay Hook


- P104 Unichrome finish, tool steel, Silver
- Wood Handle

Unit: Each





· Metal handle and hook



Push Brooms

Contractor Grade Brooms

 Extra heavy 1" diameter vinyl-clad steel handle and all metal, wide angle brace for extra strength 24" size

· Completely assembled with steel handle and rigid brace

· Filled with sturdy oil and grease resistant plastic bristles 3-1/4" trim

· Medium to heavy duty

Unit: Each

GW No.	Description
50660A	Maroon Bristles
91381A	Orange Bristles
91383A	Brown Bristles
92101A	Black Bristles
92102A	Silver Bristles



Push Broom

 Heavy duty 24" wide "Bulldozer" street broom with heavy gauge royal blue plastic bristles Block is 1-3/8" thick by 3-1/2" wide, 4-1/2" trim on bristles Broom comes completely assembled with vinyl-clad steel handle and all metal wide angle handle braces Ideal for heavy sweeping in wet or dry conditions
Unit: Each

P	ush	Broon	n	
•	Heav	y duty	1"	diameter
	WOOD	Íhandl	_	

• 18" wide wood block

broom head · 3" top quality bristles

· Completely assembled

USA madé

Unit: Each



- Squee-Gee comes complete with 5 ft. all steel handle, blade holder and blade

 • Blades are disposable and new blade is
- easily installed
- Ideal for: Homeowners, Garages, Service Stations, and Anywhere dry floors are needed



Unit: Each

GW No.	Description
90819	24" Squee-Gee
90821	36" Squee-Gee

GW No. Description 91382A Bulldozer

Janitor Broom

 75% yucca fiber and 25% broom corn

1-1/8 x 42" black handle

• 5 sews of black twine



Bruske Yard Broom

93365A Orange Bristles

93366A Black Bristles

· Hardwood Handle

Orange Bristles

 Contăins coarse, unflagged bristles, specifically designed for particularly heavy-duty sweeping on indoor or outdoor surfaces

· Incredibly durable bristles will stand up to street-sweeping without breaking or deteriorating, unaffected by grease, water, or oil

Unit: Each

Bruske Buddy Broom

· Green flagged bristles for sweeping fine materials on smooth surfaces such as kitchens, basements

 "It sweeps as it dusts'

· Broom head is 12" wide

 Vinyl covered metal handle

Unit: Each

GW No.	Description	
		A HIB
		A STATE OF THE STA
Offic. Laci	1 Pack: 6	

GW No.	Description	
50564	Janitor Broom	

GW No.	Description	
90896	13" Wide, 54" Handle	

GW No.	Description
90897	12"

Truck Wash Brush

- Truck-Window Wash Brush
- · Soft blue styrene bristles-won't mar or scrafch
- · Uses either regular or fountain handle

Unit: Each



GW No. Description	
90894	Medium Duty, 10"
50560	5' Wood Handle, Threaded

Deck Scrub Brush

- Heavy duty long life scrub brushes100% Brulon bristles never get soft when wet or brittle when dry
- 2" trim with 10" x 2 1/2" x 1 1/2' Polypropylene block

Unit: Each



GW No.	Description
90895	Heavy Duty, 10"
50560	5' Wood Handle, Threaded

Whisk Broom Head

- · Excellent quality, medium price
- · Fine select corn, well-filled
- 2 sew
- · Nickel ball and ring cap
- 10-1/2" long overall



GW No.	Description	
50575	Whisk Broom Head	

90837A

90833A

Bruske Brush Head - All Purpose

- · Red is ideal for use on smooth tile, concrete or wood floors, perfect for sweeping fine dust and light refuse
- Black is the ideal combination of soft and stiff synthetic bristles, made for heavy duty sweeping on dry, wet or oily conditions. Performs well in harsh work environments
- · Blue is made of solvent resistant synthetic bristles for sweeping fine particles even on rough surfaces
- · Brown has stiff, course bristles for use on rough surfaces with dry, wet, oily, or greasy adverse conditions. Ideal for parking lots, driveways, or sidewalks



*Handle Included

GW No.	Description	GW No.	Description
90830A	17" Red*	90834A	23" Fine, Blue*
90831A	23" Red*	90835A	35" Fine, Blue*
90832A	35" Red*	90839A	17" Coarse, Brown*
90836A	17" Medium, Black*	90840A	23" Coarse, Brown*
90837A	23" Medium, Black*	90841A	35" Coarse, Brown*
90838A	35" Medium, Black*	90817	5' Steel Handle
90833A	17" Fine, Blue*		

Bruske Counter Brush

- · Super soft counter duster or bench brush • 13" hardwood
- block with blue flagged poly bristles

Unit: Fach

GW No.	Description
50597	Poly Bristles, 13"

Utility Brushes

- · Plastic Bristle(black or white Bristles)
- Brush face: 5-1/2" x 5-1/2"

Unit: Each

90831A

GW No.	Description
50589	9"
50590	20"

Lacquered Floor Brush Handle

- 15/16" Diameter with Two Coats of Lacquer

 • 3" Die-Cast Threaded
- Aluminum Tip

Unit: Each



Threaded Garage Brush Handle

- 1-1/8 in diam smooth sanded
- Garage brush threaded

Unit: Each

	GW No.	Description
	50561	5' Handle
П		

Telescoping Broom/Brush Handle

- · Top quality epoxy coated steel
- handle with nylon threads
- Ideal for hard to reach places, and can be used with brooms, brushes, squeegees, paint rollers, etc.

 Nylon "Twist-Lok" holds
 handle position securely
- Collapsed Length 5-1/2
- Extended Length 10'

Unit: Each

GW No.	Description
90795	Telescoping Broom/Brush Handle

Galvanized Container/Trash Can

- Great for holding pet food or bird seed
- · Lid included

Unit: Each



Galvanized Trash Can

- · Extra deep, vertical corrugations
- · Lock seamed side, double seamed bottom
- · Drop side handles with ears welded to body
- Tapered sides for easy nestling
- Fabricated from galvanized sheets
- Please note: These products are available for Dealers only. We can not ship due to size and the possibility of damage in transit

Unit: Each

GW No.	Description
60516	20 Gallon
60517	31 Gallon



Dust Pan

· Sturdy, black, metal



GW No.	Description
90413	12" Wide

Septonic® Septic Tank Treatment

- Stimulates action in septic tanks and cess pools by creating new bacteria workers to dispose of sewerage
 Eats into solids and grease
 Stops odors
 Harmless to plumbing septic tanks
 Easy to use-just empty package and flush down toilet

- down toilet

GW No.	Description
50846	Septic Tank Treatment



The Giant Destroyer Rodent Gas Killer

- · Rapid gas killer for tunneling and burrowing rodents
- · Use against gophers, moles, ground squirrels, etc.
- Packed 4 each 2 oz. cylinders per card
- 12 Cards per Carton

Unit: Each Carton



GW No.	Description
50713	Rodent Killer

Fly Stick Glue Trap

- · 24" sticky fly trap
- · Can be used indoors or out
- · Contains no insecticides
- · For use in barns, stables, homes, yards

Unit: Each



GW No.	Description
60994	24"

Insect Repelling Superband, 50 bands

- Repels mosquitoes
- Slip the Superband™ on your wrist or ankle and enjoy a bug-free day

 Lasts up to 200
- hours after removed from package
- Safe to use, non-toxic
- · Repels mosquitoes and other insects

Unit: 50 Bands/ Display



GW No.	Description
99500	Counter Display

Starbar Fly Traps

- · An exclusive formula that contains four different attractants flies can't resist
- · No insecticides, safe around children, pets and livestock

Unit: Each





GW No.	Description
60998	Fly Bait Stations
61210	Fly Trap Attractant
61211	Disposable Fly Trap



Rescue! Yellowjacket Trap

- · Effective and responsible
- · Completely disposable
- Attractant included
- No pesticides
- Spanish instructions
- Perfect for lawn, garden
- camping and farm use Traps yellowjackets, meat bees and ground hornets

 Trap conveniently closes for disposal







90487

GW No.	Description
90483	Display of 12 Traps
90487	Single Trap (Hard plastic) with Attractant
90488	Attractant

Rescue! Fly Trap

- · A simple and economical way to trap and kill flies
- · Ideal for use around home, barn, dumpster, stables, etc.
- · Includes fast-acting attractant just add water
- Durable container is reusable





90393

GW No.	Description
90393	Fly Trap - 12pk
90394	Fly Trap Attractant
90485	Disposable Fly Trap - 12pk

Wilco Ground Squirrel Bait Station

- Tamper resistant Bait StationThe station has
- ventilation which helps to keep the bait fresh as well as a special baffle to keep it dry and untainted by the elements
- · Can be placed indoors or outdoors for addressing ground squirrel invasions or other rodent invasions

Unit: Each



GW No.	Description
71071	Ground Squirrel Bait Station

Gopher Probe, Gopher Getter Jr.

- "Gopher Getter Jr." -Heavy duty probe deposits bait in gopher burrows and runways
- 2% Zinc Phosphide active ingredient is a singlefeeding acute toxicity material on a wheat carrier

Unit: Each



GW No.	Description
71072KIT	Gopher Probe w/ 1 lb. Bait

Wilco Mouse/Rat Bail Station

- · Keep mouse and rat baits away from children and pets
- 9" long x 6" wide
- Durable plastic




GW No.	Description
71056	Mouse/Rat Bail Station

50160

Gopher Hawk

Macabee "The Original" Gopher Trap GopherHawk Trapping Set

- "The Original"
- Easy to set
- · Green enamel finish





GW No.	Description
50714	Gopher Trap

Gonzo - Dead-End

· Molded plastic trap with heavy duty spring catches rodents and gophers

Easy to set and use

 Safé around humans, pets and the environment

 Similar in size and function to the Blackhole trap

Unit: Each

GW No.	Description
88135	Gopher Trap

Doc Woody's® Gopher Trap

- Wood gopher trap
- Gopher often caught in an hour, rarely misses overnight
- Baffle blocks light but allows air flow
- · Double loop catchmechanism for a more secure catch

Unit: Each

GW No	Description
GVV NO.	Description
50693	Gopher Trap

Easyset Gopher Trap

- · Features new. surefitting trigger with improved sensitivity
- Galvanized for rust resistance

Unit: Each



Gonzo Gopher Trap - Twin Pack

- Steel spring trap kills gophers effectively
- Dark green finish

Unit: 2 Pack



GW No.	Description
88150	Gopher Trap - Twin Pack

- · Effective on gophers and moles
- · Stainless steel parts
- Above ground setup without the need for a shovel
- Trapping Set comes with everything needed to eliminate the gopher threat -
- trap, wedge, and probe Single Trap does not
- include wedge or probe tool
 Organic and safe, no poisons or chemicals

Unit: Each

GW No.	Description
51060	Trapping Set
51061	Single Trap
51062	Replaceable Strap

Wilco Ground Squirrel Bait

- · Specially formulated bait to
- control ground squirrels Grain and nut mixture impregnated with toxicant
- 005% Diphacinone
- · Especially effective when used in conjunction with Wilco Bait Station
- NOTE: This bait is allowed for sale in the following states ONLY - CA, AZ, NV, ID, OR, UT, WA

Unit: Each

GW No.	Description
71069	4 lbs. Ground Squirrel Bait

Homeowner Gopher Bait

- 2% Zinc Phosphide active ingredient is a single-feeding acute toxicity material on a wheat carrier
- · One pound plastic bottle · Wheat formulation is easy
- to apply
 Pack 12, Sold Individually
- NOTE: This bait is allowed for sale in the following states ONLY - AR,AZ,CA,CO,ID,IA,KS,LA,MN, MO,MT,NE,NM,ND,OK,OR,SD,TX,UT, WA,WY

Unit: Each | Pack: 12

GW No.	Description
85106	16 oz. Gopher Bait

Gopher Bait - Type 2 with Diphacinone

- · The active ingredient in Wilco's
- Type 2 Bait is an anti-coagulant. It is essential that the gopher(s) consume (or eat) the bait 3 to 4
- days in a row Type 2 Gopher Bait is registered to be sold only in the following states: AZ, OK, AK, MN, OR, CA, MS, SD, CO, MO, TX, ID, NE, UT, IA, NV, WA, KS, NM, WY, ND

Unit: Each

GW No.	Description
82144	5 lbs. Gopher Bait

Gonzo Mole and Gopher Trap -Solar Powered

- Repels moles and gophers with sonic sound.

 • Place near active
- tunnel for best results.
- Solar powered no batteries needed

Unit: Each

GW No.	Description	
88185	Mole and Gopher Trap	

Gonzo Gopher Shield

- · Protect your tomatoes, cucumbers, carrots, onions, peas, etc.
- Also, protect young shrubs and trees
- Gophers and voles love Japanese maples and citrus



99520

GW No.	Description	
99520	1 Gallon, 4 Pack	
99521 5 Gallon, 2 Pack		
99522	15 Gallon, 1 Pack	

Gonzo Gopher Snake

- · Mole and gopher bait
- applicator extends to 36"

 Load bait chamber with bait and extend into tunnel and release bait
- · Works with any bait.
- · Bait not included

Unit: Each



GW No.	Description	
88165	Gopher Snake	

Gonzo Mole and Gopher Trap - Surefire

- Spring loaded trap for use on moles and gophers
- Place trap in tunnel to use
- · Directions included



Unit: 2 per Pack

Mole and Gopher Trap
3170 Mo

Professional Havahart Animal Trap

- · For trapping animals including skunks, squirrels, rabbits, raccoons and more
- · Built of heavy,
- galvanized steel wire
 Special locking system for superior performance
- Trap Release tool included
- · Spring-loaded door
- Single door

Unit: Each



 1/4		RT.
V A	ΠА	жı.

GW No.	Description		
51323	#1078, 24" x 7" x 7"		
51324	#1079, 32" x 10" x 12"		
51325	#1081, 42" x 15" x 15"		

Havahart® Animal Trap

- For trapping mice, chipmunks, rats, squirrels, weasels and more
- Door Type: 2 Spring Loaded Doors
 Material: Galvanized Steal; One-Piece
- 12-Gauge Wire Mesh
- · Has top carrying handle

Unit: Each



-					
T.	A١	V٨	١Н	A	RT

GW No.	Description	
50728	#1020, 10" x 3" x 3"	
50724	#1025, 19" x 7" x 6"	

Miller Small Animal Traps

- · Little Giant Small Animal Live Traps are manufactured from heavy duty galvanized wire mesh with steel reinforcement
- Spring loaded door, protected handle and automatic locking system provide safety for both animal and human
- · Weasel, Rabbits, and Minks

Unit: Each



GW No.	Description	
52521	24" x 7" x 7"	
52523	32" x 10" x 12"	

Holographic Bird Scare Tape

- 1-1/4" x 500' Rolls
- Flashes and flickers like fire to scare birds and predators

Unit: Each



GW No.	Description	
93319	Bird Scare Tape	

Bird Control Ribbon -Mylar

- For Bird Control
- · Highly reflective mylar ribbon annoys birds when sun is bright
- · Suspend strips from pole, tree, vine
- · Strips reflect brilliant shafts of sunlight creating atmosphere to which birds cannot adapt

Unit: Each



GW No.	Description	
60214	31/32" x 500' Red/Silver	

Farm and Home Garden Net

- · Durable netting protects fruit trees, berry bushes, and vegetables from birds, squirrels, rabbits and other pests
 • Durable 3/4"
- polypropylene mesh with U-V inhibitors

Unit: Each



GW No.	Description	
52010	7' x 20'	
52011	14' x 14'	
52007	28' x 28'	
52035	14' x 45'	

Molded Owl with Rotating Head

- · Rotating head provides maximum realism and effectiveness in protecting gardens, fruits and vegetables
- Amazingly life-like owl protects without harming birds and other pests

Unit: Each



Great Horned Owl - Heavy Duty

- · 18" tall, hand painted and constructed of heavy-duty molded plastic
- Life-like owl terrifies birds, rabbits, squirrels and other garden pests



GW No.	Description
90941	Rotating Head

GW No.	Description
90924	Heavy Duty

DIDN'T FIND WHAT YOU WERE LOOKING FOR?

GIVE US A CALL!

Please feel free to visit us at grahamwholesale.com or contact us via phone or email.

Tom Graham - tom@grahamwholesale.com - 916-897-0143 Eduardo Calderon - eduardo@grahamwholesale.com - 707-272-1822 Natalie Graham - sales@grahamwholesale.com - 916-753-3931