

SARS-CoV-2 Negative Members Panel MRNDx Panel ID: MRNCNEG-100

All Subjects were tested and found to be negative for HBsAg, Anti HCV, Anti HIV ½, HCV PCR, HIV PCR, and STS. All donors were collected in 2019 pre SARS-CoV-2 pandemic.

| PANEL ID # | BUIN# | DOD | DOB | SEX | BT | SARS-COV-2 lgG Abbott Architect |
|----------------|------------------|------------|------------|-----|----|------------------------------------|
| MRNCNEG-100-01 | =W03861981164200 | 07/21/2019 | 01/18/1947 | F | A+ | 0.02 |
| MRNCNEG-100-02 | =W03861950165100 | 05/17/2019 | 11/17/1970 | F | 0+ | 0.09 |
| MRNCNEG-100-03 | =W03861981271600 | 10/12/2019 | 10/17/1942 | Μ | 0+ | 0.06 |
| MRNCNEG-100-04 | =W22321969369100 | 10/12/2019 | 02/10/1971 | F | A+ | 0.06 |
| MRNCNEG-100-05 | =W22321969513500 | 10/12/2019 | 03/22/1972 | F | 0+ | 0.03 |
| MRNCNEG-100-06 | =W03861981181500 | 07/12/2019 | 05/06/1961 | Μ | 0+ | 0.06 |
| MRNCNEG-100-07 | =W03861981181900 | 07/12/2019 | 07/01/1948 | М | 0+ | 0.02 |
| MRNCNEG-100-08 | =w03861970149500 | 03/23/2019 | 06/28/1972 | М | 0+ | 0.02 |
| MRNCNEG-100-09 | =W22321969514600 | 10/12/2019 | 06/08/1975 | Μ | A+ | 0.07 |
| MRNCNEG-100-10 | =W22321969368500 | 10/12/2019 | 11/20/1985 | М | 0+ | 0.08 |
| MRNCNEG-100-11 | =w03861980761400 | 04/25/2019 | 08/14/1960 | F | A+ | 0.03 |
| MRNCNEG-100-12 | =W03861970624200 | 10/06/2019 | 02/01/1964 | F | A- | 0.03 |
| MRNCNEG-100-13 | =W03861970559300 | 08/11/2019 | 06/21/1954 | F | A+ | 0.04 |
| MRNCNEG-100-14 | =W03861950441400 | 09/09/2019 | 02/15/1938 | М | A+ | 0.07 |

All plasma was collected at a U.S. Licensed Plasmapheresis Center.

The Plasma was tested and found Negative for Anti-HCV and Anti-HIV 1/2 by FDA approved tests.

CAUTION: HUMAN BLOOD

All materials listed above are considered to be potentially infectious and should be handled with universal precautions.



| PANEL ID # | BUIN# | DOD | DOB | SEX | BT | SARS-COV-2 IgG Abbott Architect |
|----------------|------------------|------------|------------|-----|----|------------------------------------|
| MRNCNEG-100-15 | =W22321969369000 | 10/12/2019 | 08/16/1960 | F | 0+ | 0.03 |
| MRNCNEG-100-16 | =W03861950115700 | 05/20/2019 | 10/11/1964 | М | 0+ | 0.03 |
| MRNCNEG-100-17 | =W03861950119000 | 05/29/2019 | 10/18/1958 | М | A+ | 0.02 |
| MRNCNEG-100-18 | =W03861970535600 | 08/12/2019 | 09/30/1953 | F | A+ | 0.05 |
| MRNCNEG-100-19 | =W03861970556800 | 08/09/2019 | 08/18/1994 | F | A- | 0.01 |
| MRNCNEG-100-20 | =W22321969512700 | 10/12/2019 | 10/27/1984 | М | 0+ | 0.03 |
| MRNCNEG-100-21 | =W03861981130600 | 07/12/2019 | 12/28/1964 | F | 0+ | 0.03 |
| MRNCNEG-100-22 | =W03861970602500 | 09/10/2019 | 09/30/1959 | F | A- | 0.08 |
| MRNCNEG-100-23 | =W03861970613200 | 09/24/2019 | 10/25/1953 | F | A+ | 0.03 |
| MRNCNEG-100-24 | =W03861981131200 | 07/12/2019 | 10/12/1967 | М | 0+ | 0.03 |
| MRNCNEG-100-25 | =W22321969367300 | 10/12/2019 | 07/16/1997 | М | 0+ | 0.05 |
| MRNCNEG-100-26 | =W03861981130800 | 07/12/2019 | 01/09/1962 | F | 0+ | 0.05 |
| MRNCNEG-100-27 | =W03861970604500 | 09/13/2019 | 08/29/2001 | F | 0+ | 0.05 |
| MRNCNEG-100-28 | =W03861981205600 | 07/31/2019 | 03/27/1985 | F | 0+ | 0.03 |
| MRNCNEG-100-29 | =W22321969442800 | 10/12/2019 | 11/09/1956 | F | 0+ | 0.07 |
| MRNCNEG-100-30 | =W22321969550100 | 10/03/2019 | 08/18/1983 | F | 0+ | 0.07 |

The Plasma was tested and found Negative for Anti-HCV and Anti-HIV 1/2 by FDA approved tests.

CAUTION: HUMAN BLOOD

All materials listed above are considered to be potentially infectious and should be handled with universal precautions.



| PANEL ID # | BUIN# | DOD | DOB | SEX | ВТ | SARS-COV-2 IgG Abbott Architect |
|----------------|------------------|------------|------------|-----|-----|------------------------------------|
| MRNCNEG-100-31 | =W03861981132000 | 07/12/2019 | 01/01/1977 | М | 0+ | 0.05 |
| MRNCNEG-100-32 | =W03861970502600 | 07/14/2019 | 02/01/1949 | F | AB+ | 0.02 |
| MRNCNEG-100-33 | =w03861950159200 | 05/09/2019 | 06/21/1949 | F | 0+ | 0.04 |
| MRNCNEG-100-34 | =W22321969513300 | 10/12/2019 | 05/28/1988 | F | B+ | 0.18 |
| MRNCNEG-100-35 | =W22321969442900 | 10/12/2019 | 09/02/1967 | F | 0+ | 0.02 |
| MRNCNEG-100-36 | =w03861980715600 | 04/24/2019 | 01/19/1942 | М | A+ | 0.08 |
| MRNCNEG-100-37 | =W22321969443000 | 10/12/2019 | 07/07/1969 | М | A+ | 0.04 |
| MRNCNEG-100-38 | =w03861950087200 | 03/25/2019 | 08/17/1947 | М | B- | 0.04 |
| MRNCNEG-100-39 | =W03861980848100 | 05/23/2019 | 04/30/1991 | F | 0+ | 0.03 |
| MRNCNEG-100-40 | =w03861970071300 | 03/27/2019 | 01/09/1955 | М | A+ | 0.06 |
| MRNCNEG-100-41 | =w03861970360800 | 05/09/2019 | 12/17/1942 | F | 0- | 0.15 |
| MRNCNEG-100-42 | =W03861981131500 | 07/12/2019 | 11/06/1950 | F | A- | 0.03 |
| MRNCNEG-100-43 | =w03861980834200 | 05/09/2019 | 04/11/1960 | F | 0+ | 0.12 |
| MRNCNEG-100-44 | =w03861970111000 | 03/19/2019 | 10/14/1948 | F | 0+ | 0.03 |
| MRNCNEG-100-45 | =W03861970346900 | 05/19/2019 | 07/27/1958 | F | 0- | 0.06 |
| MRNCNEG-100-46 | =W22321969443100 | 10/12/2019 | 10/29/1999 | Μ | A+ | 0.05 |

The Plasma was tested and found Negative for Anti-HCV and Anti-HIV 1/2 by FDA approved tests.

CAUTION: HUMAN BLOOD

All materials listed above are considered to be potentially infectious and should be handled with universal precautions.



| PANEL ID # | BUIN# | DOD | DOB | SEX | ВТ | SARS-COV-2 IgG Abbott Architect |
|----------------|------------------|------------|------------|-----|----|------------------------------------|
| MRNCNEG-100-47 | =W03861981131700 | 07/12/2019 | 02/24/1980 | М | B+ | 0.05 |
| MRNCNEG-100-48 | =W03861970342800 | 05/14/2019 | 03/05/1950 | F | 0+ | 0.02 |
| MRNCNEG-100-49 | =w03861950162600 | 05/11/2019 | 03/27/1969 | F | 0+ | 0.09 |
| MRNCNEG-100-50 | =W03861970390800 | 06/21/2019 | 10/31/1954 | F | A- | 0.03 |
| MRNCNEG-100-51 | =W03861970664900 | 10/08/2019 | 10/14/2001 | F | O- | 0.19 |
| MRNCNEG-100-52 | =W22321969368100 | 10/12/2019 | 12/04/1990 | М | 0+ | 0.03 |
| MRNCNEG-100-53 | =W03861950202000 | 09/22/2019 | 12/16/1958 | F | A- | 0.05 |
| MRNCNEG-100-54 | =W22321969368600 | 10/12/2019 | 04/01/1959 | F | A+ | 0.01 |
| MRNCNEG-100-55 | =W22321969368900 | 10/12/2019 | 07/15/1986 | М | 0+ | 0.03 |
| MRNCNEG-100-56 | =W22321969367700 | 10/12/2019 | 07/16/1971 | F | 0+ | 0.32 |
| MRNCNEG-100-57 | =w03861980631500 | 03/30/2019 | 03/05/1956 | М | 0- | 0.12 |
| MRNCNEG-100-58 | =w03861950162300 | 05/09/2019 | 04/28/1968 | Μ | A+ | 0.02 |
| MRNCNEG-100-59 | =W03861970531600 | 08/07/2019 | 10/11/1956 | F | 0+ | 0.05 |
| MRNCNEG-100-60 | =W03861981206600 | 08/01/2019 | 10/28/1965 | F | 0+ | 0.16 |
| MRNCNEG-100-61 | =W03861940254700 | 07/12/2019 | 09/01/1945 | F | 0+ | 0.03 |
| MRNCNEG-100-62 | =W03861970315800 | 05/20/2019 | 01/09/1955 | М | A+ | 0.03 |

The Plasma was tested and found Negative for Anti-HCV and Anti-HIV 1/2 by FDA approved tests.

CAUTION: HUMAN BLOOD

All materials listed above are considered to be potentially infectious and should be handled with universal precautions.



| PANEL ID # | BUIN# | DOD | DOB | SEX | ΒТ | SARS-COV-2 IgG Abbott Architect |
|----------------|------------------|------------|------------|-----|----|------------------------------------|
| MRNCNEG-100-63 | =W22321969368000 | 10/12/2019 | 08/06/1981 | М | A- | 0.02 |
| MRNCNEG-100-64 | =w03861980711700 | 04/20/2019 | 10/17/1942 | Μ | 0+ | 0.07 |
| MRNCNEG-100-65 | =W22321969367200 | 10/12/2019 | 04/21/1975 | F | 0+ | 0.06 |
| MRNCNEG-100-66 | =W03861970403000 | 06/01/2019 | 05/02/1956 | F | 0+ | 0.03 |
| MRNCNEG-100-67 | =W22321969368700 | 10/12/2019 | 03/11/1971 | F | A- | 0.23 |
| MRNCNEG-100-68 | =w03861980858500 | 05/09/2019 | 11/16/1969 | F | A+ | 0.16 |
| MRNCNEG-100-69 | =W22321969485500 | 10/03/2019 | 03/04/1985 | М | 0+ | 1.33 |
| MRNCNEG-100-70 | =W03861981131600 | 07/12/2019 | 05/24/1989 | М | 0- | 0.02 |
| MRNCNEG-100-71 | =W22321969485400 | 10/03/2019 | 10/17/1975 | F | 0- | 0.04 |
| MRNCNEG-100-72 | =W03861940219700 | 06/29/2019 | 05/13/1954 | F | A+ | 0.03 |
| MRNCNEG-100-73 | =W22321969368300 | 10/12/2019 | 04/16/1951 | F | A- | 0.03 |
| MRNCNEG-100-74 | =w03861940134100 | 05/09/2019 | 10/12/1965 | F | 0- | 0.16 |
| MRNCNEG-100-75 | =W22321969442700 | 10/12/2019 | 07/25/1949 | М | 0+ | 0.04 |

The Plasma was tested and found Negative for Anti-HCV and Anti-HIV 1/2 by FDA approved tests.

CAUTION: HUMAN BLOOD

All materials listed above are considered to be potentially infectious and should be handled with universal precautions.